

VI. REFERENCIAS BIBLIOGRÁFICAS.

- Abbey, S.E. y Stewart, D.E. (2000). Gender and psychosomatic aspects of ischaemic heart disease. *Journal of Psychosomatic Research*, 48, 417-423.
- Ades, P.A., Green, N.M. y Coello, C.E. (2003). Efectos del ejercicio físico y la rehabilitación cardíaca sobre los problemas cardiovasculares. *Clínicas Cardiológicas de Norteamérica*, 3, 421-434.
- Agras, W.S., Scheneider, J.A. y Taylor, C.B. (1984). Relaxation therapy in essential hypertension: A failure of retraining in relaxation procedures. *Behavioral Therapy*, 15, 191-196.
- Ahern, D.K., Gorkin, L., Anderson, J.L., Tierney, C., Hallstrom, A., Ewart, C. et al. (1990). Biobehavioral variables and mortality or cardiac arrest in the Cardiac Arrhythmia Pilot Study (CAPS). *American Journal of Cardiology*, 66, 59-62.
- Alegría, E., Alzadora, P., Bolao, I.G., Velasco, S., Hidalgo, M.L. e Iglesias, I. (1991). Cardiopatía isquémica en la mujer. *Revista Española de Cardiología*, 44, 500-510.
- Almada, S.J., Zonderman, A.B., Shekelle, R.B., Dyer, A.R., Daviglius, M.L., Costa, P.P. y Stamler, J. (1991). Neuroticism and cynissm and risk of death on middle-aged men: The Western Electric Study. *Psychosomatic Medicine*, 53, 165-175.
- American Academy of Family Physicians (1998). Coronary heart disease. *Monograph*, 202.
- American Heart Asociation (1999). *Heart and Stroke Statistical Update*. Dallas: American Heart Asociation.
- American Heart Asociation (2000). *Heart and Stroke Statistical Update*. Dallas: American Heart Asociation.
- American Heart Asociation (2002). *Heart and Stroke Statistical Update*. Dallas: American Heart Asociation.
- Amigo, I., González, A. y Herrera, J. (1997). Comparison of physical exercise and muscle relaxation training in the treatment of mild essential hipertensión. *Stress Medicine*, 13, 59-65.

- Anderson, J.T., Grande, F. y Keys, A. (1976). Independence of the effects of cholesterol and degree of saturation of the fat in the diet serum cholesterol in man. *American Journal of Clinical Nutrition*, 29, 1184-1189.
- Anónimo (1995). Medicamentos para la angina de pecho estable. *Medicine Setter*, 27, 5-8.
- Appels, A. y Mulder, P. (1988). Excess fatigue as a precursor of myocardial infarction. *European Heart Journal*, 9, 758 -764.
- Appels, A. y Mulder, P. (1989). Fatigue and heart disease. The association between vital exhaustion and past, present and future coronary heart disease. *Journal Psychosomatic Responses*, 3, 727-738.
- Aromaa, A. et al. (1989). *Health, functional limitations and need for care in Finland*. Heinsinki: Kansaneläkelaitoksen Julkaisuja.
- Arrindell, W.A. y Ettema, J.H.M. (1981). Dimensionele structuur, betrouwbaarheid en validiteit van de Nederlandse bewerking van de Symptom Checklist (SCL-90). *Ned Tijdschr Psychiatrie* 43, 381-387.
- Balaguer, V., Tomás, A. y Varas, L. (1994). *Mediterráneo y corazón*. Madrid: Edika Med.
- Banegas, J.R. (2002). *Estudio Prescap*. Madrid: Biblioteca de Psicología.
- Barefoot, J.C., Helms, M.J., Mark, D.B., Blumenthal, J.A., Califf, R.M., Haney, T.L. et al. (1996). Depression and long term mortality risk in patients with coronary artery disease. *American Journal of Cardiology*, 78, 613-617.
- Barnett, P.A., Spence, J.D., Manuck, S.B. y Jennings, J.R. (1997). Psychological stress and the progression of carotid artery disease. *Journal of Hypertension*, 15, 49-55.
- Bartecchi, C.E., MacKenzei, T.K. y Schrier, R.W. (1994). The human cost of tabaco use. *New England Journal of Medicine*, 330, 907-980.
- Becoña, E., Palomares, A. y García, M.P. (1994). *Tabaco y salud: guía de prevención y tratamiento del tabaquismo*. Madrid: Pirámide.

- Beech, H.R., Burns, L.E. y Sheefield, B.F. (1986). A behavioural approach to the managements of stress. John Wiley and Sons. Versión española: *Tratamiento del estrés: Un enfoque comportamental*. Madrid: Alhambra.
- Behar, S. et al. (1993). Circadian variation and posible external triggers of onset of myocardial infarction. *American Journal of Medicine*, 94, 395-399.
- Benowitz, N.L. et al. (1993). Nicotine effects on eicosanoid formation and hemostatic function: Comparison of transdermal nicotine and cigarette smoking. *Journal American College of Cardiology*, 22, 1159-1167.
- Benson, H. (1975). *The relaxation response*. Londres: W. Collings and Sons.
- Berger, A. (1999). Challenging women to walk for healthier hearts. *The New York Times*, 31, 8-12.
- Berkman, L.F. et al. (1992). Emocional support and survival following myocardial infarction: Findings from a prospective population-based study of elderly. *Annals International of Medicine*, 117, 1003-1007.
- Berlin, J.A. y Colditz, G.A. (1990). A meta-analysis of physical activity in the prevention of coronary heart disease. *American Journal of Epidemiology*, 132, 612-628.
- Bernstein, D.A. y Borkovec, T.D. (1999). *Entrenamiento en relajación progresiva. Un manual para terapeutas*. Madrid: Biblioteca de psicología.
- Blasco, F. y Oliver, M. (1983). *Enciclopedia familiar de la medicina y la salud*, 6, 12-13. Madrid: Servagroup Ediciones.
- Blascovich, J. y Katkin, E.S. (1993). *Cardiovascular reactivity to psychological stress and disease*. Washington: American Psychological Association.
- Blascovich, J. y Salomón, K. (1998). Reactivity. *Encyclopedia of Mental Health*, 3, 371-380. New York: Academic Press.
- Blumenthal, J.A, McKee, D.C., Haney, T. y Williams, R.B. (1980). Tasks incentives type A behavior pattern, and verbal problem solving performance. *Journal of Applied social Psychology*, 10, 101,114.
- Boone, T., Hansen, S. y Erlandson, A. (2000). Respuestas cardiovasculares a la risa. Un proyecto piloto. *Applied Nursing Research*, 13(4), 204-208.

- Booth-Kewley, S. y Friedman, H.S. (1987). Psychological predictors of heart disease: A quantitative review. *Psychological Bulletin*, 101, 343-362.
- Boraita, A., Baño, A., Berrazueta, J.R., Lamiel, R., Luengo, E., Manonelles, R. y Pon, I. (2000). Guías de práctica clínica de la Sociedad Española de Cardiología sobre actividad física en el cardiópata. *Revista Española de Cardiología*, 53, 684-726.
- Breva, A., Espinosa, M. y Palmero, F. (1996). El apoyo social como modulador del riesgo coronario. *Trastornos cardiovasculares. Influencia de los procesos emocionales*. Valencia: Promolibro.
- British Heart Foundation (1994). *Coronary Heart Disease Statistics*. London: British Heart Foundation.
- Brown, G. et al. (1990). Regresión de enfermedad coronaria como resultado de terapia intensiva de reducción de lípidos en hombres con niveles altos de apolipoproteína B. *New England Journal of Medicine*, 323, 1289-1298.
- Brownell, K.D. y Rodin, J. (1994). The dieting maelstrom: Is it possible and advisable to perder peso? *American Psychologist*, 49(9), 781-791.
- Brownlee, M. (2001). Bioquímica y biología celular molecular de complicaciones diabéticas. *Nature*, 414(6865), 813-820.
- Buceta, J.M. (1987). Aplicación de un procedimiento abreviado de relajación progresiva en dos casos de ansiedad generalizada. *Psiquis*, 8, 47-55.
- Buceta, J.M. (1988). Tratamiento conductual de un caso de estrés. *Aplicaciones clínicas de la evaluación y modificación de conducta: Estudio de casos*. Madrid: Pirámide.
- Bueno, A.M. y Buceta, J.M. (1994). Intervención psicológica en la rehabilitación de pacientes post-infarto de miocardio. *Jano*, 47, 51-62.
- Bueno, A.M. y Buceta, J.M. (1997). *Tratamiento psicológico después del infarto de miocardio: Estudios de caso*. Madrid: Dykinson.
- Buffum, M.D. y Brod, M. (1998). Humor and well-being in spouse caregivers of patients with Alzheimer's disease. *Applied Nursing Research*, 11, 12-18.

- Burns, D.D. (1995). Comprenda sus estados de ánimo: Lo que usted piensa determina lo que usted siente. *Sentirse bien*. Madrid: Ediciones Altaya.
- Burns, J. y Katkin, E. (1993). Psychological, situational, and gender predictors of cardiovascular reactivity to stress: A multivariate approach. *Journal of Behavioral Medicine*, 16, 445-465.
- Burr, M.L. et al. (1989). Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction trial. *Lancet*, 2, 757-761.
- Burt, V.L. et al. (1995). Trends in the prevalence, awareness, treatment, and control of hypertension in the adult U.S. population: Data from the health examination surveys, 1960-1991. *Hypertension*, 26, 60-69.
- Camargo, C.A. et al. (1997). Moderate alcohol consumption and risk for angina pectoris in myocardial infarction in male physicians. *Annals International of Medicine*, 12, 372-375.
- Campeau, L. (1976). Grading of angina pectoris. *Circulation*, 54, 522-523.
- Carhart, R.L. y Ades, P.A. (1998). Enfermedades cardiovasculares en las mujeres. Diferencias en cuanto al género en rehabilitación cardiaca. *Clínicas Cardiológicas de Norteamérica*, 1, 39-45.
- Carr, A. (2003). *Es fácil dejar de fumar, si sabes cómo*. Madrid: Espasa Calpe.
- Case, R.B., Joss, A.J., Case, N., Mcdermot, M. y Eberly, S. (1992). Living alone alter myocardial infarction: Impact on prognosis. *JAMA*, 267, 515-519.
- Castellan, N. y Siegel, S. (1995). *Estadística no paramétrica aplicada a las ciencias de la conducta*. México: Trillas.
- Castellini, W.P., Garrison, R.J. y Wilson, P.W.F. (1986). Incidence of coronary heart disease and lipoprotein cholesterol levels: The Framingham study. *Journal of the American Medical Association*, 256, 2835-2838.
- Castillo, J.R., Torelló, J., Jiménez, M.C. y Merino, N. (2000). *Terapéutica cardiovascular III. Guía para el diagnóstico y tratamiento del paciente con angina de pecho estable crónica*. Universidad de Sevilla. Junta de Andalucía. Sevilla: Servicio Andaluz de Salud.

- Celemajer, D.S., Sorensen, K.E. y Georgakopoulos, D. (1993). Cigarette smoking is associated with dose-related and potentially reversible impairment endothelium dependent dilation in healthy young adults. *Circulation*, 88, 2149-2155.
- Centres for Disease Control and Prevention (1993). Cigarette-attributable mortality and years of potential life lost-United States. *Morbidity Mortality Wkly Rep*, 42, 645-649.
- Centers for Disease Control and Prevention (1994). Medical-care expenditures attributable to cigarette smoking-United States. *Morbidity Mortality Wkly Rep*, 43, 469-472.
- Clark, D. y Salkovskis, P. (1987). *Cognitive treatment for panic attacks: Therapist's manual*. Manuscrito no publicado.
- Cobb, M.M., Teitelbaum, H.S. y Breslow, J.L. (1991). Lovastatin efficacy in reducing low-density lipoprotein cholesterol levels on high-vs low-fat diets. *JAMA*, 265(8), 997-1001.
- Comité de expertos de la O.M.S (1975). *Consecuencias del tabaco para la salud: Un informe del comité*. Ginebra.
- Connor, W.E. (1972). The key role of nutritional factors in the prevention of CHD. *Preventive Medicine*, 1, 49-83.
- Consenso sobre aterotrombosis (1998). *Clínica e Investigación sobre Arteriosclerosis*, 10, 2-3.
- Consensus Conference (1985). Lowering blood cholesterol to prevent heart disease. *JAMA*, 253, 2080-2086.
- Cook, T.D. y Campbell, D.T. (1979). *Quasi-experiments: Design and analysis issues for field settings*. Chicago: Rand Mc Nally.
- Cook, W. y Medley, D. (1954). Proposed hostility and pharisaic-virtue scale for the MMPI. *Journal of Applied Psychology*, 38, 414-418.
- Cooper, R. et al. (2000). Trends and disparities in coronary heart disease, stroke, and other cardiovascular diseases in the United States: Findings of the National Conference on Cardiovascular Disease Prevention. *Circulation*, 102, 3137-3147.

- Coryel, W., Noyes, R. y Clancy, J. (1982). *Archives General of Psychiatry*, 39, 701-703.
- Corse, C.D., Manuck, S.B., Cantwell, J.D., Giordani, B. y Matthews, K.A. (1982). Coronary-prone behaviour pattern and cardiovascular response in persons with and without coronary heart disease. *Psychosomatic Medicine*, 44, 449-459.
- Cottier, C., Shapiro, K. y Julios, S. (1984). Treatment of mild hipertension with progressive muscle relaxation: Predictive value of indexes of sympathetic tone. *Archives of Internal Medicine*, 144, 1954-1958.
- Craig, W.Y., Palomaki, G.E. y Haddow, J.E. (1989). Cigarette smoking and serum lipid and lipoprotein concentrations: An análisis of publisher data. *BMJ*, 298, 784-788.
- Croog, S.H. et al. (1986). The effects of antihypertensive therapy on the quality of live. *New England Journal of Medicine*, 414, 1657-1664.
- Crowe, J.M., Runions, J., Ebbesen, L.S., Oldrige, N.B. y Streiner, D.L. (1996). Anxiety and self-care following myocardial infarction. *Heart Lung*, 25, 98-107.
- Curce, C. (2004). *Perspectivas actuales en rehabilitación cardiovascular*. URL http://www.sobrentrenamiento.com/CurCE/Popud/Información_Cursos.asp?tu=Standarc... (visitado 2004, Noviembre 2).
- Da Costa, J.M. (1871). On irritable heart; a clinical study of a form of functional cardiac disorder and its consequences. *American Journal of Medical Science*, 61, 17-52.
- Dahlof, B. et al. (1991). Morbidity and mortality in the Swedish trial in old patients with hypertension. *Lancet*, 338, 1281-1285.
- Daviglus, M.L., Liu, K., Greenland, P., Dyer, A.R., Garside, D.B., Manheim, L. et al. (1998). Benefit of a favourable cardiovascular risk-factor profile in middle age with respect to medicare costs. *New England Journal of Medicine*, 339, 1122-1129.
- Davis, M., Mattewus, K. y McGrath, C. (2000). Hostile attitudes predict elevated vascular resistance during interpersonal stress in men and women. *Psychosomatic Medicine*, 62, 17-25.

- Deanfield, J. et al. (1984). Cigarette smoking and the treatment of angina with propanolol, atenolol, and nifedipine. *New England Journal of Medicine*, 310, 951-954.
- Dembroski, T.M. y Costa, P.T. (1987). Coronary prone behavior: Components of the type A pattern and hostility. *Journal of Personality*, 55, 211-235.
- Denollet, J., Sys, S.U., Stroobant, N., Rombouts, H., Gillebert, T.C. y Brutsaert, D.L. (1996). Personality as independent predictor of long-term mortality in patients with coronary heart disease. *Lancet*, 347, 417-421.
- Denollet, J. y Brutsaert, D.L. (1998). Personality, disease severity, and the risk of long-term cardiac events in patients with a decreased ejection fraction after myocardial infarction. *Circulation*, 97, 167-173.
- Department of Public Health Statistics (1994). *Thailand Annual Health Statistics*. Bangkok: Ministry of Public Health.
- Derogatis, L.R. (1975) *The SCL-90*. Baltimore: Clinical Psychometric Research.
- Devenyi et al. (1980). *Alcohol and high-density lipoproteins*. Ottawa: Canadian Medical Association.
- Diabetes Prevention Research Group (2002). Reduction in the evidence of type 2 diabetes with lifestyle intervention or metformin. *New England Journal of Medicine*, 346(6), 393-403.
- Dijkstra, J.B., Strik, J., Lousberg, R., Prickaerts, J., Riedel, W.J., Jolles, J. et al. (2002). Atypical cognitive profile in patients with depression after myocardial infarction. *Journal of Affective Disorders*, 70, 181-190.
- Dimsdale, J.E., Hackett, T.P., Hutter, A.M., Block, P.C. y Catanzano, D. (1986). Type A personality and extent of coronary atherosclerosis. *American Journal of Cardiology*, 42, 583-586.
- Dimsdale, J. y Herd, J.A. (1982). Variability of plasma lipids in response to emotional arousal. *Psychosomatic Medicine*, 44, 413-430.
- Ditto, B. (1993). Familial influences on heart rate, blood pressure, and self-report anxiety responses to stress: Result from 100 twin pairs. *Psychophysiology*, 30, 635-645.

- Dittrich, H., Gilpin, E., Nicod, P., Cali, G., Henning, H. y Ross, J. (1988). Acute myocardial infarction in women: Influence of gender on mortality and prognostic variables. *American Journal of Cardiology*, 62, 1-7.
- Doll, R. et al. (1994). Mortality in relation to smoking: 40 years' observations on male British doctors. *BMJ*, 309, 901-911.
- Eaker, E.D. et al. (1993). Cardiovascular disease in women. *Circulation*, 88, 1999-2009.
- Eckel, R.H. (1997). Obesity and heart disease. A statement for healthcare professionals from the nutrition committee, AHA. *Circulation*, 97, 2099-2100.
- Eliason, M. et al. (1995). Relation-Ship of cigarette smoking and snuff dippings to plasma fibrinogen, fibrinolytic variables and serum insulin. *Atherosclerosis*, 113, 41-53.
- Elveback, L.R., Connolly, D.C. y Melton, L.J. (1986). Coronary heart disease in residents of Rochester, Minnesota 7. Incidence, 1950 through 1982. *Clinical Procedure*, 61, 896-900.
- Ellis, A. (1973). *Humanistic psychotherapy: The racional-emotive approach*. New York: McGraw-Hill.
- Ellis, A. y Grieger, R. (1990). Problemas de ira. *Manual de Terapia Racional-Emotiva*, 2, 140-141. Bilbao: Desclée de Brouwer.
- Environmental Protection Agency (1992). *Respiratory health effects of pasive smoking: Lung cancer and other disorders*. Wahington: Office of Health and Environmental Assesment.
- Epstein, L.H. y Jennings, J.R. (1986). Smoking, stress, cardiovascular reactivity, and coronary heart disease. *Handbook of stress, reactivity, and cardiovascular disease*. New York: Wiley-Interscience.
- Epstein, L.H. y Perkins, K.A. (1988). Smoking, stress, an coronary heart disease. *Journal Consulting of Clinical Psychology*, 56, 342-349.
- Espnes, G.A. y Opdahl, A. (1999). Associations among behavior, personality y traditional risk factors for coronary heart disease: A study at a primary health care center in Mid-Norway. *Psychological Reports*, 85, 505-517.

- Estadísticas Básicas de Ingresos en la Unidad de Cuidados Intensivos del Hospital Santa María del Rosell (2005). *Conjunto mínimo de datos básicos del Hospital Santa María del Rosell de Cartagena*.
- Estadísticas Básicas de Mortalidad en la Región de Murcia (1998). *Consejerías de Sanidad y Economía (2000)*.
- Estadísticas Vitales (1999). Evolución de la mortalidad en Andalucía de 1977 a 1997. Sevilla: Junta de Andalucía.
- Everson, S.A. et al. (1997). Interaction of workplace demands and cardiovascular reactivity in progression of carotid atherosclerosis; population based study. *British Medical Journal*, 55, 580-592.
- Expert Panel on the Identification, Evaluation, and Treatment of High Blood Cholesterol in Adults (2001). *JAMA*, 285, 2486-97.
- Expert Panel on the Identification, Evaluation, and Treatment of Overweigh and Obesity in Adults (1998). *Archives of Internal Medicine*, 158, 1855-1867.
- Falkner, B. y Light, K.C. (1986). The interactive effects of stress and dietary sodium on cardiovascular reactivity. *Handbook of stress, reactivity and cardiovascular disease*. New York: Wiley-Interscience.
- Farmer, K.C., Jacobs, E.W. y Philips, C.R. (1994). Long-term patient compliance with prescribed regimens of calcium channel blockers. *Clinical Therapy*, 16, 316-326.
- Fernández, A. (1999). *Manejo de estrés y calidad de vida en la hipertensión arterial esencial*. Tesis doctoral no publicada.
- Fernández-Abascal, E.G. y Martín, M.D. (1995). Estrés y prevención coronaria. *Psicología y salud: Control del estrés y trastornos asociados*. Madrid: Dykinson.
- Fernández-Abascal, E.G. (1997). Procedimientos de desactivación. En E.G. Fernández-Abascal, F. Palmero, M. Cholíz y F. Martínez (Eds.), *Cuaderno de prácticas de motivación y emoción* (pp. 21-48). Madrid: Pirámide.

- Fernández-Abascal, E.G., Martín, M.D. y Domínguez, F.J. (2003). Factores de riesgo e intervenciones psicológicas eficaces en los trastornos cardiovasculares. *Psicohema*, 15(4), 615-630.
- Fielding, R. (1987). Patients' beliefs regarding the causes of myocardial infarction: Implications for information living and compliance. *Patient Education and Counseling*, 9, 121-134.
- Fletcher, G.F. et al. (1995). Efficacy of high intensity exercise training on left ventricular ejection fraction in men with coronary artery disease. *American Journal of Cardiology*, 76, 643-647.
- Ford, E.S. (1999). Body mass index, diabetes and C-reactive protein among US adults. *Diabetes Care*, 22(12), 1927-1928.
- Forrester, A.W., Lipsey, J.R., Teitelbaum, M.L., DePaulo, J.R. y Andrzejewski, P.L. (1992). Depression following myocardial infarction. *International Journal Psychiatric Medicine*, 22, 33-46.
- Frasure-Smith, N., Lespérance, F. y Talajic, M. (1993). Depression following myocardial infarction: Impact on 6-month survival. *JAMA*, 270, 1819-1826.
- Frasure-Smith, N., Lespérance, F. y Talajic, M. (1995). Depression and 18 month prognosis after myocardial infarction. *Circulation*, 91, 999-1008.
- Frasure-Smith, N., Lespérance, F. y Talajic, M. (1995). The impact of negative emotions on prognosis following myocardial infarction. Is it more than depression? *Health Psychology*, 14, 388-398.
- Freedman, H., y Booth-Kewelely, S. (1987). The "disease-prone personality": A meta analytic view of the construct. *American Psychologist*, 42(6), 539-555.
- Frei, B. (1995). Critical revision food. *Science and Nutrition*, 35, 83-89.
- Friedman, M., Powell, L., Thorensen, C., Ulmer, D., Price, V., Gill, J. et al. (1987). Effect of discontinuance of type A behavioural counselling on type A behaviour and cardiac recurrence rate of post myocardial infarction patients. *American Heart Journal*, 114, 483-490.
- Friedman, M. y Rosenman, R.H. (1974). *Type A behaviour and your heart*. New york: Fawcet Books.

- Friedman, M., Thorensen, C.E., Gill, J.J., Ulmer, D., Thomson, L., Powell, L. et al. (1982). Feasibility of altering type A behaviour pattern after myocardial infarction. *Circulation*, 66, 83-92.
- Friedman, M., Ulmer, D., Brown, B., Breall, W. y Dixon, T. (1986). Alteration of type A behaviour and its effect on cardiac recurrences in post myocardial infarction patients: Summary results of the recurrent coronary prevention project. *American Heart Journal*, 112, 653-665.
- Ganster, D.C., Schaubroeck, J., Sime, W.E. y Mayes, B.T. (1991). The nomological validity of the type A personality among employed adults. *Journal of Applied Psychology*, 76, 146-178.
- Garcés de los Fayos, E.J., Velandrino, A.P., Conesa, P. y Ortega, J. (2002). Un programa de intervención psicológica en pacientes con problemas cardiovasculares tipo inestable. *Cuadernos de Psicología del Deporte*, 2(1), 67-89.
- Garcés de los Fayos, E.J., Velandrino, A.P., Conesa, P., Ortega, J., Vives, L. y García, J. (2003). *Diseño y aplicación de un programa de intervención psicológica en pacientes con patología cardiovascular*. Murcia: Fundación Séneca.
- Gibbons, A. et al. (1999). Guidelines for the management of patients with chronic stable angina. *Journal American College of Cardiology*, 33, 2092-2197.
- Gibbons, L., Poliquin, C., Fair, M., Wielgosz, A. y Mao, Y. (1993). Patterns of recurrent and survival in AMI patients in Canada. *Canadian Journal of Cardiology*, 9, 661-665.
- Gil, J., Moreno, E., Gil, A. y Blanco, J.L. (2004). Efectos del consumo de café para la salud cardiovascular, la diabetes y el desarrollo del cáncer. *Phicothema*, 16(4), 531-547.
- Glantz, S.A. y Parmley, W.W. (1991). Passive smoking and heart disease: Epidemiology, physiology, and biochemistry. *Circulation*, 83, 1-12.
- Glantz, S.A. y Parmley, W.W. (1995). Passive smoking and heart disease: Mechanisms and risk. *JAMA*, 273, 1047-1053.
- Glassman, A.H. y Shapiro, P.A. (1998). Depression and the course of coronary artery disease. *American Journal of Psychiatry*, 155, 4-11.

- Glueck, C.J., Gordon, D.J., Nelson, J.J., Davis, C.E. y Tyroler, H.A. (1986). Dietary and others correlates of changes in total and low density lipoproteins cholesterol in hypercholesterolemic men: The lipid research clinics coronary primary prevention trial. *The American Journal of Clinical Nutrition*, 44, 489-500.
- Goldberg, I.J., Mosca, L. y Piano, M.R. (2001). AHA science advisory: Wine and your heart: A science advisory for healthcare professionals from the nutrition committee, council on epidemiology and prevention, and council on cardiovascular nursing of the AHA. *Circulation*, 103, 472-475.
- Golberg, R.B. (2003). Enfermedad cardiovascular en el diabético. *Clínicas Cardiológicas de Norteamérica*, 3, 387-401.
- Goldstein, I., Shapiro, D. y Thananopavaran, C. (1984). Home relaxation techniques for essential hipertensión. *Psychosomatic Medicine*, 46(5), 398-414.
- González, A. y Amigo, I. (2000). Efectos inmediatos del entrenamiento en relajación muscular progresiva sobre índices cardiovasculares. *Psicothema*, 12(1), 25-32.
- Goodman, J. (1983). How to get more mileague out of your life: Making sense of humor, then serving it. *Handbook of Humor Research*, 2, 1-22.
- Goodwing, G.M. (1997). Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. *Journal Psychopharmacology*, 11(2), 115-122.
- Grande, F. (1988). *Nutrición y salud*. Madrid: Temas de Hoy.
- Group for the Bypass Angioplatic Revascularization Investigation (BARI) Investigators (1997). Five-year clinical and functional outcome comparing bypass surgery and angioplasty in patients with multivessel coronary disease: a multicenter randomized trial. *JAMA*, 277, 715-721.
- Gu, K., Cowie, C.C. y Harris, M.I. (1999). Diabetes and decline in heart disease mortality in US adults. *JAMA*, 281(14), 1291-1297.
- Gulanick, M. y Cofer, L.A. (2000). Coronary risk factors: influences on the lipid profile. *Journal of Cardiovascular Nursing*, 14(1), 27-34.

- Gullette, E.C., Blumenthal, J.A., Badyack, M., Jiang, W., Waugh, R.A., Frid, D.J. et al. (1997). Effects of mental stress on myocardial ischemia during daily live. *Journal of the American Medical Association*, 227, 1521-1526.
- Gustafson, A.B. y Kalkhoff, R.K. (1982). Influence of sex and obesity on plasma catecholamine response to isometric exercise. *Journal Clinical of Endocrinology Metabolic*, 55, 703-708.
- Gyarfas, I. (1992) Las enfermedades cardiovasculares: El principal enemigo de la salud. *Revista de la Organización Mundial de la Salud*, 4-5.
- Haffner, S.M. (1997). Impaired glucosa tolerante is it relevant for cardiovascular disease? *Diabetología*, 40(12), 138-140.
- Haffner, S.M., Lehto, S., Ronnema, T., Pyorala, K. y Laakso, M. (1998). Mortality from coronary heart disease in subjects with type 2 diabetes and non-diabetic subjects and without prior myocardial infarction. *New England Journal of Medicine*, 339(4), 229-234.
- Haffner, S.M., Stern, M.P., Hazuda, N. Mitchel, B.D. y Patterson, J.K. (1990). Cardiovascular risks factors in confirmed prediabetic individuals. Does the clock for coronary heart disease start ticking before the onset of clinical diabetes? *JAMA*, 263(21), 2893-2898.
- Hakin, A.A., Curb, J.D., Petrovitch, H., Rodriguez, B.L., Yano, K., Ross, G.W. et al. (1999). Effects of walking on coronary heart disease in elderly men: the Honolulu Heart Program. *Circulation*, 100(1), 9-13.
- Hallstrom, A.P., Cobb, L.A. y Ray, R. (1986). Smoking as a risk factor for recurrence of sudden cardiac arrest. *New England Journal of Medicine*, 314, 271-275.
- Hambrecht, R., Niebauer, J. y Marburger, C. (1993). Various intensities of leisure time physical activity in patients with coronary arterydisease: Effects on cardiorespiratory fitness and progression of coronary atherosclerotic lesions. *Journal American College of Cardiology*, 22, 468-467.
- Harats, D. et al. (1989). Cigarette smoking renders LDL susceptible to peroxidative modification and enhanced metabolism by macrophages. *Atherosclerosis*, 79, 245-252.

- Harbin, T.J. (1989). The relationship between type A behavior pattern and physiological responsivity: A quantitative review. *Psychophysiology*, 26, 110-119.
- Harvey, W. (1628). On the emotion of the heart and blood in animals. *The Harvard Classics Scientific Papers*, 38, 64-147. New York: Collier and Sons.
- Heart and Stroke Foundation of Canada (2000). *The changing face of heart disease and stroke in Canada*. Ottawa: HSFC 1999.
- Hecker, M.H., Chesney, M.A., Black, G.W. y Fraustschi, N. (1998). Coronary-prone in the Western Collaborative Group Study. *Psychosomatic Medicine*, 50 (2), 153-164.
- Heitzer, T., Kurz, S. y Munzel, T. (1994). Cigarette smoking potential endothelial dysfunction in patients with hypercholesterolemia. *Circulation*, 90, 501-513.
- Helmers, K. y Krantz, D. (1996). Defensive hostility, gender, and cardiovascular levels and responses to stress. *Annals of Behavioral Medicine*, 18, 264-254.
- Hjermanm, I., Holme, I. y Leren, P. (1986). Oslo study diet and anti smoking trial results after 102 months. *American Journal of Medicine*, 80(2), 7-12.
- Hoelscher, T.J., Lichstein, K. y Rosaenthal, T.L. (1986). Home relaxation practice in hypertension treatment: Objective assesment and compliance induction. *Journal of Consulting and Clinical Psychology*, 54(2), 217-221.
- HRH Editores (2001). Hipertensión y colesterol. Un peligroso dúo. *Arkosalud*, 12.
- Hunninghake, D.B. (1993). The efficacy of intensive dietary therapy alone or combined with lovastatin in outpatients with hypercholesterolemia. *New England Journal of Medicine*, 328, 1213-1219.
- Hunnink, M.G., Goldman, L., Tosteson, A.N., Mittleman, M.A., Goldman, P.A., Willians, L.W. et al. et al. (1997). The recent decline in mortality from coronary heart disease, 1989-1990. The effects of secular trends in risk factors and treatment. *JAMA*, 277, 535-542.
- Ingle, D.J. (1958). *Principles of research in biology and medicine*. London: Pitman Medical Publication.

- Irvine, M.J., Johnston, D., Jenner, D.A. y Marie, G. (1986). Relaxation and stress management in the treatment of essential hypertension. *Journal of Psychosomatic Research*, 30, 437-450.
- Jacobson, E. (1938). *Progressive relaxation*. Chicago: University of Chicago Press.
- Jeffery, R.W. (1988). Dietary risk factors and their modification in cardiovascular disease. *Journal of Consulting and Clinical Psychology*, 56, 350-357.
- Jenkins, C.D. (1971). Psychology and social precursors of coronary disease. *New England Journal of Medicine*, 284, 244-255.
- Jenkins, C.D. et al. (1974). Prediction of clinical coronary heart disease-by a test for the coronary-prone behavior pattern. *The New England Journal of Medicine*, 290, 1271-1275.
- Jenkins, C.D. (1988). Epidemiology of cardiovascular diseases. *Journal of Consulting and Clinical Psychology*, 56, 324-332.
- Jenkins, C.D., Jono, R.T. y Stanton, B.A. (1996). Predicting completeness of symptom relief after mayor heart surgery. *Behavioral Medicine*, 284, 244-255.
- Jenkins, C.D., Zyzanski, S.J. y Roseman, R.H. (1979). *Jenkins activity survey manual*. Nueva York: Psychological Corporation.
- Jenni, M.A. y Wollersheim, J.P. (1979). Cognitive therapy, stress management training and the type A behaviour pattern. *Cognitive Therapy Research*, 3, 61-73.
- Jensen, G.L. y Rogers, J. (1998). Obesity in older persons. *Journal of the American Dietetic Association*, 98(11), 1308-1311.
- Jiménez, F. (1997). *Doctor, ¿Puedo beber vino?* Guipúzcoa: RB Ediciones.
- Johansson, S. et al. (1984). Sex differences in preinfarction characteristics and long-term survival among patients with myocardial infarction. *American Journal of Epidemiology*, 119, 610-623.
- Joint National Committee on the Detection, Evaluation and Treatment of High Blood Pressure (1993). *Archives of Internal Medicine*, 153, 154-183.
- Joint National Committee on the Prevention, Detection, Evaluation and Treatment of High Blood Pressure (1997). *Archives of Internal Medicine*, 24, 2413-2445.

- Jolliffe, F. et al. (2001). Rehabilitation for coronary heart disease. *Cochrane Database System Review*, 1, CD001800.
- Jonas, M.A. et al. (1992). Statement on smoking and cardiovascular disease for health care professionals: AHA Medical Scientific Statement. *Circulation*, 86, 1664-1669.
- Jousilahti, P. et al. (1996). Body weigh, cardiovascular risk factors, and coronary mortality. 15 year follow-up of middle-aged men and women in eastern Finland. *Circulation*, 93, 1372-1379.
- Kannel, W.D. (1989). Epidemiological aspects of heart failure. *Cardiology Clinical*, 7, 1-6.
- Kannel, W.D. (1997). Cardiovascular risk factors in the elderly. *Coronary Artery Disease*, 8, 565-575.
- Kannel, W.B., Castellini, W.P., Gordon, T., Mc Kannel, WB. y Namara, P.M. (1971). Serum cholesterol, lipoproteins, and the risks of coronary heart disorder. The Framingham Study. *Annals International of Medicine*, 74, 1-12.
- Kannel, W.B. y Feinleib, M. (1972). Natural history of angina pectoris in the Framingham study. Prognosis and survival. *American Journal of Cardiology*, 29, 154-163.
- Kannel, W.B. y McGee, D.L. (1979). Diabetes and cardiovascular disease: The Framingham Study. *The Journal of the American Medical Association*, 241, 2038-2053.
- Kawachi, P.M. et al. (1993). Smoking Cessation in relation to total mortality rates in women: A prospective cohort study. *Annals International of Medicine*, 119, 992-1000.
- Ketterer, M.W. (1993). Secondary prevention of ischemic heart disease: The case for aggressive behavioural monitoring and intervention. *Psychosomatics*, 34, 478-484.
- Kewley, B. y Friedman, M. (1987). A quantitative review. *Psychological Bulletin*, 104, 373-380.

- Keys, A. (1979). Is overweight a risk factor for coronary heart disease? *Cardiovascular Medicine*, 4, 1233-1243.
- Kim, K.A., Moser, D.K., Garvin, B.J., Riegel, B.J., Doerin, L.V., Jadack, R.A. et al. (2000). Gender differences in anxiety early after acute myocardial infarction. *American Journal Critic Career*, 9, 245-53.
- Klastsky, A.L., Armstrong, M.A. y Friedman, G.D. (1989). Alcohol use and subsequent cerebrovascular disease hospitalizations, *Stroke*, 20, 741-746.
- Klastsky, A.L., Armstrong, M.A. y Friedman, G.D. (1992). Alcohol and mortality. *Annals International of Medicine*, 126, 372-375.
- Klatsky, A.L., Armstrong, M.A. y Friedman, G.D. (1997). Red wine, white wine, liquor, beer, and risk for coronary artery disease hospitalization. *American Journal of Cardiology*, 79, 82-85.
- Kool, M. et al. (1993). Short and long term effects of smoking on arterial wall properties in habitual smokers. *Journal American College of Cardiology*, 22, 1881-1886.
- Kranz, D. y Manuck, S. (1984). Acute psychophysiologic reactivity and risk of cardiovascular disease: A review and methodologic critique. *Psychological Bulletin*, 96, 435-464.
- Kraus, W.E. et al. (2002). Effects of the amount and intensity of exercise on plasma lipoproteins. *New England Journal of Medicine*, 347, 1483-1492.
- Kurihara, S. (1995). Effect of age on blood pressure response to cigarette smoking. *Cardiology*, 86, 102-107.
- Lacoste, L., Hung, J. y Lam, J. (2001). Acute and delayed antithrombotic effects of alcohol in humans. *American Journal of Cardioogy*, 87, 82-85.
- Ladwing, K.H. et al. (1994). Post infarction depression and incomplete recovery 6 months after acute myocardial infarction. *Lancet*, 343, 20-23.
- Lane, J.D., Adcock, R.A., Willians, R.B. y Kuhn, C.M. (1990). Caffeine effects on cardiovascular and neuroendocrine responses to acute psychosocial stress and their relationship to level of habitual caffeine consumption. *Psychosomatic Medicine*, 52, 320-336.

- Lane, D., Carroll, D., Ring, C., Beepers, D.G. y Lip, G. (2001). Mortality and quality of life 12 months after myocardial infarction: Effects of depression and anxiety. *Psychosomatic Medicine*, 63, 221-230.
- Lane, J.D., White, A.D. y Williams, R.B. (1984). Cardiovascular effects of mental arithmetic in type A and type B females. *Psychophysiology*, 21, 39-46.
- Langosch, W., Brodner, G. y Forester, F. (1983). Psychophysiological testing of post infarction patients: A study determining the cardiological importance of psychophysiological variables. *Biobehavioral bases of coronary heart disease*. New York: Karger.
- Lara, J.M. (1987). Beneficios del ejercicio. *Hombre y Mujer*, 5, 1422-1423. Barcelona: Editorial Planeta.
- Larsson, B., Seidell, J., Svärd, K., Welin, L., Tibblin, G., Wihelmsen, L. y Björntorp, P. (1989). Obesity, adipose tissue distribution and health in men: The study of men born in 1913. *Appetite*, 13, 37-44.
- Law, M.R., Wald, N.J. y Thompson, S.G. (1994). By how much and how quickly does reduction in serum cholesterol concentration lower risk of ischemic heart disease? *British Medical Journal*, 308, 367-372.
- Layde, P.M. y Peral, V. (1981). Further analyses of mortality in oral contraceptive users: Royal College of general practitioners' oral contraception study. *Lancet*, 8, 541-546.
- Lean, M.E., Han, T.S. y Seidell, J.C. (1999). Impairment of health and quality of life using new US federal guidelines for the identification of obesity. *Archives Internal of Medicine*, 159(8), 837-843.
- Lee, I.M., Sesso, H.D. y Paffenbarger, R.S. (2000). Physical activity and coronary heart disease risk in men. Does the duration of exercise episodes predict risk? *Circulation*, 102, 981-992.
- Lerner, D.J. y Kannel, W.B. (1986). Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population. *American Heart Journal*, 111, 383-390.
- Levy, D. y Kannel, W.B. (1988). Cardiovascular risks: New insights from Framingham. *American Heart Journal*, 116, 266-272.

- Libby, P., Ridker, P.M. y Maseri, A. (2002). Inflammation and atherosclerosis. *Circulation*, 105(9), 1135-1143.
- Lig, K.C., Dolan, C.A., Davis, M.R. y Sherwood, A. (1992). Cardiovascular response to an active coping challenge as predictors of blood pressure patterns 10 to 15 years later. *Psychosomatic Medicine*, 54, 217-230.
- Light, K.C., Kothandapani, R.V. y Allen, M.T. (1998). Enhanced cardiovascular catecholamine responses in women with depressive symptoms. *International Journal of Psychophysiology*, 28, 157-166.
- Lipid Research Clinics Program. (1984). The Lipid Research Clinic Coronary Drug Prevention Trial results: Reduction in incidence of coronary heart disease. *JAMA*, 251, 351-364.
- Little, B.E., Hayworth, J. y Benson, P. (1984). Treatment of hypertension in pregnancy by relaxation and biofeedback. *Lancet*, 1, 865-867.
- Littman, D.J. et al. (2001). The use of buspirone in the treatment of stress, hostility, and type A behaviour in cardiac patients: An open trial. *Psychotherapy Psychosomatic*, 59, 107-114.
- López, A. (1993). Assessing the burden of mortality from cardiovascular diseases. *World Health Statistics*, 46, 91-96.
- López, L. (n.d./2003). *Los mitos sobre el corazón de las mujeres*. URL http://www.laopinion.com/salud_print.html?rkey=00031021200020238936. (Visitado 2003, Octubre 23).
- López, V. et al. (1998). Influencia de los factores de riesgo coronario en prevención secundaria: Tabaco. *Revista Española de Cardiología*, 51(6), 10-17.
- López-Bescós, L. et al. (1999). Prevalencia de angina y factores de riesgo cardiovascular en las diferentes comunidades autónomas de España: Estudio PANES. *Revista Española de Cardiología*, 52, 1045-1056.
- Lovallo, W.R. y Pishkin, V. (1980). A psychophysiological comparison of type A and B men exposed to failure and uncontrollable noise. *Psychophysiology*, 17, 29-36.

- Lovallo, W.R., William, R., al'Absi, M., Pincomb, G.A., Passey, R.B., Sung, B.H. y Wilson, M.F. (2000). Caffeine, extended stress, and blood pressure in borderline hypertensive men. *International Journal of Behavioral Medicine*, 7(2), 183-188.
- Luchi, R.J., Taffet, G.E. y Teasdale, T.A. (1991). Congestive heart failure in the elderly. *Journal American Geriatric of Sociology*, 39, 810-825.
- Luscher, T.F. (1994). The endothelium and cardiovascular disease: A complex interaction. *New England Journal of Medicine*, 330, 1081-1083.
- Manninen, V., Tenkanen, L., Koskinen, P., Huttunen, J.K., Manttari, M., Heinonen, O.P. y Fric, M.H. (1992). Joint effects of serum triglyceride and LDL cholesterol and HDL cholesterol concentrations on coronary heart disease risk in the Helsinki heart study: Implications for treatment. *Circulation*, 85, 37-45.
- Manolio, T.A. et al. (1991). Relation of alcohol intake to left ventricular mass: The Framminham Study. *Journal American College of Cardiology*, 17(3), 717-721.
- Manson, J.E., Willett, W.C., Stamfer, M.J., Colditz, G.A., Hunter, D.J., Handkinson, S.E., Hennekens, C.H. y Speizer, F.E. (1995). Body weigh and mortality among women. *New England Journal of Medicine*, 333, 677-685.
- Manuck, S.B., Adams, M.R., McCaffrey, J.M. y Kaplan, J.R. (1997). Behaviorally elicited heart rate reactivity and atherosclerosis in ovariectomized cynomolgus monkeys (*Macaca fascicularis*). *Arteriosclerosis, Thrombosis and Vascular Biology*, 17, 1774-1779.
- Manuck, S.B., Kaplan, J.R., Adams, M.R. y Clarkson, T.B. (1988). Studies of psychosocial influences on coronary artery atherogenesis in cynomolgous monkeys. *Health Psychological*, 7, 113-124.
- Manuck, S.B., Kasprowicz, A.L, Monroe, S.M., Larkin, K.T. y Kaplan, J.R. (1989). *Psychophysiologic reactivity as a dimension of individual differences*. New York: Plenum Press.
- Marmor, A., Geltman, E.M., Schechtman, K., Sobel, B.E. y Roberts, R. (1982). Recurrent myocardial infarction: Clinical predictors and prognostic implications. *Circulation*, 62, 415-421.

- Maroto, J.M., De Pablo, C., Artigao, R. y Morales, M.D. (1996). Rehabilitación cardiaca. Análisis de coste-efectividad. *Revista Española de Cardiología*, 49, 753-758.
- Matthews, K.A. (1988). Coronary heart disease and type A behaviours: Update on and alternative to the Booth-Kewley and Friedman (1987), quantitative review. *Psychological Bulletin*, 104, 373-380.
- Matthews, K.A., Manuck, S.B., Stoney, C.M., Rakaczky, C.J., McCann, B.S., Saab, P.B. et al. (1988). Familial aggregation of blood pressure and heart rate responses during behavioural stress. *Psychosomatic Medicine*, 50, 341-352.
- Maxwell, S., Cruickshank, A. y Torpe, G. (1994). Red wine and antioxidant activity in serum. *Lancet*, 344, 193-194.
- Mayou, R.A., Gill, D., Thompson, D.R., Day, A., Hicks, N., Volmink, J. y Neil, A. (2000). Depression and anxiety as predictors of outcome after myocardial infarction. *Psychosomatic medicine*, 62, 212-218.
- McBride, P.E. (1992). The health consequences of smoking. *Medicine Clinical North America*, 76, 333-353.
- McGill, H.C. (1988). The cardiovascular pathology of smoking (1988). *American Heart Journal*, 115, 250-257.
- McGill, H.C., McMahan, C.A., Malcom, G.T., Oalman, M.C. y Strong, J.P. (1995). Relation of glycohemoglobin and adiposity to atherosclerosis in youth. *Arteriosclerosis Thrombosis Vascular Biology*, 15(4), 431-440.
- McGinnis, J.M. y Foege, W.H. (1993). Actual causes of death in the United States. *JAMA*, 270, 2207-2212.
- Medical Research Council Working Party (1985). MRC trial of treatment in mild hypertension: Principal results. *BMJ* 291, 97-104.
- Medrano, M.J., Almazán, J., Sierra, M.J. y Olalla, M.T. (1998). Situación epidemiológica de las enfermedades cardiovasculares arterioscleróticas: Mortalidad y morbilidad. *Boletín Epidemiológico Semanal*, 6(15), 149-152.

- Méndez, G.F. y Cowie, M.R. (2001). The epidemiological features of heart failure in developing countries: A review of the literature. *International Journal of Cardiology*, 80, 213-219.
- Mialet, J.P., Pope, H.G. y Yurgelun-Todd, D. (1996). Impaired attention in depressive states: A non-specific deficit? *Psychology Medicine*, 26, 1009-1020.
- Miguel-Tobal, J.J., Cano Vindel, A. y Spielberger, C.D. (1997). El estudio de la ira en los trastornos cardiovasculares mediante el empleo del inventario de expresión de ira estado-rasgo. *Ansiedad y Estrés*, 3(1), 5-20.
- Mittleman, M.A. et al. (1995). Troggering of acute myocardial infarction onset by episodes of anger. *Circulation*, 92, 1720-1724.
- Moreno, P.R. et al. (2000). Coronary compositionand and macrophage infiltration in atherectomy specimens from patients with diabetes mekkitus. *Circulation*, 102(18), 2180-2184.
- Moser, M. (1992). Management of hypertension in the elderly. *American Journal of Geriatric Cardiology*, May/June, 22-35.
- Moser, D.K., Dracup, K., McKinley, S., Yamasaki, K., Kim, C., Cho-Ja, K. et al. (2003). An international perspective on gender differences in anxiety early alter acute myocardial infarction. *Psychosomatic Medicine* 65, 511-516.
- Mukamal, K.J. et al. (2003). Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. *New England Journal of Medicine*, 348, 109-118.
- Musselman, D.L., Evans, D.L. y Nemeroff, C.B. (1998). The relationship of depression to cardiovascular disease. *Archives of General Psychiatry*, 55, 580-592.
- Naftilan, A.J. et al. (1989). A lack of genetic linkage of renin gene restriction fragment length polymorphisms with human hipertensión. *Hypertension*, 14, 614-618.
- National Cholesterol Education Program (1994). Second report of the expert panel on detection, evaluation and treatment of high blood cholesterol in adults. *Circulation*, 89, 1333-1345.
- National High Blood Pressure Education Program Working Group Report on Primary Prevention of Hipertensión (1993). *Archives International of Medicine*, 153, 186-191.

- National Institutes of Health (2001). Third report of the national cholesterol education program expert panel on detection, evaluation, and treatment of high blood cholesterol in adults. *Publication, 1*, 3670-3678.
- Neutel, J.M. et al. (1992). Heredity and hypertension: Impact on metabolic characteristics. *American Heart Journal, 124*, 435-440.
- Nevo, O., Keinan, G. y Teshimousky-Ardit, M. (1993). Humor and pain tolerance. *International Journal of Humor Research, 6*, 71-74.
- Niaura, R. y Goldstein, M.G. (1992). Psychological factors affecting physical condition. Cardiovascular disease literatura review. Part II: Coronary artery disease and sudden death and hypertension. *Psychosomatics, 33*, 146-155.
- Nieves, D.J. et al. (2003). The atherogenic lipoprotein profile associated with obesity and insulin resistance is largely attributable to intra-abdominal fat. *Diabetes, 52(1)*, 172-179.
- Obrist, P.A. (1981). *Cardiovascular psychophysiology: A perspective*. New York: Plenum Press.
- O'Connor, G.T. et al. (1989). An overview of randomized trials of rehabilitation with exercise after myocardial infarction. *Circulation, 80*, 234-244.
- Ohkubo, C. (1982). Some acute cardiopulmonary effects of mainstream and side-stream cigarette smoke in man. *Prevention Medicine, 11*, 173-186.
- Ohman, A., Nordby, H. y Sveback, S. (1989). Components of type A behaviour pattern and task-induced cardiovascular activation. *Psychophysiology, 26*, 81-88.
- Olbridge, N.B. et al. (1988). Cardiac rehabilitation after myocardial infarction: Combined experience of randomized clinical trials. *JAMA, 260*, 945-950.
- Olbridge, N.B., Guyatt, G.H., Fisher, M.S. y Rimm, A.A. (1998). Cardiac rehabilitation after myocardial infarction: Combined experience of randomized clinical trials. *JAMA, 280*, 945-950.
- Oldways, D. (1994). *Pirámide de la dieta mediterránea*.
- Ornish, D. et al. (1990). Can lifestyle changes reverse coronary heart disease? The lifestyle heart trial. *Lancet, 335*, 129-133.

- Ornish, D. et al. (1998). Intensive live style changes for reversal of coronary heart disease. *JAMA*, 280, 2001-2007.
- Paffenbarger, R.S. y Hyde, R.T. (1988). Exercise adherence, coronary heart disease, and longevity. En R.T. Dishman (Ed.), *Exercise adherence*. Champaign: Human Kinetics.
- Palmero, F., Espinosa, M. y Breva, A. (1995). Psicología y salud coronaria: Historia de un trayecto emocional. *Ansiedad y estrés*, 0, 37-55.
- Patel, C.H. y Marmot, M. (1988). Can practitioners use training in relaxation and management of stress to reduce mild hypertension? *British Medical Journal*, 296, 21-24.
- Patel, C.H., Marmot, M., Terry, D., Carruthers, M., Hunt, B. y Patel, M. (1985). Trial of relaxation in reducing coronary risk: Four year follow up. *British Medical Journal*, 290, 1103-1106.
- Penn, A., Chen, L.C. y Snyder, C.A. (1994). Inhalation of steady-state side stream smoke from one cigarette promotes arteriosclerotic plaque development. *Circulation* 90, 1363-1367.
- Picomb, G.A., Lovallo, W.R., McKey, B.S., Sung, B.H., Passey, R.B., Everson, S.A. y Wilson, M.F. (1996). Caffeine and behavioral stress effects on blood pressure in borderline hypertension. *American Journal of Cardiology*, 75, 522-524.
- Pinckney, M.M. (1961). Acute myocardial infarction precipitated by severe emotional disturbance. *American Journal of Cardiology*, 7, 759-760.
- Pittilo, R.M. et al. (1984). Cigarette smoking and platelet adhesion. *British Journal of Hematology*, 58, 627-632.
- Platt, J.R. (1964). Strong inference. *Science*, 146, 347-353.
- Pooling Project Research Group (1978). Relationship of blood pressure, serum cholesterol, smoking habit, relative weight, and ECG abnormalities to incidence of major coronary events: Final report of the Pooling Project. *Journal of Chronic Diseases*, 31, 201-306.
- Powch, I.G. y Houson, B.K. (1996). Hostility, anger in, and cardiovascular reactivity in white women. *Health Psychology*, 15, 200-208.

- Powell, K.E., Thompson, P.D., Caspersen, C.J. y Kendrick, J.S. (1987). Physical activity and the incidence of coronary heart disease. *Annual Review of Public Health*, 8, 253-287.
- Pownall, H.J., Ballantyne, C.M. y Kimball, K.T. (1999). Effect of moderate alcohol consumption on hypertriglyceridemia: A study in the fasting state. *Archives International of Medicine*, 159(9), 981-987.
- Puddey, I.B., Rakic, V., Dimmitt, S.B. y Beilin, L.J. (1999). Influence of pattern of drinking on cardiovascular disease and cardiovascular risk factors: A review. *Addiction*, 94,(5), 649-663.
- Putnam, L.E. y Rennert, M.P. (1984). Effects of obesity on autonomic responding in mental arithmetic task. *Psychophysiology*, 21, 594-595.
- Quillen, J.E. et al. (1993). Acute effect of cigarette smoking on the coronary circulation: Constriction of epicardial and resistance vessels. *Journal American College of Cardiology*, 22, 642-647.
- Räikkönen, K., Hautanen, A. y Keltikangas-Järvinen, L. (1994). Association of stress and depression with regional fat distribution in healthy middle-aged men. *Journal of Behavioral Medicine*, 17, 605-616.
- Raimundo, N. (n.d./2005). *Situación actual de la diabetes mellitus en España*. URL http://www.nutrar_com-Profesionales.htm. (visitado 2005, Marzo 4).
- Reaven, G. (2002). Metabolic syndrome: Pathophysiology and implications for management of cardiovascular disease. *Circulation*, 106, 286-288.
- Redberg, R.F. (1998). Diagnostic testing for coronary artery disease in women and gender differences in referral for revascularization. *Cardiology Clinical*, 16, 67-77.
- Redwood, D.R., Rosing, D.R. y Epstein, S.E. (1972). Circulatory and symptomatic effects of physical training in patients with coronary-artery disease and angina pectoris. *New England Journal of Medicine*, 286, 959-965.
- Reedy, K.S. y Yusuf, S. (1998). The emerging epidemic of cardiovascular disease in the developing countries. *Circulation*, 97, 596-601.

- Reich, P. et al. (1981). Acute psychological disturbances preceding life-threatening ventricular arrhythmias. *JAMA*, 246, 233-239.
- Report by the Management Committee (1980). The Australian therapeutic trial in mild hypertension. *Lancet*, 1, 1261-1267.
- Review Panel Coronary Prone Behaviour and Coronary Heart Disease (1981). Coronary-prone behavior and coronary heart disease: A critical review. *Circulation*, 63, 1199-1215.
- Ridker, P.M., Buring, J.E., Cook, N.R. y Rifai, N. (2003). C-reactive protein, the metabolic syndrome, and risk of incident cardiovascular events: An 8-year follow-up of 14719 initially healthy American women. *Circulation*, 107(3), 391-397.
- Riedel, W.J., Klaassen, T., Honig, A. y Van Praag, H.M. (1998a). 5-HT challenge and cognition in major depression and healthy control subjects. *Journal Psychopharmacology*, 12(3), 16-17.
- Riegel, B. y Bennet, J.A. (2000). Cardiovascular disease in elders: Is it inevitable? *Journal of Adult Development*, 7(2), 101-111.
- Rigotti, N.A. y Pasternak, R.C. (1996). Tabaquismo de cigarillos y cardiopatía coronaria. *Clínicas Cardiológicas de Norteamérica*, 1, 53-70.
- Rimm, E.R. et al. (1999). Moderate alcohol intake and lower risk of coronary heart disease: Meta-analysis of effects on lipids and haemostatic factors. *BMJ*, 319, 1523-1528.
- Rimm, E.R. y Stampfer, M.J. (2002). Wine, beer, and spirits are they really horses of a different color? *Circulation*, 105, 2806-2807.
- Rosamond, W.D. et al. (1998). Trends in the incidence of myocardial function and in mortality due to coronary heart disease, 1987 to 1994. *New England Journal of Medicine*, 339, 861-867.
- Rose, S.K., Conn, V.S. y Rodeman, B.J. (1994). Anxiety and self-care following myocardial infarction. *Mental Health Nursing*, 15, 433-444.
- Rosenman, R.H., Brand, R.J., Jenkins, C.D., Friedman, M., Strauss, R. y Wurm, M. (1975). Coronary heart disease in the western collaborative group study: Final

- follow-up experience of 8 ½ years. *Journal of the American Medical Association*, 233, 872-877.
- Rosenman, R.H., Friedman, M., Strauss, R., Wurm, M., Kositcher, R., Hahn, W. y Werthessen, N.T. (1964). A predictive study of coronary heart disease. *JAMA*, 189, 323-331.
- Rosenman, R.H. y Friedman, M. (1977). Modifying type A behaviour pattern. *Journal of Psychosomatic Research*, 21, 323-331.
- Rosenman, R.H. et al. (1988). Definition, assesment, and evolution of type A behavior pattern. En B.K. Huston y C.R. Snyder (Eds.), *Type A behavior pattern: Current trends and future directions* (pp. 179-217). New York: Wiley.
- Roskies, E., Seraganian, P., Oseasohn, R., Hanley, J.A. y Collu, R. (1986). The Montreal type A intervention proyect: Major finds. *Health Psychology*, 5, 45-69.
- Rouleau, J.L. et al. (1996). Myocardial infarction patients in the 1990, their risk factors, stratification and survival in Canada. *Journal American College of Cardiología*, 27, 1119-1127.
- Royal College of General Practitioners, Office of Population Censues and Surveys (1986). *Morbidity statistics from general practice 1981-82*. London: HMSO.
- Ruberman, W. et al. (1984). Psychosocial influences on mortality after myocardial infarction. *New England Journal of Medicine*, 311, 552-557.
- Ruff, J.C. (1999). Wine and polyphenols related to platelet aggregation and atherothrombosis. *Drugs Explicit Clinical Responses*, 25, 125-131.
- Sabbe, B., Van Hoof, J., Hulstijn, W. y Zittman, F. (1997). Depressive retardation and treatment with fluoxetine: Assessment of the motor component. *Journal Affective Disorder*, 43, 53-61.
- Sacks, F.M. et. al. (1996). The effect of pravastatin on coronary events after myocardial infarction in patients with average cholesterol levels. *New England Journal of Medicine*, 335, 1001-1009.

- Sánchez-Elvira, A. y Bermúdez, J. (1990). Evaluación de los componentes de patrón de conducta tipo A en las manifestaciones de conducta hostiles. *Evaluación Psicológica*, 6(2), 233-253.
- Sanne, H., Wiklund, I., Vedin, A. y Wihelmsson, C. (1985). Determinantes de la readaptación psicológica, sexual y laboral después del infarto de miocardio. *Revista Española de Cardiología*, 38(3), 10-14.
- Sanz, G.A. (1995). Cardiopatía Isquémica. En C. Rozman (Ed.), *Medicina Interna* (p.p. 533-551). Madrid: Mosby Doyma Libros.
- Savage, P. et al. (En prensa). Reduction in obesity and coronary risk factors after high caloric exercise training in overweight coronary patients. *American Heart Journal*.
- Sdringola, S. et al. (2003). Combined intense lifestyle and pharmacologic lipid treatment further reduce coronary events and myocardial perfusion abnormalities compared with usual-care cholesterol-lowering drugs in coronary artery disease. *Journal American College of Cardiology*, 41, 263-72.
- Seigman, A.W. (1994). *From type A to hostility to anger: Reflections on the history of coronary-prone behavior*. New Jersey: Lawrence Erlbaum.
- Selwyn, A.P. y Braunwald, E. (1991). Cardiopatía isquémica. En F. Harrison (Ed.), *Principios de medicina interna* (pp. 1117-1124). Madrid: McGraw-Hill Interamérica.
- Shah, P.K. y Helfant, R.H. (1988). Smoking and coronary artery disease. *Chest*, 94, 449-452.
- Shapiro, D., Lane, J.D. y Henry, J.P. (1986). Caffeine, cardiovascular reactivity, and cardiovascular disease. *Handbook of stress, reactivity, and cardiovascular disease*. Nueva York: John Wiley and Sons.
- Shapiro, P.A. (1996). Psychiatric aspects of cardiovascular disease. *Psychiatric Clinics of North America*, 19, 613-629.
- Sheil, J. y Sheil, A. (1991). The prevalence of psychiatric morbidity on a coronary care ward. *Journal Advancement Nursing*, 16, 1071-1077.

- Shekelle, R.B., Gale, M., Ostfeld, A.M. y Paul, O. (1983). Hostility, risk of coronary heart disease, and mortality. *Psychosomatic Medicine*, 45, 109-114.
- SHEP Cooperative Research Group (1991). Prevention of stroke by antihypertensive drug treatment in older persons with isolated systolic hipertensión: Final results of the systolic hipertensión in the elderly program (SHEP). *JAMA*, 265, 3255-3264.
- Sigler, L.H. (1960). Acute myocardial infarction following an emotional disturbance. *American Journal of Cardiology*, 6, 697-698.
- Singh, R.B. et al. (1997). Randomized, double-blind, placebo controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: The Indian experiment of infarct survival 4. *Cardiovascular Drugs Therapy*, 11, 485-491.
- Siwegel, J.M. (1991). *Anger and cardiovascular health. Hostility, doping and health*. Washington: American Psychological Association.
- Smith, D.F. (2001). Negative emotions and coronary heart disease: Causally related or merely coexistent? *Scandinavian Journal of Psychology*, 42, 57-69.
- Smith, P., Lenders, J.W.M. y Thien, T. (1990). Caffeine and theophylline attenuate adenosine-induced vasodilation in humans. *Clinical Pharmacology and Therapeutics*, 48, 410-418.
- Smith, S.C. (1997). The challenge of risk reduction therapy for cardiovascular disease. *American Family Physiology*, 55, 491-500.
- Smith, T.W. (1994). Hostility and health: Current status of a psychosomatic hypothesis. *Health Psychology*, 11, 139-150.
- Smith, T.W., Allred, K.D., Morrison, C.A. y Carlson, S.D. (1989). Cardiovascular reactivity and interpersonal influence: Active coping in a social context. *Journal of Personality and Social Psychology*, 56, 209-218.
- Smith, T.W., Christensen, A. J., Peck, J.R. y Ward, J.R. (1994). Cognitive distortions, helplessness, and depressed mood in rheumatoid arthritis: A four-year longitudinal analysis. *Health Psychology*, 13, 213-217.

- Smith, T.W. y Pope, M.K. (1990). Cynical hostility as a health risk: Current status and future directions. *Type A Behavior*, 12, 77-87.
- Smith, W., Kenicer, M., Tunstall, H., Clark, E. y Crombie, I. (1990). Prevalence of coronary heart disease in Scotland: Scottish heart study. *British Heart Journal*, 64, 295-298.
- Snaith, R.P., Bridge, G.W.K. y Hamilton, M. (1976). The Leeds Scales for the self-assessment of anxiety and depression. *British Journal of Psychiatry*, 128, 156-165.
- Spielberger, C.D. (1988). State-Trait Anxiety Inventory. *Dictionary of Behavioral Assessment Techniques*. Nueva York: Pergamon Press.
- Stamford, B.A. et al. (1986). Effects of smoking cessation on weight gain, metabolic rate, caloric consumption, and blood lipids. *American Journal of Clinical Nutrition*, 43, 486-494.
- Stamler, J. (1978). Lifestyles, major risk factors, proof and public policy, *Circulation*, 58, 3-19.
- Stamler, J. (1985). The marked decline in coronary heart disease mortality rates in the United States, 1968-1981: Summary of findings and possible explanations. *Cardiology*, 72, 11-12.
- Stamler, J., Wentworth, D. y Neaton, J.D. (1986). *Is relationship between serum cholesterol and risk of premature death from CHD continuous and graded? Findings in 356 222 primary screenees*. London: Sage Publications.
- Steenland, K. (1992). Passive smoking and the risk of heart disease. *JAMA*, 267, 94-99.
- Steinhoff, J.P. y Smith, S.C. (2003). La prevención en la práctica diaria. *Clínicas Cardiológicas de Norteamérica*, 3, 457-468.
- Stoney, C.M. y Hughes, J.W. (1999). Lipid reactivity among men with a parental history of myocardial infarction. *Psychophysiology*, 36, 484-490.
- Stoney, C.M. y Matthews, K.A. (1988). Parental history of hypertension and myocardial infarction predicts cardiovascular responses to behavioural stressors in middle aged men and women. *Psychophysiology*, 25, 269-277.

- Strik, J.J. et al. (2000). Efficacy and safety of fluoxetine in the treatment of patients with major depression after first myocardial infarction: Findings from a double-blind, placebo-controlled trial. *Psychosomatic Medicine*, 62, 783-789.
- Stücker, K.H. y Bartman, U. (1977). *Psicología del fumar*. Barcelona: Herde.
- Suárez, E.C.W., Redford, B., Kuhn, C.M., Zimmerman, E.H. y Schanberg, S.M. (1991). Biobehavioral basis of coronary-prone behavior in middle-aged men. Part II: Serum cholesterol, the type A behavior pattern, and hostility as interactive modulators of physiological reactivity. *Psychosomatic Medicine*, 53, 228-537.
- Suarez, E. y Williams, R.J.R. (1990). The relationships between dimensions of hostility and cardiovascular reactivity as a function of task characteristics. *Psychosomatic Medicine*, 52, 558-570.
- Suárez, E.C. y Williams, R.B. (1989). Situational determinants of cardiovascular and emotional reactivity in high and low hostile men. *Psychosomatic Medicine*, 51, 404-415.
- Suárez, E.C. y Williams, R.B. (1990). The relationship between dimensions of hostility and cardiovascular reactivity as a function of tasks characteristics. *Psychosomatic Medicine*, 52, 558-570.
- Suinn, R.M. (1974). Behavior therapy for cardiac patients: Letter to editor. *Behavior Therapy*, 5, 569-571.
- Suinn, R.M. (1975). The cardiac stress management program for type A patients. *Cardiac Rehabilitation*, 5, 13-15.
- Suinn, R.M. y Bloom, L.J. (1978). Anxiety management training for pattern A behaviour. *Journal of Behavioral Medicine*, 1, 25-35.
- Suls, J. y Wan, C.K. (1989). The relations between type A behaviors. Type A behaviour and chronic emotional distress: A meta-analysis. *Journal of Personality and Social Psychology*, 57, 503-512.
- Sumiyoshi, T. (1986). Evaluation of clinical factors involved in onset of myocardial infarction. *Japanese Circulation Journal*, 50, 164-169.

- Sytkowsky, P.A., D'Agostino, R.B., Bélanger, A. y Kannel, W.B. (1996). Sex and time trends in cardiovascular disease incidence and mortality: The Framingham Heart Study, 1950-1989. *American Journal of Epidemiology*, 143, 338-350.
- Task Force of the European Society of Cardiology (1997). Management of stable angina pectoris. *European Heart Journal*, 18, 394-413.
- Taylor, A.E., Johnson, D.C. y Kazemi, H. (1992). Environmental tobacco smoke and cardiovascular disease: A position paper from the council on cardiopulmonary and critical care, AHA. *Circulation*, 89, 699-702.
- Tennant, C. (1996). Experimental stress and cardiac function. *Journal of Psychosomatic Research*, 40, 569-583.
- Tennant, C. (1999). Life stress, social support and coronary heart disease. *Australian and New Zealand Journal of Psychiatry*, 33, 636-641.
- Thomas, R.J. et al. (1996). National survey on gender differences in cardiac rehabilitation programs. *Journal of Cardiopulmonary Rehabilitation*, 16, 402-412.
- Tobian, L. (1994). Editorials on government guidelines. *American Journal of Hipertension*, 7, 857-858.
- Tofler, G.H. et al. (1990). Analysis of possible triggers of acute myocardial infarction. *American Journal of Cardiology*, 66, 22-27.
- Toshima, H. (1994). Coronary artery disease trends in Japan. *Japanese Circulation Journal*, 58, 166-168.
- Trichopoulos, D., Katsouyanni, K., Zavitsanos, X., Tzonou, A. y Dalla-Vorgia, P. (1983). Psychological stress and fatal heart attack. *Lancet*, 1, 441-444.
- Truett, J., Cornfield, J. y Kannel, W. (1967). A multivariable analysis of the risk of CHD in Framingham. *Journal of Chronic Disease*, 20, 511-524.
- Tunstall-Pedoe, H. et al. (1994). Myocardial infarction and coronary deaths in the World Health Organization. Monica Project. *Circulation*, 90, 583-612.
- Ulmer, D. (1996). Stress management for the cardiovascular patient: A look at current treatment and trends. *Progress in Cardiovascular Nursing*, 11(1), 21-29.

- United States Census Bureau (1999). *Resident population estimates of the United States by age and sex: April 1, 1990 to June 1, 1999*. Washington: Retrieved from the World Wide.
- University of Utah. Health Sciences Center (2001). *Las enfermedades cardiovasculares*. URL <http://www.med.utah.edu/healthinfo/spanish/Cardiac/stats.htm>. (Visitado 2004, Febrero 20).
- Urbano-Marquez, A. et al. (1995). The greater risk of alcoholic cardiomyopathy and myopathy in women compared with men. *JAMA*, 274, 149-154.
- U.S. Department of Health and Human Services (1983). *The health consequences of smoking: Cardiovascular disease*. Rockville: U.S. Department of Health and Human Services.
- U.S. Department of Health and Human Services (1989). *Reducing the health consequences of smoking: 25 years of progress. A report of the surgeon general*. Rockville: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Office on Smoking and Health. DHHS Publication no.
- Uusküla, M. (1996). Psychological differences between young male and female survivors of myocardial infarction. *Psychotherapy Psychosomatic*, 65, 327-330.
- Veiel, H.O.F. (1997). A preliminary profile of neuropsychological deficits associated with major depression. *Journal Clinical Neuropsychology*, 19, 587-603.
- Velasco, J.A, Cosín, J., Maroto, J.M., Muñiz, J., Casanovas, J.A., Plaza, I. y Tomás Abadal, L. (2000). Guías de práctica clínica de la Sociedad Española de Cardiología en prevención cardiovascular y rehabilitación cardiaca. *Revista Española de Cardiología*. 53, 1095-1120.
- Verrier, R.L. y Mittleman, M.A. (1998). Consecuencias cardiovasculares de la ira. *Clinicas Cardiológicas de Norteamérica*, 3, 302-303.
- Veterans Administration Cooperative Study Group on Antihypertensive Agents (1967). Effects of treatment on morbidity in hypertension. *JAMA*, 202, 1028-1034.
- Verschuren, W.M. et al. (1995). Serum total cholesterol and long-term CHD mortality in different cultures. Twenty-five year follow-up of the seven countries study. *JAMA*, 27, 131-136.

- Villani, R.G. y Singer, G. (1991). Prevention of arousal-induced hyperlipidemia by glucosa ingestión. *Psychosomatic Medicine*, 53, 557-565.
- Vreede, J.J., Gorgels, A.P., Verstraaten, G.M., Vermeer, F., Dassen, W.R. y Wellens, H.J. (1991). Did prognosis after acute myocardial infarction change during the past 30 years? A meta-analysis. *Journal American College of Cardiology*, 18, 698-706.
- Wadden, T.A. (1984). Relaxation training for essential hypertension: Specific or no specific effects. *Journal of Psychosomatic Research*, 28, 53-61.
- Wallston, B.S., Wallston, K.A., G.D. y Maides, S.A. (1976) Development and validation of the health locus of control (HLC) Scale. *Journal of Consulting and Clinical Psychology*, 44(4), 580-585.
- Watts, G.F. et al. (1992). Effects on coronary artery disease of lipid lowering diet, or diet plus cholestyramine, in the St. Thomas' Atherosclerosis Regression Study (STARS). *Lancet*, 7(339), 563-569.
- Webb, M.S. y Riggin, O.Z. (1996). A comparison of anxiety levels of female and male patients with myocardial infarction. *Critic Care Nurses*, 124, 118-24.
- Weber, M.A. (1993). Coronary heart disease and hypertension. *American Journal of Hypertension*, 7, 146-153.
- Weber, M.A. (1995). The changing focus of hipertension. *New England Journal of Medicine*, 332, 729-753.
- Weber, M.A. et al. (1991). Cardiovascular and metabolic characteristics of hipertension. *American Journal of Medicine*, 91 (1), 1-4.
- Weiss, S.M. et al. (1984). *Handbook of stress, reactivity, and cardiovascular disease*. New York: Wiley-Interscience.
- Weissman, M.M., Markowitz, J.S., Ouellette, R., Greenwald, S. y Kahn, J.P. (1990). Panic disorder and cardiovascular cerebrovascular problems: Results from a community survey. *American Journal of Psychiatry*, 147, 1504-1508.
- Wielgosz, A.T. y Nolan, R.P. (2000). Biobehavioral factors in the context of ischemic cardiovascular diseases. *Journal of Psychosomatic Research*, 48, 339-345.

- Wikins, R. (1994). Socio-economic differentials in stroke mortality in Canada: Data by neighbourhood income quintile, sex and age group in 1971 and 1986. *Chronic Disease Canadian*, 15, 33-35.
- Willett, W.C. et al. (1987). Relative and absolute excess risks of coronary heart disease among women who smoke cigarettes. *New England Journal of Medicine*, 317, 1003-1309.
- Willians, R.B., Barefoot, J.C. y Shekelle, R.B. (1985). The health consequences of hostility. *Anger and hostility in cardiovascular and behavioral disorders*. Nueva York: Hemisphere.
- Willians, R.B. et al. (1992). Prognostic importance of social and economic resources among medically treated patients with angiographically documented coronary artery disease. *Journal of the American Medical Association*, 267, 520-524.
- Willians, K.J. y Tabas, I. (1998). The response-to-retention hypothesis of atherosclerosis reinforced. *Current Opinion Lipido*, 9, 471-474.
- Wilson, P.W.F. et al. (2002). Overweight and obesity as determinants of cardiovascular risk. The Framingham experience. *Archives International of Medicine*, 162, 1867-72.
- Wofford, M.R., Andrew, M.E., Brown, A., King, D., Pickett, R.A., Stevens, J. et al. (1999). Obesity hypertension in the atherosclerosis risk in communities cohort: Implications of obesity guidelines. *Journal of Clinical Hypertension*, 1, 27-32.
- Wooten, P. (1994). *Heart, humor and ealing*. Mt. Shasta: Communeakey.
- World Health Organization (1996). *Investing in health research and development*. Geneva: WHO.
- Ziegelstein, R.C. (2001). Depression in patients recovering from a myocardial infarction. *JAMA*, 286, 1621-1627.