

7. BIBLIOGRAFÍA

«Una nación que depende de otras para su nuevo conocimiento científico básico será lenta en su progreso industrial y débil en su posición competitiva en el comercio mundial, independientemente de su habilidad mecánica»

Vannevar Bush (1945)

7. BIBLIOGRAFÍA

- Aboobaker, A.A. y Blaxter, M.L. (2003) *Hox gene loss during dynamic evolution of the nematode cluster.* Curr. Biol. 13, 37-40.
- Al-Awar, O., Radhakrishna, H., Powell, N.N. y Donaldson, J.G. (2000) *Separation of membrane trafficking and actin remodeling functions of ARF6 with an effector domain mutant.* Mol. Cell. Biol. 20, 5998-6007.
- Alcalde, J., Bonay, P., Roa, A., Vilaró, S. y Sandoval, I.V. (1992) *Assembly and disassembly of the Golgi complex: two processes arranged in a cis-trans direction.* J. Cell Biol. 116, 69-83.
- Altan-Bonnet, N., Phair, R.D., Polishchuk, R.S., Weigert, R. y Lippincott-Schwartz, J. (2003) *A role for Arf1 in mitotic Golgi disassembly, chromosome segregation, and cytokinesis.* Proc. Natl. Acad. Sci. USA 100, 13314-13319.
- Au, S.W., Leng, X., Harper, J.W. y Barford, D. (2002) Implications for the ubiquitination reaction of the anaphase-promoting complex from the crystal structure of the Doc1/Apc10 subunit. J. Mol. Biol. 316, 955-968.
- Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J.G., Smith, J.A. y Struhl, K. (eds.) (1987) *Current protocols in molecular biology.* Greene Publishing Associates y Wiley-Interscience, New York.
- Azuma, Y., Renault, L., García-Ranea, J.A., Valencia, A., Nishimoto, T. y Wittinghofer, A. (1999) *Model of the Ran-RCC1 interaction using biochemical and docking experiments.* J. Mol. Biol. 289, 1119-1130.
- Bateman, A., Birney, E., Cerruti, L., Durbin, R., Etwiller, L., Eddy, S.R., Griffiths-Jones, S., Howe, K.L., Marshall, M. y Sonnhammer, E.L.L. (2002) *The Pfam protein families database.* Nucl. Acids. Res. 30, 276-280.

- Bischoff, F.R. y Postigl, H. (1991a) *Mitotic regulator protein RCC1 is complexed with a nuclear ras-related protein.* Proc. Natl. Acad. Sci. USA 88, 10830-10834.
- Bischoff, F.R. y Postigl, H. (1991b) *Catalysis of guanine nucleotide exchange on Ran by the mitotic regulator RCC1.* Nature 354, 80-82.
- Bonifacino, J.S. y Glick, B.S. (2004) *The mechanisms of vesicle budding and fusion.* Cell 116, 153-166.
- Boylan, J.P. y Wright, A.F. (2000) *Identification of a novel protein interacting with RPGR.* Hum. Mol. Genet. 9, 2085-2093.
- Brodsky, F.M., Galloway, C.J., Blank, G.S., Jackson, A.P., Seow, H.F., Drickamer, K. y Parham, P. (1987) *Localization of clathrin light-chain sequences mediating heavy-chain binding and coated vesicle diversity.* Nature 326, 203-205.
- Brown, H.A., Gutowski, S., Moomaw, C.R., Slaughter, C. y Sternweis, P.C. (1993) *ADP-ribosylation factor, a small GTP-dependent regulatory protein, stimulates phospholipase D activity.* Cell 75, 1137-1144.
- Brown, F.D., Rozelle, A.L., Yin, H.L., Balla, T. y Donaldson, J.G. (2001) *Phosphatidylinositol 4,5-bisphosphate and Arf6-regulated membrane traffic.* J. Cell Biol. 154, 1007-1017.
- Carroll, C.W. y Morgan, D.O. (2002) *The Doc1 subunit is a processivity factor for the anaphase-promoting complex.* Nat. Cell Biol. 4, 880-887.
- Carter, R.E. y Sorkin, A. (1998) *Endocytosis of functional epidermal growth factor receptor-green fluorescent protein chimera.* J. Biol. Chem. 273, 35000-35007.

- Chappell, T.G., Welch, W.J., Schlossman, D.M., Palter, K.B., Schlesinger, M.J. y Rothman, J.E. (1986) *Uncoating ATPase is a member of the 70 kilodalton family of stress proteins.* Cell 45, 3-13.
- Chen, S., Spiegelberg, B.D., Lin, F., Dell, E.J. y Hamm, H.E. (2004) *Interaction of Gbetagamma with RACK1 and other WD40 repeat proteins.* J. Mol. Cell. Cardiol. 37, 399-406.
- Cruz, C., Paladugu, A., Ventura, F., Bartrons, R., Aldaz, M. y Rosa, J.L. (1999a) *Assignment of the human P532 gene (HERC1) to chromosome 15q22 by fluorescence in situ hybridization.* Cytogenet. Cell Genet. 86, 68-69.
- Cruz, C., Nadal, M., Ventura, F., Bartrons, R., Estivill, X. y Rosa, J.L. (1999b) *The human HERC3 gene maps to chromosome 4q21 by fluorescence in situ hybridization.* Cytogenet. Cell Genet. 87, 263-264.
- Cruz, C., Ventura, F., Bartrons, R. y Rosa, J.L. (2001) *HERC3 binding to and regulation by ubiquitin.* FEBS lett. 488, 74-80.
- Cruz, C. (2001) *Caracterización de los miembros HERC1 y HERC3 de la familia HERC, relacionada con las E3 ubiquitina-proteína ligasas HECT y el factor intercambiador de nucleótidos de guanina RCC1. Implicaciones en endocitosis y procesos dependientes de ubiquitina.* Tesis Doctoral (Universidad de Barcelona).
- Dabrowska, A., Pietkiewicz, J., Dabrowska, K., Czapinska, E. y Danielewicz, R. (1998) *Interaction of M1 and M2 isozymes of pyruvate kinase from human tissues with phospholipids.* Biochim. Biophys. Acta 1383, 123-129.
- Davies, W., Smith, R.J., Kelsey, G. y Wilkinson, L.S. (2004) *Expression patterns of the novel imprinted genes Nap1l5 and Peg13 and their non-imprinted host genes in the adult mouse brain.* Gene Expr. Patterns 4, 741-747.

- DeLuca-Flaherty, C., McKay, D.B., Parham, P. y Hill, B.L. (1990) *Uncoating protein (hsc70) binds a conformationally labile domain of clathrin light chain LCα to stimulate ATP hydrolysis.* Cell 62, 875-887.
- DeMali, K.A. y Burridge, K. (2003) *Coupling membrane protrusion and cell adhesion.* J. Cell Sci. 116, 2389-2397.
- De Matteis, M.A. y Godi, A. (2004) *PI-loting membrane traffic.* Nat. Cell Biol. 6, 487-492.
- Duden, R. (2003) *ER-to-Golgi transport: COP I and COP II function.* Mol. Membr. Biol. 20, 197-207.
- Dumas, J.J., Merithew, E., Sudharshan, E., Rajamani, D., Hayes, S., Lawe, D., Corvera, S. y Lambright, D.G. (2001) *Multivalent endosome targeting by homodimeric EEA1.* Mol. Cell 8, 947-958.
- Dykxhoorn, D.M., Novina, C.D. y Sharp, P.A. (2003) *Killing the messenger: short RNAs that silence gene expression.* Nat. Rev. Mol. Cell. Biol. 4, 457-467.
- Fasano, O., Birnbaum, D., Edlund, L., Fogh, J. y Wigler, M. (1984) *New human transforming genes detected by a tumorigenicity assay.* Mol. Cell. Biol. 4, 1695-1705.
- Fields, S. y Song, O. (1989) *A novel genetic system to detect protein-protein interactions.* Nature 340, 245-246.
- Fire, A., Xu, S., Montgomery, M.K., Kostas, S.A., Driver, S.E., Mello, C.C. (1998) *Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*.* Nature 391, 806-811.
- Fotin, A., Cheng, Y., Grigorieff, N., Walz, T., Harrison, S.C. y Kirchhausen, T. (2004) *Structure of an auxilin-bound clathrin coat and its implications for the mechanism of uncoating.* Nature 432, 649-653.

- Frank, S., Upender, S., Hansen, S.H. y Casanova, J. (1998a) *ARNO is a guanine nucleotide exchange factor for ADP-ribosylation factor-6*. J. Biol. Chem. 273, 23-27.
- Frank, S. R., Hatfield, J.C. y Casanova, J.E. (1998b) *Remodeling of the actin cytoskeleton is coordinately regulated by protein kinase C and the ADP-ribosylation factor nucleotide exchange factor ARNO*. Mol. Biol. Cell 9, 3133-3146.
- Gao, X. y Patel, T.B. (2005) *Histidine residues 912 and 913 in protein associated with Myc are necessary for the inhibition of adenylyl cyclase activity*. Mol. Pharmacol. 67, 42-49.
- Garcia-Gonzalo, F.R., Cruz, C., Muñoz, P., Mazurek, S., Eigenbrodt, E., Ventura, F., Bartrons, R. y Rosa, J.L. (2003) *Interaction between HERC1 and M2-type pyruvate kinase*. FEBS lett. 539, 78-84.
- Garcia-Gonzalo, F.R., Muñoz, P., González, E., Casaroli-Marano, R.P., Vilaró, S., Bartrons, R., Ventura, F. y Rosa, J.L. (2004) *The giant protein HERC1 is recruited to aluminum fluoride-induced actin-rich surface protrusions in HeLa cells*. FEBS lett. 559, 77-83.
- Garcia-Gonzalo, F.R., Bartrons, R., Ventura, F. y Rosa, J.L. (2005) *Requirement of phosphatidylinositol-4,5-bisphosphate for HERC1-mediated guanine nucleotide dissociation on ARF proteins*. FEBS lett. 579, 343-348.
- Gillooly, D.J., Morrow, I.C., Lindsay, M., Gould, R., Bryant, N.J., Gaullier, J.M., Parton, R.G. y Stenmark, H. (2000) *Localization of phosphatidylinositol 3-phosphate in yeast and mammalian cells*. EMBO J. 19, 4577-4588.
- Grossberger, R., Gieffers, C., Zachariae, W., Podtelejnikov, A.V., Schleiffer, A., Nasmyth, K., Mann, M. y Peters, J.M. (1999) *Characterization of the*

DOC1/APC10 subunit of the yeast and human anaphase-promoting complex. J. Biol. Chem. 274, 14500-14507.

- Haglund, K., Di Fiore, P.P. y Dikic, I. (2003a) *Distinct monoubiquitin signals in receptor endocytosis.* Trends Biochem. Sci. 28, 598-604.
- Haglund, K., Sigismund, S., Polo, S., Szymkiewicz, I., Di Fiore, P.P. y Dikic, I. (2003b) *Multiple monoubiquitination of RTKs is sufficient for their endocytosis and degradation.* Nat. Cell Biol. 5, 461-466.
- Handel, M.A., Washburn, L.L., Rosenberg, M.P. y Eicher, E.M. (1987) *Male sterility caused by p6H and qk mutations is not corrected in chimeric mice.* J. Exp. Zool. 243, 81-92.
- Haraguchi, C.M., Mabuchi, T., Hirata, S., Shoda, T., Hoshi, K. y Yokota, S. (2004) *Ubiquitin signals in the developing acrosome during spermatogenesis of rat testis: an immunoelectron microscopic study.* J. Histochem. Cytochem. 52, 1393-1403.
- Heymann, J.B., Iwasaki, K., Yim, Y.I., Cheng, N., Belnap, D.M., Greene, L.E., Eisenberg, E. y Steven, A.C. (2005) *Visualization of the binding of Hsc70 ATPase to clathrin baskets: implications for an uncoating mechanism.* J. Biol. Chem. 280, 7156-7161.
- Hicke, L. (2001) *Protein regulation by monoubiquitin.* Nat. Rev. Mol. Cell. Biol. 2, 195-201.
- Hiroyama, M. y Exton, J.H. (2005) *Localization and regulation of phospholipase D2 by ARF6.* J. Cell. Biochem. publicado online el 9 de marzo.
- Hirschberg, K., Miller, C.M., Ellenberg, J., Presley, J.F., Siggia, E.D., Phair, R.D., Lippincott-Schwartz, J. (1998) *Kinetic analysis of secretory protein traffic*

and characterization of the Golgi to plasma membrane transport intermediates in living cells. J. Cell Biol. 143, 1485-1503.

- Hochrainer, K., Mayer, H., Baranyi, U., Binder, B.R., Lipp, J. y Kroismayr, R. (2005) *The human HERC family of ubiquitin ligases: novel members, genomic organization, expression profiling, and evolutionary aspects.* Genomics 85, 153-164.
- Hollander, W.F., Bryan, J.H.D. y Gowen, J.W. (1960) *Pleiotropic effects of a mutant at the p locus from X-irradiated mice.* Genetics 45, 413-418.
- Honda, A., Nogami, M., Yokozeki, T., Yamazaki, M., Nakamura, H., Watanabe, H., Kawamoto, K., Nakayama, K., Morris, A.J., Frohman, M.A. y Kanaho, Y. (1999) *Phosphatidylinositol 4-phosphate 5-kinase α is a downstream effector of the small G protein ARF6 in membrane ruffle formation.* Cell, 99, 521-532.
- Honda, Y., Tojo, M., Matsuzaki, K., Anan, T., Matsumoto, M., Ando, M., Saya, H. y Nakao, M. (2002) *Cooperation of HECT-domain ubiquitin ligase hHYD and DNA topoisomerase II-binding protein for DNA damage response.* J. Biol. Chem. 277, 3599-3605.
- Huang, L., Kinnucan, E., Wang, G., Beaudenon, S., Howley, P.M., Huibregtse, J.M. y Pavletich, N.P. (1999) *Structure of an E6AP-UbcH7 complex: insights into ubiquitination by the E2-E3 enzyme cascade.* Science 286, 1321-1326.
- Huibregtse, J.M., Scheffner, M. y Howley, P.M. (1991) *A cellular protein mediates association of p53 with the E6 oncoprotein of human papillomavirus types 16 or 18.* EMBO J. 13, 4129-4135.
- Huibregtse, J.M., Scheffner, M. y Howley, P.M. (1993) *Cloning and expression of the cDNA for E6-AP, a protein that mediates the interaction of the human papillomavirus E6 oncoprotein with p53.* Mol. Cell. Biol. 13, 775-784.

- Huibregtse, J.M., Scheffner, M., Beaudenon, S. y Howley, P.M. (1995) *A family of proteins structurally and functionally related to the E6-AP ubiquitin-protein ligase*. Proc. Natl. Acad. Sci. USA 92, 2563-2567.
- Ikeda, Y. y Noguchi, T. (1998) *Allosteric regulation of pyruvate kinase M2 isozyme involves a cysteine residue in the intersubunit contact*. J. Biol. Chem. 273, 12227-12233.
- Ikeda, Y., Taniguchi, N. y Noguchi, T. (2000) *Dominant negative role of the glutamic acid residue conserved in the pyruvate kinase M1 isozyme in the heterotropic allosteric effect involving fructose-1,6-bisphosphate*. J. Biol. Chem. 275, 9150-9156.
- Itoh, M., Kim, C., Palardy, G., Oda, T., Jiang, Y., Maust, D., Yeo, S., Lorick, K., Wright, G.J., Ariza-McNaughton, L., Weissman, A.M., Lewis, J., Chandrasekharappa, S.C. y Chitnis, A.B. (2003) *Mind Bomb is a ubiquitin ligase that is essential for efficient activation of Notch signaling by Delta*. Dev. Cell 4, 67-82.
- Iwai, K., Yamanaka, K., Kamura, T., Minato, N., Conaway, R.C., Conaway, J.W., Klausner, R.D. y Pause, A. (1999) *Identification of the von Hippel-Lindau tumor-suppressor protein as part of an active E3 ubiquitin ligase complex*. Proc. Natl. Acad. Sci. USA 96, 12436-12441.
- Jackson, P.K., Eldridge, A.G., Freed, E., Furstenthal, L., Hsu, J.Y., Kaiser, B.K. et al. (2000) *The lore of the RINGs: substrate recognition and catalysis by ubiquitin ligases*. Trends Cell Biol. 10, 429-439.
- Jensen, R.B., La Cour, T., Albrethsen, J., Nielsen, M. y Skriver, K. (2001) *FYVE zinc-finger proteins in the plant model Arabidopsis thaliana: identification of*

PtdIns3P-binding residues by comparison of classic and variant FYVE domains.

Biochem. J. 359, 165-173.

- Ji, Y., Walkowicz, M.J., Buiting, K., Johnson, D.K., Tarvin, R.E., Rinchik, E.M., Horsthemke, B., Stubbs, L. y Nicholls, R.D. (1999) *The ancestral gene for transcribed, low-copy repeats in the Prader-Willi/Angelman region encodes a large protein implicated in protein trafficking, which is deficient in mice with neuromuscular and spermiogenic abnormalities.* Hum. Mol. Genet. 8, 533-542.
- Ji, Y., Rebert, N.A., Joslin, J.M., Higgins, M.J., Schultz, R.A. y Nicholls, R.D. (2000) *Structure of the highly conserved HERC2 gene and of multiple partially duplicated paralogs in human.* Genome Res. 10, 319-329.
- Johnson, D.R. y Hunt, D.M. (1975) *Endocrinological findings in sterile pink-eyed mice.* J. Reprod. Fertil. 42, 51-58.
- Jones, S.M., Foreman, S.K., Shank, B.B. y Kurten, R.C. (2002) *EGF receptor downregulation depends on a trafficking motif in the distal tyrosine kinase domain.* Am. J. Physiol. Cell Physiol. 282, C420-C433.
- Katzmann, D.J., Odorizzi, G. y Emr, S.D. (2002) *Receptor downregulation and multivesicular-body sorting.* Nat. Rev. Mol. Cell. Biol. 3, 893-905.
- Kroismayr, R., Baranyi, U., Stehlik, C., Dorfleutner, A., Binder, B.R. y Lipp, J. (2004) *HERC5, a HECT E3 ubiquitin ligase tightly regulated in LPS activated endothelial cells.* J. Cell Sci. 117, 4749-4756.
- Kuhne, C. y Banks, L. (1998) *E3-ubiquitin ligase/E6AP links multicopy maintenance protein 7 to the ubiquitination pathway by a novel motif, the L2G box.* J. Biol. Chem. 273, 34302-34309.

- Kumar, S., Talis, A.L. y Howley, P.M. (1999) *Identification of HHR23A as a substrate for E6-associated protein-mediated ubiquitination.* J. Biol. Chem. 274, 18785-18792.
- Lawe, D.C., Chawla, A., Merithew, E., Dumas, J., Carrington, W., Fogarty, K., Lifshitz, L., Tuft, R., Lambright, D. y Corvera, S. (2002) *Sequential roles for phosphatidylinositol 3-phosphate and Rab5 in tethering and fusion of early endosomes via their interaction with EEA1.* J. Biol. Chem. 277, 8611-8617.
- Lehman, A.L., Nakatsu, Y., Ching, A., Bronson, R.T., Oakey, R.J., Keiper-Hrynkko, N., Finger, J.N., Durham-Pierre, D., Horton, D.B., Newton, J.M., Lyon, M.F. y Brilliant, M.H. (1998) *A very large protein with diverse functional motifs is deficient in rjs (runty, jerky, sterile) mice.* Proc. Natl. Acad. Sci. USA 95, 9436-9441.
- Le Roy, C. y Wrana, J.L. (2005) *Clathrin and non-clathrin-mediated endocytic regulation of cell signalling.* Nat. Rev. Mol. Cell Biol. 6, 112-126.
- Linari, M., Ueffing, M., Manson, F., Wright, A., Meitinger, T. y Becker, J. (1999) *The retinitis pigmentosa GTPase regulator, RPGR, interacts with the delta subunit of rod cyclic GMP phosphodiesterase.* Proc. Natl. Acad. Sci. USA 96, 1315-1320.
- Longva, K.E., Blystad, F.D., Stang, E., Larsen, A.M., Johannessen, L.E. y Madshus, I.H. (2002) *Ubiquitination and proteasomal activity is required for transport of the EGF receptor to inner membranes of multivesicular bodies.* J. Cell Biol. 156, 843-854.
- Lyon, M.F., King, T.R., Gondo, Y., Gardner, J.M., Nakatsu, Y., Eicher, E.M. y Brilliant, M.H. (1992) *Genetic and molecular analysis of recessive alleles at the*

pink-eyed dilution (p) locus of the mouse. Proc. Natl. Acad. Sci. USA 89, 6968-6972.

- Ma, J., Plesken, H., Treisman, J.E., Edelman-Novemsky, I. y Ren, M. (2004) *Lightoid and Claret: A rab GTPase and its putative guanine nucleotide exchange factor in biogenesis of Drosophila eye pigment granules.* Proc. Natl. Acad. Sci. USA 101, 11652-11657.
- Majetschak, M., Suciu, D.M., Hasler, K., Obertacke, U., Schade, F.U. y Jennissen, H.P. (2000) *Cytosolic protein ubiquitylation in normal and endotoxin stimulated human peripheral blood mononuclear cells.* J. Endotox. Res. 6, 483-488.
- Marra, P., Maffucci, T., Daniele, T., Tullio, G.D., Ikebara, Y., Chan, E.K., Luini, A., Beznoussenko, G., Mironov, A. y De Matteis, M.A. (2001) *The Golgi proteins GM130 and GRASP65 cycle through and define a subdomain of the intermediate compartment.* Nat. Cell Biol. 3, 1101-1113.
- Mazurek, S., Zworschke, W., Jansen-Durr, P. y Eigenbrodt, E. (2001a) *Effects of the human papillomavirus HPV-16 E7 oncprotein on glycolysis and glutaminolysis: role of pyruvate kinase type M2 and the glycolytic enzyme complex.* Biochem. J. 356, 247-256.
- Mazurek, S., Zworschke, W., Jansen-Durr, P. y Eigenbrodt, E. (2001b) *Metabolic cooperation between different oncogenes during cell transformation: interaction between activated ras and HPV-16 E7.* Oncogene 20, 6891-6898.
- Meister, G. y Tuschl, T. (2004) *Mechanisms of gene silencing by double-stranded RNA.* Nature 431, 343-349.
- Mello, C.C. y Conte Jr., D. (2004) *Revealing the world of RNA interference.* Nature 431, 338-342.

- Mezzacasa, A. y Helenius, A. (2002) *The transitional ER defines a boundary for quality control in the secretion of ts045 VSV glycoprotein*. Traffic 3, 833-849.
- Mifsud, W. y Bateman, A. (2002) *Membrane-bound progesterone receptors contain a cytochrome b5-like ligand-binding domain*. Genome Biol. 3, 0068.1-0068.5.
- Mitsui, K., Nakanishi, M., Ohtsuka, S., Norwood, T.H., Okabayashi, K., Miyamoto, C., Tanaka, K., Yoshimura, A. y Ohtsubo, M. (1999) *A novel human gene encoding HECT domain and RCC1-like repeats interacts with cyclins and is potentially regulated by the tumor suppressor proteins*. Biochem. Biophys. Res. Commun. 266, 115-122.
- Munro, S. y Pelham, H.R.M. (1987) *A C-terminal signal prevents secretion of luminal ER proteins*. Cell 48, 899-907.
- Muñoz, M.E. y Ponce, E. (2003) *Pyruvate kinase: current status of regulatory and functional properties*. Comp. Biochem. Physiol. B Biochem. Mol. Biol. 135, 197-218.
- Murshid, A. y Presley, J.F. (2004) *ER-to-Golgi transport and cytoskeletal interactions in animal cells*. Cell. Mol. Life Sci. 61, 133-145.
- Nadeau, J.H. y Sankoff, D. (1997) *Comparable rates of gene loss and functional divergence after genome duplications early in vertebrate evolution*. Genetics 147, 1259-1266.
- Nagase, T., Kikuno, R., Nakayama, M., Hirosawa, M. y Ohara, O. (2000) *Prediction of the coding sequences of unidentified human genes. XVIII. The complete sequences of 100 new cDNA clones from brain which code for large proteins in vitro*. DNA res. 7, 273-281.

- Nehls, S., Snapp, E.L., Cole, N.B., Zaal, K.J., Kenworthy, A.K., Roberts, T.H., Ellenberg, J., Presley, J.F., Siggia, E. y Lippincott-Schwartz, J. (2000) Dynamics and retention of misfolded proteins in native ER membranes. Nat. Cell Biol. 2, 288-295.
- Nemergut, M.E., Mizzen, C.A., Stukenberg, T., Allis, C.D. y Macara, I.G. (2001) *Chromatin docking and exchange activity enhancement of RCC1 by histones H2A and H2B*. Science 292, 1540-1543.
- Nicholls, R.D. y Knepper, J.L. (2001) *Genome organization, function and imprinting in Prader-Willi and Angelman syndromes*. Annu. Rev. Genomics Hum. Genet. 2, 153-175.
- Nishimoto, T., Eilen, E. y Basilico, C. (1978) *Premature chromosome condensation in a ts DNA-mutant of BHK cells*. Cell 15, 475-483.
- Nomura, N., Miyahima, N., Sazuka, T., Tanaka, A., Kawarabayasi, Y., Sato, S., Nagase, T., Seki, N., Ishikawa, K. y Tabata, S. (1994) *Prediction of the coding sequences of unidentified human genes. I. The coding sequences of 40 human genes (KIAA0001-KIAA0040) deduced by analysis of random sampled cDNA clones from human immature myeloid cell line KG-1*. DNA Res. 1, 27-35.
- Oda, H., Kumar, S. y Howley, P.M. (1999) *Regulation of the Src family tyrosine kinase Blk through E6AP-mediated ubiquitination*. Proc. Natl. Acad. Sci. USA 96, 9557-9562.
- Ohtsubo, M., Kai, R., Furuno, N., Sekiguchi, T., Hayashida, K., Kuma, T., Miyata, T., Fukashige, T., Murotsu, K., Matsubara, K. y Nishimoto, T. (1987) *Isolation and characterization of the active cDNA of the human cell cycle gene (RCC1) involved in the regulation of onset of chromosome condensation*. Genes Dev. 1, 585-593.

- Ohtsubo, M., Okasaki, H. y Nishimoto, T. (1989) *The RCC1 protein, a regulator of the onset of chromosome condensation, localizes to the nucleus and binds to DNA.* J. Cell Biol. 109, 1389-1397.
- Olson, L.J., Dahms, N.M. y Kim, J.J. (2004) *The N-terminal carbohydrate recognition site of the cation-independent mannose 6-phosphate receptor.* J. Biol. Chem. 279, 34000-34009.
- Passmore, L.A., McCormack, E.A., Au, S.W., Paul, A., Willison, K.R., Harper, J.W. y Barford, D. (2003) *Doc1 mediates the activity of the anaphase-promoting complex by contributing to substrate recognition.* EMBO J. 22, 786-796.
- Pellegrin, S. y Mellor, H. (2005) *The Rho family GTPase Rif induces filopodia through mDia2.* Curr. Biol. 15, 129-133.
- Peters, P.J., Gao, M., Gaschet, J., Ambach, A., van Donselaar, E., Traverse, J.F., Bos, E., Wolffe, E.J. y Hsu, V.W. (2001) *Characterization of coated vesicles that participate in endocytic recycling.* Traffic 2, 885-895.
- Pickart, C.M. (2004) *Back to the future with ubiquitin.* Cell 116, 181-190.
- Pollard, T.D. y Borisy, G.G. (2003) *Cellular motility driven by assembly and disassembly of actin filaments.* Cell 112, 453-465.
- Pollard, T.D. y Earnshaw, W.C. (2004) *Cell Biology.* Elsevier Science.
- Ponting, C., Schultz, J. y Bork, P. (1997) *SPRY domains in ryanodine receptors (Ca^{2+} -release channels).* Trends Biochem. Sci. 22, 193-194.
- Presek, P., Reinacher, M. y Eigenbrodt, E. (1988) *Pyruvate kinase type M2 is phosphorylated at tyrosine residues in cells transformed by Rous sarcoma virus.* FEBS lett. 242, 194-198.

- Presley, J.F., Cole, N.B., Schroer, T.A., Hirschberg, K., Zaal, K.J. y Lippincott-Schwartz, J. (1997) *ER-to-Golgi transport visualized in living cells*. Nature. 389, 81-85.
- Quimby, B.B. y Dasso, M. (2003) *The small GTPase Ran: interpreting the signs*. Curr. Op. Cell Biol. 15, 338-344.
- Radhakrishna, H., Klausner, R.D. y Donaldson, J.G. (1996) *Aluminum fluoride stimulates surface protrusions in cells overexpressing the ARF6 GTPase*. J. Cell Biol. 134, 935-947.
- Reini, K., Uitto, L., Perera, D., Moens, P.B., Freire, R. y Syvaoja, J.E. (2004) *TopBP1 localises to centrosomes in mitosis and to chromosome cores in meiosis*. Chromosoma. 112, 323-330.
- Renault, L., Nassar, N., Vetter, I., Becker, J., Roth, M. y Wittinghofer, A. (1998) *The 1.7 Å crystal structure of the regulator of chromosome condensation (RCC1) reveals a seven-bladed propeller*. Nature 392, 97-101.
- Renault, L., Kuhlmann, J., Henkel, A. y Wittinghofer, A. (2001) *Structural basis for guanine nucleotide exchange on Ran by the regulator of chromosome condensation (RCC1)*. Cell 105, 245-255.
- Renault, L., Guibert, B. y Cherfils, J. (2003) *Structural snapshots of the mechanism and inhibition of a guanine nucleotide exchange factor*. Nature 426, 525-530.
- Rinchik, E.M., Carpenter, D.A. y Handel, M.A. (1995) *Pleiotropy in microdeletion syndromes: Neurologic and spermatogenic abnormalities in mice homozygous for the p^{6H} deletion are likely due to dysfunction of a single gene*. Proc. Natl. Acad. Sci. USA 92, 6394-6398.

- Roepman, R., Bernoud-Hubac, N., Schick, D.E., Maugeri, A., Berger, W., Ropers, H.H., Cremers, F.P. y Ferreira, P.A. (2000) *The retinitis pigmentosa GTPase regulator (RPGR) interacts with novel transport-like proteins in the outer segments of rod photoreceptors*. Hum. Mol. Genet. 9, 2095-2105.
- Roig, J., Mikhailov, A., Belham, C. y Avruch, J. (2002) *Nercc1, a mammalian NIMA-family kinase, binds the Ran GTPase and regulates mitotic progression*. Genes Dev. 16, 1640-1658.
- Rosa, J.L., Casaroli-Marano, R.P., Buckler, A.J., Vilaró, S. y Barbacid, M. (1996) *p619, a giant protein related to the chromosome condensation regulator RCC1, stimulates guanine nucleotide exchange on ARF1 and Rab proteins*. EMBO J. 15, 4262-4273.
- Rosa, J.L. y Barbacid, M. (1997) *A giant protein that stimulates guanine nucleotide exchange on ARF1 and Rab proteins forms a cytosolic ternary complex with clathrin and Hsp70*. Oncogene 15, 1-6.
- Rossi, F., Jankovski, A. y Sotelo, C. (1995) *Target neuron controls the integrity of afferent axon phenotype: a study on the Purkinje cell-climbing fiber system in cerebellar mutant mice*. J. Neurosci. 15, 2040-2056.
- Santy, L.C. y Casanova, J.E. (2001) *Activation of ARF6 by ARNO stimulates epithelial cell migration through downstream activation of both Rac1 and phospholipase D*. J. Cell Biol. 154, 599-610.
- Scheffner, M., Huibregtse, J.M., Vierstra, R.D. y Howley, P.M. (1993) *The HPV-16 E6 and E6-AP complex functions as a ubiquitin-protein ligase in the ubiquitination of p53*. Cell, 75, 495-505.

- Schwarz, S.E., Rosa, J.L. y Scheffner, M. (1998) *Characterization of human HECT domain family members and their interaction with UbcH5 and UbcH7.* J. Biol. Chem. 273, 12148-12154.
- Sciaky, N., Presley, J., Smith, C., Zaal, K.J., Cole, N., Moreira, J.E., Terasaki, M., Siggia, E. y Lippincott-Schwartz, J. (1997) *Golgi tubule traffic and the effects of brefeldin A visualized in living cells.* J. Cell Biol. 139, 1137-1155.
- Semenza, J.C., Hardwick, K.G., Dean, N. y Pelham, H.R.B. (1990) *ERD2, a yeast gene required for the receptor-mediated retrieval of luminal ER proteins from the secretory pathway.* Cell 61, 1349-1357.
- Seto, M.H., Liu, H.L., Zajchowski, D.A. y Whitlow, M. (1999) *Protein fold analysis of the B30.2-like domain.* Proteins. 35, 235-249.
- Shima, D.T., Scales, S.J., Kreis, T.E. y Pepperkok, R. (1999) *Segregation of COP I-rich and anterograde-cargo-rich domains in endoplasmic-reticulum-to Golgi transport complexes.* Curr. Biol. 9, 821-824.
- Simonsen, A., Lippe, R., Christoforidis, S., Gaullier, J.M., Brech, A., Callaghan, J., Toh, B.H., Murphy, C., Zerial, M. y Stenmark, H. (1998) *EEA1 links PI(3)K function to Rab5 regulation of endosome fusion.* Nature 394, 494-498.
- Sjolinder, M., Uhlmann, J. y Postigl, H. (2002) *DelGEF, a homologue of the Ran guanine nucleotide exchange factor RanGEF, binds to the exocyst component Sec5 and modulates secretion.* FEBS lett. 532, 211-215.
- Sjolinder, M., Uhlmann, J. y Postigl, H. (2004) *Characterization of an evolutionarily conserved protein interacting with the putative guanine nucleotide exchange factor DelGEF and modulating secretion.* Exp. Cell Res. 294, 68-76.

- Skippen, A., Jones, D.H., Morgan, C.P., Li, M. y Cockcroft, S. (2002) *Mechanism of ADP-ribosylation factor-stimulated phosphatidylinositol 4,5-bisphosphate synthesis in HL60 cells.* J. Biol. Chem. 277, 5823-5831.
- Sondek, J., Bohm, A., Lambright, D.G., Hamm, H.E. y Sigler, P.B. (1996) *Crystal structure of a G-protein beta gamma dimer at 2.1 Å resolution.* Nature. 379, 369-374.
- Sun, L. y Chen, Z.J. (2004) *The novel functions of ubiquitination in signaling.* Curr. Opin. Cell Biol. 16, 119-126.
- Sutovsky, P. (2003) *Ubiquitin-dependent proteolysis in mammalian spermatogenesis, fertilization, and sperm quality control: killing three birds with one stone.* Microsc. Res. Techniq. 61, 88-102.
- Tang, B.L., Wong, S.H., Qi, X.L., Low, S.H. y Hong, W. (1993) *Molecular cloning, characterization, subcellular localization and dynamics of p23, the mammalian KDEL receptor.* J. Cell Biol. 120, 325-338.
- Tang, B.L., Low, S.H. y Hong, W. (1995) *Differential response of resident proteins and cycling proteins of the Golgi to brefeldin A.* Eur. J. Cell Biol. 68, 199-205.
- Terui, T., Kahn, R.A. y Randazzo, P.A. (1994) *Effects of acid phospholipids on nucleotide exchange properties of ADP-ribosylation factor-1. Evidence for specific interaction with phosphatidylinositol 4,5-bisphosphate.* J. Biol. Chem. 269, 28130-28135.
- Tessmar-Raible, K. y Arendt, D. (2003) *Emerging systems: between vertebrates and arthropods, the Lophotrochozoa.* Curr. Op. Genet. Dev. 13, 331-340.

- Topp, J.D., Gray, N.W., Gerard, R.D. y Horazdovsky, B.F. (2004) *Alsin is a Rab5 and Rac1 guanine nucleotide exchange factor.* J. Biol. Chem. 279, 24612-24623.
- Valderrama, F., Duran, J.M., Babià, T., Barth, H., Renau-Piqueras, J. y Egea, G. (2001) *Actin microfilaments facilitate the retrograde transport from the Golgi complex to the endoplasmic reticulum in mammalian cells.* Traffic 2, 717-726.
- Varnai, P., Lin, X., Lee, S.B., Tuymetova, G., Bondeva, T., Spat, A., Rhee, S.G., Hajnoczky, G. y Balla, T. (2002) *Inositol lipid binding and membrane localization of isolated pleckstrin homology (PH) domains. Studies on the PH domains of phospholipase C δ1 and p130.* J. Biol. Chem. 277, 27412-27422.
- Velloso, L.M., Svensson, K., Schneider, G., Pettersson, R.F. y Lindqvist, Y. (2002) *Crystal structure of the carbohydrate recognition domain of p58/ERGIC-53, a protein involved in glycoprotein export from the endoplasmic reticulum.* J. Biol. Chem. 277, 15979-15984.
- Walkowicz, M., Ji, Y., Ren, X., Horsthemke, B., Russell, L.B., Johnson D., Rinchik, E.M., Nicholls, R.D. y Stubbs, L. (1999) *Molecular characterization of radiation- and chemically induced mutations associated with neuromuscular tremors, runting, juvenile lethality, and sperm defects in jdf2 mice.* Mamm. Genome 10, 870-878.
- Wassef, M., Sotelo, C., Cholley, B., Brehier, A. y Thomasset, M. (1987) *Cerebellar mutations affecting the postnatal survival of Purkinje cells in the mouse disclose a longitudinal pattern of differentially sensitive cells.* Dev. Biol. 124, 379-389.
- Wendt, K.S., Vodermaier, H.C., Jacob, U., Gieffers, C., Gmachl, M., Peters, J.M., Huber, R. y Sondermann, P. (2001) *Crystal structure of the APC10/DOC1*

subunit of the human anaphase-promoting complex. Nat. Struct. Biol. 8, 784-788.

- Wooll, J.O., Friesen, R.H., White, M.A., Watowich, S.J., Fox, R.O., Lee, J.C., Czerwinski, E.W. (2001) *Structural and functional linkages between subunit interfaces in mammalian pyruvate kinase.* J. Mol. Biol. 312, 525-540.
- Xia, W. y Dowhan, W. (1995) *Phosphatidylinositol cannot substitute for phosphatidylglycerol in supporting cell growth in Escherichia coli.* J. Bacteriol. 177, 2926-2928.
- Yamada, K. y Noguchi, T. (1999) *Regulation of pyruvate kinase M gene expression.* Biochem. Biophys. Res. Commun. 256, 257-262.
- Zhao, Y., Hong, D.H., Pawlyk, B., Yue, G., Adamian, M., Grynberg, M., Godzik, A. y Li, T. (2003) *The retinitis pigmentosa GTPase regulator (RPGR)-interacting protein: subserving RPGR function and participating in disk morphogenesis.* Proc. Natl. Acad. Sci. USA 100, 3965-3970.
- Zheng, Y., Glaven, J.A., Wu, W.J. y Cerione, R.A. (1996) *Phosphatidylinositol 4,5-bisphosphate provides an alternative to guanine nucleotide exchange factors by stimulating the dissociation of GDP from Cdc42Hs.* J. Biol. Chem. 271, 23815-23819.
- Zworschke, W., Mazurek, S., Massimi, P., Banks, L., Eigenbrodt, E. y Jansen-Durr, P. (1999) *Modulation of type M2 pyruvate kinase activity by the human papillomavirus type 16 E7 oncoprotein.* Proc. Natl. Acad. Sci. USA 96, 1291-1296.