


Early steps regulating proliferation and activation in macrophages



Ester Sánchez Tilló

Doctoral Thesis

2006



Departament de Fisiologia
Facultat de Biologia



IRB-PCB
Institut de Recerca Biomèdica
del Parc Científic de Barcelona

Programa de Doctorat en Immunologia
Bienni 2001-2003

Tesi doctoral presentada per
Ester Sánchez Tilló
Per obtenir el grau de
Doctora en Bioquímica

Director tesi
Dr. Antonio Celada Cotarelo
Catedràtic d'Immunologia

Director tesi
Dr. Jorge Lloberas Caveró
Professor Agregat Immunologia

Barcelona, Març 2006
Grup Biologia del Macròfag:
regulació de l'expressió gènica

Als meus pares, Àngel i Teresa, pel seu amor incondicional.

Al meu germà, Miquel-Àngel, per estar al meu costat.

I al lector, que la gaudeixi.

Y qué más se puede pedir?

Quizá querer y nunca sufrir.

Fangoria. La diferencia entre la fe y la ciencia.

Arquitectura efímera.

A las masas que les parta un rayo,

nos dirigimos al hombre,

que es lo único que nos interesa.

Antonio Machado (1875-1939)

No es sabio el que sabe dónde está el tesoro,

Si no el que lo trabaja y lo saca.

Francisco de Quevedo y Villegas (1580-1645)

Nada se aprende a menos

Que aquello que ha de ser aprendido

Nos emocione y nos motive.

Francisco Mora Teruel

CONTENTS

CONTENTS.....	I
List of Tables	VI
List of Figures.....	VI
Abbreviations.....	XI
Appendix.....	XV
INTRODUCTION.....	1
1. MACROPHAGES	3
1.1. Origin of macrophages.....	3
1.2. Biochemistry of differentiation	6
1.3. Biological functions of macrophages	7
2. MACROPHAGE PROLIFERATION.....	9
2.1. Macrophage colony stimulating factor, M-CSF.....	9
2.1.1. Biochemical characteristics of M-CSF, GM-CSF and IL3.....	9
2.1.2. M-CSF Receptor	11
2.1.3. M-CSF transduction pathway	13
2.1.3.1. PKC signaling	15
2.1.3.2. MAPK activation	17
2.1.3.2.1. Extracellular regulated kinase, ERK	19
2.1.3.2.2. c-jun-NH ₂ -terminal kinase, JNK	22
2.1.3.2.3. p38 MAPK	23
2.1.3.2.4. MAPK phosphatases	23
2.1.3.3. Survival signaling by PI3K/AKT.....	26
2.2. Cell cycle	29
2.2.1. Cdk-cyclin complexes	30
2.2.2. Cdk inhibitors, CDKIs	32
2.2.2.1. INK4 family	32
2.2.2.2. CIP/KIP family	33
2.2.2.2.1. p21 ^{Waf-1/Cip-1}	33
2.2.2.2.2. p27 ^{Kip-1}	35
2.2.3. c-Myc	36
2.2.4. Retinoblastoma family	37
2.2.5. E2F proteins	38
2.3. Inhibitors of M-CSF dependent proliferation	41
3. MACROPHAGE ACTIVATION	43
3.1. Type II Interferons	43
3.1.1. Biochemical characteristics of IFN- γ	44
3.1.2. Signaling of type II interferon receptors	44
3.1.3. Physiological functions of IFN- γ	46
3.1.4. Major histocompatibility complex II, MHC-II	48

3.1.4.1. Class II transactivator, CIITA	52
3.2. Lipopolysaccharide, LPS	54
3.2.1. LPS Receptor	54
3.2.2. LPS Transduction pathway	57
3.2.2.1. PKC and PKA signaling	59
3.2.2.2. ERK MAPK	59
3.2.2.3. JNK MAPK	60
3.2.2.4. p38 MAPK	62
3.2.2.5. PI3K/Akt	63
3.2.2.6. Calcineurin	63
3.2.3. Macrophage response to LPS	64
3.3. Alternative activation	65
3.4. Inhibitors of macrophage activation	66
4. CELL DEATH	67
4.1. Programmed cell death: apoptosis	67
4.1.1. Death signaling by death receptors	68
4.1.2. The Caspases	70
4.1.3. Mitochondria in apoptosis	72
4.1.4. Regulation of apoptosis	73
4.2. Biological relevance of apoptosis	75
5. IMMUNOSUPPRESSION	76
5.1. Immunophilins	76
5.1.1. Cyclophilins	77
5.1.2. FKBP's	79
5.1.3. Parvulins	80
5.2. Immunosuppressants	80
INTRODUCCIÓ (resum català)	83
Els macròfags	83
La proliferació dels macròfags	83
Proteïna quinasa C	84
MAPKs	84
Proteïnes fosfatases.....	86
Via de supervivència PI3K/Akt	86
El cicle cel·lular	87
Inhibidors de la proliferació depenent de M-CSF	89
Activació	89
Interferó gamma, IFN- γ	90
El lipopolisacàrid, LPS	92
JNK i p38	93
Inhibidors de l'activació dels macròfags.....	93
Mort cel·lular	94
Immunosupressió	96

OBJECTIVES	99
OBJECTIUS (resum català)	100
RESULTS	101
Article 1: M-CSF-induced proliferation and LPS-dependent activation of macrophages requires Raf-1 phosphorylation to induce MKP-1 expression	103
(resum català) Article 1: La proliferació induïda per M-CSF i l'activació depenent de LPS en macròfags requereix de la fosforilació de Raf-1 per induir l'expressió d'MKP-1	106
Article 2: c-Jun N-Terminal Protein Kinase 1 (JNK1) is required for MKP1 (DUSP1) expression in macrophages and for LPS-dependent activation	111
(resum català) Article 2: La proteïna quinasa c-Jun N-Terminal 1 (JNK1) és necessària per l'expressió de MKP-1 (DUSP1) en macròfags i per l'activació depenent de LPS	131
Article 3: Sanglifehrin A, an inhibitor of cyclophilin A, arrests M-CSF-dependent macrophage proliferation by blocking ERK-1/2 activation and up-regulating p27 ^{kip1}	136
Article 4: Sanglifehrin A, an inhibitor of cyclophilin A, blocs IFN- γ induction of MHC class II expression through inhibition of CIITA induction	141
DISCUSSION	145
CONCLUSIONS	159
CONCLUSIONS (resum català)	162
ANNEXUS	163
REFERENCES	167

LIST OF TABLES

Table I. Phosphatase family members.	25
Table II. Cellular expression of ligands and receptors of the tumor-necrosis factor superfamily.	69
Table III. Bcl-2 family proteins.	74
Table IV. The known human cyclophilins.	77
Table V. Human FKBP, their localization and characteristics.....	80

LIST OF FIGURES

INTRODUCTION	3
Figure 1. Differentiation of macrophages	5
Figure 2. Biological functions of tissue macrophages	8
Figure 3. M-CSF receptor.....	13
Figure 4. M-CSF receptor signaling.....	14
Figure 5. Structural characteristics of PKC isoforms expressed in bone marrow derived macrophages	16
Figure 6. ERK activation signaling pathway	22
Figure 7. Classification of phosphoinositide 3-kinases	27
Figure 8. The cell cycle of eukaryotic cells	31
Figure 9. Myc family members, Myc, Max, Mad and Mxi1.....	37
Figure 10. E2F family proteins	40
Figure 11. IFN- γ signal transduction	45
Figure 12. Antigen presentation	50
Figure 13. Transcriptional complex for the regulation of MHC class II expression	51
Figure 14. Schematic representation of the four independent promoters that control expression of the CIITA gene	53
Figure 15. LPS receptor	55

Figure 16. Toll like receptors and their ligands	56
Figure 17. LPS signaling pathway	58
Figure 18. Stress-activated MAP kinase signaling pathway, the JNK and p38 MAPK pathway	61
Figure 19. Differential catabolism of L-arginine by classical or alternative activated macrophages	66
Figure 20. Apoptosis versus necrosis	68
Figure 21. TNF-R1 receptor signaling	70
Figure 22. Caspase classification	72
Figure 23. Death receptor and mitochondrial signaling pathways, two ways of Apoptosis	73
Figure 24. Mechanism of action of macrolide immunosuppressants	81
RESULTS	101
Article 1: M-CSF-induced proliferation and LPS-dependent activation of macrophages requires Raf-1 phosphorylation to induce MKP-1 expression	103
Article 2: c-Jun N-Terminal Protein Kinase 1 (JNK1) is required for MKP1 (DUSP1) expression in macrophages and for LPS-dependent activation	111
.....	
Figure 1. PD98059, SB203580 and SP600125 were used as inhibitors of ERK-1/2, p38 and JNK MAP kinases activated by M-CSF and LPS	120
Figure 2. JNK MAP kinase is required for MKP1 expression induced by M-CSF or LPS	121
Figure 3. Inhibition of JNK activation causes an elongation of activation of other MAPKs	122
Figure 4. JNK is required for LPS-dependent activation	123
Figure 5. Macrophages express both JNK1 and JNK2 although JNK1 is the main active isoform induced by M-CSF and LPS	125
Figure 6. Characterization of macrophages from JNK1 and JNK2	

single knock-out mice	126
Figure 7. JNK1 is required for MKP1 induction by both LPS and MCSF	128
Figure 8. JNK1 isoform is implicated in proinflammatory cytokine induction by LPS in macrophages	129
Table I. Specific primer pairs for PCR and Real-Time PCR	130
Article 3: Sangliferin A, an inhibitor of cyclophilin A, arrests M-CSF-dependent macrophage proliferation by blocking ERK-1/2 activation and up-regulating p27 ^{kip1}	136
Article 4: Sangliferin A, an inhibitor of cyclophilin A, blocks IFN- γ induction of MHC class II expression through inhibition of CIITA induction	141
DISCUSSION	145
Figure 25. Different kinetics of Raf-1, MEK and ERK-1/2 activation determine macrophage response	151
Figure 26. JNK1 implication in macrophage biology	154

ABBREVIATIONS

AP-1, activating protein-1
Apaf-1, apoptosis protease-activating factor 1
APC, antigen-presenting cell
ATF2, activating transcription factor 2
ARE, adenosine/uridine rich element
ASK, apoptosis signal-regulating kinase
ATF2, activating transcription factor 2
BMDM, bone marrow derived macrophages
BrdU, bromo-deoxy uridine
Card, caspase recruitment domains
CIITA, class II transactivator
Cdk, cyclin-dependent kinase
CDKI, Cdk inhibitor
Cic, cyclin
Cit c, cytochrome c
C-Myc, cellular homologue of avian myeloblastosis virus oncogene
CRE, cAMP-response element
CREB, cAMP-response element binding protein
CsA, cyclosporine A
Cyp, cyclophilins
DAG, 1, 2-diacylglycerol
DD, death domain
DMEM, Dulbecco's modified Eagle's medium
dNTP, deoxyribonucleotide pool
DSP, dual specificity phosphatase
Elk-1, ETS-domain protein
ER endoplasmic reticulum
ERK, extracellular signal regulated kinase
FCS, foetal calf serum
FKBP, FK506 binding protein
Foxo, forkhead transcription factor
GAS, gamma-interferon activated sequence
GEMM-CFU, granulocyte/erythrocyte/megakaryocyte/macrophage colony-forming unit
GM-CFU, granulocyte-macrophage colony-forming unit
GM-CSF, granulocyte-macrophage colony stimulating factor

Abbreviations

GTP, guanine triphosphate
Hsp, heat shock protein
HDAC, histone deacetylase
IAP, inhibitor of apoptosis
IFN- α/β , interferon alpha/beta
IFN- γ , interferon gamma
IFN- γ R, interferon gamma receptor
IgG, immunoglobulin G
I κ B, NF- κ B inhibitor
IL, interleukin
IL-XR, IL-X receptor
IL-XRa, IL-X receptor antagonist
IRAK, IL-1R-associated kinase
IRF-1, immediate-early inducible factor
JAK, Janus kinase
JNK, c-jun NH2-terminal kinase
KO, knock-out
LBP, LPS binding protein
LPS, lipopolysaccharide
MAPK, mitogen-activated protein kinase
MAPKAPK2, MAPK-activated protein kinase 2
MAPKK, MAPK kinase
MAPKKK, MAPKK kinase
M-CSF, macrophage colony stimulating factor
M-CSFR, M-CSF receptor
MD-2, myeloid differentiation protein-2
Mdm2, murine double minute 2, a p53-associated oncogene
MEK, mitogen extracellular signal-related kinase
MHC, major histocompatibility complex
MKP, mitogen-activated protein kinase phosphatase
NF-AT, nuclear factor activator of T lymphocytes
NF- κ B, nuclear factor immunoglobulin kappa chain enhancer B cell transcription
NO, nitric oxide
NOS2, inducible nitric oxide synthase
p53, tumor suppressor protein
PC, phosphatidylcholine
PCNA, proliferating cell nuclear antigen

PDGF, platelet derived growth factor
PDK, phosphoinositide-dependent kinase
PI, phosphatidylinositol
PI3K, phosphoinositide 3-kinase
PI (4) P, phosphatidylinositol 4 monophosphate
PI (4, 5) P₂, phosphatidylinositol-4, 5-bisphosphate
PIP₃, (phosphatidylinositol (3, 4, 5)-triphosphate
PKA, protein kinase A
PKB, protein kinase B
PKC, protein kinase C
PLC-C_γ, phospholipase C-gamma
PPIase, peptidyl prolyl cis-trans isomerase
pRb, retinoblastoma tumor suppressor gene
PSP, Serine/threonine-specific phosphatase
PTEN, phosphatase and tensin homologue
PTP, tyrosine-specific phosphatase
Rapa, Rapamycin
SAPK, stress activated protein kinase
SfA, Sanglifehrin A
SEK, SAPK/ERK kinase
SH2, src-homology 2 domain
STAT, signal transducer and activator of transcription
TAP, transporter associated with antigen processing
TGF- β , transforming growth factor- β
TCR, lymphocyte T cell receptor
Th, T helper
TIR domain, Toll/IL-1 receptor/plant R gene product homology domain
TIRAP/Mal, Toll receptor IL-1R domain with adaptor protein/aka MyD88-adaptor like
TLR, Toll-like receptor
TNF, tumor necrosis factor
Tpl-2, tumor progresión locus 2
Tollip, Toll-interacting protein
TPA, 2-O-tetradecanoyl-phorbol-13-acetate, phorbol ester
WAF, wild-type p53-activated factor

APPENDIX

Inhibitors used

PRODUCT	PROPERTIES	OBTAINED IN
5-aza-2'-deoxycytosine (AC)	Methylases inhibitor	Tocris, Bristol, UK
Actinomycin D	RNA synthesis inhibitor	Sigma, St. Louis, MO
Cyclosporine A (CsA)	Calcineurin Inhibitor	Novartis, Basel, Switzerland
FK506 (Tacrolimus)	Calcineurin Inhibitor	Novartis, Basel, Switzerland
Geldanamycin	Raf inhibitor	Calbiochem, San Diego, CA
GF109203X (GF)	Conventional and novel PKC inhibitor	Calbiochem, San Diego, CA
Gö6976 (Gö)	PKC α and β 1 inhibitor	Calbiochem, San Diego, CA
KT 5720	PKA inhibitor	Calbiochem, San Diego, CA
Lactacystin (Lacta)	Proteasome inhibitor	Calbiochem, San Diego, CA
LY294002 (LY)	PI3K inhibitor	Sigma Chemical, St. Louis, MO
Nocodazole (Noco)	G2/M Microtubule interference anticancer drug	Sigma Chemical, St. Louis, MO
PD98059 (PD)	MEK-1/2 inhibitor	New England Biolabs. Beberly, MA
PSI	Proteasome inhibitor	Calbiochem, San Diego, CA
Rapamycin (Rapa)	p70S6K and mTOR inhibitor	Novartis, Basel, Switzerland
Sodium arsenite (SA)	Raf-1 inhibitor	Wako Pure Chemicals, Osaka, Japon
SB203580 (SB)	p38MAPK inhibitor	Calbiochem, San Diego, CA
SP600125 (SP)	JNK1, 2, 3 inhibitor	Tocris, Bristol, UK
Trichostatin (TSA)	Deacetylases inhibitor	Tocris, Bristol, UK
Wortmannin (Wort)	PI3K inhibitor	Sigma Chemical, St. Louis, MO
ZM336372 (ZM)	c-Raf inhibitor	Calbiochem, San Diego, CA