

POLIPOSI ADENOMATOSA FAMILIAR I CÀNCER COLORECTAL

Estudi genòmic i ànalisi d'alteracions de la via de Wnt

Memòria presentada per

Antònia Obrador Hevia

Per optar al Grau de

Doctor

Tesi realitzada sota la direcció del
Dr. Gabriel Capellà i Munar
a l'Institut Català d'Oncologia

Tesi adscrita al departament de Genètica de la
Facultat de Biologia
Universitat de Barcelona
Programa de Genètica (Bienni 2002-2004)
Tutora: Dra. Marta Pascual

Gabriel Capellà

Marta Pascual

Antònia Obrador

Barcelona, Abril de 2007

Bibliografia

A

- Abal, M., Obrador-Hevia, A., Janssen, K.P., Casadome, L., Menendez, M., Carpentier, S., Barillot, E., Wagner, M., Ansorge, W., Moeslein, G., Fsihi, H., Bezrookove, V., Reventos, J., Louvard, D., Capella, G. & Robine, S. (2007) APC inactivation associates with abnormal mitosis completion and concomitant BUB1B/MAD2LI up-regulation, *Gastroenterology*, 132(7), pp. 2448-2458.
- Abbott, R.G., Forrest, S. & Pienta, K.J. (2006) Simulating the hallmarks of cancer, *Artif Life*, 12(4), pp. 617-634.
- Agrawal, D., Chen, T., Irby, R., Quackenbush, J., Chambers, A.F., Szabo, M., Cantor, A., Coppola, D. & Yeatman, T.J. (2002) Osteopontin identified as lead marker of colon cancer progression, using pooled sample expression profiling, *J Natl Cancer Inst*, 94(7), pp. 513-521.
- Ahmed, Y., Hayashi, S., Levine, A. & Wieschaus, E. (1998) Regulation of armadillo by a Drosophila APC inhibits neuronal apoptosis during retinal development, *Cell*, 93(7), pp. 1171-1182.
- Alizadeh, A.A., Eisen, M.B., Davis, R.E., Ma, C., Lossos, I.S., Rosenwald, A., Boldrick, J.C., Sabet, H., Tran, T., Yu, X., Powell, J.I., Yang, L., Marti, G.E., Moore, T., Hudson, J., Jr., Lu, L., Lewis, D.B., Tibshirani, R., Sherlock, G., Chan, W.C., Greiner, T.C., Weisenburger, D.D., Armitage, J.O., Warnke, R., Levy, R., Wilson, W., Grever, M.R., Byrd, J.C., Botstein, D., Brown, P.O. & Staudt, L.M. (2000) Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling, *Nature*, 403(6769), pp. 503-511.
- Alon, U., Barkai, N., Notterman, D.A., Gish, K., Ybarra, S., Mack, D. & Levine, A.J. (1999) Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissues probed by oligonucleotide arrays, *Proc Natl Acad Sci U S A*, 96(12), pp. 6745-6750.
- Augenlicht, L.H. & Heerdt, B.G. (2001) Mitochondria: integrators in tumorigenesis? *Nat Genet*, 28(2), pp. 104-105.
- Augenlicht, L.H., Wahrman, M.Z., Halsey, H., Anderson, L., Taylor, J. & Lipkin, M. (1987) Expression of cloned sequences in biopsies of human colonic tissue and in colonic carcinoma cells induced to differentiate in vitro, *Cancer Res*, 47(22), pp. 6017-6021.

B

- Backert, S., Gelos, M., Kobalz, U., Hanski, M.L., Bohm, C., Mann, B., Lovin, N., Gratchev, A., Mansmann, U., Moyer, M.P., Riecken, E.O. & Hanski, C. (1999) Differential gene expression in colon carcinoma cells and tissues detected with a cDNA array, *Int J Cancer*, 82(6), pp. 868-874.
- Baldassarre, G., Belletti, B., Nicoloso, M.S., Schiappacassi, M., Vecchione, A., Spessotto, P., Morrione, A., Canzonieri, V. & Colombatti, A. (2005) p27(Kip1)-stathmin interaction influences sarcoma cell migration and invasion, *Cancer Cell*, 7(1), pp. 51-63.
- Bandres, E., Catalan, V., Sola, I., Honorato, B., Cubedo, E., Cordeu, L., Andion, E., Escalada, A., Zarate, R., Salgado, E., Zabalegui, N., Garcia, F. & Garcia-Foncillas, J. (2004) Dysregulation of apoptosis is a major mechanism in the lymph node involvement in colorectal carcinoma, *Oncol Rep*, 12(2), pp. 287-292.
- Batlle, E., Henderson, J.T., Beghtel, H., van den Born, M.M., Sancho, E., Huls, G., Meeldijk, J., Robertson, J., van de Wetering, M., Pawson, T. & Clevers, H. (2002) Beta-catenin and TCF mediate cell positioning in the intestinal epithelium by controlling the expression of EphB/ephrinB, *Cell*, 111(2), pp. 251-263.
- Behrens, J., Jerchow, B.A., Wurtele, M., Grimm, J., Asbrand, C., Wirtz, R., Kuhl, M., Wedlich, D. & Birchmeier, W. (1998) Functional interaction of an axin homolog, conductin, with beta-catenin, APC, and GSK3beta, *Science*, 280(5363), pp. 596-599.
- Bertucci, F., Salas, S., Esteries, S., Nasser, V., Finetti, P., Ginestier, C., Charafe-Jauffret, E., Loriod, B., Bachelart, L., Montfort, J., Victorero, G., Viret, F., Ollendorff, V., Fert, V., Giovaninni, M., Delpero, J.R., Nguyen, C., Viens, P., Monges, G., Birnbaum, D. & Houlgatte, R. (2004) Gene expression profiling of colon cancer by DNA microarrays and correlation with histoclinical parameters, *Oncogene*, 23(7), pp. 1377-1391.
- Birkenkamp-Demtroder, K., Christensen, L.L., Olesen, S.H., Frederiksen, C.M., Laiho, P., Aaltonen, L.A., Laurberg, S., Sorensen, F.B., Hagemann, R. & TF, O.R. (2002) Gene expression in colorectal cancer, *Cancer Res*, 62(15), pp. 4352-4363.
- Birkenkamp-Demtroder, K., Olesen, S.H., Sorensen, F.B., Laurberg, S., Laiho, P., Aaltonen, L.A. & Orntoft, T.F. (2005) Differential gene expression in colon

BIBLIOGRAFIA

- cancer of the caecum versus the sigmoid and rectosigmoid, *Gut*, 54(3), pp. 374-384.
- Bishop, J.M. (1985) Viral oncogenes, *Cell*, 42(1), pp. 23-38.
- Bister, V.O., Salmela, M.T., Karjalainen-Lindsberg, M.L., Uria, J., Lohi, J., Puolakkainen, P., Lopez-Otin, C. & Saarialho-Kere, U. (2004) Differential expression of three matrix metalloproteinases, MMP-19, MMP-26, and MMP-28, in normal and inflamed intestine and colon cancer, *Dig Dis Sci*, 49(4), pp. 653-661.
- Blaker, H., Scholten, M., Sutter, C., Otto, H.F. & Penzel, R. (2003) Somatic mutations in familial adenomatous polyposis. Nuclear translocation of beta-catenin requires more than biallelic APC inactivation, *Am J Clin Pathol*, 120(3), pp. 418-423.
- Bodmer, W.F., Bailey, C.J., Bodmer, J., Bussey, H.J., Ellis, A., Gorman, P., Lucibello, F.C., Murday, V.A., Rider, S.H., Scambler, P. & et al. (1987) Localization of the gene for familial adenomatous polyposis on chromosome 5, *Nature*, 328(6131), pp. 614-616.
- Burds, A.A., Lutum, A.S. & Sorger, P.K. (2005) Generating chromosome instability through the simultaneous deletion of Mad2 and p53, *Proc Natl Acad Sci U S A*, 102(32), pp. 11296-11301.
- Burmer, G.C. & Loeb, L.A. (1989) Mutations in the KRAS2 oncogene during progressive stages of human colon carcinoma, *Proc Natl Acad Sci U S A*, 86(7), pp. 2403-2407.

C

- Cahill, D.P., Kinzler, K.W., Vogelstein, B. & Lengauer, C. (1999) Genetic instability and darwinian selection in tumours, *Trends Cell Biol*, 9(12), pp. M57-60.
- Cahill, D.P., Lengauer, C., Yu, J., Riggins, G.J., Willson, J.K., Markowitz, S.D., Kinzler, K.W. & Vogelstein, B. (1998) Mutations of mitotic checkpoint genes in human cancers, *Nature*, 392(6673), pp. 300-303.
- Caldwell, G.M., Jones, C., Gensberg, K., Jan, S., Hardy, R.G., Byrd, P., Chughtai, S., Wallis, Y., Matthews, G.M. & Morton, D.G. (2004) The Wnt antagonist sFRP1 in colorectal tumorigenesis, *Cancer Res*, 64(3), pp. 883-888.
- Caldwell, G.M., Jones, C.E., Taniere, P., Warrack, R., Soon, Y., Matthews, G.M. & Morton, D.G. (2006) The Wnt antagonist sFRP1 is downregulated in premalignant large bowel adenomas, *Br J Cancer*, 94(6), pp. 922-927.

BIBLIOGRAFIA

- Campbell, F., Appleton, M.A., Shields, C.J. & Williams, G.T. (1998) No difference in stem cell somatic mutation between the background mucosa of right- and left-sided sporadic colorectal carcinomas, *J Pathol*, 186(1), pp. 31-35.
- Cardoso, J., Boer, J., Morreau, H. & Fodde, R. (2007) Expression and genomic profiling of colorectal cancer, *Biochim Biophys Acta*, 1775(1), pp. 103-137.
- Cardoso, J., Molenaar, L., de Menezes, R.X., van Leerdam, M., Rosenberg, C., Moslein, G., Sampson, J., Morreau, H., Boer, J.M. & Fodde, R. (2006) Chromosomal instability in MYH- and APC-mutant adenomatous polyps, *Cancer Res*, 66(5), pp. 2514-2519.
- Cawkwell, L., Bell, S.M., Lewis, F.A., Dixon, M.F., Taylor, G.R. & Quirke, P. (1993) Rapid detection of allele loss in colorectal tumours using microsatellites and fluorescent DNA technology, *Br J Cancer*, 67(6), pp. 1262-1267.
- Cen, H., Zheng, S., Fang, Y.M., Tang, X.P. & Dong, Q. (2004) Induction of HSF1 expression is associated with sporadic colorectal cancer, *World J Gastroenterol*, 10(21), pp. 3122-3126.
- Clevers, H. (2006) Wnt/beta-catenin signaling in development and disease, *Cell*, 127(3), pp. 469-480.
- Cohen, M.B., Hawkins, J.A. & Witte, D.P. (1998) Guanylin mRNA expression in human intestine and colorectal adenocarcinoma, *Lab Invest*, 78(1), pp. 101-108.
- Crabtree, M., Sieber, O.M., Lipton, L., Hodgson, S.V., Lamlum, H., Thomas, H.J., Neale, K., Phillips, R.K., Heinemann, K. & Tomlinson, I.P. (2003) Refining the relation between 'first hits' and 'second hits' at the APC locus: the 'loose fit' model and evidence for differences in somatic mutation spectra among patients, *Oncogene*, 22(27), pp. 4257-4265.
- Crabtree, M.D., Fletcher, C., Churchman, M., Hodgson, S.V., Neale, K., Phillips, R.K. & Tomlinson, I.P. (2004) Analysis of candidate modifier loci for the severity of colonic familial adenomatous polyposis, with evidence for the importance of the N-acetyl transferases, *Gut*, 53(2), pp. 271-276.
- Croner, R.S., Foertsch, T., Brueckl, W.M., Guenther, K., Siebenhaar, R., Stremmel, C., Matzel, K.E., Papadopoulos, T., Kirchner, T., Behrens, J., Klein-Hitpass, L., Stuerzl, M., Hohenberger, W. & Reingruber, B. (2005) Common denominator genes that distinguish colorectal carcinoma from normal mucosa, *Int J Colorectal Dis*, 20(4), pp. 353-362.

BIBLIOGRAFIA

- Curmi, P.A., Nogues, C., Lachkar, S., Carelle, N., Gonthier, M.P., Sobel, A., Lidereau, R. & Bieche, I. (2000) Overexpression of stathmin in breast carcinomas points out to highly proliferative tumours, *Br J Cancer*, 82(1), pp. 142-150.
- Chen, J., Rocken, C., Lofton-Day, C., Schulz, H.U., Muller, O., Kutzner, N., Malfertheiner, P. & Ebert, M.P. (2005) Molecular analysis of APC promoter methylation and protein expression in colorectal cancer metastasis, *Carcinogenesis*, 26(1), pp. 37-43.
- Cheng, L. & Lai, M.D. (2003) Aberrant crypt foci as microscopic precursors of colorectal cancer, *World J Gastroenterol*, 9(12), pp. 2642-2649.
- Chiou, S.T., Hsieh, F.J., Chen, S.W., Chen, C.L., Shu, H.F. & Li, H. (2005) Clinicopathologic correlation of up-regulated genes identified using cDNA microarray and real-time reverse transcription-PCR in human colorectal cancer, *Cancer Epidemiol Biomarkers Prev*, 14(2), pp. 437-443.

D

- Deka, J., Herter, P., Sprenger-Haussels, M., Koosch, S., Franz, D., Muller, K.M., Kuhnen, C., Hoffmann, I. & Muller, O. (1999) The APC protein binds to A/T rich DNA sequences, *Oncogene*, 18(41), pp. 5654-5661.
- Diep, C.B., Kleivi, K., Ribeiro, F.R., Teixeira, M.R., Lindgaard, O.C. & Lothe, R.A. (2006) The order of genetic events associated with colorectal cancer progression inferred from meta-analysis of copy number changes, *Genes Chromosomes Cancer*, 45(1), pp. 31-41.
- Distler, P. & Holt, P.R. (1997) Are right- and left-sided colon neoplasms distinct tumors? *Dig Dis*, 15(4-5), pp. 302-311.
- Dobles, M., Liberal, V., Scott, M.L., Benezra, R. & Sorger, P.K. (2000) Chromosome missegregation and apoptosis in mice lacking the mitotic checkpoint protein Mad2, *Cell*, 101(6), pp. 635-645.

F

- Fearon, E.R. & Vogelstein, B. (1990) A genetic model for colorectal tumorigenesis, *Cell*, 61(5), pp. 759-767.
- Fodde, R. (2002) The APC gene in colorectal cancer, *Eur J Cancer*, 38(7), pp. 867-871.

BIBLIOGRAFIA

- Fodde, R., Kuipers, J., Rosenberg, C., Smits, R., Kielman, M., Gaspar, C., van Es, J.H., Breukel, C., Wiegant, J., Giles, R.H. & Clevers, H. (2001a) Mutations in the APC tumour suppressor gene cause chromosomal instability, *Nat Cell Biol*, 3(4), pp. 433-438.
- Fodde, R., Smits, R. & Clevers, H. (2001b) APC, signal transduction and genetic instability in colorectal cancer, *Nat Rev Cancer*, 1(1), pp. 55-67.
- Frayling, I.M., Beck, N.E., Illyas, M., Dove-Edwin, I., Goodman, P., Pack, K., Bell, J.A., Williams, C.B., Hodgson, S.V., Thomas, H.J., Talbot, I.C., Bodmer, W.F. & Tomlinson, I.P. (1998) The APC variants I1307K and E1317Q are associated with colorectal tumors, but not always with a family history, *Proc Natl Acad Sci U S A*, 95(18), pp. 10722-10727.
- Frederiksen, C.M., Knudsen, S., Laurberg, S. & Orntoft, T.F. (2003) Classification of Dukes' B and C colorectal cancers using expression arrays, *J Cancer Res Clin Oncol*, 129(5), pp. 263-271.
- Fric, P., Sovova, V., Sloncova, E., Lojda, Z., Jirasek, A. & Cermak, J. (2000) Different expression of some molecular markers in sporadic cancer of the left and right colon, *Eur J Cancer Prev*, 9(4), pp. 265-268.
- Friedl, W., Meuschel, S., Caspari, R., Lamberti, C., Krieger, S., Sengteller, M. & Propping, P. (1996) Attenuated familial adenomatous polyposis due to a mutation in the 3' part of the APC gene. A clue for understanding the function of the APC protein, *Hum Genet*, 97(5), pp. 579-584.

G

- Galamb, O., Sipos, F., Fischer, K., Tulassay, Z. & Molnar, B. (2005) The results of the expression array studies correlate and enhance the known genetic basis of gastric and colorectal cancer, *Cytometry B Clin Cytom*, 68(1), pp. 1-17.
- Giles, R.H., van Es, J.H. & Clevers, H. (2003) Caught up in a Wnt storm: Wnt signaling in cancer, *Biochim Biophys Acta*, 1653(1), pp. 1-24.
- Goss, K.H. & Groden, J. (2000) Biology of the adenomatous polyposis coli tumor suppressor, *J Clin Oncol*, 18(9), pp. 1967-1979.
- Green, R.A. & Kaplan, K.B. (2003) Chromosome instability in colorectal tumor cells is associated with defects in microtubule plus-end attachments caused by a dominant mutation in APC, *J Cell Biol*, 163(5), pp. 949-961.

BIBLIOGRAFIA

- Green, R.A., Wollman, R. & Kaplan, K.B. (2005) APC and EBI function together in mitosis to regulate spindle dynamics and chromosome alignment, *Mol Biol Cell*, 16(10), pp. 4609-4622.
- Gregorieff, A., Pinto, D., Begthel, H., Destree, O., Kielman, M. & Clevers, H. (2005) Expression pattern of Wnt signaling components in the adult intestine, *Gastroenterology*, 129(2), pp. 626-638.

H

- Hadjihannas, M.V., Bruckner, M., Jerchow, B., Birchmeier, W., Dietmaier, W. & Behrens, J. (2006) Aberrant Wnt/beta-catenin signaling can induce chromosomal instability in colon cancer, *Proc Natl Acad Sci U S A*, 103(28), pp. 10747-10752.
- Hanahan, D. & Weinberg, R.A. (2000) The hallmarks of cancer, *Cell*, 100(1), pp. 57-70.
- Hanash, S.M., Strahler, J.R., Kuick, R., Chu, E.H. & Nichols, D. (1988) Identification of a polypeptide associated with the malignant phenotype in acute leukemia, *J Biol Chem*, 263(26), pp. 12813-12815.
- Hao, X., Tomlinson, I., Ilyas, M., Palazzo, J.P. & Talbot, I.C. (1997) Reciprocity between membranous and nuclear expression of beta-catenin in colorectal tumours, *Virchows Arch*, 431(3), pp. 167-172.
- Hayflick, L. (1997) Mortality and immortality at the cellular level. A review, *Biochemistry (Mosc)*, 62(11), pp. 1180-1190.
- He, B., You, L., Uematsu, K., Xu, Z., Lee, A.Y., Matsangou, M., McCormick, F. & Jablons, D.M. (2004) A monoclonal antibody against Wnt-1 induces apoptosis in human cancer cells, *Neoplasia*, 6(1), pp. 7-14.
- He, T.C., Sparks, A.B., Rago, C., Hermeking, H., Zawel, L., da Costa, L.T., Morin, P.J., Vogelstein, B. & Kinzler, K.W. (1998) Identification of c-MYC as a target of the APC pathway, *Science*, 281(5382), pp. 1509-1512.
- Heath, J.P. (1996) Epithelial cell migration in the intestine, *Cell Biol Int*, 20(2), pp. 139-146.
- Henderson, B.R. (2000) Nuclear-cytoplasmic shuttling of APC regulates beta-catenin subcellular localization and turnover, *Nat Cell Biol*, 2(9), pp. 653-660.
- Henderson, B.R. & Fagotto, F. (2002) The ins and outs of APC and beta-catenin nuclear transport, *EMBO Rep*, 3(9), pp. 834-839.

BIBLIOGRAFIA

- Hernando, E., Nahle, Z., Juan, G., Diaz-Rodriguez, E., Alaminos, M., Hemann, M., Michel, L., Mittal, V., Gerald, W., Benezra, R., Lowe, S.W. & Cordon-Cardo, C. (2004) Rb inactivation promotes genomic instability by uncoupling cell cycle progression from mitotic control, *Nature*, 430(7001), pp. 797-802.
- Hernando, E., Orlow, I., Liberal, V., Nohales, G., Benezra, R. & Cordon-Cardo, C. (2001) Molecular analyses of the mitotic checkpoint components hsMAD2, hBUB1 and hBUB3 in human cancer, *Int J Cancer*, 95(4), pp. 223-227.
- Hoier, E.F., Mohler, W.A., Kim, S.K. & Hajnal, A. (2000) The *Caenorhabditis elegans* APC-related gene apr-1 is required for epithelial cell migration and Hox gene expression, *Genes Dev*, 14(7), pp. 874-886.
- Hollingsworth, R.E., Jr., Hensey, C.E. & Lee, W.H. (1993) Retinoblastoma protein and the cell cycle, *Curr Opin Genet Dev*, 3(1), pp. 55-62.
- Houlston, R., Crabtree, M., Phillips, R., Crabtree, M. & Tomlinson, I. (2001) Explaining differences in the severity of familial adenomatous polyposis and the search for modifier genes, *Gut*, 48(1), pp. 1-5.
- Hughes, T.A. & Brady, H.J. (2006) Regulation of axin2 expression at the levels of transcription, translation and protein stability in lung and colon cancer, *Cancer Lett*, 233(2), pp. 338-347.

I

Imoto, I., Izumi, H., Yokoi, S., Hosoda, H., Shibata, T., Hosoda, F., Ohki, M., Hirohashi, S. & Inazawa, J. (2006) Frequent silencing of the candidate tumor suppressor PCDH20 by epigenetic mechanism in non-small-cell lung cancers, *Cancer Res*, 66(9), pp. 4617-4626.

Inomata, M., Ochiai, A., Akimoto, S., Kitano, S. & Hirohashi, S. (1996) Alteration of beta-catenin expression in colonic epithelial cells of familial adenomatous polyposis patients, *Cancer Res*, 56(9), pp. 2213-2217.

J

Jho, E.H., Zhang, T., Domon, C., Joo, C.K., Freund, J.N. & Costantini, F. (2002) Wnt/beta-catenin/Tcf signaling induces the transcription of Axin2, a negative regulator of the signaling pathway, *Mol Cell Biol*, 22(4), pp. 1172-1183.

Joslyn, G., Richardson, D.S., White, R. & Alber, T. (1993) Dimer formation by an N-terminal coiled coil in the APC protein, *Proc Natl Acad Sci U S A*, 90(23), pp. 11109-11113.

K

- Kallioniemi, A., Kallioniemi, O.P., Sudar, D., Rutovitz, D., Gray, J.W., Waldman, F. & Pinkel, D. (1992) Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors, *Science*, 258(5083), pp. 818-821.
- Kapiteijn, E., Liefers, G.J., Los, L.C., Kranenbarg, E.K., Hermans, J., Tollenaar, R.A., Moriya, Y., van de Velde, C.J. & van Krieken, J.H. (2001) Mechanisms of oncogenesis in colon versus rectal cancer, *J Pathol*, 195(2), pp. 171-178.
- Kaplan, K.B., Burds, A.A., Swedlow, J.R., Bekir, S.S., Sorger, P.K. & Nathke, I.S. (2001) A role for the Adenomatous Polyposis Coli protein in chromosome segregation, *Nat Cell Biol*, 3(4), pp. 429-432.
- Killian, A., Le Meur, N., Sesboue, R., Bourguignon, J., Bougeard, G., Gautherot, J., Bastard, C., Frebourg, T. & Flaman, J.M. (2004) Inactivation of the RRBI-Pescadillo pathway involved in ribosome biogenesis induces chromosomal instability, *Oncogene*, 23(53), pp. 8597-8602.
- Killian, A., Sarafan-Vasseur, N., Sesboue, R., Le Pessot, F., Blanchard, F., Lamy, A., Laurent, M., Flaman, J.M. & Frebourg, T. (2006) Contribution of the BOPI gene, located on 8q24, to colorectal tumorigenesis, *Genes Chromosomes Cancer*, 45(9), pp. 874-881.
- Kim, H.S., Park, K.H., Kim, S.A., Wen, J., Park, S.W., Park, B., Gham, C.W., Hyung, W.J., Noh, S.H., Kim, H.K. & Song, S.Y. (2005) Frequent mutations of human Mad2, but not Bub1, in gastric cancers cause defective mitotic spindle checkpoint, *Mutat Res*, 578(1-2), pp. 187-201.
- Kim, K.M., Calabrese, P., Tavare, S. & Shibata, D. (2004) Enhanced stem cell survival in familial adenomatous polyposis, *Am J Pathol*, 164(4), pp. 1369-1377.
- Kinzler, K.W., Nilbert, M.C., Su, L.K., Vogelstein, B., Bryan, T.M., Levy, D.B., Smith, K.J., Preisinger, A.C., Hedge, P., McKechnie, D. & et al. (1991) Identification of FAP locus genes from chromosome 5q21, *Science*, 253(5020), pp. 661-665.
- Kinzler, K.W. & Vogelstein, B. (1996) Lessons from hereditary colorectal cancer, *Cell*, 87(2), pp. 159-170.

BIBLIOGRAFIA

- Kitahara, O., Furukawa, Y., Tanaka, T., Kihara, C., Ono, K., Yanagawa, R., Nita, M.E., Takagi, T., Nakamura, Y. & Tsunoda, T. (2001) Alterations of gene expression during colorectal carcinogenesis revealed by cDNA microarrays after laser-capture microdissection of tumor tissues and normal epithelia, *Cancer Res*, 61(9), pp. 3544-3549.
- Kobayashi, M., Honma, T., Matsuda, Y., Suzuki, Y., Narisawa, R., Ajioka, Y. & Asakura, H. (2000) Nuclear translocation of beta-catenin in colorectal cancer, *Br J Cancer*, 82(10), pp. 1689-1693.
- Kong, M., Wang, C.S. & Donoghue, D.J. (2002) Interaction of fibroblast growth factor receptor 3 and the adapter protein SH2-B. A role in STAT5 activation, *J Biol Chem*, 277(18), pp. 15962-15970.
- Kwon, H.C., Kim, S.H., Roh, M.S., Kim, J.S., Lee, H.S., Choi, H.J., Jeong, J.S., Kim, H.J. & Hwang, T.H. (2004) Gene expression profiling in lymph node-positive and lymph node-negative colorectal cancer, *Dis Colon Rectum*, 47(2), pp. 141-152.

L

- Laken, S.J., Petersen, G.M., Gruber, S.B., Oddoux, C., Ostrer, H., Giardiello, F.M., Hamilton, S.R., Hampel, H., Markowitz, A., Klimstra, D., Jhanwar, S., Winawer, S., Offit, K., Luce, M.C., Kinzler, K.W. & Vogelstein, B. (1997) Familial colorectal cancer in Ashkenazim due to a hypermutable tract in APC, *Nat Genet*, 17(1), pp. 79-83.
- Lamblum, H., Ilyas, M., Rowan, A., Clark, S., Johnson, V., Bell, J., Frayling, I., Efstathiou, J., Pack, K., Payne, S., Roylance, R., Gorman, P., Sheer, D., Neale, K., Phillips, R., Talbot, I., Bodmer, W. & Tomlinson, I. (1999) The type of somatic mutation at APC in familial adenomatous polyposis is determined by the site of the germline mutation: a new facet to Knudson's 'two-hit' hypothesis, *Nat Med*, 5(9), pp. 1071-1075.
- Lee, H.S., Lee, D.C., Park, M.H., Yang, S.J., Lee, J.J., Kim, D.M., Jang, Y., Lee, J.H., Choi, J.Y., Kang, Y.K., Kim, D.I., Park, K.C., Kim, S.Y., Yoo, H.S., Choi, E.J. & Yeom, Y.I. (2006) STMN2 is a novel target of beta-catenin/TCF-mediated transcription in human hepatoma cells, *Biochem Biophys Res Commun*, 345(3), pp. 1059-1067.

BIBLIOGRAFIA

- Lepourcelet, M., Chen, Y.N., France, D.S., Wang, H., Crews, P., Petersen, F., Bruseo, C., Wood, A.W. & Shivdasani, R.A. (2004) Small-molecule antagonists of the oncogenic Tcf/beta-catenin protein complex, *Cancer Cell*, 5(1), pp. 91-102.
- Leppert, M., Dobbs, M., Scambler, P., O'Connell, P., Nakamura, Y., Stauffer, D., Woodward, S., Burt, R., Hughes, J., Gardner, E. & et al. (1987) The gene for familial polyposis coli maps to the long arm of chromosome 5, *Science*, 238(4832), pp. 1411-1413.
- Li, G.Q., Li, H. & Zhang, H.F. (2003) Mad2 and p53 expression profiles in colorectal cancer and its clinical significance, *World J Gastroenterol*, 9(9), pp. 1972-1975.
- Li, J., Mizukami, Y., Zhang, X., Jo, W.S. & Chung, D.C. (2005) Oncogenic K-ras stimulates Wnt signaling in colon cancer through inhibition of GSK-3beta, *Gastroenterology*, 128(7), pp. 1907-1918.
- Li, M., Lin, Y.M., Hasegawa, S., Shimokawa, T., Murata, K., Kameyama, M., Ishikawa, O., Katagiri, T., Tsunoda, T., Nakamura, Y. & Furukawa, Y. (2004) Genes associated with liver metastasis of colon cancer, identified by genome-wide cDNA microarray, *Int J Oncol*, 24(2), pp. 305-312.
- Lin, Y.M., Furukawa, Y., Tsunoda, T., Yue, C.T., Yang, K.C. & Nakamura, Y. (2002) Molecular diagnosis of colorectal tumors by expression profiles of 50 genes expressed differentially in adenomas and carcinomas, *Oncogene*, 21(26), pp. 4120-4128.
- Liotta, L.A. & Kohn, E.C. (2001) The microenvironment of the tumour-host interface, *Nature*, 411(6835), pp. 375-379.
- Lipton, L. & Tomlinson, I. (2006) The genetics of FAP and FAP-like syndromes, *Fam Cancer*, 5(3), pp. 221-226.
- Liu, W., Dong, X., Mai, M., Seelan, R.S., Taniguchi, K., Krishnadath, K.K., Halling, K.C., Cunningham, J.M., Boardman, L.A., Qian, C., Christensen, E., Schmidt, S.S., Roche, P.C., Smith, D.I. & Thibodeau, S.N. (2000) Mutations in AXIN2 cause colorectal cancer with defective mismatch repair by activating beta-catenin/TCF signalling, *Nat Genet*, 26(2), pp. 146-147.
- Logan, C.Y. & Nusse, R. (2004) The Wnt Signaling Pathway in Development and Disease, *Annu Rev Cell Dev Biol*.
- Lustig, B., Jerchow, B., Sachs, M., Weiler, S., Pietsch, T., Karsten, U., van de Wetering, M., Clevers, H., Schlag, P.M., Birchmeier, W. & Behrens, J. (2002) Negative

- feedback loop of Wnt signaling through upregulation of conductin/axin2 in colorectal and liver tumors, *Mol Cell Biol*, 22(4), pp. 1184-1193.
- Lynch, H.T. & de la Chapelle, A. (2003) Hereditary colorectal cancer, *N Engl J Med*, 348(10), pp. 919-932.

M

- McCann, J., Choi, E., Yamasaki, E. & Ames, B.N. (1975) Detection of carcinogens as mutagens in the Salmonella/microsome test: assay of 300 chemicals, *Proc Natl Acad Sci U S A*, 72(12), pp. 5135-5139.
- McIver, C.M., Lloyd, J.M., Hewett, P.J. & Hardingham, J.E. (2004) Dipeptidase I: a candidate tumor-specific molecular marker in colorectal carcinoma, *Cancer Lett*, 209(1), pp. 67-74.
- McMahon, A.P. & Moon, R.T. (1989) Ectopic expression of the proto-oncogene int-1 in *Xenopus* embryos leads to duplication of the embryonic axis, *Cell*, 58(6), pp. 1075-1084.
- Menssen, A., Epanchintsev, A., Rezaei, N., Lodygin, D., Jung, P., Verdoodt, B., Diebold, J. & Hermeking, H. (2007) c-MYC Delays Prometaphase by Direct Transactivation of MAD2 and BubR1: Identification of Mechanisms Underlying c-MYC-Induced DNA Damage and Chromosomal Instability, *Cell Cycle*, 6(3).
- Michel, L.S., Liberal, V., Chatterjee, A., Kirchwegger, R., Pasche, B., Gerald, W., Dobles, M., Sorger, P.K., Murty, V.V. & Ben Ezra, R. (2001) MAD2 haplo-insufficiency causes premature anaphase and chromosome instability in mammalian cells, *Nature*, 409(6818), pp. 355-359.
- Michl, P., Ramjaun, A.R., Pardo, O.E., Warne, P.H., Wagner, M., Poulsom, R., D'Arrigo, C., Ryder, K., Menke, A., Gress, T. & Downward, J. (2005) CUTL1 is a target of TGF(beta) signaling that enhances cancer cell motility and invasiveness, *Cancer Cell*, 7(6), pp. 521-532.
- Miyoshi, Y., Nagase, H., Ando, H., Horii, A., Ichii, S., Nakatsuru, S., Aoki, T., Miki, Y., Mori, T. & Nakamura, Y. (1992) Somatic mutations of the APC gene in colorectal tumors: mutation cluster region in the APC gene, *Hum Mol Genet*, 1(4), pp. 229-233.

BIBLIOGRAFIA

- Moon, R.T., Kohn, A.D., De Ferrari, G.V. & Kaykas, A. (2004) WNT and beta-catenin signalling: diseases and therapies, *Nat Rev Genet*, 5(9), pp. 691-701.
- Mori, M., Staniunas, R.J., Barnard, G.F., Jessup, J.M., Steele, G.D., Jr. & Chen, L.B. (1993) The significance of carbonic anhydrase expression in human colorectal cancer, *Gastroenterology*, 105(3), pp. 820-826.
- Morin, P.J., Sparks, A.B., Korinek, V., Barker, N., Clevers, H., Vogelstein, B. & Kinzler, K.W. (1997) Activation of beta-catenin-Tcf signaling in colon cancer by mutations in beta-catenin or APC, *Science*, 275(5307), pp. 1787-1790.
- Morin, P.J., Vogelstein, B. & Kinzler, K.W. (1996) Apoptosis and APC in colorectal tumorigenesis, *Proc Natl Acad Sci U S A*, 93(15), pp. 7950-7954.
- Munemitsu, S., Albert, I., Souza, B., Rubinfeld, B. & Polakis, P. (1995) Regulation of intracellular beta-catenin levels by the adenomatous polyposis coli (APC) tumor-suppressor protein, *Proc Natl Acad Sci U S A*, 92(7), pp. 3046-3050.

N

- Nathke, I.S. (2004) The adenomatous polyposis coli protein: the Achilles heel of the gut epithelium, *Annu Rev Cell Dev Biol*, 20, pp. 337-366.
- Nishisho, I., Nakamura, Y., Miyoshi, Y., Miki, Y., Ando, H., Horii, A., Koyama, K., Utsunomiya, J., Baba, S. & Hedge, P. (1991) Mutations of chromosome 5q21 genes in FAP and colorectal cancer patients, *Science*, 253(5020), pp. 665-669.
- Notterman, D.A., Alon, U., Sierk, A.J. & Levine, A.J. (2001) Transcriptional gene expression profiles of colorectal adenoma, adenocarcinoma, and normal tissue examined by oligonucleotide arrays, *Cancer Res*, 61(7), pp. 3124-3130.
- Novelli, M.R., Williamson, J.A., Tomlinson, I.P., Elia, G., Hodgson, S.V., Talbot, I.C., Bodmer, W.F. & Wright, N.A. (1996) Polyclonal origin of colonic adenomas in an XO/XY patient with FAP, *Science*, 272(5265), pp. 1187-1190.
- Nusse, R. & Varmus, H.E. (1982) Many tumors induced by the mouse mammary tumor virus contain a provirus integrated in the same region of the host genome, *Cell*, 31(1), pp. 99-109.

O

Okuno, K., Yasutomi, M., Nishimura, N., Arakawa, T., Shiomi, M., Hida, J., Ueda, K. & Minami, K. (2001) Gene expression analysis in colorectal cancer using practical DNA array filter, *Dis Colon Rectum*, 44(2), pp. 295-299.

Oostlander, A.E., Meijer, G.A. & Ylstra, B. (2004) Microarray-based comparative genomic hybridization and its applications in human genetics, *Clin Genet*, 66(6), pp. 488-495.

P

Percy, M.J., Myrie, K.A., Neeley, C.K., Azim, J.N., Ethier, S.P. & Petty, E.M. (2000) Expression and mutational analyses of the human MAD2LI gene in breast cancer cells, *Genes Chromosomes Cancer*, 29(4), pp. 356-362.

Perl, A.K., Wilgenbus, P., Dahl, U., Semb, H. & Christofori, G. (1998) A causal role for E-cadherin in the transition from adenoma to carcinoma, *Nature*, 392(6672), pp. 190-193.

Pfaffl, M.W. (2001) A new mathematical model for relative quantification in real-time RT-PCR, *Nucleic Acids Res*, 29(9), pp. e45.

Polakis, P. (1995) Mutations in the APC gene and their implications for protein structure and function, *Curr Opin Genet Dev*, 5(1), pp. 66-71.

Preston, S.L., Wong, W.M., Chan, A.O., Poulsom, R., Jeffery, R., Goodlad, R.A., Mandir, N., Elia, G., Novelli, M., Bodmer, W.F., Tomlinson, I.P. & Wright, N.A. (2003) Bottom-up histogenesis of colorectal adenomas: origin in the monocryptal adenoma and initial expansion by crypt fission, *Cancer Res*, 63(13), pp. 3819-3825.

Pretlow, T.P. & Pretlow, T.G. (2005) Mutant KRAS in aberrant crypt foci (ACF): initiation of colorectal cancer? *Biochim Biophys Acta*, 1756(2), pp. 83-96.

Price, D.K., Ball, J.R., Bahrani-Mostafavi, Z., Vachris, J.C., Kaufman, J.S., Naumann, R.W., Higgins, R.V. & Hall, J.B. (2000) The phosphoprotein Op18/stathmin is differentially expressed in ovarian cancer, *Cancer Invest*, 18(8), pp. 722-730.

R

- Radtke, F. & Clevers, H. (2005) Self-renewal and cancer of the gut: two sides of a coin, *Science*, 307(5717), pp. 1904-1909.
- Rajagopalan, H. & Lengauer, C. (2004) Aneuploidy and cancer, *Nature*, 432(7015), pp. 338-341.
- Rajagopalan, H., Nowak, M.A., Vogelstein, B. & Lengauer, C. (2003) The significance of unstable chromosomes in colorectal cancer, *Nat Rev Cancer*, 3(9), pp. 695-701.
- Rao, C.V., Yang, Y.M., Swamy, M.V., Liu, T., Fang, Y., Mahmood, R., Jhanwar-Uniyal, M. & Dai, W. (2005) Colonic tumorigenesis in BubR1^{+/−}-ApcMin/+ compound mutant mice is linked to premature separation of sister chromatids and enhanced genomic instability, *Proc Natl Acad Sci U S A*, 102(12), pp. 4365-4370.
- Reya, T. & Clevers, H. (2005) Wnt signalling in stem cells and cancer, *Nature*, 434(7035), pp. 843-850.
- Rhodes, D.R. & Chinnaiyan, A.M. (2005) Integrative analysis of the cancer transcriptome, *Nat Genet*, 37 Suppl, pp. S31-37.
- Richter, H., Slezak, P., Walch, A., Werner, M., Braselmann, H., Jaramillo, E., Ost, A., Hirata, I., Takahama, K. & Zitzelsberger, H. (2003) Distinct chromosomal imbalances in nonpolypoid and polypoid colorectal adenomas indicate different genetic pathways in the development of colorectal neoplasms, *Am J Pathol*, 163(1), pp. 287-294.
- Rijsewijk, F., Schuermann, M., Wagenaar, E., Parren, P., Weigel, D. & Nusse, R. (1987) The Drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment polarity gene wingless, *Cell*, 50(4), pp. 649-657.
- Rimkus, C., Friederichs, J., Rosenberg, R., Holzmann, B., Siewert, J.R. & Janssen, K.P. (2007) Expression of the mitotic checkpoint gene MAD2L2 has prognostic significance in colon cancer, *Int J Cancer*, 120(1), pp. 207-211.
- Ripka, S., Konig, A., Buchholz, M., Wagner, M., Sipos, B., Kloppel, G., Downward, J., Gress, T. & Michl, P. (2007) WNT5A - target of CUTL1 and potent modulator of tumor cell migration and invasion in pancreatic cancer, *Carcinogenesis*.
- Rouget-Quermalet, V., Giustiniani, J., Marie-Cardine, A., Beaud, G., Besnard, F., Loyaux, D., Ferrara, P., Leroy, K., Shimizu, N., Gaulard, P., Bensussan, A. & Schmitt, C. (2006) Protocadherin 15 (PCDH15): a new secreted isoform and a potential marker for NK/T cell lymphomas, *Oncogene*, 25(19), pp. 2807-2811.

BIBLIOGRAFIA

- Rubinfeld, B., Souza, B., Albert, I., Muller, O., Chamberlain, S.H., Masiarz, F.R., Munemitsu, S. & Polakis, P. (1993) Association of the APC gene product with beta-catenin, *Science*, 262(5140), pp. 1731-1734.
- Rubinfeld, B., Souza, B., Albert, I., Munemitsu, S. & Polakis, P. (1995) The APC protein and E-cadherin form similar but independent complexes with alpha-catenin, beta-catenin, and plakoglobin, *J Biol Chem*, 270(10), pp. 5549-5555.

S

- Saito, A., Fujii, G., Sato, Y., Gotoh, M., Sakamoto, M., Toda, G. & Hirohashi, S. (2002) Detection of genes expressed in primary colon cancers by in situ hybridisation: overexpression of RACK 1, *Mol Pathol*, 55(1), pp. 34-39.
- Sancho, E., Batlle, E. & Clevers, H. (2004) Signaling Pathways in Intestinal Development and Cancer, *Annu Rev Cell Dev Biol*.
- Segal, E., Friedman, N., Kaminski, N., Regev, A. & Koller, D. (2005) From signatures to models: understanding cancer using microarrays, *Nat Genet*, 37 Suppl, pp. S38-45.
- Segditsas, S. & Tomlinson, I. (2006) Colorectal cancer and genetic alterations in the Wnt pathway, *Oncogene*, 25(57), pp. 7531-7537.
- Shi, Z.Z., Zhang, J.W. & Zheng, S. (2007) What we know about ST13, a co-factor of heat shock protein, or a tumor suppressor? *J Zhejiang Univ Sci B*, 8(3), pp. 170-176.
- Shih, I.M., Wang, T.L., Traverso, G., Romans, K., Hamilton, S.R., Ben-Sasson, S., Kinzler, K.W. & Vogelstein, B. (2001a) Top-down morphogenesis of colorectal tumors, *Proc Natl Acad Sci U S A*, 98(5), pp. 2640-2645.
- Shih, I.M., Zhou, W., Goodman, S.N., Lengauer, C., Kinzler, K.W. & Vogelstein, B. (2001b) Evidence that genetic instability occurs at an early stage of colorectal tumorigenesis, *Cancer Res*, 61(3), pp. 818-822.
- Sjoblom, T., Jones, S., Wood, L.D., Parsons, D.W., Lin, J., Barber, T., Mandelker, D., Leary, R.J., Ptak, J., Silliman, N., Szabo, S., Buckhaults, P., Farrell, C., Meeh, P., Markowitz, S.D., Willis, J., Dawson, D., Willson, J.K., Gazdar, A.F., Hartigan, J.,

BIBLIOGRAFIA

- Wu, L., Liu, C., Parmigiani, G., Park, B.H., Bachman, K.E., Papadopoulos, N., Vogelstein, B., Kinzler, K.W. & Velculescu, V.E. (2006) The Consensus Coding Sequences of Human Breast and Colorectal Cancers, *Science*.
- Snijders, A.M., Nowak, N., Segraves, R., Blackwood, S., Brown, N., Conroy, J., Hamilton, G., Hindle, A.K., Huey, B., Kimura, K., Law, S., Myambo, K., Palmer, J., Ylstra, B., Yue, J.P., Gray, J.W., Jain, A.N., Pinkel, D. & Albertson, D.G. (2001) Assembly of microarrays for genome-wide measurement of DNA copy number, *Nat Genet*, 29(3), pp. 263-264.
- Sotillo, R., Hernando, E., Diaz-Rodriguez, E., Teruya-Feldstein, J., Cordon-Cardo, C., Lowe, S.W. & Benzra, R. (2007) Mad2 overexpression promotes aneuploidy and tumorigenesis in mice, *Cancer Cell*, 11(1), pp. 9-23.
- Sporn, M.B. (1996) The war on cancer, *Lancet*, 347(9012), pp. 1377-1381.
- Stehelin, D., Varmus, H.E., Bishop, J.M. & Vogt, P.K. (1976) DNA related to the transforming gene(s) of avian sarcoma viruses is present in normal avian DNA, *Nature*, 260(5547), pp. 170-173.
- Steinbrecher, K.A., Tuohy, T.M., Heppner Goss, K., Scott, M.C., Witte, D.P., Groden, J. & Cohen, M.B. (2000) Expression of guanylin is downregulated in mouse and human intestinal adenomas, *Biochem Biophys Res Commun*, 273(1), pp. 225-230.
- Storey, J.D. & Tibshirani, R. (2003) Statistical significance for genomewide studies, *Proc Natl Acad Sci U S A*, 100(16), pp. 9440-9445.
- Strachan, T. & Read, A.P. (1994) PAX genes, *Curr Opin Genet Dev*, 4(3), pp. 427-438.
- Strauss, E. (2006) Arrays of hope, *Cell*, 127(4), pp. 657-659.
- Stremmel, C., Wein, A., Hohenberger, W. & Reingruber, B. (2002) DNA microarrays: a new diagnostic tool and its implications in colorectal cancer, *Int J Colorectal Dis*, 17(3), pp. 131-136.
- Su, L.K., Vogelstein, B. & Kinzler, K.W. (1993) Association of the APC tumor suppressor protein with catenins, *Science*, 262(5140), pp. 1734-1737.

T

- Takayama, T., Katsuki, S., Takahashi, Y., Ohi, M., Nojiri, S., Sakamaki, S., Kato, J., Kogawa, K., Miyake, H. & Niitsu, Y. (1998) Aberrant crypt foci of the colon as precursors of adenoma and cancer, *N Engl J Med*, 339(18), pp. 1277-1284.

BIBLIOGRAFIA

- Takayama, T. & Niitsu, Y. (2004) In which step does the K-ras mutation occur in colorectal carcinogenesis? *J Gastroenterol*, 39(6), pp. 596-597.
- Takayama, T., Ohi, M., Hayashi, T., Miyanishi, K., Nobuoka, A., Nakajima, T., Satoh, T., Takimoto, R., Kato, J., Sakamaki, S. & Niitsu, Y. (2001) Analysis of K-ras, APC, and beta-catenin in aberrant crypt foci in sporadic adenoma, cancer, and familial adenomatous polyposis, *Gastroenterology*, 121(3), pp. 599-611.
- Takemasa, I., Higuchi, H., Yamamoto, H., Sekimoto, M., Tomita, N., Nakamori, S., Matoba, R., Monden, M. & Matsubara, K. (2001) Construction of preferential cDNA microarray specialized for human colorectal carcinoma: molecular sketch of colorectal cancer, *Biochem Biophys Res Commun*, 285(5), pp. 1244-1249.
- Tetsu, O. & McCormick, F. (1999) Beta-catenin regulates expression of cyclin D1 in colon carcinoma cells, *Nature*, 398(6726), pp. 422-426.

V

- van de Wetering, M., Sancho, E., Verweij, C., de Lau, W., Oving, I., Hurlstone, A., van der Horn, K., Batlle, E., Coudreuse, D., Haramis, A.P., Tjon-Pon-Fong, M., Moerer, P., van den Born, M., Soete, G., Pals, S., Eilers, M., Medema, R. & Clevers, H. (2002) The beta-catenin/TCF-4 complex imposes a crypt progenitor phenotype on colorectal cancer cells, *Cell*, 111(2), pp. 241-250.
- Van der Flier, L.G., Sabates-Bellver, J., Oving, I., Haegebarth, A., De Palo, M., Anti, M., Van Gijn, M.E., Suijkerbuijk, S., Van de Wetering, M., Marra, G. & Clevers, H. (2007) The Intestinal Wnt/TCF Signature, *Gastroenterology*, 132(2), pp. 628-632.
- Vogelstein, B., Fearon, E.R., Hamilton, S.R., Kern, S.E., Preisinger, A.C., Leppert, M., Nakamura, Y., White, R., Smits, A.M. & Bos, J.L. (1988) Genetic alterations during colorectal-tumor development, *N Engl J Med*, 319(9), pp. 525-532.
- Vogelstein, B. & Kinzler, K.W. (2004) Cancer genes and the pathways they control, *Nat Med*, 10(8), pp. 789-799.

W

- Wang, Y., Jatkoe, T., Zhang, Y., Mutch, M.G., Talantov, D., Jiang, J., McLeod, H.L. & Atkins, D. (2004a) Gene expression profiles and molecular markers to predict recurrence of Dukes' B colon cancer, *J Clin Oncol*, 22(9), pp. 1564-1571.
- Wang, Z., Cummins, J.M., Shen, D., Cahill, D.P., Jallepalli, P.V., Wang, T.L., Parsons, D.W., Traverso, G., Awad, M., Silliman, N., Ptak, J., Szabo, S., Willson, J.K., Markowitz, S.D., Goldberg, M.L., Karess, R., Kinzler, K.W., Vogelstein, B., Velculescu, V.E. & Lengauer, C. (2004b) Three classes of genes mutated in colorectal cancers with chromosomal instability, *Cancer Res*, 64(9), pp. 2998-3001.
- Waters, J.C., Chen, R.H., Murray, A.W. & Salmon, E.D. (1998) Localization of Mad2 to kinetochores depends on microtubule attachment, not tension, *J Cell Biol*, 141(5), pp. 1181-1191.
- Weinberg, R.A. (1983) Oncogenes and the molecular biology of cancer, *J Cell Biol*, 97(6), pp. 1661-1662.
- Weinberg, R.A. (1994) Oncogenes and tumor suppressor genes, *CA Cancer J Clin*, 44(3), pp. 160-170.
- Williams, N.S., Gaynor, R.B., Scoggin, S., Verma, U., Gokaslan, T., Simmang, C., Fleming, J., Tavana, D., Frenkel, E. & Becerra, C. (2003) Identification and validation of genes involved in the pathogenesis of colorectal cancer using cDNA microarrays and RNA interference, *Clin Cancer Res*, 9(3), pp. 931-946.
- Workman, C., Jensen, L.J., Jarmer, H., Berka, R., Gautier, L., Nielser, H.B., Saxild, H.H., Nielsen, C., Brunak, S. & Knudsen, S. (2002) A new non-linear normalization method for reducing variability in DNA microarray experiments, *Genome Biol*, 3(9), pp. research0048.

Y

- Yan, D., Wiesmann, M., Rohan, M., Chan, V., Jefferson, A.B., Guo, L., Sakamoto, D., Caothien, R.H., Fuller, J.H., Reinhard, C., Garcia, P.D., Randazzo, F.M., Escobedo, J., Fantl, W.J. & Williams, L.T. (2001) Elevated expression of axin2 and hnkd mRNA provides evidence that Wnt/beta -catenin signaling is activated in human colon tumors, *Proc Natl Acad Sci U S A*, 98(26), pp. 14973-14978.

BIBLIOGRAFIA

- Ying, J., Gao, Z., Li, H., Srivastava, G., Murray, P.G., Goh, H.K., Lim, C.Y., Wang, Y., Marafioti, T., Mason, D.Y., Ambinder, R.F., Chan, A.T. & Tao, Q. (2007) Frequent epigenetic silencing of protocadherin 10 by methylation in multiple haematologic malignancies, *Br J Haematol*, 136(6), pp. 829-832.
- You, L., He, B., Xu, Z., Uematsu, K., Mazieres, J., Mikami, I., Reguart, N., Moody, T.W., Kitajewski, J., McCormick, F. & Jablons, D.M. (2004) Inhibition of Wnt-2-mediated signaling induces programmed cell death in non-small-cell lung cancer cells, *Oncogene*, 23(36), pp. 6170-6174.

Z

- Zhang, L., Zhou, W., Velculescu, V.E., Kern, S.E., Hruban, R.H., Hamilton, S.R., Vogelstein, B. & Kinzler, K.W. (1997) Gene expression profiles in normal and cancer cells, *Science*, 276(5316), pp. 1268-1272.
- Zou, T.T., Selaru, F.M., Xu, Y., Shustova, V., Yin, J., Mori, Y., Shibata, D., Sato, F., Wang, S., Olaru, A., Deacu, E., Liu, T.C., Abraham, J.M. & Meltzer, S.J. (2002) Application of cDNA microarrays to generate a molecular taxonomy capable of distinguishing between colon cancer and normal colon, *Oncogene*, 21(31), pp. 4855-4862.