

- Abad, F.X., R.M. Pinto, R. Gajardo, A. Bosch.** (1997). Viruses in mussels –public health implications and depuration. *J. Food Prot.* **60:** 677-681.
- Allard, A., B. Albinsson, G. Wadell.** (1992). Detection of adenoviruses in stools from healthy persons and patients with diarrhea by two-step polymerase chain reaction. *J. Med. Virol.* **37:**140-157.
- Ang, L.H.** (1998). An outbreak of viral gastroenteritis associated with eating raw oysters. *Comm. Dis. Pub. Health* **1:**38-40.
- Anònim.** (2003). Decisión de la Comisión de 30 de octubre de 2003 por la que se aprueban algunos tratamientos para inhibir la proliferación de microorganismos patógenos en los moluscos bivalvos y los gasterópodos marinos. *DO L283:*78-80.
- Anònim.** (2002). National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish (en línia), actualitzat: 20/07/2003 (consulta: 1/08/2003). Disponible a: <http://www.issc.org/On-Line_docs/onlinedocs.htm>
- Anònim.** (1999a). ISO 1075-2: Water quality. Detection and enumeration of bacteriophages -part 2: Enumeration of somatic coliphages. Geneva, Switzerland: International Organism for Standardisation.
- Anònim.** (1999b). ISO 1075-4: Water quality. Detection and enumeration of bacteriophages -part 4: Enumeration of bacteriophages infecting *Bacteroides fragilis*. Geneva, Switzerland: International Organism for Standardisation.
- Anònim.** (1999c). Real Decreto 571/1999, de 9 de abril, por el que se aprueba la Reglamentación Técnico-Sanitaria que fija las normas aplicables a la producción y comercialización de moluscos bivalvos vivos. *B.O.E. nº86:*13522-1353.
- Anònim.** (1998). Announcement of the drinking water contaminate candidate list; notice. Environmental Protection Agency. *Federal Register* **63:**10274-10287.
- Anònim.** (1997). Council directive 97/61/EEC of 20 October 1997 amending the Annex to Directive 91/492/EEC laying down the health conditions for the production and placing on the market of live bivalve molluscs. *Off. J. Eur. Communities* **L 295:**35-36.
- Anònim.** (1996). ISO 1075-1 (amended version): Water quality. Detection and enumeration of bacteriophages -part 4: Enumeration of F-specific RNA bacteriophages. Geneva, Switzerland: International Organism for Standardisation.
- Anònim.** (1993). Real Decreto 308/1993, de 27 de marzo, por el que se aprueba la Reglamentación Técnico-Sanitaria que fija las normas aplicables a la producción y comercialización de moluscos bivalvos vivos. *B.O.E. nº74:* 9386- 9394.
- Anònim.** (1991). Council directive of 22nd July 1991 laying down the health conditions for the production and placing on the market of live bivalve mollusks (91/492/EEC). *Off. J. Eur. Communities* **L 268:**1-13.
- Baggi, F., A. Demark, R. Peduzzi.** (2001). Persistence of viral pathogens and bacteriophages during sewage treatment: lack of correlation with indicator bacteria. *Res. Microbiol.* **152:**743-751.
- Balayan, M.S.** (1997). Epidemiology of hepatitis E infection. *J. Viral Hepat.* **4:**155-165.
- Berg, O., K.Y. Børshheim, G., Bratbak, M. Henda.** (1989). High abundance of viruses found in aquatic environments. *Nature*, **340:** 467-468.
- Berg, O.** (1978). *Indicators of viruses in water and food*. Ed. G. Berg. Ann Arbor Science. Ann Arbor, MI.
- Bofill-Mas, S., M. Formiga-Cruz, P. Clemente-Casares, F. Calafell, R. Girones.** (2001). Potential transmission of human polyomaviruses through the gastrointestinal tract after exposure to virions or viral DNA. *J. Virol.* **75:**10290-10299.
- Børshheim, G.** (1993). Native marine bacteriophages. *FEMS Microbiol. Ecol.* **102:**141-159.
- Brion, G., S. Lingeriddy, T.R. Neelakantan, M. Wang, R. Girones, D. Lees, A. Allard, A. Vantarakis.** (2003). Probing Norwalk-like virus presence in shellfish with artificial neural networks. Pòster a: *International Symposium on Health-Related Water Microbiology*, Cape Town.

- Brion, G., S. Lingireddy.** (1999). A neural network approach to identifying non-point sources of microbial contamination. *Wat. Res.* **14**:3099-3106.
- Cabelli, V. J., and W. P. Heffernan.** (1971). The elimination of bacteria by the northern quahog: variability of the response of individual animals and development of criteria. *Proc. Natl. Shellfish Assoc.* **61**:102-108.
- Callahan, K.M., D.J. Taylor, M.D. Sobsey.** (1995). Comparative survival of hepatitis A virus, poliovirus and indicator viruses in geographically diverse areas. *Water Sci. Techno.* **31**:189-193.
- Camp, J., M. Delgado.** 1987. Hidrografía de las bahías del delta del Ebro. *Inv. Pesq.* **51**: 351-369.
- Casas, I., G.F. Palacios, G. Trallero, D. Cisterna, M.C. Freire, A. Tenorio.** (2001). Molecular characterization of human enteroviruses in clinical samples: comparison between VP2, VP1, and RNA polymerase regions using RT nested PCR assays and direct sequencing of products. *J. Med. Virol.* **65**:138-148.
- Casas, N., C. Zigorraga, B. Moreno, E. Suñén.** (2002). Comparison of two methods of hepatitis A virus recovery from clams for reverse transcription PCR detection. *4th Conference on Molluscan Shellfish Safety*, Santiago de Compostela, Spain.
- Casas, N., E. Suñén.** (2001). Detection of enterovirusans hepatitis A virus RNA in mussels (*Mytilus* spp.) by reverse transcriptase-polymerase chain reaction. *J. Appl. Microbiol.* **90**:89-95.
- Caul, E.O.** (1995). Hyperemesis hiemesis –a sick hazard. *J. Hosp. Infect.* **30**:498-502.
- Chalmers, J.W.T., J.H. Mcmillan.** (1995). An outbreak of viral gastroenteritis associated with adequately prepared oysters. *Epidemiol. Infect.* **115**:163-167.
- Chamberlain, J.S., R.A. Gibbs, J.E. Ranier, P.N. Nguyen, C.T. Caskey.** (1988). Deletion screening of the Duchenne muscular dystrophy locus via multiplex DNA amplification. *Nucleic Acids Res.* **16**:1141-11156.
- Chou, Q., M. Russel, D.E. Birch, J. Raymond, W. Bloch.** (1992). Prevention of pre-PCR mispriming and primer dimerization improves low-copy-number amplifications. *Nucleic Acid Res.* **11**:1717-1723.
- Christensen, B.F., D. Lees, K.H. Wood, T. Bergskow, J. Green.** (1998). Human enteric viruses in oysters causing a large outbreak of human food borne infection in 19996/97. *J. Shellfish Res.* **17**:1633-1635.
- Dal-Ré, R., P. Garcia-Corbeira, J. Garcia-de-Lomas.** (2000). A large percentage of the Spanish population under 30 years of age is not protected against hepatitis A. *J. Medical Virol.* **60**: 363-366.
- Doré, W.J., K. Henshilwood, D.N. Lees.** (2000). Evaluation of F-specific RNA bacteriophage as a candidate human enteric virus indicator for bivalve molluscan shellfish. *Appl. Environ. Microbiol.* **66**:1280-1285.
- Doré, W.J., K. Henshilwood, D.N. Lees.** (1998). The development of management strategies for control of virological quality in oysters. *Water Sci. Technol.* **38**:29-35.
- Doré, W.J., D. Lees.** (1995). Behaviour of *Escherichia coli* and male-specific bacteriophage in environmentally contaminated bivalve molluscs before and after depuration. *Appl. Environ. Microbiol.* **61**: 2830-2834.
- Doultree, J.C., J.D. Druce, C.J. Birch, D.S. Bowden, J.A. Marshall.** (1999). Inactivation of feline calicivirus, a Norwalk virus surrogate. *J. Hosp. Infect.* **41**:51-57.
- Elnifro, E.M., A.M. Ashi, R.J. Cooper, P.E. Klapper.** (2000). Multiplex PCR: optimization and application in diagnostic virology. *Clin. Microbiol. Rev.* **13**:559-570.
- Enríquez, C.E., C.P. Gerba.** (1995). Concentration of enteric adenoviruses 40 and 41in tap, sea, and waste water. *Wat. Res.* **29**:2554-2560.
- Fleet, G.H., P. Heiskanen, I. Reid, K.A. Buckle.** (2000). Foodborne viral illness –status in Australia. *Int. J. Food Microbiol.* **59**:127-136.
- Gantzer, C., E. Dubois, J.M. Crance, S. Billaudel, H. Kopecka, L. Schawrtzbrod, M. Pommeuy, F. Le Guyader.** (1998). Influence of environmental factors on the survival of enteric viruses in seawater. *Oceanol. Acta* **21**: 983-992.

- Genthner, F. J., A. K. Volety, L. M. Oliver, and W. S. Fisher.** 1999. Factors influencing in vitro killing of bacteria by hemocytes of the eastern oyster (*Crassostrea virginica*). *Appl. Environ. Microbiol.* **65**:3015-3020.
- Gerba, C.P., N. Nwachuku, K.R. Riley.** (2003). Disinfection resistance of waterborne pathogens on the United States Environmental Protection Agency's Contaminant Candidate List (CCL). *J. Water SRT-Aqua* **52**: 81-94.
- Gerba, C.P., J.B. Rose, C.N. Haas.** (1996). Sensitive populations: who is at the greatest risk? *Int. J. Food Microbiol.* **30**:113-123.
- Gill O.N., W.D. Cubitt, D.A. Macswigan, B.M. Watney, C.L.R. Bartlett.** (1983). Epidemic of gastro enteritis caused by oysters contaminated with small round structured viruses. *Br. Med. J.* **287**:1532-1534.
- Girones, R., M. Puig, A. Allard, F. Lucena, G. Wadell, J. Jofre.** (1995). Detection of adenovirus and enterovirus by PCR amplification in polluted waters. *Water Sci. Technol.* **31**:351-357.
- Gow, J. W., M. H. Behan, G. B. Clements, C. Woodall, M. Riding, P. O. Behan.** (1991). Enteroviral RNA sequences detected by polymerase chain reaction in muscle of patients with postviral fatigue syndrome. *Br. Med. J.* **302**:692-696.
- Green, J., K. Hensilwood, C.I. Gallimore, D.W.G. Brown, D.N. Lees.** (1998). A nested reverse transcriptase PCR assay for detection of Small Round-Structured Viruses in environmentally contaminated molluscan shellfish. *Appl. Environ. Microbiol.* **64**:858-863.
- Griffin, D.W., K.A. Donaldson, J.H. Paul, J.B. Rose.** (2003). Pathogenic human viruses in coastal waters. *Clin. Microbiol. Rev.* **16**:129-143.
- Halliday, M.L., L.-Y. Kang, T.-K. Zhou, M.D. Hu, Q.C. Pan, T.Y. Fu, Y.S. Huang, S.L. Hu.** (1991). An epidemic of hepatitis A attributable to the ingestion of raw clams in Shanghai, China. *J. Infect. Dis.* **164**: 852-859.
- Harris, E., G. Kropp, A. Belli, B. Rodriguez, N. Agabian.** (1998). Single-step multiplex PCR assay for characterization of New World Leishmania complexes. *J. Clin. Microbiol.* **36**: 1989-1995.
- Havelaar, A.H.** (1993). A bacteriophage standard for bathing waters. Final report, Commission of the European Communities. **B4**:3040/92/012609.
- Havelaar, A.H., W. H. Hogeboom.** (1988). F-specific RNA bacteriophages as model viruses in water hygiene: ecological aspects. *Water. Sci. Technol.* **20**:399-407.
- Havelaar, A.H., W. H. Hogeboom.** (1984). A method for the enumeration of male-specific bacteriophages in sewage. *J. Appl. Bacteriol.* **56**:439-447.
- Hedberg, C.W., M.T. Osterholm.** (1993). Outbreaks of food-borne and waterborne viral gastroenteritis. *Clin. Microbiol. Rev.* **6**: 199-210.
- Hendolin, P.H., A. Markkanen, J. Ylioski, J.J. Wahlforss.** (1997). Use of multiplex PCR for simultaneous detection of four bacterial species in middle ear effusions. *J. Clin. Microbiol.* **35**:2854-2858.
- Henshilwood, K., J. Green, D.N. Lees.** (1998). Monitoring the marine environment for small rounds structured viruses (SRSVS): a new approach to combine transmission of these viruses by molluscan shellfish. *Water Sci. Technol.* **12**:51-56.
- Hernroth, B.E., A.-C. Conden-Hansson, A.-S. Rehnstam-Holm, R. Girones, A.K. Allard.** (2002). Environmental factors influencing human viral pathogens and their potential indicator organisms in the blue mussel, *Mytilus edulis*: the first Scandinavian report. *Appl. Environ. Microbiol.* **68**:4523-4533.
- Holland, P.M., R.D. Abramson, R. Watson, D.H. Gelfond.** (1991). Detection of specific polymerase chain reaction product by utilizing the 5' to 3' exonuclease activity of *Thermus aquaticus* DNA polymerase. *Proc. Natl. Acad. Sci. USA* **88**:7276-7286.
- IAWPRC Study group on Health Related Water Microbiology.** (1991). Bacteriophages as model viruses in water quality control. *Wat. Res.* **25**:529-545.
- ICTV (International Committee for the Taxonomy of Viruses).** The classification of the Picornaviridae (en línia), actualitzat: 09/03/2003 (Consulta: 27/03/2003). Disponible a:<<http://www.iah.bbsrc.ac.uk/virus/>

- Picornaviridae/picornastudygroup/ICTV-7a.htm>
- Jaykus, L.A., M.T. Hernrad, M.D. Sobsey.** (1994). Human enteric pathogenic viruses. A: C.R. Hackney, M.D. Pierson (Eds.), *Environmental indicators and shellfish safety*. Chapman and Hall, New York, pp. 92-153.
- Jofre, J.** (1992). Bivalve molluscs as vectors of human enteric viruses. *Microbiol. Aliment. Nutr.* **10**:223-228.
- Jofre, J., M. Blasi, A. Bosch, F. Lucena.** (1989). Occurrence of bacteriophages infecting *Bacteroides fragilis* and other viruses in polluted marine sediments. *Water. Sci. Techno.* **21**:15-19.
- Jofre, J. A. Bosch, F. Lucena, R. Girones, C. Tartera.** (1986). Evaluation of *Bacteroides fragilis* bacteriophages as indicators of the virological quality of the water. *Water Sci. Technol.* **18**:167-173.
- Kaplan, J.E., R. Feldman, D.S. Campbell, C. Lookabaugh, G.W. Gary.** (1982). The frequency of a Norwalk-like pattern of illness in outbreaks of acute gastro-enteritis. *Am. J. Publ. Health* **72**:1329-1332.
- Karaganis, J.V., E.P. Larkin, J.L. Melnick, P.V. Sarpino, S.A. Schaub, C.A. Sorber, R. Sullivan, F.M. Wellings.** (1983). Research priorities for monitoring viruses in the environment. EPA-600/9-83-010. U.S. Environment Protection Agency, Office of Research and Development, Environmental Monitoring and Support Laboratory, Cincinnati.
- Kim H., J.W. Henson, R.J. Frisque.** (2001). Transcription and replication in the human polyomaviruses. The human polyomaviruses: an overview. A: K. Khalili, G.L. Stoner (Eds.), *Human polyomaviruses, molecular and clinical perspectives*. Wiley-Liss, Inc. New York, pp. 73-127.
- Kingsley, D. H., D. G. Hoover, E. Papafragkou, G. P. Richards.** (2002). Inactivation of hepatitis A virus and a calicivirus by high hydrostatic pressure. *J. Food Prot.* **65**:1605-1609.
- Kitchin, P.A., J.S. Bootman.** (1993). Quality control of the polymerase chain reaction. *Rev. Med. Virol.* **3**:107-114.
- Kott, Y., N. Roze, S. Sperber, N. Betzer.** (1974). Bacteriophages as viral pollution indicators. *Wat. Res.* **8**:165-177.
- Krikelis, V., N. Spyrou, P. Markoulatos, C. Serie.** (1985) Seasonal distribution of enterovirus and adenovirus in domestic sewage. *Can. J. Microbiol.* **31**:24-25.
- Lee, I.G., C.R. Conwell, W. Bloch.** (1993). Allelic discrimination by nick-translation PCR with fluorogenic probes. *Nucleic Acids Res.* **21**:3761-3766.
- Lees, D.** (2000). Viruses and bivalve shellfish. *Int. J. Food Prot.* **59**:81-116.
- Legeay, O., Y. Caudrelier, C. Cordevant, L. Rogottier-Gois, M. Lange.** (2000). Simplified procedure for detection of enteric pathogenic viruses in shellfish by RT-PCR. *J. Virol. Methods* **90**:1-14.
- Lipp, E.K, J.B. Rose.** (1997). The role of seafood in foodborne disease in the United States of America. *Rev. Sci. Tech. Off. Int. Epiz.* **16**:620-640.
- Livak, K.J., J.A. Flood, J. Marmaro, W. Giusti, K. Deetz.** (1995). Oligonucleotides with fluorescent dyes at opposite ends provide a quenched probe system useful for detecting PCR product and nucleic acid hybridization. *PCR Methods Appl.* **4**:357-362.
- Lopez-Caballero, M.E., M. Perez-Mateos, P. Montero, A.J. Borderias.** (2000). Oyster preservation by high-pressure treatment. *J. Food Prot.* **63**:196-201.
- Lucena, F., J. Lasobras, D. McIntosh, M. Forcadell, J. Jofre.** (1994). Effect of distance from the polluting focus on relative concentrations of *Bacteroides fragilis* phages and coliphages in mussels. *Appl. Environ. Microbiol.* **60**:2272-2277.
- Maguire, A.J., J. Green, D.W.G. Brown, U. Desselberger, J.J. Gray.** (1999). Molecular epidemiology of outbreaks of gastroenteritis associated with Small Round-Structured Viruses in East Anglia, United Kingdom, during the 1996-1997 season. *J. Clin. Microbiol.* **37**:81-89.
- Maranger, R., D. Bird.** (1995). Viral abundance in aquatic systems: a comparison between marine and fresh waters. *Mar. Ecol. Prog. Ser.* **121**: 217-226.

- Markolautos, P., N. Siafakas, M. Moncany.** (2002). Multiplex polymerase chain reaction: a practical approach. *J. Clin. Lab. Anal.* **16**: 47-51.
- Méndez, J.** (2002). Utilidad de los bacteriófagos de bacterias entéricas como microorganismos modelo en aguas de bebida. Director: Francisco Lucena. Tesi Doctoral, Universitat de Barcelona. Departament de Microbiologia.
- Metcalf, T.G., E. Moulton, D. Eckerson.** (1980). Improved method and test strategy for recovery of enteric viruses from shellfish. *Appl. Environ. Microbiol.* **39**:141-152.
- Minor, P.D., P. Morgan-Capner, G.C. Schild.** (1990). The Enteroviruses. A: Zukerman, A.J., J.E. Banatvala, and J.R. Pattison (Eds.), *Principles and Practice of Clinical Virology*, 2ª Edició. John Wiley, Chichester, pp. 389-409.
- Miossec, L., F. Le Guyader, L. Haugarreau, M. PommePUY.** (2000). Importance de la pluviométrie sur la contamination virale du milieu littoral lors de phénomènes épidémiques dans la population. *Rev. Epidém. et Santé Publ.* **2S**:2S62-2S71.
- Morse, S.S.** (1995). Factors in the emergence of infectious disease. *Emerg. Infect. Dis.* **1**:5-10.
- Mounts, A.W., T. Ando, M. Koopmans, J.S. Breese, J. Noel, R.I. Glass.** (2000). Cold weather seasonality of gastroenteritis associated with Norwalk-like viruses. *JID* **181(Supl.2)**:S284-S287.
- Mullendore, J.L., M.D. Sobsey, Y.-S. Shieh.** (2001). Improved method for the recovery of hepatitis A virus from oysters. *J. Virol. Methods* **94**:25-35.
- Munian-Mujika, I., R. Girones, G. Tofiño-Quesada, M. Calvo, F. Lucena.** (2002). Depuration dynamics of viruses in shellfish. *Int. J. Food Prot.* **77**:125-133.
- Munian-Mujika, I., R. Girones, F. Lucena.** (2000). Viral contamination of shellfish: evaluation of methods and analysis of bacteriophages and human viruses. *J. Virol. Methods* **89**:109-118.
- Nasser, A.M.** (1994). Prevalence and fate of hepatitis A virus in water. *Crit. Rev. Environ. Sci. Technol.* **24**:281-323.
- Parashar, U.D., L. Dow, R.L. Fankhauser, C.D.**
- Humphrey, J. Miller, T. Ando, K.S. Williams, C.R. Eddy, J.S. Noel, T. Ingram, J.S. Bresee, S.S. Monroe, R.I. Glass.** (1998). An outbreak of viral gastroenteritis associated with consumption of sandwiches: implications for the control of transmission by food handlers. *Epidemiol. Infect.* **121**:615-621.
- Paul, D.A., M.F. Knigge, A. Ritter, R. Gutierrez, T. Pilot-Matias, K.H. Chau, G.J. Dawson.** (1994). Determination of hepatitis E seroprevalence by using recombinant fusion proteins and synthetic peptides. *J. Infect. Dis.* **169**:801-806.
- Perret, K., G. Kudesia.** (1995). Gastroenteritis associated with oysters. *Comm. Dis. Rep.* **5**: 153-154.
- Pina, S.** Detección y caracterización de virus patógenos humanos en muestras ambientales y moluscos bivalvos. (2001a). Director: Rosina Girones. Tesi Doctoral, Universitat de Barcelona. Departament de Microbiologia.
- Pina, S., M. Buti, R. Jardí, P. Clemente-Casares, J. Jofre, R. Girones.** (2001b). Genetic analysis of hepatitis A virus strains recovered from the environment and from patients with acute hepatitis. *J. Gen. Virol.* **82**:2955-2963.
- Pina, S., A. Creus, N. González, R. Girones, M. Felip, R. Sommaruga.** (1998a). Abundance, morphology and distribution of planktonic virus-like particles in two high-mountain lakes. *J. Plank. Res.* **20**:2413-2421.
- Pina, S., M. Puig, F. Lucena, J. Jofre, R. Girones.** (1998b). Viral pollution in the environment and in shellfish: human adenovirus detection by PCR as an index of human viruses. *Appl. Environ. Microbiol.* **64**:3376-3382.
- Pina, S., J. Jofre, S.U. Emerson, R.H. Purcell, R. Girones.** (1998c). Characterization of a strain of hepatitis E virus isolated from sewage in an area where hepatitis E is not endemic. *Appl. Environ. Microbiol.* **64**:4485-4488.
- Potasman, I., A. Paz, M. Odeh.** (2002). Infectious outbreaks associated with bivalve shellfish consumption: a worldwide perspective. *Clin Infect. Dis.* **35**:921-928.
- Power, U.F., J.K. Collins.** (1990). Elimination of coliphages and *Escherichia coli* from mussels during depuration under varying conditions of temperature, salinity and food variability. *J. Food Prot.* **53**:208-212.

- Pringle, C.R.** (1998). Virus taxonomy -San Diego 1998. *Arch. Virol.* **143**:1449-1459.
- Puig, M., N. Queralt, J. Jofre, R. Araujo.** (1999). Diversity of *Bacteroides fragilis* and their capacity to recover phages from human and animal wastes and from fecally polluted wastewater. *Appl. Environ. Microbiol.* **65**:1772-1776.
- Puig, M., J. Jofre, F. Lucena, A. Allard, G. Wadell, R. Girones.** (1994). Detection of adenovirus and enterovirus in polluted waters by nested PCR amplification. *Appl. Environ. Microbiol.* **60**:2963-8970.
- Rao, V.C., J.C. Melnick.** (1986). Aspects of microbiology, vol. 13. A: *Environmental virology*, pp.18-40. American Society for Microbiology, Washington, DC.
- van Regenmortel, M.H.V., C.M. Fauquet, D.H.L. Bishop, E.B. Carstens, M.K. Estes, S.M. Lemon, J. Maniloff, M.A. Mayo, D.J. McGeoch, C.R. Pringle, R.B. Wickner (Eds).** (2000). *Virus Taxonomy: The Classification and Nomenclature of Viruses. The Seventh Report of the International Committee on Taxonomy of Viruses*. Academic Press, San Diego.
- Richards, G.P.** (1985). Outbreaks of shellfish-associated enteric virus illness in the United States: require for developing viral guidelines. *J. Food Prot.* **48**:815-823.
- Saiki, R.K., S. Scharf, F. Saloona, K.B. Mullis, G.T. Horn, H.A. Erlich, N. Arheim.** (1985). Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science*, **230**: 1350-1354.
- Schawartzbrod, L.** (coordinador). (1991). *Virus et milieu hydrique*. A: *Virologie des milieux hydriques*. Tec&Lod-Lavoisier. Paris, França.
- Seely, N.D., S.B. Primrose.** (1980). The effect of temperature on the ecology of aquatic bacteriophages. *J. Gen. Virol.* **46**:87-95.
- Seidel, K.M., S.M. Goyal, V.C. Rao, J.L. Melnick.** (1983). Concentration of rotavirus and enterovirus from blue crabs (*Callinectes sapidus*). *Appl. Environ. Microbiol.* **46**:1293-1296.
- Shieh, Y.-S., K.R. Calci, R.S. Baric.** (1999). A method to detect low levels of enteric viruses in contaminated oysters. *Appl. Environ. Microbiol.* **65**:4709-4714.
- Slomka, M.J., H. Appleton.** (1998). Feline calicivirus as a model system for heat inactivation studies of small round structured viruses in shellfish. *Epidemiol. Infect.* **121**:401-407.
- Smith, A.W., D.E. Skilling, N. Cherry, J.H. Mead, D.O. Matson.** (1998). Calicivirus emergence from ocean reservoirs: zoonotic and interspecies movement. *Emerg. Infect. Dis.* **4**: 13-20.
- Sobsey, M.D., D.A. Battigelli, G.A. Shin, S. Newland.** (1998). RT-PCR amplification detects inactivated viruses in water and wastewater. *Wat. Sci. Tech.* **38**:91-94.
- Sobsey, M.D., L.A. Jaykus.** (1991). Human enteric viruses and depuration of bivalves mollusks. A: W.S. Otwell, G.E. Rodrick, R.E. Martin (Eds.), *Molluscan shellfish depuration*. CRC Press, Boca Raton, FL, pp. 71-114.
- Sorber, C.A.** (1983). Removal of viruses from wastewater and effluent by treatment process. A: Berg., G. (Ed.), *Viral Pollution of the Environment*. CRC Press, Boca Raton, FL, pp. 39-52.
- Stanway G, Joki-Korpela P, Hyypia T.** (2000). Human parechoviruses--biology and clinical significance. *Rev. Med. Virol.* **10**:57-69.
- Suñén, E., M.D. Sobsey.** (1999). Recovery and detection of enterovirus, hepatitis A virus and Norwalk virus in hardshell clams (*Mercenaria mercenaria*) by RT-PCR methods. *J. Virol. Methods* **77**:179-187.
- Tam, A.W., M.M. Smith, M.M. Guerra, C.C. Huang, D.W. Bradley, D.W. Bradely, K.E. Fry, G.R. Reyes.** (1991). Hepatitis E virus (HEV): molecular cloning and sequencing of the full-length viral genome. *Virology* **215**:1-9.
- Tang Y.W., J.X. Wang, Z.Y. Xu, Y.F. Guo, W.H. Quian, J.X. Xu.** (1991). A serologically confirmed case-control study of a large outbreak of hepatitis A in China associated with consumption of clams. *Epidemiol. Infect.* **107**:651-658.
- Tartera, C., J. Jofre, F. Lucena.** (1988). Relationship between numbers of enteroviruses and bacteriophages infecting

- Bacteroides fragilis* in different environmental samples. *Environ. Technol. Lett.* **9**:407-410.
- Tartera, C., J. Jofre.** (1987). Bacteriophages active against *Bacteroides fragilis* in sewage polluted water. *Appl. Environ. Microbiol.* **56**: 1632-1637.
- Thompson, S.S., J.L. Jackson, M. Suva-Castillo, W.A. Yanko, Z. El Jack, C.L. Chen, F.P. Williams, D.P. Schnurr.** (2003). Detection of infectious human adenovirus in tertiary-treated and ultraviolet-disinfected wastewater. *Water Environ. Res.* **75**: 163-170.
- Thurston-Enriquez, J.A., C.N. Haas, J. Jacangelo, C.P. Gerba.** (2003). Chlorine inactivation of adenovirus type 40 and feline calicivirus. *Appl. Environ. Microbiol.* **69**, 3979-3985.
- Torne, J., R. Miralles, S. Tomas, P. Saballs.** (1988). Typhoid fever and acute non-A non-B hepatitis after shellfish consumption. *Eur. J. Clin. Microbiol. Infect. Dis.* **7**:581-582.
- Tsai Y.L., B. Tran, C.J. Palmer.** (1995). Analysis of viral RNA persistence in seawater by reverse-transcriptase-PCR. *Appl. Environ. Microbiol.* **61**:363-366.
- Tsarev, S.A., L.N. Binn, P.J. Gomatos, R.R. Arthur, M.K. Monier, H. van Cuyck-Gandre,**
- C.F. Longer, B.L. Innis.** (1999). Phylogenetic analysis of hepatitis E virus isolates from Egypt. *J. Med. Virol.* **57**:68-74.
- Vaughn, J.M., T.G. Metcalf.** (1975). Coliphages as indicators of enteric viruses in shellfish and shellfish raising estuarine waters. *Water. Res.* **8**: 613-616.
- Wadell, G., A. Allard, M. Johansson, L. Svensson, I. Unhoo.** (1994). Enteric adenoviruses. A: Kapikian, K.Z. (Ed.) *Viral Infections of the Gastrointestinal Tract*. Marcell Dekker, New York, pp.519-547.
- Wallace B.J., J.J. Guzewich, M. Cambridge, S. Altekkruse, D.L. Morse.** (1999). Seafood-associated disease outbreaks in New York, 1980-1994. *Am. J. Prev. Med.* **17**:48-54.
- White, D.O., F.J. Fenner.** (1994). *Medical virology*. 4^a ed. Academic Press Inc., San Diego.
- Wilson, I.G.** (1997). Inhibition and facilitation of nucleic acid amplification. *Appl. Environ. Microbiol.* **63**:3741-3751.
- Xiang, W., A. Cuconati, D. Hope, K. Kirkegaard, E. Wimmer.** (1998). Complete protein linkage map of Poliovirus P3 proteins: interaction of polymerase 3D^{POL} with VPg and with genetic variants of 3AB. *J. Virol.*, **72**:6732-6741.

