



UNIVERSITAT DE BARCELONA

Facultat de Farmàcia

Departament de Microbiologia i Parasitologia Sanitàries

**Estudi estructural i genètic del nucli del lipopolisacàrid de
Serratia marcescens N28b**

Núria Coderch Marco
2008

7. BIBLIOGRAFIA

7. BIBLIOGRAFIA

- **Abitiu, N.** 2000. Variabilidad en los genes involucrados en la biosíntesis del núcleo del LPS en la familia *Enterobacteriaceae*. Tesis Doctoral. Universidad de Barcelona.
- **Acar, J.F.** 1986. *Serratia marcescens* Infections. Infect. Contr. **7**: 273- 276
- **Aderem, A., Ulevitch, R.J.** 2000. Toll-like receptors in the induction of the innate immune response. Nature. **406**: 782- 787
- **Ahmed, A., Li, J., Shiloach, Y., Robbins, J.B., Szu, S.C.** 2006. Safety and immunogenicity of *Escherichia coli* O157 O-specific polysaccharide conjugate vaccine in 2-5-year-old children. J. Infect. Dis. **193(4)**: 515- 21
- **Ajithkumar, B., Ajithkumar, V.P., Iriye, R., Doi, Y., Sakai, T.** 2003. Spore-forming *Serratia marcescens* subsp.*sakuensis* subsp.nov, isolated from a domestic wastewater treatment tank. Int. J. Syst. Evol. Microbiol. **53**: 253- 258
- **Akatsuka, H., Kawai, E., Omori, K., Komatsubara, S., Shibatani, T., Tosa, T.** 1994. The *lipA* gene of *Serratia marcescens* which encodes an extracellular lipase having no N-terminal signal peptide. J. Bacteriol. **176(7)**: 1949- 1956
- **Allen, A.G., Maskell, D.J.** 1996. The identification, cloning and mutagenesis of a genetic locus required for lipopolysaccharides biosynthesis in *Bordetella pertussis*. Mol. Microbiol. **19**: 37- 52
- **Altschul, S.F., Gish, W., Miller, W., Myers, E.W., Lipman, D.J.** 1990. Basic local alignment search tool. J. Mol. Biol. **215**: 403- 410
- **Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W., Lipman, D.J.** 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. Nucleic Acids Res. **25**: 3389- 3402
- **Alving, C.R., Koulchin, V., Glenn, G.M., Rao, M.** 1995. Liposomes as carriers of peptide antigens: induction of antibodies and cytotoxic T lymphocytes to conjugated and unconjugated peptides. Immunol Rev. **145**: 5-31
- **Ames, G.F.L., Spudich, E.N., Nikaido, H.** 1974. Protein composition of outer membrane of *Salmonella typhimurium*. J. Bacteriol. **117**: 406- 416
- **Anderson, M.S., Raetz, C.R.** 1987. Biosynthesis of lipid A precursors in *Escherichia coli*. A cytoplasmatic acyltransferase that converts UDP-N-acetylglucosamine to UDP-3-O-(R-3-hydroxymyristoyl)-N-acetylglucosamine. J. Biol. Chem. **262**: 5159- 5169
- **Arnoux, P., Haser, R., Lecroisey, A., Delepierre, M., Wandersman, C., Czjek, M.** 1999. The crystal structure of HasA, a hemophore secreted by *Serratia marcescens*. Nat. Struct. Biol. **6(6)**: 516-520
- **Assadian, O., Berger, A., Aspock, C., Mustafa, S., Kohlhauser, C., Hirschl, A.M.** 2002. Nosocomial outbreak of *Serratia marcescens* in a neonatal intensive care unit. Infect. Control Hosp. Epidemiol. **23(8)**: 457- 461
- **Aucken, H.M., Pitt, T.L.** 1998. Different O and K serotype distributions among clinical and environmental strains of *Serratia marcescens*. J. Med. Microbiol. **47**: 1097- 1104
- **Aucken, H.M., Wilkinson, S.G., Pitt, T.L.** 1998. Re-evaluation of the serotypes of *Serratia marcescens* and separation into two schemes based on lipopolysaccharide (O) and capsular polysaccharide (K) antigens. Microbiology **144**: 639-6 53
- **Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J.G., Smith, J.A., Struhl, K.** 1989. Current protocols in molecular biology. John Wiley & Sons, Inc., New York
- **Babinski, K.J., Ribeiro, A.A., Raetz, C.R.** 2002. The *Escherichia coli* gene encoding the UDP-2,3-diacylglucosamine pyrophosphatase of lipid A biosynthesis. J. Biol. Chem. **277**: 25937- 25946
- **Bailey, M.J., Hughes, C., Koronakis, V.** 1997. RfaH and the *ops* element, components of a novel system controlling bacterial transcription elongation. Mol. Microbiol. **26(5)**: 845- 51

- **Barb, A.W., McClerren, A.L., Snehelatha, K., Reynolds, C.M., Zhou, P., Raetz, C.R.** 2007. Inhibition of lipid A biosynthesis as the primary mechanism of CHIR-090 antibiotic activity in *Escherichia coli*. *Biochemistry*. **46(12)**: 3793- 802
- **Begic, S., Worobec, E.A.** 2007. Site-directed mutagenesis studies to probe the role of specific residues in the external loop (L3) of OmpF and OmpC in susceptibility of *Serratia marcescens* to antibiotics. *Can. J. Microbiol.* **53**: 710- 719
- **Belunis, C.J., Mdluli, K.E., Raetz, C.R.H., Nano, F.E.** 1992. A novel 3-deoxy-D-manno-octulosonic acid transferase from *Chlamydia trachomatis* required for expression of the genus-specific epitope. *J. Biol. Chem.* **267**: 18702- 18707
- **Belunis, C.J., Raetz, C.R.H.** 1992. Biosynthesis of endotoxins. Purification and catalytic properties of 3-deoxy-D-manno-octulosonic acid transferase from *Escherichia coli*. *J. Biol. Chem.* **267**: 9988- 9997
- **Benedik, M.J., Strych, U.** 1998. *Serratia marcescens* and its extracellular nuclease. *FEMS Microbiol Lett.* **165(1)**: 1-13
- **Bennett-Guerrero, E., McIntosh, T.J., Barclay, G.R., Snyder, D.S., Gibbs, R.J., Mythen, M.G., Poxton, I.R.** 2000. Preparation and preclinical evaluation of a novel liposomal complete-core lipopolysaccharide vaccine. *Infect. Immun.* **68(11)**: 6202- 8
- **Berger, A., Rohrmeister, K., Haiden, N., Assadian, O., Kretzer, V., Kohlhauser, C.** 2002. *Serratia marcescens* in the neonatal intensive care unit: re-emphasis of the potentially devastating sequelae. *Wien. Klin. Wochenschr.* **114(23-24)**: 1017- 1022
- **Bergey, D.H., Breed, R.S., Murray, E.G.D., Hitchens, A.P (eds).** 1939. Bergey's manual of Determinative Bacteriology. 5th edition. The Williams & Wilkins Co. Baltimore. USA. p.359
- **Bergey, D.H., Harrison, F.C., Breed, R.S. Hammer, B.W., Huntoon, F.M.** 1923. Bergey's Manual of Determinative Bacteriology. 1st edition. Williams & Wilkins., Baltimore, USA
- **Birck, M.R., Holler, T.P., Woodard, R.W.** 2000. Identification of a slow tight-binding inhibitor of 3-deoxy-D-manno-octulosonic acid 8-phosphate synthase. *J. Am. Chem. Soc.* **122**: 9334- 9335
- **Birnboim, H.C., Doly J.** 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* **7**: 1513- 1523
- **Bizio, B.** 1823. Lettera di Bartolomeo Bizio al chiarissimo canonico Angelo Bellani sopra il fenomeno della polenta porporina. *Biblioteca italiana o sia Giornale di Literatura Scienze a Arti.* **30**: 275-295
- **Bizzarro, M.J., Dembry, L.M., Baltimore, R.S., Gallagher, P.G.** 2007. Case-control analysis of endemic *Serratia marcescens* bacteremia in a neonatal intensive care unit. *Arch. Dis. Child. Fetal Neonatal Ed.* **92(2)**: F120- 6
- **Blomfield, I.C., Vaughn, V., Rest, R.F., Eisenstein, B.I.** 1991. Allelic exchange in *Escherichia coli* using the *Bacillus subtilis* *sacB* gene and a temperature-sensitive pSC101 replicon. *Mol. Microbiol.* **5**: 1447- 1457
- **Bock, K., Thomsen, J.U., Kosma, P., Christian, R., Holst, O., Brade, H.** 1992. A nuclear magnetic resonance spectroscopic investigation of Kdo-containing oligosaccharides related to genus-specific epitope of *Chlamydia* lipopolysaccharides. *Carbohydr. Res.* **229**: 213- 224
- **Bollman, R., Halle, E., Sokolowska-Kohler, W., Grauel, E.L., Buchholz, P., Klare, L., Tschäpe, H., Witte, W.** 1989. Nosocomial infections due to *Serratia marcescens*: clinical findings, antibiotic susceptibility patterns and fine typing. *Infection* **17**: 294- 300
- **Brade, L., Kosma, P., Appelman, B.J., Paulsen, H., Brade, H.** 1987. Use of synthetic antigens to determine the epitope specificities of monoclonal antibodies against the 3-deoxy-D-manno-octulosonate region of bacterial lipopolysaccharide. *Infect. Immun.* **55**: 462- 466
- **Brandenburg, K., Wiese, A.** 2004. Endotoxins: relationship between structure, function and activity. *Curr. Top. Med. Chem.* **4(11)**: 1127- 1146
- **Braun, V., Schmitz, G.** 1980. Excretion of a protease by *Serratia marcescens*. *Arch. Microbiol.* **124(1)**: 55- 61
- **Breed, R.S., Breed, M.E.** 1924. The type species of the genus *Serratia*, commonly known as *Bacillus prodigiosus*. *J. Bacteriol.* **9**: 545- 557
- **Bromke, B.J., Hammel, J.M.** 1979. Regulation of extracellular protease formation by *Serratia marcescens*. *Can. J. Microbiol.* **25(1)**: 47- 52

- **Bunnell, E., Lynn, M., Habet, K., Neumann, A., Perdomo, C.A., Friedhoff, L.T., et al.** 2000. A lipid A analog, E5531, blocks the endotoxin response in human volunteers with experimental endotoxemia. *Crit. Care. Med.* **28(8)**: 2713- 2720
- **Carbonell, G.V., Della Colleta, H.H., Yano, T., Darini, A.L., Levy, C.E., Fonseca, B.A.** 2000. Clinical relevance and virulence factors of pigmented *Serratia marcescens*. *FEMS Immunol. Med. Microbiol.* **28**: 143- 149
- **Caroff, M., Brisson, J.R., Martin, A., Karibian, D.** 2000. Structure of the *Bordetella pertussis* 1414 endotoxin. *FEBS Lett.* **477**: 8- 14
- **Caroff, M., Karibian, D.J.** 2003. Structure of bacterial lipopolysaccharides. Perspective/Review. *Carbohydr. Res.* **338**: 2431- 2447
- **Carty, S.M., Sreekumar, K.R., Raetz, C.R.** 1999. Effect of cold shock on lipid A biosynthesis in *Escherichia coli*. Induction at 12°C of an acyltransferase specific for palmitoleoyl-acyl carrier protein. *J. Biol. Chem.* **274(14)**: 9677- 85
- **Christ, W.J., Asano, O., Robidoux, A.L., Perez, M., Wang, Y., Dubuc, G.R., et al.** 1995. E5531, a pure endotoxin antagonist of high potency. *Science.* **268(5207)**: 80- 83
- **Clements, J.M., Coignard, F., Johnson, I., Chandler, S., Palan, S., Waller, A., Wijkmans, J., Hunter, M.G.** 2002. Antibacterial activities and characterization of novel inhibitors of LpxC. *Antimicrob. Agents Chemother.* **46(6)**: 1793- 9
- **Clementz, T., Raetz, C.R.H.** 1991. A gene coding for 3-deoxy-D-mannoctulosonic acid transferase in *Escherichia coli*: identification, mapping, cloning, and sequencing. *J. Biol. Chem.* **266**: 9687- 9696
- **Coderch, N., Pique, N., Lindner, B., Abitiu, N., Merino, S., Izquierdo, L., Jiménez, N., Tomas, J.M., Holst, O., Regue, M.** 2004. Genetic and structural characterization of the core region of the lipopolysaccharide from *Serratia marcescens* N28b (serovar O4). *J. Bacteriol.* **186(4)**: 978- 988
- **Collins, L.V., Hackett, J.** 1991. Molecular cloning, characterization, and nucleotide sequence of the *rfc* gene, which encodes an O-antigen polymerase of *Salmonella typhimurium*. *J. Bacteriol.* **173**: 2521- 2529
- **Coutinho, P.M., Henrissat, B.** 1999. Carbohydrate- active enzymes: an integrated database approach. En: Gilbert, H.J., Davies, G., Henrissat, B., Svensson, B. (eds). *Recent advantages in carbohydrate bioengineering*. The Royal Society of Chemistry, Cambridge, pp. 3- 12
- **Cross, A.S., Opal, S., Cook, P., Drabick, J., Bhattacharjee, A.** 2004. Development of an anti-core lipopolysaccharide vaccine for the prevention and treatment of sepsis. *Vaccine.* **22(7)**: 812- 7
- **Cross, A.S., Opal, S., Palardy, J.E., Drabick, J., Warren, H.S., Huber, C., Cook, P., Bhattacharjee, A.** 2003. Phase I study of detoxified *Escherichia coli* J5 lipopolysaccharide (J5dLPS)/group B meningococcal outer membrane protein (OMP) complex vaccine in human subjects. *Vaccine* **21(31)**: 4576- 87
- **Crowell, D.N., Reznikoff, W.S., Raetz, C.R.H.** 1987. Nucleotide sequence of the *Escherichia coli* gene for lipid A disaccharide synthase. *J. Bacteriol.* **169**: 5727- 5734
- **De Cock, H., Brandenburg, K., Wiese, A., Holst, O., Seydel, U.** 1999. Nonlamellar structure and negative charges of lipopolysaccharides required for efficient folding of outer membrane protein PhoE of *Escherichia coli*. *J. Biol. Chem.* **274**: 5114- 5119
- **Ding, L., Seto, B.L., Ahmed, S.A., Coleman, W.G.** 1994. Purification and properties of the *Escherichia coli* K-12 NAD-dependent nucleotide diphosphosugar epimerase, ADP-L-glycero-D-mannoheptose 6-epimerase. *J. Biol. Chem.* **269(39)**: 24384- 90
- **Di Padova, F.E., Brade, H., Barclay, G.R., Poxton, I.R., Liehl, E., Schuetze, E., et al.** 1993. A broadly cross-protective monoclonal antibody binding to *Escherichia coli* and *Salmonella* lipopolysaccharides. *Infect Immun.* **61(9)**: 3863- 72
- **Dougan, G., Hormaeche, C.** 2006. How bacteria and their products provide clues to vaccine and adjuvant development. *Vaccine* **24 S2**: 13- 19
- **Dower, W.J., Miller, J.F., Ragsdale, C.W.** 1988. High efficiency transformation of *Escherichia coli* by high voltage electroporation. *Nucleic Acids Res.* **16(13)**: 6127- 45

- **Eisai Medical Research Inc.** *Eisai Announce Phase II Results, Plans to Initiate Phase III Clinical Trial Program for Eritoran as a Treatment for Severe Sepsis.* [En línia]. 8 de Agost 2005. [Consulta el 24 de setembre de 2007]. Disponible a: <http://www.eisai.com/>
- **Eisenstadt, E., Carlton, B.C., Brown, B.J.** 1994. Gene mutation. En: Gerhardt, P., Murray, R.G.E., Wood, W.A., Krieg, N.R. (eds). *Methods for General and Molecular Bacteriology*. Washington DC, American Society of Microbiology (ASM) Press, Chapter 13, pp: 299 - 315
- **Enfedaque, J., Ferrer, S., Guasch, J.F., Tomás, J.M., Regué, M.** 1996. Bacteriocin 28b from *Serratia marcescens* N28b: identification of *Escherichia coli* surface components involved in bacteriocin binding and translocation. *Can. J. Microbiol.* **42:** 19- 26
- **Euzéby, J.P.** 1997. List of Prokaryotic names with Standing in Nomenclature [en línia]. Société de Bactériologie Systématique et Vétérinaire (Society for Systematic and Veterinary Bacteriology), SBSV. Toulouse: Euzéby, J.P., 2007 (última actualització). <http://www.bacterio.cict.fr/s/serratia.html> [Consulta: 10 d'agost 2007]
- **Feldman, M.F., Marolda, C.L., Monteiro, M.A., Perry, M.B., Parodi, A.J., Valvano, M.A.** 1999. The activity of a putative polyisoprenol-linked sugar translocase (Wzx) involved in *Escherichia coli* O antigen assembly is independent of the chemical structure of the O repeat. *J. Biol. Chem.* **274(49):** 35129- 38
- **Filiatrault, M.J., Gibson, B.G., Schilling, B., Sun, S., Munson Jr., R.S., Campagnari, A.A.** 2000. Construction and characterization of *Haemophilus ducreyi* lipooligosaccharide (LOS) mutants defective in expression of heptosyltransferase III and β 1,4-glucosyltransferase: identification of LOS glycoforms containing lactosamine repeats. *Infect. Immun.* **68:** 3352- 3361
- **Flegel, W.A., Wölp, A., Männel, D.N., Northoff, H.** 1989. Inhibition of endotoxin-induced activation of human monocytes by human lipoproteins. *Infect. Immun.* **57:** 2237- 2245
- **Franczek, S.P., Williams, R.P., Hull, S.I.** 1986. A survey of potential virulence factors in clinical and environmental isolates of *Serratia marcescens*. *J. Med. Microbiol.* **22:** 151- 156
- **Fresno, S., Jiménez, N., Canals, R., Merino, S., Corsaro, M.M., Lanceta, R., Parrilli, M., Pieretti, G., Regué, M., Tomás, J.M.** 2007. A second galacturonic transferase is required for core lipopolysaccharide biosynthesis and complete capsule association with the cell surface in *Klebsiella pneumoniae*. *J. Bacteriol.* **189(3):** 1128-1137
- **Freudenberg, M.A., Bog-Hausen, T.C., Back, U., Galanos, G.** 1980. Interaction of lipopolysaccharides with plasma high-density lipoprotein in rats. *Infect. Immun.* **28(2):** 373- 380
- **Frirdich, E., Bouwman, C., Vinogradov, E., Whitfield, C.** 2005. The role of galacturonic acid in outer membrane stability in *Klebsiella pneumoniae*. *J. Biol. Chem.* **280(30):** 27604- 12
- **Frirdich, E., Vinogradov, E., Whitfield, C.** 2004. Biosynthesis of a novel 3-Deoxy-D-manno-oct-2-ulosonic acid-containing outer core oligosaccharide in the lipopolysaccharide of *Klebsiella pneumoniae*. *J. Biol. Chem.* **279(27):** 27928- 27940
- **Fuchs, R.L., Mc Pherson, S.A., Drahos, D.J.** 1986. Cloning of a *Serratia marcescens* gene encoding chitinase. *Appl. Environ. Microbiol.* **51:** 504- 509
- **Galanos, C., Lüderitz, O., Rietschel, E.Th., Westphal, O., Brade, H., Brade, L., et al.** 1985. Synthetic and natural *Escherichia coli* free lipid A express identical endotoxic activities. *Eur. J. Biochem.* **148:** 1- 7
- **Galanos, C., Lüderitz, O., Westphal, O.** 1969. A new method for the extraction of R lipopolysaccharides. *Eur. J. Biochem.* **9(2):** 245- 249
- **Galloway, S.M., Raetz, C.R.H.** 1990. A mutant of *Escherichia coli* defective in the first step of endotoxin biosynthesis. *J. Biol. Chem.* **265:** 6394- 6402
- **Gargallo-Viola, D.V.** 1989. Enzyme polymorphism, prodigiosin production, and plasmid fingerprints in clinical and naturally occurring isolates of *Serratia marcescens*. *J. Clin. Microbiol.* **27:** 860- 868
- **Garrett, T.A., Kardmas, J.L., Raetz, C.R.H.** 1997. Identification of the gene encoding the *Escherichia coli* lipid 4'-kinase. Facile phosphorylation of endotoxin analog with recombinant LpxK. *J. Biol. Chem.* **272:** 21855- 21864
- **Gaughran, E.R.L.** 1969. From superstition to science: the history of a bacterium. *Transactions NY Acad. Sci.* **31:** 3-24

- **Gay, P., Le Coq, D., Steinmetz, M., Berkelman, T., Kado, C.I.** 1985. Positive selection procedure for entrapment of insertion sequence elements in gram-negative bacteria. *J. Bacteriol.* **164:** 918- 21
- **Geerlof, A., Lexendon, A., Shaw, V.** 1999. Purification and characterization of phosphopantheine adenyltransferase from *Escherichia coli*. *J. Biol. Chem.* **274:** 27105- 27111
- **Goldman, R., Kohlbrenner, W., Lartey, P., Pernet, A.** 1987. Antibacterial agents specifically inhibiting lipopolysaccharide synthesis. *Nature.* **329 (6135):** 162- 4
- **Goldstein, J., Hoffman, T., Frasch, C., Lizzio, E.F., Beining, P.R., Hochstein, D., Lee, Y.L., Angus, R.D., Golding, B.** 1992. Lipopolysaccharide (LPS) from *Brucella abortus* is less toxic than that from *Escherichia coli*, suggesting the possible use of *B. abortus* or LPS from *B. abortus* as a carrier in vaccines. *Infect. Immun.* **60(4):** 1385- 9
- **Golenbock, D.T., Hampton, R.Y., Qureshi, N., Takayama, K., Raetz, C.R.H.** 1991. Lipid-A like molecules that antagonize the effects of endotoxins on human monocytes. *J. Biol. Chem.* **266:** 19490- 19498
- **Grimont, P.A.D., Grimont, F.** 1984 “Genus VIII. *Serratia”*. En: N.R. Krieg and J.G. Holt (eds), *Bergey’s Manual of Systematic Bacteriology*, vol.1, The Williams and Wilkins Co, Baltimore, pp. 477-484
- **Grimont, F., Grimont, P.A.D.** 1993. “The Genus *Serratia”*. En: *The Prokaryotes: An Evolving Electronic resource for the Microbiological Community*, 2nd edition, 1999, release 3.0, Springer-Verlag, New York, <http://link.springer-ny.com/link/service/books/10125/>
- **Gronow, S., Brabetz, W., Brade, H.** 2000. Comparative functional characterization *in vitro* of heptosyltransferase I (WaaC) and II (WaaF) from *Escherichia coli*. *Eur. J. Biochem.* **267:** 6602- 6611
- **Gronow, S., Brabetz, W., Lindner, B., Brade, H.** 2005. OpsX from *Haemophilus influenzae* represents a novel type of heptosyltransferase I in lipopolysaccharide biosynthesis. *J. Bacteriol.* **187(17):** 6242– 6247
- **Guasch, J.F., Ferrer, S., Enfedaque, J., Viejo, M.B., Regué, M.** 1995. A 17 kDa outer-membrane protein (Omp4) from *Serratia marcescens* confers partial resistance to bacteriocin 28b when expressed in *Escherichia coli*. *Microbiology* **141:** 2535- 2542
- **Guasch, J.F., Piqué, N., Climent, N., Ferrer, S., Merino, S., Rubires, X., Tomas, J.M., Regué, M.** 1996. Cloning and characterization of two *Serratia marcescens* genes involved in core lipopolysaccharide biosynthesis. *J. Bacteriol.* **178:** 5741- 5747
- **Guo, L., Lim, K.B., Gunn, J.S., Bainbridge, B., Darveau, R.P., Hackett, M., Miller, S.I.** 1997. Regulation of lipid A modifications by *Salmonella typhimurium* virulence genes phoP-phoQ. *Science* **276 (5310):** 250- 253
- **Gustmann, T., Schromm, A.B., Brandenburg, K.** 2007. The physicochemistry of endotoxins in relation to bioactivity. *Int. J. Med. Microbiol.* **297(5):** 341-352
- **Haddy, R.L., Mann, B.L., Nadkarni, D.D., Cruz, R.F., Elshoff, D.J., Buendia, F.C., Domers, T.A., Oberheu, A.M.** 1996. Nosocomial infection in the community hospital: severe infection due to *Serratia* species. *J. Farm. Pract.* **42:** 273- 277
- **Hammond, S.M., Claesson, A., Jansson, A.M., Larsson, L.G., Pring, B.G., Town, C.M., Ekström, B.** 1987. A new class of synthetic antibacterials acting on lipopolysaccharide biosynthesis. *Nature* **327(6124):** 730- 2
- **Hanahan, D.** 1983. Studies on transformation of *Escherichia coli* with plasmids. *J. Mol. Biol.* **166:** 557- 580
- **Heinrichs, D.E., Yethon, J.A., Amor, P.A., Whitfield, C.** 1998a. The assembly system for the outer core portion of R1- and R4- type lipopolysaccharides of *Escherichia coli*. The R1 core-specific beta-glucosyltransferase provides a novel attachment site for O-polysaccharides. *J. Biol. Chem.* **273:** 29497- 29505
- **Heinrichs, D.E., Yethon, J.A., Whitfield, C.** 1998. Molecular basis for structural diversity in the core regions of the lipopolysaccharides of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.* **30:** 221- 232
- **Heinrichs, D.E., Yethon, J.A., Whitfield, C.** 1998b. The assembly system for the lipopolysaccharide R2 core-type of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.* **30:** 221- 232
- **Helander, I.M., Lindner, B., Brade, H., Altman, K., Lindberg, A.A., Rietschel, E.Th., Zähringer, U.** 1988. Chemical structure of the lipopolysaccharide of *Haemophilus influenzae* strain I-69 Rd/b⁺: description of a novel deep-rough chemotype. *Eur. J. Biochem.* **177:** 483- 492
- **Hertle, R.** 2005. The family of *Serratia* type pore forming toxins. *Curr Protein Pept Sci.* **6(4):** 313- 25

- **Hertle, R., Hilger, M., Weingardt-Kocher, S., Walev, I.** 1999. Cytotoxic action of *Serratia marcescens* hemolysin on human epithelial cells. *Infect. Immun.* **67**(2): 817- 825
- **Hezaji, A., Falkiner, F.R.** 1997. *Serratia marcescens*. *J. Med. Microbiol.* **46**: 903- 1012
- **Hezaji, A., Keane, C.T., Falkiner, F.R.** 1997. The use of RAPD-PCR as a typing method for *Serratia marcescens*. *J. Med. Microbiol.* **46**: 913- 919
- **Hitchcock, P.J., Brown, T.M.** 1983. Morphological heterogeneity among *Salmonella* lipopolysaccharide chemotypes in silver-stained polyacrilamide gels. *J.Bacteriol.* **154**(1): 269- 277
- **Holst, O.** 1999. Chemical structure of the core region of lipopolysaccharides. En Brade, H., Morrison, D.C., Opal, S., Vogel, S. (eds). *Endotoxin in Health and Disease*. New York, Marcel Dekker Inc., p. 115- 154
- **Holst, O.** 2002. Chemical structure of the core region of lipopolysaccharides – an update. *Trends Glycosci. Glycotechnol.* **14**(76): 87- 103
- **Holst, O.** 2007. The structures of core regions from enterobacterial lipopolysaccharides - an update. *FEMS Microbiol. Lett.* **271**: 3-11
- **Holst, O., Broer, W., Thomas-Oates, J.E., Mamat, U., Brade, H.** 1993. Structural analysis of two oligosaccharide bisphosphates isolated from the lipopolysaccharide of a recombinant strain of *Escherichia coli* F515 (Re chemotype) expressing the genus-specific epitope of *Chlamydia* lipopolysaccharide. *Eur. J. Biochem.* **214**: 703– 710
- **Holst, O., Röhrscheidt-Andrzejewski, E., Brade, H., Charon, D.** 1990. Isolation and characterisation of 3-deoxy-D-manno- 2-octulopyranosate 7-(2-aminoethyl phosphate) from the inner core of *Escherichia coli* K-12 and *Salmonella minnesota* lipopolysaccharides. *Carbohydr. Res.* **204**: 93- 102
- **Holst, O., Ulmer, A.J., Brade, H., Flad, H.D., Rietschel, E.T.** 1996. Biochemistry and cell biology of bacterial endotoxins. *FEMS Immunol. Med. Microbiol.* **16**: 83- 104
- **Ismail, G., Som, F.M.** 1982. Hemagglutination reaction and epithelial cell adherence activity of *Serratia marcescens*. *J. Gen. Appl. Microbiol.* **28**: 161- 168
- **Isshiki, Y., Zähringer, U., Kawahara, K.** 2003. Structure of the core-oligosaccharide with a characteristic D-glycero- α -D-talo-oct-2-ulosylonate-(2 \rightarrow 4)-3-deoxy-D-manno-oct-2-ulosonate [α -Ko-(2 \rightarrow 4)-Kdo] disaccharide in the lipopolysaccharide from *Burkholderia cepacia*. *Carbohydr. Res.* **338**: 2659- 2666
- **Izquierdo, L.** 2003. Biosíntesis del lipopolisacárido de *Klebsiella pneumoniae*. Tesis Doctoral. Universidad de Barcelona
- **Izquierdo, L., Abitiu, N., Coderch, N., Hita, B., Merino, S., Gavin, R., Tomás, J.M., Regué, M.** 2002. The inner-core lipopolysaccharide biosynthetic *waaE* gene: function and genetic distribution among some *Enterobacteriaceae*. *Microbiology* **148**: 3485- 3496
- **Izquierdo, L., Coderch, N., Piqué, N., Bedini, E., Corsaro, M.M., Merino, S., Fresno, S., Tomás, J.M., Regué, M.** 2003. The *Klebsiella pneumoniae* *wabG* gene: role in biosynthesis of the core lipopolysaccharide and virulence. *J. Bacteriol.* **185**(24): 7213- 21
- **Izquierdo, L., Merino, S., Coderch, N., Regué, M., Tomás, J.M.** 2002a. The *waaB* gene of *Vibrio cholerae* and the *waaE* of *Klebsiella pneumoniae* codify for a β -1,4-glucosyltransferase involved in the transfer of a glucose residue to the L-glycero-D-manno-heptose I in the lipopolysaccharide inner core. *FEMS Microbiol. Lett.* **216**: 211- 216
- **Izquierdo, L., Merino, S., Coderch, N., Regué, M., Tomás, J.M.** 2003a. Synthesis of a *Klebsiella pneumoniae* O-antigen heteropolysaccharide (O12) requires an ABC 2 transporter. *J. Bacteriol.* **185**(5): 1634- 41
- **Jackman, J.E., Fierke, C.A., Tume, L.N., Pirring, M., Uchiyama, T., Tahir Hindsgaul, O., Raetz, C.R.** 2000. Antibacterial agents that target lipid A biosynthesis in gramnegative bacteria. Inhibition of diverse UDP-3-O-(R-3-hydroxymiristoyl)-N-acetylglucosamine deacetylases by substrate analogs containing zinc binding motifs. *J. Biol. Chem.* **275**: 11002- 11009
- **Jacques, M.** 1996. Role of lipo-oligosaccharides and lipopolysaccharides in bacterial adherence. *Trends in Microbiology*. **4**: 408- 410

- **Jansson, P.E.** 1999. The chemistry of O-polysaccharide chains in bacterial lipopolysaccharides. En Brade, H., Morrison, D.C., Opal, S., Vogel, S. (eds). *Endotoxin in Health and Disease*. New York. Marcel Dekker Inc., pp. 155- 178
- **Jansson, P.E., Lindberg, A.A., Lindberg, B., Wollin, R.** 1981. Structural studies on the hexose region of the core in lipopolysaccharides from *Enterobacteriaceae*. Eur. J. Biochem. **115**: 571- 577
- **Jirillo, E., De Simone, C., Covelli, V., Kiyono, H., McGhee, J.H., Antonaci, S.** 1990. LPS-mediated triggering of T-lymphocytes in immune response against gram-negative bacteria. Adv. Exp. Med. Biol. **256**: 417- 425
- **Kaca, W., de Jongh-Leuvenik, J., Zähringer, U., Brade, H., Verhoef, J., Sinnwell, V.** 1988. Isolation and chemical analysis of 7-O-(2-amino-2-deoxy- α -D-glucopyranosyl)-glycero-manno-heptose as a constituent of the lipopolysaccharides of the UDP-galactose epimerase-less mutant J-5 of *Escherichia coli* and *Vibrio cholerae*. Carboh. Res. **179**: 289- 299
- **Kahler, C.M., Carlson, R.W., Rahman, M.M., Martin, L.E., Stephens, D.S.** 1996. Two glycosyltransferase genes, *lgtF* and *rfaK*, constitute the lipooligosaccharide ice (inner core extension) biosynthesis operon of *Neisseria meningitidis*. J. Bacteriol. **178(23)**: 6677- 84
- **Kaniuk, N.A., Monteiro, M.A., Parker, C.T., Whitfield, C.** 2002. Molecular diversity of the genetic loci responsible for the assembly within the genus *Salmonella*. Mol. Microbiol. **46**: 1305-1318
- **Kardmas, J.L., Raetz, C.R.** 1998. Enzymatic synthesis of lipopolysaccharide in *Escherichia coli*. Purification and properties of heptosyltransferase I. J. Biol. Chem. **273(5)**: 2799- 807
- **Karkhanis, Y.D., Zeltner, J.Y., Jackson, J.J., Carlo, D.J.** 1978. A new and improved microassay to determine 2-keto-3-deoxyoctonate in lipopolysaccharide of Gram-negative bacteria. Anal. Biochem. **85**: 595- 601
- **Keenleyside, W.J., Whitfield C.** 1996. A novel pathway for O-polysaccharide biosynthesis in *Salmonella enterica* serovar Borreze. J Biol Chem. **271(45)**: 28581- 92
- **Kido, N., Torgov, V.I., Sugiyama, T., Uchiya, K., Sugihara, H., Komatsu, T., Kato, N., Jann, K.** 1995. Expression of the O9 polysaccharide of *Escherichia coli*: sequencing of the *E. coli* O9 rfb gene cluster, characterization of mannosyl transferases, and evidence for an ATP-binding cassette transport system. J. Bacteriol. **177(8)**: 2178- 87
- **Kim, H.S., Timmis, K.N., Golyshin, P.N.** 2007. Characterization of a chitinolytic enzyme from *Serratia* sp. KCK isolated from kimchi juice. Appl. Microbiol. Biotechnol. **75(6)**: 1275- 1283
- **Kneidinger, B., Marolda, C.L., Graninger, M., Zamyatina, A., McArthur, F., Kosma, P., Valvano, M.A., Messner, P.** 2002. Biosynthesis pathway of ADP-L-glycero-beta-D-manno-heptose in *Escherichia coli*. J. Bacteriol. **184**: 363- 369
- **Knirel, Y.A., Lindner, B., Vinogradov, E., Kocharova, N.A., Senchenkova, S.N., Shaikhutdinova, R.Z. et al.** 2005. Temperature-dependent variations and intraspecies diversity of the structure of the lipopolysaccharide of *Yersinia pestis*. Biochemistry **44(5)**: 1731- 1743
- **Knirel, Y.A., Lindner, B., Vinogradov, E., Shaikhutdinova, R.Z., Senchenkova, S.N., Kocharova, N.A., et al.** 2005 (a). Cold temperature-induced modifications to the composition and structure of the lipopolysaccharide of *Yersinia pestis*. Carbohydr. Res. **340(9)**: 1625- 30
- **Knirel, Y.A., Moll, H., Zähringer, U.** 1996. Structural study of a highly O-acetylated core of *Legionella pneumophila* serogroup 1 lipopolysaccharide. Carbohydr. Res. **293**: 223- 234
- **Knirel, Y.A., Sechenkova, S.N., Jansson, P.E., Weintraub, A.** 1998. More on the structure of *Vibrio cholerae* O22 lipopolysaccharide. Carbohydr. Res. **310**: 117- 119
- **Knirel, Y.A., Windmalm, G., Sechenkova, S.N., Jansson, P.E., Weintraub, A.** 1997. Structural studies on the short-chain lipopolysaccharide of *Vibrio cholerae* O139 Bengal. Eur. J. Biochem. **247**: 402- 410
- **Konadu, E.Y., Lin, F.Y., Ho, V.A., Thuy, N.T., Van Bay, P., Thanh, T.C., et al.** 2000. Phase 1 and phase 2 studies of *Salmonella enterica* serovar paratyphi A O-specific polysaccharide-tetanus toxoid conjugates in adults, teenagers, and 2- to 4-year-old children in Vietnam. Infect. Immun. **68(3)**: 1529- 34
- **Kuhn, H.M., Meier-Dieter, U., Mayer, H.** 1988. ECA-the enterobacterial common antigen. FEMS Microbiol. Rev. **4**: 195- 222

- Kurz, C.L., Chauvet, S., Andres, E., Aurouze, M., Vallet, I., Michel, G.P.F. et al. 2003. Virulence factors of the human opportunistic pathogen *Serratia marcescens* identified by *in vivo* screening. The EMBO Journal. **22**(7): 1451- 1460
- Kyte, J., Doolittle, R.F. 1982. A simple method for displaying the hydropathic character of a protein. J. Mol. Biol. **157**: 105- 132
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature **227**: 680- 685
- Lerouge, I., Vanderleyden, J. 2002. O-antigen structural variation: mechanisms and possible roles in animal/plant-microbe interactions. FEMS Microbiol. Rev. **26**: 17- 47
- Lesse, A.J., Campagnari, A.A., Bittner, W.E., Apicella, M.A. 1990. Increased resolution of lipopolysaccharides and lipooligosaccharides utilizing tricine-sodium dodecyl sulfate polyacrylamide gel electrophoresis. J. Immunol. Methods **126**: 109- 117
- Link, A.J., Phillips, D., Church, G.M. 1997. Methods for generating precise deletions and insertions in the genome of wild-type *Escherichia coli*: application to open reading frame characterization. J. Bacteriol. **179**: 6228- 6237
- Liu, P.Y.F., Lau, Y.J., Hu, B.S., Shir, J.M., Cheung, M.H., Shi, Z.Y., Tsai, W.S. 1994. Use of PCR to study epidemiology of *Serratia marcescens* isolates in nosocomial infection. J. Clin. Microbiol. **32**: 1935- 1938
- Liu, D., Lindqvist, L., Reeves, P.R. 1995. Transferases of O-antigen biosynthesis in *Salmonella enterica*: dideoxyhexosyltransferases of groups B and C2 and acetyltransferase of group C2. J. Bacteriol. **177**: 4084- 4088
- Lowry, O.H., Roberts, N.R., Leiner, K.Y., Wu, M.L., Farr, A.L. 1954. The quantitative histochemistry of brain. J. Biol. Chem. **207**: 1- 17
- Lüderitz, T., Brandenburg, K., Seydel, U., Roth, A., Galanos, C., Rietschel, E.T. 1989. Structural and physicochemical requirements of endotoxins for the activation of arachidonic acid metabolism in mouse peritoneal macrophages. Eur. J. Biochem. **179**: 11- 16
- Lukasiewicz, J., Niedziela, T., Jachymek, W., Kenne, L., Lugowski, C. 2006. Structure of the lipid A- inner core region and biological activity of *Plesiomonas shigelloides* O54 (strain CNCTC 113/92) lipopolysaccharide. Glycobiology **16**: 538- 550
- Lyerly, D., Kreger, A. 1983. Importance of *Serratia* protease in the pathogenesis of experimental of *Serratia marcescens* pneumonia. Infec. Immun. **40**: 113- 119
- Lynn, M., Wong, Y.N., Wheeler, J.L., Kao, R.J., Perdomo, C.A., Noveck, R., et al. 2004. Extended *in vivo* pharmacodynamic activity of E5564 in normal volunteers with experimental endotoxemia [corrected]. J. Pharmacol. Exp. Ther. **308**(1): 175- 181
- Mamat, U., Seydel, U., Grimmecke, D., Holst, O., Rietschel, E.Th. 1999. Lipopolysaccharides. En: Barton, D., Nakanishi, K., Meth-Cohn, O., Pinto, B.M. (eds). *Comprehensive Natural Products Chemistry*. Oxford, UK. Elsevier Science Ltd. Vol. 3: 179-239
- Maniatis, T., Fritsch, E.F., Sambrook, J. 1982. Molecular Cloning: a laboratory manual. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York
- Martínez, E., De la Cruz, F. 1988. Transposon Tn21 encodes recA-independent site-especific integration system. Mol. Gen. Genetics. **211**: 320- 335
- Matsumoto, K. 2004. Role of bacterial proteases in pseudomonal and serratia keratitis. Biol. Chem. **385**(11): 1007-1016
- Matsumoto, K., Yamamoto, T., Kamata, R., Maeda, H. 1984. Pathogenesis of Serratia infection: activation of the Hageman factor-prekallikrein cascade by Serratia protease. J. Biochem. **96**: 739-749
- McGrath, B.C., Osborn, M.J. 1991. Localization of the terminal steps of O antigen synthesis in *Salmonella typhimurium*. J. Bacteriol. **173**: 649- 654
- Meier-Dieter, H., Barr, U.K., Starman, R., Hatch, L., Rick, P.D. 1992. Nucleotide sequence of the *Escherichia coli rfe* gene involved in the synthesis of enterobacterial common antigen. Molecular cloning of the *rfe-rff* gene cluster. J. Bacteriol. Chem. **267**: 746- 753

- **Mengin-Lecreux, D., van Heijenoort, J.** 1994. Copurification of glucosamine-1-phosphate acetyltransferase and N-acetylglucosamine-1-phosphate urydiltransferase activities of *Escherichia coli*: characterization of the *glmU* gene product as a bifunctional enzyme catalyzing two subsequent steps in the pathway for UDP-N-acetylglucosamine synthesis. *J. Bacteriol.* **176:** 5788- 5795
- **Meredith, T.C., Aggarwal, P., Mamat, U., Lindner, B., Woodard, RW.** 2006. Redefining the requisite lipopolysaccharide structure in *Escherichia coli*. *ACS Chem. Biol.* **1(1):** 33- 42
- **Michon, F., Beurret, M., Gamian, A., Brisson, J.R., Jennings, H.J.** 1990. Structure of the L5 lipopolysaccharide core oligosaccharides of *Neisseria meningitidis*. *J. Biol. Chem.* **265(13):** 7243- 7247
- **Miller, J.H.** 1972. Experiments in molecular genetics. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York
- **Mitchell, J.A., Paul-Clark, M.J., Clarke, G.W., McMaster, S.K., Cartwright, N.** 2007. Critical role of toll-like receptors and nucleotide oligomerisation domain in the regulation of health and disease. *J. Endocrinol.* **193(3):** 323- 30
- **Mizunoe, Y., Matsumoto, T., Haraoka, M., Sakumoto, M., Kubo, S., Kumazawa, J.** 1995. Effect of pili of *Serratia marcescens* on superoxide production and phagocytosis of human polymorphonuclear leucocytes. *J. Urol.* **154:** 1227- 1230
- **Molinaro, A., De Castro, C., Lanzetta, R., Evidente, A., Parrilli, M., Holst, O.** 2002. Lipopolysaccharides possessing two L-glycero-D-manno-heptopyranosyl- α -(1 \rightarrow 5)-3-deoxy-D-manno-oct-2-ulopyranosonic acid moieties in the core region. The structure of the core region of the lipopolysaccharides from *Burkholderia caryophylli*. *J. Biol. Chem.* **277(12):** 10058- 10063
- **Moll, H., Knirel, Y.A., Helbig, J.H., Zähringer, U.** 1997. Identification of an α -D-Manp-(1 \rightarrow 8)-Kdo disaccharide in the inner core region and the structure of the complete core region of *Legionella pneumophila* serogroup 1 lipopolysaccharide. *Carbohydr. Res.* **304:** 91- 95
- **Morgan, W.T.J., Elson, L.A.** 1934. A colorimetric method for the determination of N-acetylglucosamine and N-acetylchondrosamine. *Biochem. J.* **28:** 988
- **Morrison, D.C., Ryan, J.L.** 1992. Bacterial Endotoxic Lipopolysaccharide: Molecular Biochemistry and Cellular Biology, CRC Press, Boca Raton
- **Mullarkey, M., Rose, J.R., Bristol, J., Kawata, T., Kimura, A., Kobayashi, S., et al.** 2003. Inhibition of endotoxin response by E5564, a novel Toll-like receptor 4-directed endotoxin antagonist. *J. Pharmacol. Exp. Ther.* **304(3):** 1093- 1102
- **Müller-Loennies, S., Brade, L., Brade, H.** 2007. Neutralizing and cross-reactive antibodies against enterobacterial lipopolysaccharide. *Int. J. Med. Microbiol.* **297(5):** 321-40 (doi: 10.1016/j.ijmm.2007.04.002)
- **Müller-Loennies, S., Brade, L., MacKenzie, C.R., Di Padova, F.E., Brade, H.** 2003. Identification of a cross-reactive epitope widely present in lipopolysaccharide from enterobacteria and recognized by the cross-protective monoclonal antibody WN1 222-5. *J. Biol. Chem.* **278:** 25618- 25627
- **Müller-Loennies, S., Lindner, B., Brade, H.** 2002. Structural analysis of deacylated lipopolysaccharide of *Escherichia coli* strains 2513 (R4 core-type) and F653 (R3 core-type). *Eur. J. Biochem.* **269:** 5982- 5991
- **Müller-Loennies, S., Rund, S., Ervelä, E., Skurnik, M., Holst, O.** 1999. The structure of the carbohydrate backbone of the core-lipid A region of the lipopolysaccharide from a clinical isolate of *Yersinia enterocolitica* O:9. *Eur. J. Biochem.* **261:** 19- 24
- **Nassif, X., Fournier, J.M., Arondel, J., Sansonetti, P.J.** 1989. Mucoid phenotype of *Klebsiella pneumoniae* is a plasmid-encoded virulence factor. *Infect. Immun.* **57:** 546- 552
- **Neidhart, J., Allen, K.O., Barlow, D.L., Carpenter, M., Shaw, D.R., Triozzi, P.L., Conry, R.M.** 2004. Immunization of colorectal cancer patients with recombinant baculovirus-derived KSA (Ep-CAM) formulated with monophosphoryl lipid A in liposomal emulsion, with and without granulocyte-macrophage colony-stimulating factor. *Vaccine* **22(5-6):** 773- 80
- **Niedziela, T., Dag, S., Lukasiewicz, J., Dzieciatkowska, M., Jachymek, W., Lugowski, C., Kenne, L.** 2006. Complete lipopolysaccharide of *Plesiomonas shigelloides* O74:H5 (strain CNCTC 114/92). 1. Structural analysis of the hydrophobic lipopolysaccharide, including the O-antigen, its

- biological repeating unit, core oligosaccharide, and the linkage between them. *Biochemistry* **45**: 10422- 10433
- **Nikaido, H.** 1970. Lipopolysaccharide in the taxonomy of gram-negative bacteria. *Int. J. Syst. Bacteriol.* **20**: 383- 406
 - **Nikaido, H.** 2003. Molecular basis of bacterial outer membrane permeability revisited. *Microbiol. Mol. Biol. Rev.* **67(4)**: 593- 656
 - **Nikaido, H., Vaara, M.** 1985. Molecular basis of bacterial outer membrane permeability. *Microbiol. Rev.* **49**: 1- 32
 - **Oertelt, C., Lindner, B., Skurnik, M., Holst, O.** 2001. Isolation and structural characterization of an R-form lipopolysaccharide from *Yersinia enterocolitica* serotype O:8. *Eur. J. Biochem.* **268**: 554- 564
 - **Old, D.C., Adegbola, R., Scott, S.S.** 1983. Multiple fimbrial haemagglutinins in *Serratia* species. *Med. Microbiol. Immunol. (Berl.)* **172(2)**: 107- 15
 - **Olsthoorn, M.M., Haverkamp, J., Thomas-Oates, J.E.** 1999. Mass spectrometric analysis of *Klebsiella pneumoniae* ssp. *pneumoniae* rough strain R20 (O1⁺:K20⁻) lipopolysaccharide preparations: identification of novel core oligosaccharide components and three 3-deoxy-D-manno-oct-2-ulopyranosonic artifacts. *J. Mass Spectrom.* **34**: 622- 636
 - **Olsthoorn, M.M., Petersen, B.O., Duus, J., Haverkamp, J., Thomas-Oates, J.E., Bock, K., Holst, O.** 2000. The structure of the linkage between the O-specific polysaccharide and the core region of the lipopolysaccharide from *Salmonella enterica* serovar Typhimurium revisited. *Eur. J. Biochem.* **267**: 2014- 2027
 - **Olsthoorn, M.M., Petersen, B.O., Schlecht, S., Haverkamp, J., Bock, K., Thomas-Oates, J.E., Holst, O.** 1998. Identification of a novel core type in *Salmonella* lipopolysaccharide. Complete structural analysis of the core region of the lipopolysaccharide from *Salmonella enterica* sv. Arizonae O62. *J. Biol. Chem.* **273**: 3817- 3829
 - **Onishi, R.H., Pelak, B.A., Gerkens, L.S., Silver, L.L., Kahan, F.M., Chen, M.H., et al.** 1996. Antibacterial agents that inhibit lipid A biosynthesis. *Science* **274**: 980- 982
 - **Oxley, D., Wilkinson, S.G.** 1988. Structural studies of glucorhamnans isolated from lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O4 and O7, and of a O14 strain. *Carboh. Res.* **175**: 111- 117
 - **Palomar, J.** 1994. El lipopolisacárido de *Serratia marcescens* como factor de virulencia. Tesi Doctoral. Universitat de Barcelona.
 - **Passwell, J.H., Ashkenazi, S., Harlev, E., Miron, D., Ramon, R., Farzam, et al.** 2003. Safety and immunogenicity of *Shigella sonnei*-CRM9 and *Shigella flexneri* type 2a-rEPAsucc conjugate vaccines in one- to four-year-old children. *Pediatr. Infect. Dis. J.* **22(8)**: 701- 6
 - **Passwell, J.H., Harlev, E., Ashkenazi, S., Chu, C., Miron, D., Ramon, R., et al.** 2001. Safety and immunogenicity of improved *Shigella* O-specific polysaccharide-protein conjugate vaccines in adults in Israel. *Infect. Immun.* **69(3)**: 1351- 7
 - **Pearson, W.R., Lipman, D.J.** 1988. Improved tools for biological sequence comparison. *Proc. Natl. Acad. Sci. USA* **85**: 2444-2448
 - **Pier, G.B.** 2003. Promises and pitfalls of *Pseudomonas aeruginosa* lipopolysaccharide as a vaccine antigen. *Carbohydr Res.* **338(23)**: 2549- 56
 - **Piqué, N.** 2000. Caracterització genètica i química del nucli del LPS de *Serratia marcescens* N28b. Tesi Doctoral. Universitat de Barcelona
 - **Plested, J.S., Harris, S.L., Wright, J.C., Coull, P.A., Makepeace, K., Gidney, M.A., et al.** 2003. Highly conserved *Neisseria meningitidis* inner-core lipopolysaccharide epitope confers protection against experimental meningococcal bacteraemia. *J. Infect. Dis.* **187(8)**: 1223- 34
 - **Polyzou, A., Sofianou, D., Pournaras, S., Tsakris, A.** 2000. RAPD-fingerprinting of *Serratia marcescens* after formaldehyde inactivation of Dnase activity. *Lett. Appl. Microbiol.* **30**: 419- 421
 - **Pradel, E., Schnaitman, C.** 1991. Effect of the *rfaH* (*sfrB*) and temperature on the expression of the *rfa* genes of *Escherichia coli* K12. *J. Bacteriol.* **173**: 6428- 6431

- **Que-Gewirth, N.L.S., Lin, S., Cotter, R.J., Raetz, C.R.H.** 2003. An outer membrane enzyme that generates the 2-amino-2-deoxy-gluconate moiety of *Rhizobium leguminosarum* lipid A. *J. Biol. Chem.* **278** (14): 12109- 12119
- **Radziejewska-Lebrecht, J., Krajewska-Pietrasik, D., Mayer, H.** 1990. Terminal and chain-linked of D-Galacturonic Acid: Characteristic constituents of the R-core regions of *Proteae* and of *Serratia marcescens*. *Sys. Appl. Microbiol.* **13**: 214-219
- **Radziejewska-Lebrecht, J., Shashkov, A.S., Stroobant, V., Wartenberg, K., Wart, C., Mayer, H.** 1994. The inner core region of *Yersinia enterocolitica* Ye75R (O:3) lipopolysaccharide. *Eur. J. Biochem.* **221**: 343- 351
- **Raetz, C.R.H.** 1990. Biochemistry of endotoxins. *Annu. Rev. Biochem.* **59**: 129-170
- **Raetz, C.R.H.** 1996. Bacterial Lipopolysaccharides: a Remarkable Family of Bioactive Macroamphiphiles. En: Curtiss, Ingraham, Lin *et al.* (eds). *Escherichia coli and Salmonella. Cellular and Molecular Biology*. Washington, DC: American Society of Microbiology (ASM) Press, Vol 1: 1035-1063
- **Raetz, C.R.H., Purcell, S., Meyer, M.V., Qureshi, N., Takayama, K.** 1985. Isolation and characterization of eight lipid A precursors from a 3-deoxy-D-manno-octulosonic acid deficient mutant of *Salmonella typhimurium*. *J. Biol. Chem.* **260**: 16080- 16088
- **Raetz, C.R.H., Whitfield, C.** 2002. Lipopolysaccharide Endotoxins. *Ann. Rev. Biochem.* **71**: 635-700
- **Raleigh, E.A., Murray, N.E., Revel, H., Blumenthal, R.M., Westaway, D., Reith, A.D., et al.** 1988. McrA and McrB restriction phenotypes of some *E. coli* strains and implications for gene cloning. *Nucleic Acids Res.* **16**: 1563- 1575
- **Reeves, P.R., Hobbs, M., Valvano, M.A., Skurnik, M., Whitfield, C., Coplin, D. et al.** 1996. Bacterial polysaccharide synthesis and gene nomenclature. *Trends Microbiol.* **4** (12): 495- 503
- **Regué, M., Climent, N., Abitiu, N., Coderch, N., Merino, S., Izquierdo, L., Altarriba, M., Tomás, J.M.** 2001. Genetic characterization of the *Klebsiella pneumoniae* waa gene cluster, involved in core lipopolysaccharide biosynthesis. *J. Bacteriol.* **183**: 3564- 3573
- **Regué, M., Izquierdo, L., Fresno, S., Jiménez, N., Piqué, N., Corsaro, M.M., Parrilli, M., Naldi, T., Merino, S., Tomás, J.M.** 2005a. The incorporation of glucosamine into enterobacterial core lipopolysaccharide. Two enzymatic steps are required. *J. Biol. Chem.* **280**(44): 36648- 36656
- **Regué, M., Izquierdo, L., Fresno, S., Piqué, N., Corsaro, M.M., Naldi, T., De Castro, C., Waidelich, D., Merino, S., Tomás, J.M.** 2005. A second outer-core in *Klebsiella pneumoniae* lipopolysaccharide. *J. Bacteriol.* **187**(12): 4198- 4206
- **Reid, G., Sobel, J.D.** 1987. Bacterial adherence in the pathogenesis of urinary tract infection: a review. *Rev. Infect. Dis.* **9**: 470-487
- **Reissbrodt, R., Rabsch, W.** 1988. Further differentiation of *Enterobacteriaceae* by means of siderophore-pattern analysis. *Zbl. Bakt. Hyg. A.* **268**: 306- 317
- **Rietschel, E.T., Brade, H., Holst, O., Brade, L., Müller-Loennies, S., Mamat, U., et al.** 1996. Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. *Curr. Top. Microbiol. Immunol.* **216**: 39-81
- **Rietschel, E.Th., Kirikae, T., Schade, F.U., Mamat, U., Schmidt, G., Loppnow, H. et al.** 1994. Bacterial endotoxin: molecular relationship of structure to activity and function. *FASEB J.* **8**: 217- 225
- **Rossignol, D.P., Wasan, K.M., Choo, E., Yau, E., Wong, N., Rose, J., Moran, J., Lynn, M.** 2004. Safety, pharmacokinetics, pharmacodynamics, and plasma lipoprotein distribution of eritoran (E5564) during continuous intravenous infusion into healthy volunteers. *Antimicrob Agents Chemother.* **48**(9): 3233- 40
- **Rozalski, A., Brade, L., Kosma, P., Appelmelk, B.J., Krogmann, C., Brade, H.** 1989. Epitope specificities of murine monoclonal and rabbit monoclonal antibodies against Enterobacterial lipopolysaccharides of the Re chemotype. *Infect. Immun.* **57**: 2645- 2652
- **Rubirés, X., Saigí, F., Piqué, N., Climent, N., Merino, S., Albertí, S., Tomás, J.M., Regué, M.** 1997. A gene (*wbbL*) from *Serratia marcescens* N28b (O4) complements the *rfb-50* mutation of *Escherichia coli* K12 derivatives. *J. Bacteriol.* **179**: 7581- 7586

- **Rund, S., Lindner, B., Brade, H., Holst, O.** 1999. Structural analysis of the lipopolysaccharide from *Chlamydia trachomatis* serotype L2. *J. Biol. Chem.* **274(24)**: 16819- 24
- **Saigí, F., Climent, N., Piqué, N., Sánchez, C., Merino, S., Rubirés, X., Aguilar, A., Tomás, J.M., Regué, M.** 1999. Genetic analysis of the *Serratia marcescens* N28b O4 antigen gene cluster. *J. Bacteriol.* **181**: 1883- 1891
- **Sambrook, J., Fritsch, E.F., Maniatis, T.** 1989. Molecular cloning: a laboratory manual, 2nd edition. Cold Spring Harbor Laboratory Press; Cold Spring Harbor, New York
- **Sanger, F., Nicken, S., Coulson, A.R.** 1977. DNA sequencing with chain terminating inhibitors. *Proc. Natl. Acad. Sci.* **74**: 5463- 5467
- **Schiebel, E., Braun, V.** 1989. Integration of the *Serratia marcescens* haemolysin into human erythrocyte membranes. *Mol. Microbiol.* **3**: 445- 453
- **Schnaitman, C.A., Klena, J.D.** 1993. Genetics of lipopolysaccharide biosynthesis in enteric bacteria. *Microbiol. Rev.* **57**: 655- 682
- **Shih, H.I., Lee, H.C., Lee, N.Y., Chang, C.M., Wu, C.J., Wang, L.R., Ko, N.Y., Ko, W.C.** 2005. *Serratia marcescens* bacteremia at a medical center in southern Taiwan: high prevalence of cefotaxime resistance. *J. Microbiol. Immunol. Infect.* **38(5)**: 350- 357
- **Silipo, A., Lanceta, R., Parrilli, M., Sturiale, L., Garozzo, D., Nazarenko, E.L., Gorshkova, R.P., Ivanova, E.P., Molinaro, A.** 2005. The complete structure of the core carbohydrate backbone from the LPS of marine halophilic bacterium *Pseudoalteromonas carageenovora* type strain IAM 12662T. *Carbohydr. Res.* **340 (8)**: 1475- 1482
- **Skurnik, M., Bengoechea, J.A.** 2003. The biosynthesis and biological role of lipopolysaccharide O-antigens of pathogenic *Yersinia*. *Carbohydr. Res.* **338(23)**: 2521- 9
- **Skurnik, M., Venho, R., Toivanen, P., al-Hendy, A.** 1995. A novel locus of *Yersinia enterocolitica* serotype O:3 involved in lipopolysaccharide outer core biosynthesis. *Mol. Microbiol.* **17**: 575- 594
- **Sofia, H.J., Burland, V., Daniels, D.L., Plunkert III, G., Blattner, F.R.** 1994. Analysis of the *Escherichia coli* genome. V. DNA sequence of the region from 76.0 to 81.5 minutes. *Nucleic. Acids Res.* **22**: 2576- 2586
- **Soncini, F.C., Groisman, E.A.** 1996. Two-component regulatory systems can interact to process multiple environmental signals. *J. Bacteriol.* **178**: 6796- 6801
- **Stanislavsky, E.S., Lam, J.S.** 1997. *Pseudomonas aeruginosa* antigens as potential vaccines. *FEMS Microbiol. Rev.* **21**: 243- 77
- **Stenutz, R., Weintraub, A., Widmalm, G.** 2006. The structures of *Escherichia coli* O-polysaccharide antigens. *FEMS Microbiol. Rev.* **30(3)**: 382- 403
- **Stevenson, G., Neal, B., Liu, D., Hobbs, M., Packer, N.H., Batley, M., et al.** 1994. Structure of the O antigen of *Escherichia coli* K-12 and the sequence of its *rfb* gene cluster. *J. Bacteriol.* **176**: 4144- 4156
- **Strohmaier, H., Remler, P., Renner, W., Hogenauer, G.** 1995. Expression of genes *kdsA* and *kdsB* involved in 3-deoxy-D-manno-octulosonic acid metabolism and biosynthesis of enterobacterial lipopolysaccharide is growth phase regulated at the transcriptional level in *Escherichia coli* K-12. *J. Bacteriol.* **177**: 4488- 4500
- **Su, L.H., Ou, J.T., Leu, H.S., Chiang, P.C., Chiu, Y.P., Chia, J.H., et al.** 2003. Extended epidemic of nosocomial urinary tract infections caused by *Serratia marcescens*. *J. Clin. Microbiol.* **41(10)**: 4726-4732
- **Süsskind, M., Brade, L., Brade, H., Holst, O.** 1998. Identification of a novel heptoglycan of α 1→2-linked D-glycero-D-manno-heptopyranose. Chemical and antigenic structure of lipopolysaccharides from *Klebsiella pneumoniae* ssp. *pneumoniae* rough strain R20 (O1':K20'). *J. Biol. Chem.* **273(12)**: 7006- 7017
- **Süsskind, M., Lindner, B., Weimar, T., Brade, H., Holst, O.** 1998a. The structure of the lipopolysaccharide from *Klebsiella oxytoca* rough mutant R29 (O1-/K29-). *Carbohydr. Res.* **312**: 91- 95
- **Takayama, K., Qureshi, N., Beutler, B., Kirkland, T.N.** 1989. Diphosphoryl lipid A from *Rhodopseudomonas sphaeroides* ATCC 17023 blocks induction of cachectin in macrophages by lipopolysaccharide. *Infect. Immun.* **57(4)**: 1336- 8
- **Taylor, W.I., Achanzar, D.** 1972. Catalase test as an aid to the identification of *Enterobacteriaceae*. *Appl. Microbiol.* **25**: 58- 61

- **Theccanat, G., Hirschfield, L., Isenberg, H.** 1991. *Serratia marcescens* meningitis. J. Clin. Microbiol. **29(4)**: 822- 823
- **Thompson, J.D., Higgins, D.G., Gibson, T.J.** 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. Nucleic Acids Res. **22**: 4673- 4680
- **Tobias, P.S., Ulevitch, R.J.** 1993. Lipopolysaccharide binding protein and CD14 in LPS-dependent macrophage activation. Immunobiol. **187**: 227- 232
- **Traub, W.H., Fukushima, P.I.** 1979. Mammalian serum susceptibility of *Serratia marcescens*: detection of three human serum susceptibility categories. Zentralbl. Bakteriol. (Orig. A). **245(3)**: 301- 311
- **Traub, W.H., Spohr, M., Bauer, D.** 1987. Active immunization of NMRI mice against *Serratia marcescens*. I. Phenol-water lipopolysaccharide fractions and purified metalloproteases. Zentralbl Bakteriol Mikrobiol Hyg [A] **265**: 182- 196
- **Trent, M.S.** 2004. Biosynthesis, transport and modification of lipid A. Biochem. Cell Biol. **82(1)**: 71- 86
- **Trent, M.S., Pabich, W., Raetz, C.R., Miller, S.I.** 2001. A PhoP/PhoQ-induced Lipase (PagL) that catalyzes 3-O-deacylation of lipid A precursors in membranes of *Salmonella typhimurium*. J. Biol. Chem. **276(12)**: 9083- 92
- **Tsai, C.M., Frasch, C.E.** 1982. A sensitive silver stain for detecting lipopolysaccharide in polyacrilamide gels. Anal. Biochem. **119**: 115- 119
- **Uchiyama, T., Kaneko, R., Yamaguchi, J., Inoue, A., Yanagida, T., Nikaidou, N., Regue, M., Watanabe, T.** 2003. Uptake of N,N'-dyacetilchitobiose [(GlcNAc)₂] via the phosphotransferase system is essential for chitinase production by *Serratia marcescens* 2170. J. Bacteriol. **185(6)**: 1776-1782
- **Ulevitch, R.J., Tobias, P.S.** 1999. Recognition of gram-negative bacteria and endotoxin by the innate immune system. Curr. Opin. Immunol. **11**: 19- 22
- **Underhill, D.M., Ozinsky, A.** 2002. Toll-like receptors: Key mediators of microbe detection. Curr. Opin. Immunol. **14**: 103- 110
- **US National Institute of Health. ClinicalTrials. gov** [en línia]. Desenvolupat per US Nacional Library of Medicines [Consulta: el 24 de setembre 2007]. Disponible a: <http://clinicaltrials.gov/ct>
- **Vaara, M.** 1996. Target for antibacterial drugs. Science. **274**: 939- 940
- **Van der Ley, P., Steeghs, L.** 2003. Lessons from an LPS-deficient *Neisseria meningitidis* mutant. J. Endotoxin. Res. **9**: 124- 128
- **Verma, J.N., Rao, M., Amselem, S., Krzych, U., Alving, C.R., Green, S.J., Waslef, N.M.** 1992. Adjuvant effects of liposomes containing lipid A: enhancement of liposomal antigen presentation and recruitment of macrophages. Infect. Immun. **60(6)**: 2438- 44
- **Viejo, B., Gargallo, D., Ferrer, S., Enfedaque, J., Regué, M.** 1992. Cloning and DNA sequence analysis of a bacteriocin gene of *Serratia marcescens*. J. Gen. Microbiol. **138**: 1737- 1743
- **Vinogradov, E.** 2000. The structure of the carbohydrate backbone of the lipopolysaccharides from *Bordetella hinzii* and *Bordetella bronchiseptica*. Eur. J. Biochem. **267(14)**: 4577- 82
- **Vinogradov, E., Bock, K.** 1999. The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage. Carbohydr. Res. **319**: 92- 101
- **Vinogradov, E., Bock, K., Holst, O., Brade, H.** 1995. The structure of the lipid A-core region of the lipopolysaccharides from *Vibrio cholerae* O1 smooth strain 569B (Inaba) and rough mutant strain 95R (Ogawa). Eur. J. Biochem. **233**: 152-158
- **Vinogradov, E., Cedzynski, M., Ziolkowski, A., Swierzko, A.** 2001. The structure of the core region of the lipopolysaccharide from *Klebsiella pneumoniae* O3. 3-deoxy- α -D-manno-octulosonic acid (α -Kdo) residue in the outer part of the core, a common structural element of *Klebsiella pneumoniae* O1, O2, O3, O4, O5, O8 and O12 lipopolysaccharides. Eur. J. Biochem. **268**: 1722- 1729
- **Vinogradov, E., Frirdich, E., Maclean, L.L., Perry, M.B., Petersen, B.O., Duus, J., Whitfield, C.** 2002. Structures of lipopolysaccharides from *Klebsiella pneumoniae*. Elucidation of the structure of the linkage region between core and polysaccharide O chain and identification of the residues at the non-reducing termini of the O chains. J. Biol. Chem. **277(28)**: 25070- 25081

- **Vinogradov, E., Holst, O., Thomas-Oates, J., Broady, K., Brade, H.** 1992. The structure of the O-antigenic polysaccharide from lipopolysaccharide of *Vibrio cholerae* strain H11 (non-01). *Eur. J. Biochem.* **210:** 491- 498
- **Vinogradov, E., Lindner, B., Kocharova, N.A., Sechenkova, S.N., Shashkov, A.S., Knirel, Y.A., Holst, O., Gremyakova, T.A., Shaikhutdinova, R.Z., Anisimov, A.P.** 2002 (a). The core structure of the lipopolysaccharide from the causative agent of plague, *Yersinia pestis*. *Carbohydr. Res.* **337:** 775- 777
- **Vinogradov, E., Lindner, B., Seltman, G., Radziejewska-Lebrecht, J., Holst, O.** 2006. Lipopolysaccharides from *Serratia marcescens* possess one or two 4-amino-4-deoxy-L-arabinopyranose-1-phosphate residues in the lipid A and D-glycero-D-talo-oct-2-ulopyranosonic acid in the inner core region. *Chem. Eur. J.* **12:** 6692- 6700
- **Vinogradov, E., Müller-Loennies, S., Petersen, B.O., Meshkov, S., Thomas-Oates, J.E., Holst, O., Brade, H.** 1997. Structural investigation of the lipopolysaccharide from *Acinetobacter* strain NCTC 10305 (ATCC 17906, DNA group 4). *Eur. J. Biochem.* **247:** 82- 90
- **Vinogradov, E., Perry, M.B.** 2001. Structural analysis of the core region of the lipopolysaccharides from eight serotypes of *Klebsiella pneumoniae*. *Carbohydr. Res.* **335:** 291- 296
- **Vinogradov, E., Petersen, B.O., Thomas-Oates, J.E., Duus, J., Brade, H., Holst, O.** 1998. Characterization of a novel branched tetrasaccharide of 3-deoxy-D-manno-oct-2-ulopyranosonic acid. The structure of the carbohydrate backbone of the lipopolysaccharide from *Acinetobacter baumannii* strain NCTC 10303 (ATCC 17904). *J. Biol. Chem.* **273:** 28122- 28131
- **Vinogradov, E., Radziejewska-Lebrecht, J.** 2000. The structure of the carbohydrate backbone of the core-lipid A region of the lipopolysaccharide from *Proteus mirabilis* serotype O28. *Carbohydr. Res.* **329:** 351- 357
- **Vinogradov, E., Radziejewska-Lebrecht, J., Kaca, W.** 2000. The structure of the carbohydrate backbone of core-lipid A region of the lipopolysaccharides from *Proteus mirabilis* wild-type strain S1959 (serotype O3) and its Ra mutant R110/1959. *Eur. J. Biochem.* **267:** 262- 268
- **Vinogradov, E., Sidorszyk, Z.** 2002. The structure of the carbohydrate backbone of the rough type lipopolysaccharides from *Proteus penneri* strains 12, 13, 37 and 44. *Carbohydr. Res.* **337:** 835- 840
- **Vinogradov, E., Sidorszyk, Z., Knirel, Y.A.** 2002 (b). Structure of the core part of the lipopolysaccharides from *Proteus penneri* strains 7,8,14,15, and 21. *Carbohydr. Res.* **337:** 643-649
- **Vinogradov, E., Sidorszyk, Z., Knirel, Y.A.** 2002 (c). Structure of the lipopolysaccharide core region of the bacteria of the genus *Proteus*. *Aust. J. Chem.* **55:** 61- 67
- **Vinogradov, E., van der Drift, K., Thomas-Oates, J.E., Meshkov, S., Brade, H., Holst, O.** 1999. The structures of the carbohydrate backbones of the lipopolysaccharides from *Escherichia coli* rough mutants F470 (R1 core type) and F576 (R2 core type). *Eur. J. Biochem.* **261:** 629- 639
- **Von Graevenitz, A.** 1980. Infection and colonization with *Serratia*. En: von Graevenitz, A., Rubin, S.H. (eds.). *The Genus Serratia*. CRC Press., Boca Raton, Florida, USA, pp 167-187
- **Walsh, A.G., Matewish, M.J., Burrows, L.L., Monteiro, M.A., Perry, M.B., Lam, J.S., Whittfield, C.** 2000. Lipopolysaccharide core phosphates are required for viability and intrinsic drug resistance in *Pseudomonas aeruginosa*. *Mol. Microbiol.* **35:** 718- 727
- **Wang, C.S., Burns, R.K., Alaupovic, P.** 1974. Isolation and composition of oligosaccharide cores from endotoxins of two *Serratia marcescens* strains. *J. Bacteriol.* **120(2):** 990- 993
- **Wang, L., Liu, D., Reeves, P.R.** 1996. C-terminal half of *Salmonella enterica* WbaP (RfbP) is the galactosyl-1-phosphate transferase domain catalyzing the first step of O-antigen synthesis. *J. Bacteriol.* **178(9):** 2598- 604
- **Westphal, O., Jann, K.** 1965. Bacterial lipopolysaccharides: extraction with phenol-water and further applications of the procedure. En: Roy L. Whistler (ed.), *Methods in carbohydrate chemistry*, Academic Press, Inc., New York, **vol. 5:** p 83 – 91.
- **Westphal, O., Westphal, U., Sommer, T.** 1977. The history of pyrogen research. Schlessinger D. Ed. *Microbiology*. American Society of Microbiology, pp 221-238
- **White, K.A., Kaltashov, I.A., Cotter, R.J., Raetz, C.R.H.** 1997. A mono-functional 3-deoxy-D-manno-octulosonic acid (Kdo) transferase and a Kdo kinase in extracts of *Haemophilus influenzae*. *J. Biol. Chem.* **272:** 16555- 16563

- **White, C.A., Vass, S.W., Kennedy, J.F.** 1983. An automated Elson-Morgan assay for 2-amino-2-deoxy-hexoses, with increased sensitivity. *Carbohydr. Res.* **114(2)**: 201- 7
- **Whitfield, C.** 1995. Biosynthesis of lipopolysaccharide O antigens. *Trends Microbiol.* **3**: 178- 185
- **Whitfield, C.** 2006. Biosynthesis and assembly of capsular polysaccharides in *Escherichia coli*. *Annu. Rev. Biochem.* **75**: 39- 68
- **Whitfield, C., Amor, P.A., Köplin, R.** 1997. Modulation of the surface architecture of gram-negative bacteria by the action of surface polymer:lipid A-core ligase and by determinants of polymer chain length. *Mol. Microbiol.* **23(4)**: 629- 38
- **Whitfield, C., Kaniuk, N., Frirdich, E.** 2003. Molecular insights into the assembly and diversity of the outer core oligosaccharide in lipopolysaccharides from *Escherichia coli* and *Salmonella*. *J. Endotoxin Res.* **9(4)**: 244- 9
- **Williams, A.H., Immormino, R.M., Gewirth, D.T., Raetz, C.R.** 2006. Structure of UDP-N-acetylglucosamine acyltransferase with a bound antibacterial pentadecapeptide. *Proc. Natl. Acad. Sci. USA.* **103(29)**: 10877- 82
- **Williams R.P., Qadri S.M.H.** 1980. The pigment of *Serratia*. En: von Gravenitz, A., Rubin S.H. (eds). *The Genus Serratia*. CRC Press Inc., Boca Raton, Florida, USA, pp 31-78
- **Williams, P., Tomás, J.M.** 1990. The pathogenicity of *Klebsiella pneumoniae*. *Rev. Med. Microbiol.* **1**: 196- 204
- **Wong, Y.N., Rossignol, D., Rose, J.R., Kao, R., Carter, A., Lynn, M.** 2003. Safety, pharmacokinetics, and pharmacodynamics of E5564, a lipid A antagonist, during an ascending single-dose clinical study. *J. Clin. Pharmacol.* **43(7)**: 735- 742
- **Yamamoto, T., Ariyoshi, A., Amako, K.** 1985. Fimbria-mediated adherence of *Serratia marcescens* strain US5 to human urinary bladder surface. *Microbiol. Immunol.* **29**: 677- 681
- **Yethon, J.A., Gunn, J.S., Ernst, R.K., Miler, S.I., Laroche, L., Malo, D., Whitfield, C.** 2000. *Salmonella enterica* serovar Typhimurium *waaP* mutants show increased susceptibility to polymixin and loss of virulence *in vivo*. *Infect. Immun.* **68**: 4485- 4491
- **Yethon, J.A., Heinrichs, D.E., Monteiro, M.A., Perry, M.B., Whitfield, C.** 1998. Involment of *waaY*, *waaQ*, and *waaP* in the modification of *Escherichia coli* lipopolysaccharide and their role in the formation of a stable outer membrane. *J. Biol. Chem.* **273**: 26310- 26316
- **Yethon, J.A., Whitfield, C.** 2001. Lipopolysaccharide as a target for the development of novel therapeutics in gram-negative bacteria. *Curr. Drug Targets Infect. Disord.* **1(2)**: 91- 106
- **Yoon, H.J., Choi, J.Y., Park, Y.S., Kim, C.O., Kim, J.M., Yong, D.E., Lee, K.W., Song, Y.G.** 2005. Outbreaks of *Serratia marcescens* bacteriuria in a neurosurgical intensive care unit of a tertiary care teaching hospital: A clinical, epidemiologic, and laboratory perspective. *Am. J. Infect. Control.* **33(10)**: 595-601
- **Young, K., Silver, L.L., Bramhill, D., Cameron, P., Eveland, S.S., Raetz, C.R., Hyland, S.A., Anderson, M.S.** 1995. The *envA* permeability/cell division gene of *Escherichia coli* encodes the second enzyme of lipid A biosynthesis. UDP-3-O-(R-3-hydroxymyristoyl)-N-acetylglucosamine deacetylase. *J. Biol. Chem.* **270**: 30384- 30391
- **Yu, W.L., Lin, C.W., Wang, D.Y.** 1998. *Serratia marcescens* bacteraemia: clinical features and antimicrobial susceptibilities of the isolates. *J. Microbiol. Immunol. Infect.* **31(3)**: 171- 179
- **Zähringer, U., Lindner, B., Rietschel, E.Th.** 1994. Molecular structure of lipid A, the endotoxic center of bacterial lipopolysaccharides. *Adv. Carbohydr. Chem. Biochem.* **50**: 211- 276
- **Zähringer, U., Lindner, B., Rietschel, E.Th.** 1999. Chemical structure of lipid A: Recent advances in structural analysis of biologically active molecules. En: Brade, H., Opal, S.M., Vogel, S., Morrison, D.C. (eds). *Endotoxin in Health and Disease*. Marcel Dekker Inc., New York, pp. 93- 114

