



# Caracterización funcional de la interacción de la proteína p53 con la ubiquitina ligasa HERC2

Mónica Cubillos Rojas

**ADVERTIMENT.** La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX ([www.tdx.cat](http://www.tdx.cat)) i a través del Dipòsit Digital de la UB ([deposit.ub.edu](http://deposit.ub.edu)) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX ni al Dipòsit Digital de la UB. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX o al Dipòsit Digital de la UB (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

**ADVERTENCIA.** La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR ([www.tdx.cat](http://www.tdx.cat)) y a través del Repositorio Digital de la UB ([deposit.ub.edu](http://deposit.ub.edu)) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR o al Repositorio Digital de la UB. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR o al Repositorio Digital de la UB (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

**WARNING.** On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX ([www.tdx.cat](http://www.tdx.cat)) service and by the UB Digital Repository ([deposit.ub.edu](http://deposit.ub.edu)) has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized nor its spreading and availability from a site foreign to the TDX service or to the UB Digital Repository. Introducing its content in a window or frame foreign to the TDX service or to the UB Digital Repository is not authorized (framing). Those rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.



**Caracterización funcional  
de la interacción de la proteína p53  
con la ubiquitina ligasa HERC2**

**Mónica Cubillos Rojas**

Tesis Doctoral

2014

## ***Listado de abreviaturas***

---



53BP1: p53 binding protein 1  
AMPK: AMP activated protein kinase  
Apaf1: Apoptosis protease activating factor 1  
APC: Adenomatous polyposis coli  
ARC: Apoptosis repressor with caspase recruitment domain  
AS: Angelman syndrome  
Atg8: Autophagy-related protein 8  
ATM: Ataxia telangiectasia mutated  
ATP: Adenosine TriPhosphate  
ATR: Ataxia telangiectasia and Rad3 related  
Bak: Bcl2 antagonist/killer 1  
Bax: Bcl2-associated X protein  
BCA: Bicinchoninic acid assay  
Bcl-2: B-cell CLL/lymphoma 2  
Bid: BH3 interacting domain death agonist  
BRCA1: Breast cancer 1  
BSA: Bovine serum albumin  
CDC25A: Cell division cycle 25A  
CDK: Cyclin dependent kinase  
cDNA: Complementary DNA  
Ceb1: Cyclin E-binding protein-1  
CHC: Clathrin heavy chain  
Chk1: Checkpoint Kinase 1  
Chk2: Checkpoint Kinase 2  
CHX: Cicloheximida  
CK1  $\alpha$ : Casein kinase 1 $\alpha$   
COP1: Constitutive photomorphogenic protein  
CP110: Centriolar coiled coil protein  
CPH: CUL7, PARC, HERC2  
DBD: DNA binding domain  
DMEM: Dulbecco's Modified Eagle's medium

*Listado de abreviaturas*

- DNA: Deoxyribonucleic acid  
DNA-PK: DNA-dependent protein kinase  
DTT: Dithiothreitol  
DYRK2: Tyrosine-phosphorylation-regulated kinase 2  
E6AP: E6 associated protein  
EDTA: Ethylenediaminetetraacetic acid  
EMT: Epithelial mesenchymal transition  
FAT10: HLA-F-adjacent transcript 10  
FGF: Fibroblast growth factor  
FHA: Forkhead associated domain  
Gadd45A: Growth arrest and DNA damage inducible alpha  
GAP: GTPase activator protein  
GAPDH: Glyceraldehyde 3-phosphate dehydrogenase  
GDP: Guanosine DiPhosphate  
GEF: Guanine nucleotide exchange factor  
GLUT1: Glucose transporter 1  
GST- $\alpha$ 1: Glutathione-S-transferase  $\alpha$ 1  
GTP: Guanosine TriPhosphate  
HAT: Histone acetyltransferases  
HAUSP: Herpesvirus associated ubiquitin specific protease  
HECT: Homologous to E6AP C-terminus  
HIPK2: Homeodomain interacting protein kinase 2  
HLTF: Helicase-like transcription factor  
hPLIC: Human proteins linking integrin-associated proteins and cytoskeleton  
HPV: Human papilloma virus  
IFN- $\alpha/\beta$ : Interferon  $\alpha/\beta$   
IP: Inmunoprecipitación  
IRF3: Interferon Regulatory Factor 3  
IRF4: Interferon regulatory 4  
ISG15: Interferon induced gene  
jdf2: juvenile development and fertility 2

- kDa: Kilodalton
- Killer/DR5: Death domain containing receptor
- LDS: Lithium dodecyl sulfate
- LPS: Lipopolisacárido
- MC1R: Melanocortin 1 receptor
- MDC1: Mediator of DNA damage checkpoint 1
- MDM2: Mouse double minute 2
- MET: Mesenchymal mesénquima-epitelio transition MET
- M-H: Mib-HERC2
- miRNAs : microRNAs
- MITF: Microphthalmia associated transcription factor
- MLH1: MutL homolog 1
- MRN: Mre11-Rad50-Nbs1
- mRNA: Messenger RNA
- MSH2: MutS homolog 2
- mTOR: Mammalian target of rapamycin
- MYBBP1A: Myb- binding protein 1A
- NES: Nuclear exportation signal/ sequence
- NEURL4: Neuralized homolog 4
- NF2: Neurofibromin 2
- NHEJ: Non homologous end joining
- NLS: Nuclear localization signal/sequence
- NQO1: NADPH quinone oxidoreductase
- NTF2: Nuclear transport factor 2
- p53AIP1: p53-regulated apoptosis inducing protein 1
- p53R2: Ribonucleotide reductase M2 B
- PAGE: Polyacrylamide gel electrophoresis
- PBS: Phosphate buffered saline
- PCAF: p300 and CBP associated factor
- PCNA: Proliferating cellular antigen
- PCR: Polymerase chain reaction

*Listado de abreviaturas*

- PERP: TP53 apoptosis effector  
PI: Suero preinmune  
PIG3: p53 inducible gene 3  
PIG6: p53 inducible 6  
Pirh2: p53 induced protein with a RING-H2 domain  
PKC: Protein kinase C  
PMS2: Postmeiotic segregation increased 2  
PMSF: Phenylmethylsulfonyl fluoride  
PTEN: Phosphatase and tensin homolog  
PUMA: p53 upregulated modulator of apoptosis  
PWS: Prader-Willi syndrome  
Ran: Ras related nuclear protein  
RAP80: Receptor associated protein 80  
Rb: Retinoblastoma  
Rheb: Ras homolog enriched in brain  
RING: Really interesting new gene  
rjs: runty, jerky, sterile  
RLD: RCC1-like domain  
RNF168: Ring finger protein 168  
RNF8: Ring finger protein 8  
ROS: Reactive oxygen species  
RP: Ribosomal protein  
RPA: Replication protein A1  
rRNA: Ribosomal RNA  
SDS: Sodium dodecyl sulfate  
SH3: Src homology 3  
siRNA: Small interference RNA  
SLC24A4: Solute carrier family 24, member 4  
SMC1: Structural maintenance of chromosomes 1A  
Smyd2: SET and MYND domain containing 2  
SNP: single nucleotide polymorphism

SUMO: Small ubiquitin-like modifier

TA : Transactivación

TBST: Tris-Buffered Saline and Tween 20

TFIIH: Transcription factor IIH

TGF $\beta$ : Tumor growth factor  $\beta$ .

TNF $\alpha$  : Tumor necrosis factor  $\alpha$

TRAIL: TNF related apoptosis inducing ligand

TSC1: Tuberous sclerosis 1

TSC2: Tuberin

TSP-1: Trombospondina

TYRP1: Tyrosinase-related protein 1

UV: Ultravioleta

VEGF: Vascular endothelial growth factor

x-CT: Subunit of the cystine/glutamate transporter),

XPA: Xeroderma pigmentosum, complementation group A

XPC: Xeroderma pigmentosum, complementation group C

XPG: Xeroderma pigmentosum, complementation group G

XPG-ERCC1: Excision repair cross-complementing rodent repair deficiency