

7. BIBLIOGRAFIA

7. Bibliografía.

- Albertelli, G., Bonomi, A., Codazzi A., Della Croce, N. & Frascchetti, S. 1993. Macrobentos y parámetros ambientales en fondos arenosos del Mar de Liguria, Italia. *Publicaciones Especiales del Instituto Español de Oceanografía*, 11: 305-312.
- Ambrogi, R. & Ambrogi A.O. 1987. Temporal variations of secondary production in the marine bivalve *Spisula subtruncata* off the Po River Delta (Italy). *Estuarine, Coastal and Shelf Science*, 25: 369-379.
- Aller, R.C. & Cochran, J.K. 1976. ^{234}Th ^{238}U disequilibrium and diagenetic time scales. *Earth and Planetary Science Letters*, 29: 37-50.
- Atkinson, R.J.A., Frogli, C., Arneri, E. & Antolini, B. 1998. Observations on the burrows and burrowing behaviour of *Brachynotus gemmellari* and on the burrows of several other species occurring on *Squilla* grounds off Ancona, Central Adriatic. *Scientia Marina*. 62 (1-2): 91-100.
- Ballester, A., García, M. & Juliá, A. 1986. Consideraciones finales sobre las características estacionales de la circulación ante el delta del Ebro. En: Mariño, M.G (Ed.), *Sistema integrado del Ebro: Cuenca, Delta y Medio Marino*. Hermes, Madrid: 173-202.
- Bentley, S.J & Nittrouer, C.A. 2003. Emplacement, modification, and preservation of event strata on a flood-dominated continental shelf: Eel shelf, Northern California. *Continental Shelf Research*, 23: 1465-1493.
- Bentley, S.J. & Sheremet, A. 2003. New model for the emplacement, bioturbation, and preservation of fine-scaled sedimentary strata. *Geology*, 31(8):725-728.
- Bergman, M.J.N. & Hup, M. 1992. Direct effects of beam trawling on macrofauna in a sandy sediment in the southern North Sea. *ICES Journal of Marine Science*, 49: 5-11.
- Bird, F.L., Ford, P.W & Hancock, G.J. 1999. Effect of burrowing macrobenthos on the flux of dissolved substances across the water-sediment interface. *Marine Freshwater Research*, 50: 523-532.
- Bortolus, A. & Iribarne, O. 1999. Effects of the SW atlantic burrowing crab *Chasmagnathus granulata* on a *Spartina* salt marsh. *Marine Ecology Progress Series*, 178: 79-88.
- Botto, F. & Iribarne, O. 2000. Contrasting effects of two burrowing crabs (*Chasmagnathus granulata* and *Uca uruguayensis*) on sediment composition and

7. Bibliografía.

- transport in estuarine environments. *Estuarine, Coastal and Shelf Science*, 51: 141-151.
- Bouma, H., Duiker, J.M.C., de Vries, P.P., Herman, P.M.J. & Wolff, W.J. 2001. Spatial pattern of early recruitment of *Macoma balthica* (L.) and *Cerastoderma edule* (L.) in relation to sediment dynamics on a highly dynamic intertidal sandflat. *Journal of Sea Research*, 45: 79-93.
- Brenchley, G.A. 1981. Disturbance and community structure: an experimental study of bioturbation in marine soft-bottom environments. *Journal of Marine Research*, 39: 767-790.
- Bromley, R.G. 1996. *Trace fossils: biology and taphonomy*. Chapman and Hall (2nd edition), London. 280 pp.
- Butman, C.A. 1987. Larval settlement of soft-sediment invertebrates: the spatial scales of pattern explained by active habitat selection and the emerging role of hydrodynamical processes. *Oceanography and Marine Biology: an Annual Review*, 25: 113-165.
- Cammen, L.M. 1980. Ingestion rate: an empirical model for aquatic deposit feeders and detritivores. *Oecologia*, 44: 303-310.
- Cattaneo, M. & Massé, H. 1983. Importance du recrutement de *Spisula subtruncata* (da Costa) sur la structure et les fluctuations d'un peuplement benthique. *Oceanologica Acta, Proceedings 17th European Marine Biology Symposium*. Brest, France, pp 21-26.
- Chícharo, L., Chícharo, M., Gaspar, M., Regala, J. & Alves, F. 2002. Reburial time and indirect mortality of *Spisula solida* clams caused by dredging. *Fisheries Research*, 59: 247-257.
- Clarke, K.R. & Warwick, R.M. 1994. *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*. Natural Environment Research Council, UK, 144 pp.
- Cochran, J.K. 1985. Particle mixing rates in sediments of the eastern equatorial Pacific: evidence from ²¹⁰Pb, ^{239,240}Pu and ¹³⁷Cs distributions at MANOP sites. *Geochimica et Cosmochimica Acta*, 49: 1195-1210.
- Coma, R., Ribes, M., Gili, J.M. & Zabala, M. 2000. Seasonality in coastal benthic ecosystems. *Trends in Ecology and Evolution*, 15 (11): 448-453.

7. Bibliografia.

- D'Andrea, A.F. & Lopez, G.R. 1997. Benthic macrofauna in a shallow water carbonate sediment: major bioturbators at the Dry Tortugas. *Geo-Marine Letters*, 17: 276-282.
- Dahlgreen, C.P.; Posey, M.H. & Hulbert, A.W. 1999. The effects of bioturbation on the infaunal community adjacent to an offshore hardbottom reef. *Bulletin of Marine Science*, 64(1): 21-34.
- Dauwe, B. Herman, P.M.J. & Heip, C.H.R. 1998. Community structure and bioturbation potential of macrofauna at four North Sea stations with contrasting food supply. *Marine Ecology Progress Series*, 173: 67-83.
- Demestre, M., Sánchez, P. & Kaiser, M.J. 2000. The behavioural response of benthic scavengers to otter-trawling disturbance in the Mediterranean. En: Kaiser, M.J. & de Groot, S.J. (Eds). *Effects of Fishing on Non-Target Species and Habitats*. pp. 121-129. Blackwell Science, Oxford.
- Díaz, J.I., Palanques, A., Nelson, C.H. & Guillén, J. 1996. Morpho-structure and sedimentology of the Holocene Ebro prodelta mud belt (northwestern Mediterranean Sea). *Continental Shelf Research*, 16 (4): 435-456.
- Estrada, M. 1996. Primary production in the northwestern Mediterranean. *Scientia Marina*, 60: 55-64.
- Feder, H. M. 1981. Aspects of the feeding biology of the brittle star *Ophiura texturata*. *Ophelia*, 20 (2): 215-235.
- Figuerola, P., Sánchez, P. & Demestre, M. 2001. Preliminary results on megafauna variations due to experimental trawling disturbance. *Rapport du la Commission Internationale pour l'Exploration Scientifique de la Mer Méditerranée*, 36: 265.
- Flach, E.C. 1992. Disturbance of benthic infauna by sediment-reworking activities of the lugworm *Arenicola marina*. *Netherlands Journal of Sea Research*, 30: 81-89.
- Font, J. 1990. A Comparison of Seasonal Winds With Currents on the Continental Slope of the Catalan Sea (Northwestern Mediterranean). *Journal of Geophysical Research*, 95(C2): 1537-1545.
- Font, J., Salat, J. & Julià, A. 1990. Marine circulation along the Ebro continental margin. *Marine Geology*, 95: 165-177.
- Fries, J.S., Butman, C.A. & Wheatcroft, R.A. 1999. Ripple formation induced by biogenic mounds. *Marine Geology*, 159: 287-302.

7. Bibliografía.

- García, M.A. & Ballester, A. 1984. Notas acerca de la meteorología y la circulación local en la región del delta del Ebro (1980-1981). *Investigación Pesquera*, 48(3): 469-493.
- Gerino, M., Stora, G., & Weber, O. 1999. Evidence of bioturbation in the Cap-Ferret Canyon in the deep northeastern Atlantic. *Deep-Sea Research II*, 46: 2289-2307.
- Gerino, M., Stora, G., Gontier, G. & Weber, O. 1993. Quantitative approach of bioturbation on continental margin. *Annales de l'Institut océanographique*, 69 (1): 177-181.
- Gerino, M., Stora, G., Poydenot, F. & Bourcier, M. 1994. Benthic fauna and bioturbation on the Mediterranean continental slope: Toulon Canyon. *Continental Shelf Research*, 15 (11-12): 1483-1496.
- Giró, S. & Maldonado, A. 1985. Análisis granulométrico por métodos automáticos: tubo de sedimentación y sedigraph. *Acta Geologica Hispanica*, 20: 95-102.
- Goñi-Urriza, M., de Montaudouin, X., Guyoneaud, R., Bachelet, G. & de Wit, R. 1999. Effect of macrofaunal bioturbation on bacterial distribution in marine sandy sediments, with special reference to sulphur-oxidising bacteria. *Journal of Sea Research*, 41: 269-279.
- Gracia, V., Collado, F., García, M. & Monsó, J.L. 1989. Análisis y propuesta de soluciones para estabilizar el delta del Ebro: Clima de oleaje II. LT-2/5. Ed. D.G.P.C., 120 pp.
- Graf, G. & Rosenber, R. 1997. Bioresuspension and biodeposition: a review. *Journal of Marine Systems*, 11: 269-278.
- Grant, J. 1983. The relative magnitude of biological and physical reworking in an intertidal community. *Journal of Marine Research*, 41: 673-689.
- Grant, W.D, Boyer, L. & Sanford, L.P. 1982. The effects of bioturbation on the initiation of motion of intertidal sands. *Journal of Marine Research*, 40: 659-677.
- Grant, W.D. & Madsen, O.S. 1982. Movable bed roughness in unsteady oscillatory flow. *Journal of Geophysical Research*, 87: 469-481.
- Gray, J.S. 1974. Animal-sediment relationships. *Oceanography and Marine Biology: an Annual Review*, 12: 223-261.
- Greenwood, B. & Hale, P.B. 1980. Depth of activity, sediment flux, and morphological change in a barred nearshore environment. En: McCann (ed.), *The Coastline of Canada*. Geological Survey of Canada, paper 80-10: 89-109.

7. Bibliografía.

- Grehan, A.J., Scaps, P., Desrosiers, G., Juniper, K. & Stora, G. 1994. Vertical macrofaunal distribution in the soft sediments of the gulf of St. Lawrence and the Scotian Continental Margin: a preliminary assessment of intersite differences in bioturbation potential. *Vie Milieu*, 44 (2): 101-107.
- Guelorget, O. & Perthuisot, J.P. 1992. Parallic Ecosystems. *Vie Milieu*, 42: 215–251.
- Guillén, J., Falqués, A. & Soriano, S. 2004. Influencia de las comunidades bentónicas en la disipación del oleaje: análisis de su posible impacto en la dinámica sedimentaria. *Geo-Temas*, 6 (2): 233-236.
- Guillén, J. & Jiménez, J. 1995. Procesos behind the longshores variation of the sediment grain size in the Ebro Delta coast. *Journal of Coastal Research*, 11(1): 205-218.
- Guillén, J. & Palanques, A. 1992. Sediment dynamics and hydrodynamics in the lower course of a river highly regulated by dams: the Ebro River. *Sedimentology*, 39: 567-579.
- Guillén, J. & Palanques, A. 1997a. A historical perspective of the morphological evolution in the lower Ebro river. *Environmental Geology*, 30 (3-4): 174-180.
- Guillén, J. & Palanques, A. 1997b. A Shoreface Zonation in the Ebro Delta Based on Grain Size Distribution. *Journal of Coastal Research*, 13(3): 867-878.
- Guillén, J. 1992. Dinámica y balance sedimentario en los ambientes fluvial y litoral del Delta del Ebro. Tesis Doctoral. Universitat Politècnica de Catalunya. 560 pp.
- Guillén, J., Jiménez, J.A., Palanques, A., Gracia, V., Puig, P. & Sánchez-Arcilla, A. 2002. Sediment resuspensión across a microtidal, low-energy inner shelf. *Continental Shelf Research*, 22: 305-325.
- Hall, S.J. 1994. Physical disturbance and marine benthic communities: life in unconsolidated sediments. *Oceanography and Marine Biology: an Annual Review*, 32: 179-239.
- Harris, C.K. & Wiberg, P.L. 2001. A two-dimensional, time-dependent model of suspended sediment transport and bed reworking for continental shelves. *Computers & Geosciences*, 27: 675-690.
- Horn, D.P. 1992. A review and experimental assessment of equilibrium grain size and the ideal wave-graded profile. *Marine Geology*, 108: 161-174.
- Huettel, M. & Gust, G. 1992. Impact of bioroughness on interfacial solute exchange in permeable sediments. *Marine Ecology Progress Series*, 89: 253-267.

7. Bibliografia.

- Hughes, D.J. & Atkinson, R.J.A. 1997. A towed video survey of megafaunal bioturbation in the north-eastern Irish Sea. *Journal of the Marine Biological Association of the United Kingdom*, 77: 635-653.
- Hughes, D.J., Ansell, A.D. & Atkinson, R.J.A. 1996. Sediment bioturbation by the echiuran worm *Maxmuelleria lankesteri* (Herdman) and its consequences for radionuclide dispersal in Irish Sea sediments. *Journal of Experimental Biology and Ecology*, 195: 203-220.
- Hughes, D.J., Ansell, A.D., Atkinson, R.J.A. & Nickell, L.A. 1993. Underwater television observations of surface activity of the echiuran worm *Maxmuelleria lankesteri* (Echiura: Bonelliidae). *Journal of Natural History*, 27: 219-248.
- Hughes, D.J., Atkinson, R.J.A. & Ansell, A.D. 1999. The annual cycle of sediment turnover by the echiuran worm *Maxmuelleria lankesteri* (Herdman) in a Scottish sea loch. *Journal of Experimental Biology and Ecology*, 238: 209-223.
- Jackson, N.L. & Nordstrom, K.F. 1993. Depth of activation of sediment by plunging breakers on a steep sandy beach. *Marine Geology*, 115: 143-151.
- Jiménez, J.A. 1996. Evolución costera en el Delta del Ebro. Un proceso a diferentes escalas de tiempo y espacio. Tesis Doctoral, Universitat Politècnica de Catalunya, Barcelona. 274 pp.
- Jiménez, J.A., Guillén, J., Gracia, V., Palanques, A., García, M.A., Sánchez-Arcilla, A., Puig, P., Puigdefàbregas, J. & Rodríguez, G. 1999. Water and sediment fluxes on the Ebro Delta shoreface: on the role of low frequency currents. *Marine Geology*, 157: 219-239.
- Jiménez, J.A., Sánchez-Arcilla, A. & Maldonado, A. 1997. Long to short term coastal changes and sediment transport in the Ebro delta; a multi-scale approach. *Bulletin de l'Institut Océanographique*, Monaco, N° Special 18: 169-185.
- Johnson, R.G. 1977. Vertical variation in particulate matter in the upper twenty centimeters of marine sediments. *Journal of Marine Research*, 35: 273-282.
- Jones, J.B. 1992. Environmental impact of trawling on the seabed: a review. *New Zealand Journal of Marine and Freshwater Research*, 26: 59-67.
- Jones, S.E. & Jago, C.F. 1993. In situ assessment of modification of sediment properties by burrowing invertebrates. *Marine Biology*, 115: 133-142.
- Kaiser, M.J. & Ramsay, K. 1997. Opportunistic feeding by dabs within areas of trawl disturbance: possible implications for increased survival. *Marine Ecology Progress Series*, 132: 307-310.

7. Bibliografía.

- Kaiser, M.J. & Spencer, B.E. 1994. Fish scavenging behaviour in recently trawled areas. *Marine Ecology Progress Series*, 112: 41-49.
- Kaiser, M.J. & Spencer, B.E. 1996. The effects of beam-trawl disturbance on infaunal communities in different habitats. *Journal of Animal Ecology*, 65: 348-358.
- Luckenbach, M.W., Huggett, D.V. & Zobrist, E.C. 1988. Sediment transport, biotic modifications and selection of grain size in a surface deposit-feeder. *Estuaries*, 11 (2): 134-139.
- Madsen, O.S. & Wikramanayake, P.N. 1991. Simple model for turbulent wave-current bottom boundary layer flow, DRP-91-1, Ralph M. Parsons Laboratory, MIT Cambridge, 150pp
- Madsen, O.S. & Wood, W. 1998. Sediment transport outside the surf zone. Coastal Engineering Manual Part III. Chapter 6. U.S. Army Corps of Engineers. Washington.
- Madsen, O.S., Wright, L.D., Boon, J.D. & Chisholm, T.A. 1993. Wind stress, bed roughness, and suspension on the inner shelf during an extreme storm event. *Continental Shelf Research*, 13 (11): 1303-1324.
- Mahaut, M.L. & Graf, G. 1987. A luminophore tracer technique for bioturbation studies. *Oceanologica Acta*, 10: 323-328.
- Maldonado, A. 1972. El Delta del Ebro. Estudio sedimentológico y estratigráfico. *Boletín Estratigrafía*, 1. Universitat de Barcelona, Barcelona. 486 pp.
- Maldonado, A. 1986. Dinámica sedimentaria y evolución litoral reciente del Delta del Ebro. En Mariño, G. (Ed.). *Sistema integrado del Ebro: Cuenca, Delta y Medio Marino*. Ed. Hermes, Madrid, pp. 33-60
- Marcomini, S.C., Penchaszadeh, P., López, R.A. & Luzzato, D. 2002. Beach morphodynamics and clam (*Donax hanleyanus*) densities in Buenos Aires, Argentina. *Journal of Coastal Research*, 18 (4): 601-611.
- Martín, D., Pinedo, S. & Sardá, R. 2000. Distribution patterns and trophic structure of soft-bottom polychaete assemblages in a north-western Mediterranean shallow-water bay. *Ophelia*, 53(1): 1-17.
- Martín, P., Sánchez, P. & Ramón, M. 1995. Population structure and exploitation of *Bolinus brandaris* (Mollusca: Gastropoda) off the Catalan coast (northwestern Mediterranean). *Fisheries Research*, 23: 319-331.
- Mas, J. 1986. Ecología de las comunidades bentónicas del delta del Ebro. En: Sistema integrado del Ebro. Estudio multidisciplinar, pp 93-130.

7. Bibliografía.

- Matisoff, G. 1982. Mathematical models of bioturbation. En: McCall, P.L. & Tevesz, M.J.S. (Eds.) *Animal-sediment relations: the biogenic alteration of sediment*. Plenum Press. Nova York, pp. 289-330.
- Mayer, L.M., Schink, D.F., Findlay, R.H. & Rice, D.L. 1991. Effects of commercial dragging on sedimentary organic matter. *Marine Environmental Research*, 31: 249-261.
- Millet, B. & Guelorget, O. 1994. Spatial and seasonal variability in the relationships between communities and physical environment in a lagoon ecosystem. *Marine Ecology Progress Series*, 108: 161-174.
- Morrisey, D.J., DeWitt, T.H., Roper, D.S. & Williamson, R.B. 1999. Variation in the depth and morphology of burrows of the mud crab *Helice crassa* among different types of intertidal sediment in New Zealand. *Marine Ecology Progress Series*, 182: 231-242.
- Myers, A.C. 1977. Sediment processing in a marine subtidal sandy bottom community: II. Physical aspects. *Journal of Marine Research*, 35: 633-647.
- Nichols, F.H., Cacchione, D.A., Drake, D.E. & Thompson, J.K. 1989. Emergence of burrowing urchins from California continental shelf sediments- A response to alongshore current reversals. *Estuarine, Coastal and Shelf Science*, 29: 171-182.
- Nielsen, P. 1981. Dynamics and geometry of wave generated ripples. *Journal of Geophysical Research*, 86: 6467.
- Nielsen, P. 1983. Analytical determination of nearshore wave height variation due to refraction shoaling and friction. *Coastal Engineering*, 7: 233-251.
- Nowell, A.R.M. & Jumars, P.A. 1984. Flow environments of aquatic benthos. *Annual Review of Ecology and Systematics*, 15: 303-328.
- Nowell, A.R.M., Jumars, P.A. & Eckman, J.E. 1981. Effects of biological activity on the entrainment of marine sediments. *Marine Geology*, 42: 133-153.
- Owen, P.R. 1964. Saltation of uniform grains in air. *Journal of Fluid Mechanics*, 20(2): 225-264.
- Palacín, C., Martín, D. & Gili, J.M. 1991. Features of spatial distribution of benthic infauna in a Mediterranean shallow-water bay. *Marine Biology*, 110: 315-321.
- Palanques, A., Guillén, J. & Puig, P. 2001. Impact of bottom trawling on water turbidity and muddy sediment of an unfished continental shelf. *Limnology and Oceanography*, 46(5): 1100-1110.

7. Bibliografia.

- Palanques, A., Plana, F. & Maldonado, A. 1990. Recent influence of man on the Ebro margin sedimentation system, northwestern Mediterranean Sea. *Marine Geology*, 95: 247-263.
- Palomo, G. & Iribarne, O. 2000. Sediment bioturbation by polychaete feeding may promote sediment stability. *Bulletin of Marine Science*, 67 (1): 249-257.
- Paola, C. 1985. A method for spatially averaging small-scale bottom roughness. *Marine Geology*, 66: 291.
- Pelegri, S.P. & Blackburn, T.H. 1995. Effect of bioturbation by *Nereis* sp, *Mya arenaria* and *Cerastoderma* sp. on nitrification and denitrification in estuarine sediments. *Ophelia*, 42: 289-299.
- Pérès, J.M. & Picard, J. 1964. Nouveau manuel de bionomie benthique de la mer Méditerranée. *Recueil de Travaux de la Station Maritime d'Endoume*, 35(52): 5-137.
- Pérès, J.M. 1982. Major benthic assemblages. En: Kinne, O. (ed.). *Marine Ecology*, pp 523-582, John Wiley, Chichester, London.
- Pielou, E.C. 1969. *An introduction to mathematical ecology*. Ed. Willey, New York.
- Pinedo, S., Sardá, R., Rey, C. & Bhaud, M. 2000. Effect of sediment particle size on recruitment of *Owenia fusiformis* in the Bay of Blanes (NW Mediterranean): an experimental approach to explain field distribution. *Marine Ecology Progress Series*, 203: 205-213,
- Posey, M.H. 1986. Changes in a benthic community associated with dense beds of a burrowing deposit feeder *Callianassa californiensis*. *Marine Ecology Progress Series*, 31: 15-22.
- Ramón, M. 1993. Estudio de las poblaciones de *Chamelea gallina* (Linnaeus, 1758) y *Donax trunculus* (Linnaeus, 1758) (Mollusca: Bivalvia) en el Golfo de Valencia (Mediterráneo occidental). Tesis Doctoral. Universitat de Barcelona. 413 pp.
- Reed, C.W., Niedoroda, A.W. & Swift, D.J.P. 1999. Modeling sediment entrainment and processes limited by bed armouring. *Marine Geology*, 154: 143-154.
- Renaud, P.E., Ambrose, W.G., Riggs, S.R. & Syster, D.A. 1996. Multi-level effects of severe storms on an offshores temperate reef system: benthic sediments, macroalgae, and implications for fisheries. *P.S.Z.N. I: Marine Ecology*, 17 (1-3): 383-398.

7. Bibliografia.

- Retraubun, A.S.W., Dawson, M. & Evans, S.M. 1996. Spatial and temporal factors affecting sediment turnover by the lugworm *Arenicola marina* (L.). *Journal of Experimental Biology and Ecology*, 201: 23-35.
- Rhoads, D.C. 1963. Rates of sediment reworking by *Yoldia limatula* in Buzzards Bay, Massachusetts, and Long Island Sound. *Journal of Sedimentary Petrology*, 33: 723-727.
- Rhoads, D.C. 1967. Biogenic reworking of intertidal and subtidal sediments in Barnstable Harbor and Buzzards Bay, Massachusetts. *Journal of Geology*, 75: 461-476.
- Rhoads, D.C. 1974. Organism-sediment relations on the muddy sea floor. *Oceanography and Marine Biology: an Annual Review*, 12: 263-300.
- Rhoads, D.C. & Boyer, L.F. 1982. The effects of marine benthos on the physical properties of sediments: a successional perspective. En: McCall, P.L. & Tevesz, M.J.S. (Eds), *Animal-Sediment Relations*. Plenum, Nova York, pp 3-52.
- Ros, J., Romero, J., Ballesteros, E. & Gili, J.M. 1989. Buceando en aguas azules. El bentos. En: Margalef, R. (dir.), *El Mediterráneo Occidental*, pp 235-297. Ed. Omega. Barcelona.
- Rowden A.A. & Jones, M.B. 1994. A contribution to the biology of the burrowing mud shrimp, *Callianassa subterranea* (Decapoda: Thalassinidea). *Journal of the Marine Biological Association of the United Kingdom*, 74: 623-635.
- Rowden, A.A., Jones, M.B. & Morris, A.W. 1998. The role of *Callianassa subterranea* (Montagu) (Thalassinidae) in sediment resuspension in the North Sea. *Continental Shelf Research*, 18: 1365-1380.
- Rumohr, H. & Kujawski, T. 2000. The impact of trawl fishery on the epifauna of the southern North Sea. *ICES Journal of Marine Science*, 57: 1389-1394.
- Sánchez, P & PDPEM. 1993. Anàlisi de l'impacte de la pesca amb rastell sobre les poblacions d'organismes marins. Generalitat de Catalunya, Informe Projecte de Recerca Ref. PCC 30020/92, 132 pp.
- Sánchez, P., Demestre, M., Palanques, A., Mas, J. & Kaiser, M.J. 1998. Impact of bottom trawling on the sediments and benthic communities in the NW Mediterranean. *Final Report. Contract DG XIV Study n° 95/52*.
- Sánchez, P., Demestre, M., Ramon, M. & Kaiser, M.J. 2000. The impact of otter trawling on mud communities in the northwestern Mediterranean. *Journal of Marine Science*, 57: 1352-1358.

7. Bibliografía.

- Sánchez-Arcilla, A., Stive, M.J.F., Jiménez, J.A. & Garcia, M.A. 1993. Impacto f sea-level rise in a Maditerranean delta: The Ebro Delta case. *Seachange '93, UNESCO (IV)*: 52-62
- Sardá, R., Martín, D., Pinedo, S., Dueso, A. & Cardell, M.J. 1995. Seasonal dynamics of shallow-water benthic communities in the Western Mediterranean. En Nicolliadou (ed.): *The biology and ecology of shallow coastal waters*, pp 191-198. Olsen & Olsen, Fredensborg.
- Sardá, R., Pinedo, S. & Martín, D. 1999. Seasonal dynamics of macroinfaunal key species inhabiting shallow soft-bottoms in the Bay of Blanes ((NW Mediterranean). *Acta Oecologica*, 20 (4): 315-326.
- Serra, J. 1997. El sistema sedimentario del delta del Ebro. *Revista de Obras Públicas*, 3368: 15-22.
- Shannon, C.E. & Weaver, W. 1949. *The mathematical theory of communication*. Ed. Illinois University Press, Urbana.
- Shields, A. 1936. Application of Similarity Principles and Turbulent Research to Bed-Load Movement.
- Smith, C.R., Jumars, P.A. & DeMaster, D.J. 1986. *In situ* studies of megafaunal mounds indicate rapid sediment turnover and community response at the deep-sea floor. *Nature*, 323: 251-253.
- Smith, J.D. & McLean, S.R. 1977. Spatially averaged flow over a wavy surface. *Journal of Geophysical Research*, 82: 1735-1746.
- Snelgrove, P.V.R. & Butman, C.A. 1994. Animal-sediment relationships revisited: cause versus effect. *Oceanography and Marine Biology: an Annual Review*, 32: 111-177.
- Solé, L. 1958. *Geografía de Cataluña*. Ed. Aedos, Barcelona, 665 pp.
- Stamhuis, E.J., Schreurs, C.E. & Videler, J.J. 1997. Burrow architecture and turbative activity of the thalassinid shrimp *Callianassa subterranea* from the central North Sea. . *Marine Ecology Progress Series*, 151: 155-163.
- Stordal, M.C., Johnson, J.W., Guinasso, N.L. & Schink, D.R. 1985. Quantitative evaluation of bioturbation in deep ocean sediments. II. Comparison of rates determined by ^{210}Pb and $^{239,240}\text{Pu}$. *Marine Chemistry*, 17: 99-114.
- Suchanek, T.H. 1983. Control of seagrass communities and sediment distribution by *Callianassa* (Crustacea, Thalassinidea) bioturbation. *Journal of Marine Research*, 41: 281-298.

7. Bibliografia.

- Swift, D.J. 1993. The macrobenthic infauna off Sellafield (North-eastern Irish Sea) with special reference to bioturbation. *Journal of the Marine Biological Association of the United Kingdom*, 73: 143-162.
- Tamaki, A. 1988. Effects of the bioturbating activity of the ghost shrimp *Callinassa japonica* Ortmann on migration of a mobile polychaete. *Journal of Experimental Biology and Ecology*, 120: 81-95.
- Thayer, C.W. 1983. Sediment-mediated biological disturbance and the evolution of marine benthos. En: *Biotic interactions in recent and fossil benthic communities*. (Ed.) Tevesz, M.J.S & McCall P.L. New York. Plenum Press, pp 479-625.
- Thomson, J., Colley, S. & Weaver, P.P. 1988. Bioturbation into a recently emplaced deep-sea turbidite surface as revealed by $^{210}\text{Pb}_{\text{excess}}$, $^{230}\text{Th}_{\text{excess}}$ and planktonic foraminifera distributions. *Earth Planetary Scientific Letters*, 90: 157-173.
- Tuominen, L., Mäkelä, K., Lethonen, K.K., Hahti, H., Hietanen, S. & Kuparinen, J. 1999. Nutrient fluxes, porewater profiles and denitrification in sediment influence by algal sedimentation and bioturbation by *Monoporeia affinis*. *Estuarine, Coastal and Shelf Science*, 49: 83-97.
- Van Dolah, R.F., Wendt, P.H. & Levisen, M.V. 1991. A study of the effects of shrimp trawling on benthic communities in two South Carolina sounds. *Fisheries Research*, 12: 139-156.
- Wakefield, W.W. & Genin, A. 1987. The use of a Canadian (perspective) grid in deep-sea photography. *Deep-Sea Research*, 34 (3): 469-478.
- Wheatcroft, R.A. 1994. Temporal variation in bed configuration and one-dimensional bottom roughness at the mid-shelf STRESS site. *Continental Shelf Research*, 14 (10/11): 1167-1190.
- Wheatcroft, R.A & Martin, W.R. 1996. Spatial variation in short-term (^{234}Th) sediment bioturbation intensity along an organic-carbon gradient. *Journal of Marine Research*, 54: 763-792.
- Wheatcroft, R.A., Jumars, P.A., Smith, C.R. & Nowell, R.M. 1990. A mechanistic view of the particulate biodiffusion coefficient: Step lengths, rest periods and transport directions. *Journal of Marine Research*, 48: 177-207
- Whitlatch, R.B. 1980. Patterns of resource utilization and coexistence in marine intertidal deposit-feeding communities. *Journal of Marine Research*, 38: 743-765.

7. Bibliografia.

- Wiberg, P.L., Drake, D.E. & Cacchione, D.A. 1994. Sediment resuspension and bed armouring during high bottoms stress events on the northern California inner continental shelf: measurements and predictions. *Continental Shelf Research*, 14: 1191-1219.
- Wiberg, P.L. & Harris, C.K. 1994. Ripple geometry in wave-dominated environments. *Journal of Geophysical Research*, 99 (C1): 775-789.
- Wiberg, P.L. & Rubin, D.V. 1989. Bed roughness produced by saltating sediment. *Journal of Geophysical Research*, 94(C4): 5011-5016.
- Widdows, J., Brinsley, M.D., Salked, P.N. & Elliot, M. 1998. Use of annular flumes to determine the influence of current velocity and bivalves on material flux at the sediment-water interface. *Estuaries*, 21 (4A): 552-559.
- Widdows, J., Brinsley, M.D., Salked, P.N. & Lucas, C.H. 2000. Influence of biota on spatial and temporal variation in sediment erodability and material flux on a tidal flat (Westerschelde, The Netherlands). *Marine Ecology Progress Series*, 194: 23-37.
- Wilson, K.C. 1989 Friction of wave-induced sheet flow. *Coastal Engineering*, 12: 371-379.
- Wooding, R.A., Bradley, E.F. & Marshall, J.K. 1973. Drag due to regular arrays of roughness elements of varying geometry. *Boundary Layer Meteorologia*, 5: 285.
- Wright, L.D. 1997. *Morphodynamics of Inner Continental Shelves*. CRC Press, Boca Raton, 241 pp.
- Wright, L.D., Boon, J.D., Xu, J.P. & Kim, S.C. 1992. The bottom boundary layer of the bay stem plains environment of Lower Chesapeake Bay. *Estuarine Coastal and Shelf Science*, 35 (1): 17-36.
- Wright, L.D., Prior, D.B., Hobbs, C.H., Byrne, R.J., Boon, J.D., Schaffner, L.C. & Green, M.O. 1987. Spatial variability of bottom types in the lower Chesapeake Bay and adjoining estuaries and inner shelf. *Estuarine Coastal and Shelf Science*, 24: 765-784.
- Xu, J.P. & Wright, L.D. 1995. Tests of bed roughness models using field data from the Middle Atlantic Bight. *Continental Shelf Research*, 15 (11/12): 1409-1434.
- Xu, J.P., Wright, L.D. & Boon, J.D. 1994. Estimation of bottom stress and roughness in Lower Chesapeake Bay by the inertial dissipation method. *Journal of Coastal Research*, 10 (2): 329-338.

7. Bibliografia.

Yalin, M.S. 1977. *Mechanics of Sediment Transport*. Pergamon Tarrytown, Nova York, 298 pp.

Zar, J.H. 1984. *Biostatistical Analysis*. Ed. Prentice Hall International, New Jersey

Ziebis, W., Forster, S., Huettel, M. & Jorgensen, B. 1996. Complex burrows of the mud shrimp *Callianassa truncata* and their geochemical impact in the sea bed. *Nature*, 382: 619-622.

