

Universitat Politècnica de Catalunya

Laboratori d' Enginyeria Marítima

Coastal Vulnerability to Storms in the Catalan Coast

Memoria presentada por

Ernesto Tonatiuh Mendoza Ponce

para optar al grado de Doctor por la
Universitat Politècnica de Catalunya.

Director:

José Antonio Jiménez Quintana

Barcelona, Enero del 2008

ACKNOWLEDGEMENTS

La elaboración de una tesis es una empresa que no siempre es fácil de llevar a cabo. Estos años de formación he estado acompañado de personas e instituciones directa e indirectamente involucradas en la tarea, no sólo es en el campo académico sino también en el personal, a las que no quisiera dejar de agradecer.

A José Jiménez por haber aceptado ser el director de la tesis y porque a pesar de estar involucrado en todos los proyectos de este mundo siempre está accesible, además de proporcionar soporte económico para terminar este trabajo.

Mis compañeros de doctorado Rodolfo Bolaños, Jaime Lopez, Cesar Meiners, Marga García, Gloria Ramos, Dagoberto Alvarado, Jorge Brenner, Sabino del Vento y Oscar Delgado, con los que compartí los cursos de doctorado y las cervezas correspondientes.

De mis compañeros del LIM debo agradecer especialmente a Vicens Gracia y Herminia Valdemoro, asimismo a Cesar Mosso y Joan Pau Sierra. Por supuesto, no deben faltar los compañeros del inmenso despacho que me han acompañado estos años: Jose Maria Alsina, Jesús, Joan Puigdefabregas, Federico Jerez, Augusto Maidana, Jordi Cateura, Manel Grifoll, Tiago y Francesco. También quisiera agradecer sus atenciones a Marisol, Genoveva, Emilia, Carmen y María.

También formaron parte muy activa algunas de las personas del ICM de La Barceloneta (junto al mar se vive mejor, que envida causa su comedor) que gracias a Elena he conocido: Jorge Guillén, la Doctora Ruth Durán, Marta Nuez, Cesca Ribas, Maricel Auladell y Tirma Padrón.

During these years I've had the opportunity to attend several workshops, conferences, summer schools and short stays in different countries, from these I would like to express my gratitude to Roland Garnier, Marije Smit, Claire Coughlan, Tim Price, Gemma Ramaekers, Niels Van den Berg, Adrian Pedrozo, Christian Appendini, Ismael Mariño, Frederique Caille. Special thank to the Marie Curie grants for letting me attend to the Eco-Imagine events

Per fer la meva estada a Barna molt més que agradable, voldria agrair a la Mercè Monje, al Ferran per tota la bona música, al veí Arturu, al Joan y a la Joaneta, del carrer Balmes, per els boníssims croissants i la seva simpatia els dies de molta pressa en els quals no havia temps per a molt més.

Muchos fueron los compañeros de andanzas y vacaciones que me acompañaron en la aventura o me acogieron en sus casas. En especial quisiera agradecer a Leo Inclán y Zuzanka Knapova cuyo proyectos siempre me entusiasman. Zachary y Ron Kain, Chon Lago, los Ramos-Meiners, Alejandra Prieto y Luis Salido, Juan Rudametkin y Tania Michel, al niño José Luis Durand y Paola, Janco Knap y Magda (dobre, dobre, ja roboti tesis, tesis stachi), Erin Gontang, Kor van Dijk y Daniela Guevara, Tarsi y Pablo. A mis amigos de toda la vida Poncho Lanzagorta, Gerardo Carrertero, Gabriel Calvillo y Mauro Coronel.

No puedo dejar de mencionar a mis profesores de la UABC: Román Lizárraga, Luis Galindo, Ileana Espejel, Alfredo Chee, Lupita Ballesteros y Roberto Pérez.

A mi familia Canaria, principalmente a Isabel y Gonzalo, mis cuñados Isa y Sergio junto con mi sobrino Adrián, Gonzalo y Ludi, a Marta y la abuela más guapa, Isabel. Asimismo, todos los tíos, tías y primos que por temor a faltarme uno no enlisto pero que cuando los veo me siento en casa.

A mis padres, Ernesto y Victoria, que son los responsables de esto, a mis hermanas Lysette y Rebecka por sus influencias junto con mi hermano postizo Danielo. A mamá Ita, mama Julia y una mención especial a mi tío Roges Ponce. A todos los tí@s, prim@s, sobrin@s que por falta de espacio no voy nombrar y sin embargo los tengo presentes a todos.

A Elena, cuya presencia gravita mi existencia.

Finalmente quisiera agradecer a algunas Instituciones:

Al Consejo Nacional de Ciencia y Tecnología (CONACYT) por el soporte económico para la elaboración de esta tesis.

Generalitat de Catalunya, Puertos del Estado (Ministerio de Fomento) por los datos proporcionados, Ministerio de Medio Ambiente por el Proyecto de Oleaje, el proyecto FLOODsite (GOCE-CT-2004-505420) y el proyecto MEVAPLAYA (REN2003-09029-C03-01/MAR).

Contents

| | |
|--|----|
| List of figures | ix |
| List of tables | xv |
| 1 General introduction | 1 |
| 1.1 Introduction | 1 |
| 1.2 Objectives | 3 |
| 1.3 Outline | 4 |
| 2 Study Area and Available Data | 7 |
| 2.1 Study Area | 7 |
| 2.2 Data | 11 |
| 2.2.1 Wave data | 11 |
| 2.2.2 Tide data | 25 |
| 2.2.3 Beach profiles | 28 |
| 3 Storms | 31 |
| 3.1 Introduction | 31 |
| 3.2 Methodology | 34 |
| 3.2.1 Storm classification | 34 |
| 3.3 Results | 36 |
| 3.3.1 Storm class | 36 |
| 3.3.2 Direction and seasonality | 42 |
| 3.3.3 Storm classification based on <i>H_s</i> | 45 |
| 3.3.4 Long term storm characterization | 46 |
| 3.4 Conclusions | 48 |

| | |
|---|-----|
| 4 Characterizing the response of the beach | 51 |
| 4.1 Introduction | 51 |
| 4.2 Flood Potential | 53 |
| 4.2.1 Methodology | 54 |
| 4.2.2 Results | 56 |
| 4.3 Erosion Potential | 59 |
| 4.3.1 Methodology | 60 |
| 4.3.2 Results | 64 |
| 4.4 Conclusions | 73 |
| 5 Coastal Vulnerability | 75 |
| 5.1 Introduction | 75 |
| 5.1.1 Vulnerability | 76 |
| 5.1.2 Indicators | 76 |
| 5.2 Methodology to obtain coastal vulnerability index | 81 |
| 5.2.1 General indicators | 81 |
| 5.2.2 Flood vulnerability indicator | 81 |
| 5.2.3 Erosion vulnerability indicator | 84 |
| 5.2.4 Coastal vulnerability index | 87 |
| 6 Coastal Vulnerability Assessment | 89 |
| 6.1 Introduction | 89 |
| 6.2 Regional scale assessment | 89 |
| 6.2.1 Beach Database | 91 |
| 6.2.2 Spatial variability of the process | 93 |
| 6.3 Regional scale results | 97 |
| 6.4 Conclusions and coastal management implications | 108 |
| 6.5 Local scale assessment | 109 |
| 6.6 Local scale results | 114 |
| 6.7 Conclusions and coastal management implications | 119 |
| 7 Summary and conclusions | 121 |
| Bibliography | 127 |
| Appendixes | 139 |

List of Figures

| | | |
|--------|---|----|
| 1.1.1 | Locations affected by November 11th storm, along the Catalan coast (Avui, November 13th 2001). | 3 |
| 1.2.1 | Methodological approach to assess the coastal vulnerability to storms. | 4 |
| 2.1.1 | Main zones of the Catalan coast. | 8 |
| 2.1.2 | Main beach environments found in the Catalan coast. | 10 |
| 2.2.1 | Localization of the existent wave buoys (1984-2004) and tide gauge (1992-2004) in the Catalan coast. | 12 |
| 2.2.2 | Valid measurement periods for the different wave buoys of the XIOM net. | 13 |
| 2.2.3 | Available SIMAR- 44 (HIPOCAS) and WANA nodes in the Catalan coast. | 15 |
| 2.2.4 | Simultaneous <i>Hs</i> data of the HIPOCAS series vs. the registered data of the Cap Tortosa buoy. | 17 |
| 2.2.5 | <i>Hs</i> comparison of temporal series from HIPOCAS records and Cap Tortosa buoy. | 18 |
| 2.2.6 | Wave rose with direction from the available HIPOCAS nodes along the Catalan coast. | 21 |
| 2.2.7 | <i>Hs</i> max from the available HIPOCAS nodes along the Catalan coast (magnitude of the variable is given in meters of the vertical bar). | 22 |
| 2.2.8 | <i>Tp</i> max from the available HIPOCAS nodes along the Catalan coast (magnitude of the variable is given in seconds of the vertical bar). | 23 |
| 2.2.9 | Wave height simulation using WAM of an E storm in the Catalan coast (October 2003). | 24 |
| 2.2.10 | Zoning of the Catalan coast as a function of the wave pattern. | 25 |
| 2.2.11 | Sea level, astronomical tide and storm surge information from 1992 - 2004. | 27 |

| | | |
|--------|--|----|
| 2.2.12 | Sea level, astronomical tide and storm surge information from November 2001. | 27 |
| 2.2.13 | Terminology to describe the beach profile, taken from Komar (1997). | 28 |
| 2.2.14 | Reflective and dissipative beach profiles characterized in the study. | 29 |
| 2.2.15 | Example of a reflective (top) and a dissipative beach (bottom) found in the Catalan coast. | 30 |
| 3.3.1 | Storm definition using the 1.5 m and 2 m threshold. | 36 |
| 3.3.2 | Storm classification by means of cluster analysis and supervised classification using the 1.5 m, 2 m thresholds and combining the 2 m threshold and the double peak criteria. | 38 |
| 3.3.3 | Relation between mean values of H_s max and duration of each storm group obtained through the three classification methods. | 39 |
| 3.3.4 | Directional distribution of the storms according to the energy classification. | 44 |
| 3.3.5 | Temporal distribution of the different storm types along a climatic year. | 45 |
| 3.3.6 | Frequency of the most energetic storms (type III, IV and V) along the Catalan coast for the 1958-2001 time period, considering E and S storms. | 47 |
| 3.3.7 | Variation of number of total and most energetic storms in Area No.2, grouped in periods of time of 5 years from 1958 to 2001 considering only the Eastern and Southern directions. | 48 |
| 4.2.1 | Registered storm surge during the storms vs. the wave height in the peak of the storm. | 57 |
| 4.2.2 | Class-averaged values of wave run-up in reflective and dissipative beaches and storm surge. | 58 |
| 4.3.3 | Main erosion variables used to characterize storm induced profile changes: eroded volume ΔV (m^3/m) in the inner part of the beach and beach retreat ΔX . | 61 |
| 4.3.4 | Linear regression between eroded volumes calculated using the SBEACH versus the P predictor for reflective and dissipative and the JA predictor versus reflective and dissipative. | 67 |
| 4.3.5 | Linear regression between eroded volumes calculated using the SBEACH versus the Pdt function for reflective and dissipative and the JAdt function versus reflective and dissipative. | 69 |
| 4.3.6 | Joint comparison using reflective and dissipative beaches as the same data set between SBEACH volume change vs. Pdt function and the JAdt function. | 70 |
| 5.1.1 | The Pressure-State-Response model. | 79 |
| 5.2.2 | Scheme of the flood protection function of the beach during storms. | 82 |
| 5.2.3 | Functional relationship adopted for the flood vulnerability index. | 84 |

| | | |
|--------|--|-----|
| 5.2.4 | Scheme of the erosion protection function of the beach during storms. | 85 |
| 5.2.5 | Functional relationship adopted for the flood vulnerability index. | 86 |
| 6.2.1 | Integration of variables of the vulnerability index through a GIS. | 91 |
| 6.2.2 | Polygon used to define a beach with basic information (left case) and beach divided in the CVI (inner band), EVI , (middle band) and FVI (outer band) (right case). | 92 |
| 6.2.3 | Diagram of variable beach width and storm reach. | 93 |
| 6.2.4 | Spatial variability of wave height along the Catalan coast for an eastern storm. | 94 |
| 6.2.5 | Spatial variability of <i>Hs</i> for a class V storm. | 96 |
| 6.2.6 | Beach spatial variability in the right case structures offer protection and on the left case an oblique impact from an eastern storm. | 97 |
| 6.3.7 | Coastal vulnerability assessment at a regional scale for a class V storm in Port Bou and Empuriabrava. | 99 |
| 6.3.8 | Coastal vulnerability assessment at a regional scale for a class V storm in the Ebro delta. | 100 |
| 6.3.9 | Coastal vulnerability assessment at a regional scale for a class V storm in Lloret del mar and the Barcelona city beaches. | 101 |
| 6.3.10 | Lloret de Mar beach (top case) and Barcelona city beaches Nova Icaria and Bogatell (middle case) and La Barceloneta (lower case) during the impact of a class-V storm on November 2001. | 103 |
| 6.3.11 | Percentage of Km of beaches belonging to a vulnerability category for a class V and a class IV storm. | 105 |
| 6.3.12 | Percentage of Km of beaches belonging to a vulnerability category per coastal units for a class-V storm. | 107 |
| 6.5.13 | Location of Malgrat beach, divided in the south and north section. | 110 |
| 6.5.14 | Methodology to obtain the contour lines at Malgrat beach. | 112 |
| 6.5.15 | Profiles obtained in Malgrat Beach in December 2005 (see profile location in Figure 6.4.13) | 113 |
| 6.6.16 | Flood and erosion vulnerability results for Malgrat beach. | 115 |
| 6.6.17 | FVI and EVI assessment for Malgrat beach north section 1 - 6 for December 2005. | 117 |
| 6.6.18 | FVI and EVI assessment for Malgrat beach south section 41 -46 for December 2005. | 118 |
| A.1 | Wave heights from June 1990 to November 2001 in Cap Tortosa Buoy and HIPOCAS node 2056046. | 140 |
| A.2 | Corrected versus original HIPOCAS data corresponding to the whole data set. | 141 |

| | | |
|------|---|-----|
| A.3 | Wave heights from June 1990 to November 2001 in Cap Tortosa Buoy and HIPOCAS node 2056046. | 142 |
| A.4 | Linear regression between simultaneous wave data form Cap Tortosa Buoy versus HIPOCAS wave data considering only storm conditions. | 142 |
| A.5 | Linear regression between simultaneous storm wave data without NW storms form Cap Tortosa Buoy versus HIPOCAS wave data and considering the maximum wave height for each storm. | 143 |
| A.6 | Linear regression between simultaneous storm wave data without NW storms form Cap Tortosa Buoy versus HIPOCAS wave data and considering the maximum wave height for each storm. | 143 |
| A.7 | Linear regressions using (from South to North) Cap Tortosa buoy vs node 2056046, Barcelona buoy vs 2062049, Blanes buoy vs 2071053 and Roses buoy vs node 2075058. | 149 |
| B.1 | Scheme of CVI , FVI and EVI for zone 1 under a class V storm (1 of 3). | 152 |
| B.2 | Scheme of CVI , FVI and EVI for zone 1 under a class V storm (2 of 3). | 153 |
| B.3 | Scheme of CVI , FVI and EVI for zone 1 under a class V storm (3 of 3). | 154 |
| B.4 | Scheme of CVI , FVI and EVI for zone 2 under a class V storm (1 of 3). | 155 |
| B.5 | Scheme of CVI , FVI and EVI for zone 2 under a class V storm (2 of 3). | 156 |
| B.6 | Scheme of CVI , FVI and EVI for zone 2 under a class V storm (3 of 3). | 157 |
| B.7 | Scheme of CVI , FVI and EVI for zone 3 under a class V storm (1 of 2). | 158 |
| B.8 | Scheme of CVI , FVI and EVI for zone 3 under a class V storm (2 of 2). | 159 |
| B.9 | Scheme of CVI , FVI and EVI for zone 4 under a class V storm (1 of 2). | 160 |
| B.10 | Scheme of CVI , FVI and EVI for zone 4 under a class V storm (2 of 2). | 161 |
| B.11 | Scheme of CVI , FVI and EVI for zone 5 under a class V storm (1 of 4). | 162 |
| B.12 | Scheme of CVI , FVI and EVI for zone 5 under a class V storm (2 of 4). | 163 |
| B.13 | Scheme of CVI , FVI and EVI for zone 5 under a class V storm (3 of 4). | 164 |
| B.14 | Scheme of CVI , FVI and EVI for zone 5 under a class V storm (4 of 4). | 165 |
| B.15 | Scheme of CVI , FVI and EVI for zone 6 under a class V storm (1 of 3). | 166 |
| B.16 | Scheme of CVI , FVI and EVI for zone 6 under a class V storm (2 of 3). | 167 |

| | | |
|------|---|-----|
| B.17 | Scheme of CVI , FVI and EVI for zone 6 under a class V storm (3 of 3). | 168 |
| B.18 | Scheme of CVI , FVI and EVI for zone 7 under a class V storm (1 of 2). | 169 |
| B.19 | Scheme of CVI , FVI and EVI for zone 7 under a class V storm (2 of 2). | 170 |
| B.20 | Scheme of CVI , FVI and EVI for zone 8 under a class V storm (1 of 3). | 171 |
| B.21 | Scheme of CVI , FVI and EVI for zone 8 under a class V storm (2 of 3). | 172 |
| B.22 | Scheme of CVI , FVI and EVI for zone 8 under a class V storm (3 of 3). | 173 |
| C.1 | FVI and EVI assessment for Malgrat del Mar south zone (1 of 8). | 176 |
| C.2 | FVI and EVI assessment for Malgrat del Mar south zone (2 of 8). | 177 |
| C.3 | FVI and EVI assessment for Malgrat del Mar south zone (3 of 8). | 178 |
| C.4 | FVI and EVI assessment for Malgrat del Mar south zone (4 of 8). | 179 |
| C.5 | FVI and EVI assessment for Malgrat del Mar south zone (5 of 8). | 180 |
| C.6 | FVI and EVI assessment for Malgrat del Mar south zone (6 of 8). | 181 |
| C.7 | FVI and EVI assessment for Malgrat del Mar south zone (7 of 8). | 182 |
| C.8 | FVI and EVI assessment for Malgrat del Mar south zone (8 of 8). | 183 |
| C.9 | FVI and EVI assessment for Malgrat del Mar north zone (1 of 9). | 184 |
| C.10 | FVI and EVI assessment for Malgrat del Mar north zone (2 of 9). | 185 |
| C.11 | FVI and EVI assessment for Malgrat del Mar north zone (3 of 9). | 186 |
| C.12 | FVI and EVI assessment for Malgrat del Mar north zone (4 of 9). | 187 |
| C.13 | FVI and EVI assessment for Malgrat del Mar north zone (5 of 9). | 188 |
| C.14 | FVI and EVI assessment for Malgrat del Mar north zone (6 of 9). | 189 |
| C.15 | FVI and EVI assessment for Malgrat del Mar north zone (7 of 9). | 190 |
| C.16 | FVI and EVI assessment for Malgrat del Mar north zone (8 of 9). | 191 |
| C.17 | FVI and EVI assessment for Malgrat del Mar north zone (9 of 9). | 192 |

List of Tables

| | | |
|-------|--|-----|
| 2.2.1 | Main characteristics of the buoys from the XIOM net. *Since February 2004 the Llobregat buoy becomes directional. | 14 |
| 3.1.1 | The Saffir-Simpson scale for hurricanes. | 33 |
| 3.1.2 | The Dolan-Davis scale for Atlantic Coast Northeast Storms. | 33 |
| 3.3.1 | Mean characteristics of the five class storm categories. | 42 |
| 3.3.2 | Five class storm categories based on the <i>Hs</i> . | 46 |
| 4.2.1 | Mean calculated R_2 and associated storm surge for each of the five class storm category. | 57 |
| 4.3.2 | Reflective beach storms induced erosion potential and beach retreat. | 65 |
| 4.3.3 | Dissipative beach storms induced erosion potential and beach retreat. | 66 |
| 4.3.4 | Coefficients of determination obtained in the regression analysis between SBEACH and predictors for both beach types. | 67 |
| 4.3.5 | Coefficients of determination obtained in the regression analysis between SBEACH and functions predictors for both beach types. | 68 |
| 4.3.6 | Regression analysis results integrating both beach types for the three functions analyzed (using mean <i>Hs</i> and <i>Tp</i> values). | 71 |
| 4.3.7 | Dissipative beach storms induced erosion potential and beach retreat. | 72 |
| 5.2.1 | Weighed average of EVI and FVI values. | 88 |
| 6.3.1 | Percentage of length per coastal units. | 108 |
| A.1 | Five class storm categories based on the <i>Hs</i> . | 147 |

