

UNIVERSIDAD DE BARCELONA

FACULTAD DE MEDICINA

**DEPARTAMENTO DE ANATOMÍA Y EMBRIOLOGÍA HUMANA**

**Estudio de los cambios morfológicos del epitelio  
corneal en un modelo animal de ojo seco**

GEMMA JULIO MORÁN

## **6. BIBLIOGRAFÍA**

Aitken D, Friend J, Thoft RA, Lee WR. (1988) An ultrastructural study of rabbit ocular surface transdifferentiation. *Inves. Ophthalmol. Vis Sci.* 29 (2): 224-231.

Alvarado J, Murphy C, Juster R. (1983) Age-related changes in the basement membrane of the human corneal epithelium. *Invest. Ophthalmol. Vis. Sci.* 24 (8): 1015-1028.

Araujo JC, Teran FC, Oliverira RA, Tour EA et al. (2003) Comparison of hexamethyldisilazane and critical point drying treatments for SEM analysis of anaerobic biofilms and granular sludge. *J. Electron Microsc.* 52(4): 429-33.

Aron-Rosa DS, Colin J, Aron B. (1995). Clinical results of excimer laser photorefrctive keratectomy : a multicenter study of 265 eyes. *J. Cataract. Refrac. Surg.* 21(6): 642-52.

Bachman WG, Wilson G. (1985) Essential ions for manteinance of the corneal epithelial surface. *Invest Ophthalmol. Vis Sci.* 26 (11): 1484-1488.

Ban Y, Cooper LJ, Fullwood NJ, Nakamura T, Tsuzuki M, Koizumi N, Dota A, Mochida C, Kinoshita S (2003) Comparison of ultrastrucutre, tight junction-related protein expression and barrier function of human corneal epithelial cells cultivated on amniotic membrane with and without air-lifting. *Experimental Eye Research* 76 (6): 735-743

Barabino S and Dana R. (2004) Animal models of dry eye: a critical assessment of oportunities and limitations. *Inves. Ophthalmol. Vis. Sci.* 45 (6): 1641-1646.

Basu PK. (1983). Toxic effects of drugs on the corneal apithelium: a review. *J. Toxicol.-Cut ocular Toxicol.*, 84 (2) 205-27.

Basu PK, Avaria M, Cutz A, Chipman M. (1984) Ocular effects of water from acidic lakes: an experimental study. *Can. J. Ophthalmol.* 19 (3):134-41.

Baudouin C (2001) The pathology of dry eye. *Surv. Ophthalmol.* 45 (suppl. 2) S211-S220.

Begley CG, Waggoner JP, Hafner GS, Tokarski T, Meetz RE. (1991). Effect of rigid gas permeable contact lens wetting solutions on the rabbit corneal epithelium. *Optom. Vis. Sci.* 68 (3): 189-197.

Benítez del Castillo JM, Wasfy MAS, Fernandez C, Garcia-Sanchez J (2004) An in vivo confocal masked study on corneal epithelium and subbasal nerves in patients with dry eye. *Inves. Ophthalmol. Vis. Sci.* 45 (9): 3030-3035.

Beuerman RW, Pedroza L. (1993). Ultrastructure of the human cornea. *Microsc. Res. Tech.* 33 (4): 320-325.

Berdy GJ, Abelson MB, Smith LM, George MA. (1992). Preservative-free artificial tear preparation : assessment of corneal epithelial toxic effects. *Arch. Ophthalmol.* 110 (4):528-532.

Bergmanson JPC, Wilson GS. (1989). Ultrastructural effects of sodium chloride on the corneal epithelium. *Invest. Ophthalmol. Vis Sci.* 30 (1): 116-121.

Blümcke S, Morgenroth K. (1967). The stereo ultrastructure of the external and internal surface of the cornea. *J. Ultrastruct. Res.* 18 (5): 502-18

Boulton M, Albon J. (2004) Stem cells in the eye. Review. *The international Journal of Biochemistry & Cell Biology* 36 (4):643-657.

Braet F, De Zanger R, Wisse E. (1997) Drying cells for SEM, AFM and TEM by hexamethyldisilazane: a study on hepatic endothelial cells. *J. Microsc.* April;186(Pt1):84-7.

Bron AJ, Tiffany JM (1998) The Meibomian glands and tear film lipids. Structure, function, and control. *Adv. Exp. Med. Biol.* 438, 281-295.

Bulow N, Ehlers N. (1968). Morphology and DOPA reaction of cultivated corneal epithelial cells. *Acta Ophthalmol.* 46 (4): 749-756.

Burgalassi S, Chetoni P, Monti D, Saettone MF. (2001). Cytotoxicity of potential ocular permeation enhancers evaluated on rabbit and human corneal epithelial cell lines. *Toxicol. Lett.* 122, (1):1-8

Burstein NL. (1980a). Corneal cytotoxicity of typically applied drugs, vehicles and preservatives. *Surv. Ophthalmol.* 25 (1): 15-30.

Burstein NL. (1980b). Preservative cytoxyc threshold for benzalkonium-clohide and chlorhexidine digluconato in cat and in rabbit corneas. *Invest. Ophthalmol.* 19 (3):308-13.

Burstein NL, Klyce SD. (1977). Electrophysiologic and morphologic effects of ophtalmic preparations on rabbit cornea epithelium. *Inv. Ophthalmol. and Vis. Sci.* 16 (10) : 899-911.

Buschke W, Friedenwald JS, Fleischmann W (1943). Studies on the miotic activity of the corneal epithelium. Methods. The effect of colchicines, ether, cocaine, and ephedrine. *Bull Johns Hopkins Hosp* 73: 143.

Calmettes L. (1956). Etude histologique et histoquimique de l'épithelium anterieur de la cornée et de ses basales. *Arh. Phthalmol.* 16, 481-506.

Carraway 3<sup>rd</sup> KL, Rossi EA, Komatsu M, Price-Schiavi SA, Huang D, Guy PM, Carvajal ME, Fregien N, Carraway CA, Carraway KL (1999). An intramembrane modulador of the ErbB2 receptor tyrosine kinase that potentiates neuregulin signaling, *J. Biol. Chem.* 274 (9): 5263-5266.

Carreras B, Bermúdez J, Guerrero JC. (1995) Inflamaciones oculares de Alió JL, Carreras B, Ruiz JM. Editorial Edika Med: 145-177.

Cavanagh HD, Colley AN. (1989) The molecular basis of neurotrophic keratitis. Acta Ophthalmol. 67 (suppl 192) 115-134.

Cavanagh HD. Jester JV: Essepian J. Shields W. Lemp MA. (1990). Confocal microscopiy of the living eye. CLAO J. 16 (1): 65-73

Chaudieu G. Molon-Noblot S, Duprat P. (1991). Pathology of the cornea in aged dogs and cats. Meeting of the International Sicity of Veterinary Ophthalmology, Viena Austria. 1-2

Chen CC, Chang JH, Lee JB, Javier J, Azar DT. (2002) Human corneal epithelial cell viability and morphology after dilute alcohol exposure. Inves. Ophthalmol. Vis. Sci. 43(8), 2593-2602.

Chen H-B, Yamabayashi S, Ou B, Tanaka Y, Ohno S, Tsukahara S. (1997) Structure and composition of a rat precorneal tear film. A study by an in vivo cryofixation. Invest Ophthalmol. Vis Sci. 38 (2):381-387

Chuma K, Tomita T, Sakimoto T, Kitano S. (1982). The ultraestructure of limbal epithelial cells. Folia Ophthalmol. Jpn. 33, 2327-2335.

Ciprandi G, Buscaglia S, Pesce G, Lotti R, Rolando M, Bagnasco M, Canonica GW (1994) Effects of conjuntival hiperosmolar challenge in allergic subjects and normal controls. Int. Arch. Allergy Immunol 104: 92-96.

Collin SP, Collin HC. (2000a) A comparative study of the vertebrate corneal epithelium. Cornea, 19 (2): 218-230

Collin SP, Collin HC. (2000b). The corneal surface of aquatic vertebrates: microstructures with optical and nutritional function?. Phil. Trans. R. Soc. Lond. 355 (1401): 1171-76.

Collin SP, Collin HB (2005). The corneal epithelial surface in the eyes of vertebrates: Environmental and evolutionary influences on structure and function. *J. Morphol.* 267(3): 273-291

Corfield AP, Carrington SD, Hicks SJ, Berry M, Ellingham R (1997) Ocular mucins: purification, metabolism and fuctions. *Prog Retin. Eye Res.* 16, 627-656.

Dana MR, Zhu SN, Yamada J. (1998) Topical modulation of interleukin-activity in corneal neovascularization. *Cornea* 17 (4), 403-409.

Dilly PN (1985). Contribution of the epithelium to the stability of the tear film. *Trans. Ophthalmol. Soc. UK*, 104 (Pt 4), 381-389

Dilly PN. (1988). Tandem scanning reflected light microscopy of the cornea. *Scanning*. 10, 153-156.

Doane MG (1980) Interaction of eyelids and tears in corneal wetting and the dinamics of the normal human eyeblink. *American Journal of Ophthalmology* 89 (4): 507-516

Dormans JA. Van Logton. (1982). The effects of ophthalmic preservatives on corneal epithelium of the rabbit: a Scanning electron microscopic study. *Toxicol. Appl. Pharmacol.* 62, 251-61.

Doughty MJ. (1990a). On the evaluation of the corneal epithelial surface by scanning electron microscopy. *Optom. Vis. Sci.* 67 (10) 735-756.

Doughty MJ. (1990b). Morphometric analysis of the surface cells of rabbit corneal epithelium by scanning electron microscopy. *The American Journal of Anatomy* 189 (4):316-328.

Doughty MJ. (1990c). Analysis of areas and shapes of cells on the corneal surface of the albino rabbit by scanning electron microscopy. *Curr. Eye. Res.* 9 (4), 295-305.

Doughty MJ. (1991). Scanning electron microscopy study of cell dimensions of the rabbit corneal epithelium surface. 10 (2), 149-155.

Doughty MJ. (1992). Effect of the use of artificial tears on the size of the squamous cells rabbit corneal epithelium evaluated by scanning electron microscopy. *Optom. Vis. Sci.* 69 (6), 451-457

Doughty MJ. (1994) Acute effects of chlorobutanol or benzalkonium chloride-containing artificial tears on the surface features of rabbit corneal epithelial cells. *Optom Vis Sci.* 71 (9): 562-572.

Doughty MJ (1995). Evaluation of the effects of saline versus bicarbonate-containing mixed salts solutions on rabbit corneal epithelium in vitro. *Ophthal. Physiol. Opt.* 15(6): 585-599.

Doughty MJ (1996) Evidence for heterogeneity in a small squamous cell type (light cells) in the rabbit corneal epithelium – a scanning electron microscope study. *Documenta Ophthalmologica* 92 (2): 117-136

Doughty Mj (1997) Scanning electron microscopy study of the tarsal and orbital conjunctival surfaces compared to peripheral corneal epithelium in pigmented rabbits. *Documenta Ophthalmologica* 93 (4): 345-371

Doughty MJ. (2002) The cornea and conjunctival surfaces in relation to the tear film. In: Korb DR et al, eds. *The tear Film*. Oxford: Butterworth-Heinemann:1-17

Doughty MJ. (2004). Further assessment of the size, shape and surface features of superficial cells of the bovine corneal epithelium, using scanning electron microscopy. *Curr. Eye. Res.* 28 (3), 203-214.

Doughty MJ. (2003). Impact of brief exposure to balanced salts solution or cetylpyridinium chloride on the surface appearance of the rabbit corneal epithelium- a scanning electron microscopy study. Curr. Eye Res. 26 (6), 335-346.

Dua HS, Forrester JV. (1990) The corneoscleral limbus in human corneal epithelial wound healing. Am. J. Ophthalmol. 110 (6), 646-656.

Duane TD. Jaeger EA (1982) Duane's Foundations of Clinical Ophthalmology: vol I: anatomy, embryology and teratology. Tasman W and Jaeger EA editors. (Revised edition. 1990). Lippincott-Raven Publishers. Philadelphia.

Duke-Elder WB. (1958). System of ophthalmology. Voll: The eye in evolution. Henry Kimpton. London.

Egorow L. (1934). Nervenelemente der cornea im merrschweinchenauge. Graefes Arch. Ophthalmol. 131, 531-554.

Ehlers N. (1970). Some comparative studies on the mammalian corneal epithelium. Acta Ophthalmol. 48, 821-828.

Estil S, Primo EJ and Wilson G. (2000) Apoptosis in shed human corneal cells. Invest. Ophthalmol. Vis. Sci. 41 (11), 3360-3364.

Fatt I (1991) Observations of tear film break up on model eyes. CLAO J. 17(4), 267-281.

Fogle JA, Yoza BK, Neufeld AH. (1980) Diurnal rhythm of mitosis in rabbit corneal epithelium. Albrecht V: Graefes Arch. Klin. Exp. Ophthalmol 213, 143.

Fowler SA. (1980). Wound healing in the corneal epithelium in diabetic and normal rats. Exp. Eye. Res. 31(4), 167-79.

Francois J, Victoria-Troncoso V, d'Haenens J. (1977). Étude comparativ de la surface de l'épithelium cornéen a l'aide de microscope à balayage apres le port de lentilles de contacte dures et molles. Ann. D'Oculist. 210, 659-666.

Francois J, Miraglio O, Victoria-Troncoso V, Lentini F. (1980). Experimental herpetic keratitis: In situ and in vivo study in scanning microscopy. Ophthalmic Res. 12, 205-220.

Fraunfelder FT, Fraunfelder FW. (2001) Drugs-induced ocular side effects 5<sup>th</sup> Edition. Butterworth Heinemann. Boston.

Fuhijara T, Nagano T, Nakamura M, Shirasawa E. (1998) Lactoferrin supresses loss of corneal epithelial integrity in a rabbit short-term dry eye model. Journal of ocular pharmacology and therapeutics. 14 (2): 99-107.

Fujishima H, Toda I, Yamada M, Sato N, Tsubota K (1996) Corneal temperature in patients with dry eye evaluated by infrared radiation thermometry. Br. J. Ophthalmol. 80 (1), 29-32.

Gálvez Tello JF, Lou Rollo MJ , Andreu Yela E. Ojo seco: diagnóstico y tratamiento. Información Terapéutica del Sistema Nacional de Salud. Volume. 22,Number 5. 1998.

Gassett AR. Ishii Y, Kaufman HE, Miller T. (1974). Cytotoxicity of ophthalmic preservatives. Am. J. Ophthalmol. 78 (1), 98-105.

Gavrieli Y, Sherman Y, Ben-Sasson SA (1992) Identification of programmed cell death in situ via specific labeling of nuclear DNA fragmentation. J. Cell Biol. 119, 493-501.

Gilbard JP (1985) Tear film osmolarity and keratoconjunctivitis sicca. CLAO J. 11 (3), 243-250.

Gilbard JP (1994) Human tear film electrolyte concentrations in health and dry-eye disease. *Int. Ophthalmol. Clin* 34, 27-36.

Gilbard JP, Carter JB, Sang DN, Refojo MF. Hanninen LA, Kenyon KR. (1984). Morphologic effects of hyperosmolarity on rabbit corneal epithelium. *Ophthalmology* 91 (10), 1205-1212.

Gilbard JP, Dartt DA. (1982) Changes in rabbit lacrimal gland fluid osmolarity with flow rate. *Invest. Ophthalmol. Vis. Sci.* 23 (6), 804-806.

Gilbard JP, Rossi SR. (1992) An electrolyte-based solution that increases corneal glycogen and conjunctival goblet-cell density in a rabbit model for keratoconjunctivitis sicca. *Ophthalmology*. 99 (4): 600-604.

Gilbard JP, Rossi SR, Gray KL. (1987a) A new rabbit model for keratoconjunctivitis sicca. *Invest. Ophthalmol. Vis Sci.* 28 (2), 225-228.

Gilbard JP, Rossi SR, Gray KL, Hanninen LA, Kenyon KR (1987b) Tear film osmolarity and ocular surface disease in two rabbit models for keratoconjunctivitis sicca. *Invest. Ophthalmol. Vis Sci.* 29 (3), 374-378

Gipson IK y Anderson RA (1977) Actin filaments in normal and migrating corneal epithelial cells. *Invest. Ophthalmol. Vis. Sci.* 16 (2), 161-6

Gipson IK, Inatomi T (1997) Mucin genes expressed by the ocular surface epithelium. *Prog. Ret. Eye Res.* 16, 81-98.

Gipson IK, Yankauckas M, Spurr-Michaud SJ, Tisdale AS, Rinehart W. (1992) Characteristics of a glycoprotein in the ocular surface glycocalix. *Invest. Ophthalmol. Vis Sci.* 33 (1), 218-227.

Göbbels M Spitznas M. (1992) Corneal epithelial permeability of dry eyes before and after treatment with artificial tear tears. *Ophthalmology* 99 (6), 873-878

Golding TR y Brennan NA. (1989). The basis of tear ferning. Clinical and Experimental Optometry 72.4:102-112.

Gómez-Villegas, M.A. (2005): Inferencia estadística, Díaz de Santos, Madrid, España.

Hanna C, Bicknell DS, O'Brien JE. (1961) Cell turnover in the adult human eye. Arch. Ophthalmol. 65: 695,

Harding CV, Bagchi M, Weinsieder A and Peters V. (1974). A comparative study of corneal epithelial cell surfaces utilizing the scanning electron microscope. Invest. Ophthalmol. 13 (12), 906-912.

Haskjold E, Nicolaissen B. (1988). Isolation and culture of basal cells of the human corneal epithelium. Acta Ophthalmol. 66, 387-392.

Hassel JP. Gehron Robey P. Barrach HJ. Wilczek J, Rennard SI, Martin GR. (1980). Isolation of a heparan sulfate containing proteoglycan from basement membrane. Proc Natl. Acad. Sci. USA. 77, 4494-98.

Hazlett L, Dudzik D, Harries B.(1986) Developement of ocular mucin: Scanning Electron Microscopy analysis. Ophthalmic Res. 18:28-33

Hazlett ID, Spann B, Wells P, Berk RS. (1980). Desquamation of the corneal epithelium in the immature mouse: a scanning and transmission electron microscopy study. Exp. Eye. Res. 31(1), 21-30.

Herrygers LA, Noecker RJ, Lane LC; Levine JM. (2005). Comparison of corneal surface effects of gatifloxacin and moxifloxacin using intensive and prolonged dosing protocols. Cornea. 2005, 24 (1), 66-71.

Hibino SH, Watanabe H. (2002) Mucins and ocular surface disease. Adv. Exp. Med. Biol. 506, 275-281.

Hoffman F. (1972). The surface of the epithelial cells of cornea under the scanning electron microscopy. Ophtalmol. Res. 3:207,

Holly FJ, Lemp MA (1971) Wettability and wetting of corneal epithelium Exp. Eye Res. 11(2), 239-250

Huang AJ, Belldegrun R, Hanninen L, Kenyon KR, Tseng SC, Refojo MF. (1989) Effects of hypertonic solutions on conjunctival epithelium and mucinlike glycoprotein discharge. Cornea 8(1), 15-20.

Ichijima H, Petroll M. (1992). Confocal microscopic studies of living rabbit cornea treated with benzalkonium chloride. Cornea, 11 (3), 221-225

Imanishi J, Kamiyama K, Iguchi I, Kita M, Sotozono C, Kinoshita S (2000) Growth factors: importance in wouhd healing and maintenance of transparency of the cornea. Prog. Retin. Eye Res. 19(1), 113-129.

Johnson ME y Murphy PL. (2004) Changes in the tear film amd ocular surface from dry eye syndrome. Progress in Retinal and Eye Research 23, 449-474.

Jones SM, Kazlauskas A. (2000) Connecting signaling and cell cycle progression in growth factor-stimulated cells. Oncogene 19, 5558-5567.

Jongebloed WL, Dijk F, Worst JFG. (1987). Descriptive anatomy of the ageing process of the human cornea as visualized by SEM. Doc. Ophthalmol. 1987, 67(1-2), 209-220.

Jongebloed WL, Humalda D, Van Andel P, Worst JFG. (1986). A SEM study of a keratoconus and an artificially-aged human cornea. Doc. Ophthalmol. 64 (1), 129-142.

Jumblatt JE, Cunningham LT, Li Y, Jumblatt MM (2002) Characterization of human ocular mucin secretion mediated by 15(S)-HETE. *Cornea* 21 (8), 818-824.

Jumblatt JE, Jumblatt MM. (1998) Regulation of ocular mucin secretion by P<sub>2</sub>Y<sub>2</sub> nucleotide receptors in rabbit and human conjunctiva. *Exp. Eye Res* 67 (3), 341-346.

Kato T, Kakayasu K, Kanai A, Nishiyama T, Imamura Y, Hayashi T. (2000). Distribution and isoform characterization of type Xii Collagen in bovine cornea. *Ophthalmic Res.* 32 (5), 215-221.

Kawasaki S, Kawamoto S, Yokoi N, Connon C, Minesaki Y, Kinoshita S Okubo K. (2003) Up-regulated gene expression in the conjunctival epithelium of patients with Sjögren's syndrome. *Exp. Eye Res.* 77(1), 17-26

Kern TJ, Erb HN, Schaedler JM. Dougherty EP. (1988). Scanning electrom microscopy of experimental keratoconjunctivitis sicca in dogs: corneal and bulbar conjunctiva. *Vet Pathol.* 25, 468-74.

Kerr JFR, Wyllie AH, Currie AR (1972) Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *BR. J. Cancer* 26, 239-257.

Kessler TL, Mercer HJ, Zieske JD, McCarthy DM, Dartt DA (1995) Stimulation of goblet cell mucous secretion by activation of nerves in rat conjunctiva. *Curr. Eye Res.* 14(11), 985-992.

Kim SY, Sah WJ, Lim YW. (2002). Twenty percent alcohol toxicity on rabbit corneal epithelial cells: electron microscopic study. *Cornea*. 21(4), 388-392.

Klenkler B, Sheardown H. (2004) Growth factors in the anterior segment: role in tissue maintenance, wound healing and ocular pathology. *Exp. Eye Res.* 79 (5), 677-688.

Klyce SD (1975) Transport of Na, Cl and water by the rabbit corneal epithelium at resting potential. Am. J. Physiol 228, 1446-1452.

Kogbe O, Liotet S, Tiffany JM. (1991) Factors responsible for tear ferning. Cornea 10(5): 433-444.

Kohlhaas M (1998) Corneal sensation after cataract and refractive surgery. J. Cataract. Refract. Surg. 24(10), 1399-1409.

Korb DR, Baron DF, Herman JP, Finnemore VM, Exford JM, Hermosa JL, Leahy CD, Glonek T, Greiner JV (1994) Tear film lipid layer thickness as a function of blinking. Cornea 13(4), 354-359.

Krenzer KL, Dana MR, Ullman MD, Cermak JM, Tolls DB, Evans JE, Sullivan DA. (2000) Effect of androgen deficiency on the human meibomian gland and ocular surface. J. Clin Endocrinol. Metab. 85, 4874-4882.

Kruse FE, Chen JJY, Tsai RJF, Tseng SCG (1990) Conjunctival transdifferentiation is due to incomplete removal of limbal basal epithelium. Invest. Ophthalmol. Vis. Sci. 31(9), 1903-1913.

Kruse FE, Jaeger W, Gotz ML, Schimtz W (1986) Conjunctival morphology in Sjögren syndrome and other disorders of the anterior eye. Scand. J. Reumatol. 61 (suppl) 206-214

Kuwabara T, Perkins DG, and Cogan DG. (1976) Sliding of the epithelium in experimental corneal wounds. Invest. Ophthalmol 15(1): 4,14

Lauffenburger DA, Linderman JJ (1993) Receptors: models for binding, trafficking and signaling. Oxford University Press. New York.

Lavker RM, Dong G, Cheng SZ, Kudoh K, Cotsarelis G, Sun TT. (1991) Relative proliferative rates of limbal and corneal epithelia. *Inves. Ophthalmol. Vis. Sci.* 32(6), 1864-1875.

Lemp MA. (1973) Mucin-deficient dry eye. *Int. Ophthalmol. Clin.* 13:185-9.

Lemp MA (1995) Report of the National Eye Institute/Industry Workshop on clinical trials in dry eye. *CLAO J.* 21(4):221-32

Lemp MA (1999) New strategies in the treatment of dry-eye states. The 1998 Catroviejo Lecture. *Cornea* 18(6): 625-632.

Lemp MA, Gold JB. (1986). The effects of extended wear hydrophilic contact lenses on the human corneal epithelium. *Am. J. Ophthalmol.* 101(3), 274-277.

Lemp MA, Gold JB, Wong S, Mahmood M, Guimaraes R. (1984). An in vivo study of corneal surface morphologic features in patients with keratoconjunctivitis sicca. *Am. J. Ophthalmol.* 98(4), 426-8.

Lemp MA, Holly FJ, Iwata S, Dohlman CH. (1970). The precorneal tear film. Factors in spreading and maintaining a continuous tear film over the corneal surface. *Arch. Ophthalmol.* 83(1), 89-94.

Lemp MA, Mathers WD. (1991) Renewal of the corneal epithelium. *CLAO J.* 17(4), 258-266.

Lemp MA, Mathers WD, Gold JB. (1989). Surface cell morphology of the anesthetic human cornea: a color specular microscopy study. *Acta Ophthalmol.* (Suppl 192). 67, 102-107.

Lemp MA, Mathers WD, Sachdev MS. (1990). The effect of contact lens wear on the morphology of corneal surface cells in the human.. *Trans Am Ophthalmol Soc.* LXXXVIII, 313-325.

Leuenberger PM. (1978) Morphologie fonctionnelle de la cornée. Adv. Ophthalmol.; 35 :94-166.

Levenson JE. (1973). The effect of short-term drying on the surface ultrastructure of the rabbit cornea: a scanning electron microscopic study. Ann. Ophthalmol. 5, 865-877.

Liotet S (1987) Nouvelle théorie sur la stabilité du film lacrymal et son application en pathologie. Bull. Soc. Ophtalmol. Fr. 87, 6-7, 751-754

Liotet S. (1990) Quantitative and qualitative abnormalities in tear proteins. In : Van Bijsterveld OP, Lemp MA, Spinelli D. The lacrimal system, Proceedings of symposium on the lacrimal system, 17-19. Singapore, March 17<sup>th</sup>.

Liu CY, Zhu G, Converse R, Kao CW, Nakamura H, Tseng SC, Mui MM, Seyer J, Justice MJ, Stech ME. (1994) Characterization and chromosomal localization of the cornea-specific murine keratin gene Krt1.12. J. Biol. Chem. 269, 24627-24636.

Lohman LE, Rao GN, Tripathi RC, Tripathi BJ. Aquavella JV. (1982). In vivo specular microscopy of edematous human corneal epithelium with light and scanning electron microscopic correlation. Ophthalmol. 89(6), 621-9.

Lucarelli MJ, Dartt DA, Cook BE, Lemke BN, (2003) The lagrimal system. In: Kaufman PL, Alm A (Eds.) Adlers Physiology of the Eye, 10<sup>th</sup> Edition. Mosby, St Louis, MO 30-43.

Lucca JA, Nuñez JN, Farris RL. (1990) A comparison of diagnostic tests for keratoconjunctivitis sicca: lactoplate, Schirmer and tear osmolarity. CLAO J. 16(2), 109-112.

Lluch Margarit Sara (2003) Estudi morfològic i biomètric de l'òrgan de la visió de diferents espècies d'insectívors i rosegadors. Tesi doctoral. Universitat de Barcelona. Pg 348.

Luo L, Reinach PS, Kao WW. (2001). Corneal epithelial wound healing. *Exp. Biol. Med (Maywood)*. Jul;226(7):653-64.

Maréchal-Courtois C, Delcourt JC (1986) Wide-fields specular microscopy of corneal epithelium. *CLAO J.* 12 (3) 165-172.

Marner K (1980) "Snake-like" appearance of nuclear chromatin in conjunctival epithelial cells from patients with keratoconjunctivitis sicca. *Acta Ophthalmol. (Kbh)* 58, 849-853.

Mathers WD (2000) Why the eye becomes dry: a cornea and lacrimal gland feedback model. *CLAO J.* 26(3), 159-165.

Maudugal PC, Cornelis H, Missotten L. (1981). Effects of comertial ophthalmic drugs on rabbit corneal epithelium. *Graefes Arch. Klin Exp. Ophthalmol.* 216, 191-203.

Maurice D. (1995) The effct of the low blink rate in rabbit on topical drugs penetration. *J. Ocular Pharmacol. Ther.* 11:297-304.

Mayer DJ (1984) Clinical wide-field specular microscopy. *Baillière Tindall.* Londres.

Mc Culley JP, Shine WE. (1997) A compositional based model for the tear film lipid layer. *Trans. Am. Ophthalmol. Soc.* 95, 79-88.

McRae SM, Lutzi D. (1984). The corneal toxicity of presurgical skin antiseptics. *Am. J. Ophthalmol.* 1984, 97(2), 221-232.

Merindano MD. (1994). Anatomía comparada de la córnea de diferentes mamíferos. Tesis doctoral. Universidad de Barcelona. (495 pg)

Millodot M (1984) A review of research on the sensitivity of the cornea. Ophthalmic & Physiological Optics. 4 (4): 305-318

Mishima S (1965) Some physiological aspects of the precorneal tear film. Arch. Ophthalmol. Feb.73, 233-241.

Molon-Noblot S, Duprat P. (1987). Comparative dor and rabbit ultastructure of the corneal surface: a quantitative scanning electron microscopic study. 15<sup>Th</sup> Meeting of the European Club for Ophthalmic Fine Structure. Paris.

Mori A, Oguchi Y, Okusawa Y, Ono M, Fujishima H, Tsubota K (1997) Use of high-speed, high-resolution thermography to evaluate the tear film layer. Am. J. Ophthalmol. 124(6), 729-735.

Muller LJ, Marfurt CF, Kruse F, Tervo TM (2003) Corneal nerves: structure, contens and function. Exp. Eye Res. 76(5), 521-542.

Murphy PJ, Patel S, Marshall J. (2001) The effect of long-term, daily contact lens wear on corneal sensitivity, Cornea 20(3), 264-269.

Murray SB, Lee WR, Williamson J (1981) Ageing changes in the lacrimal gland: a histological study. Clin Exp. Gerontol. 3, 1-27.

Murube J (1997) Ojo seco-Dry eye. Cap 18 Tecnimedia editorial. 190-203.

Murube J, Murube E. (2002) Near vision accomodation in horizontality with VDT: why low blinking and dry eye? Adv. Exp. Med. Biol. 506, 1205-1211.

Murube J, Rivas L (2002) Ojo seco: clasificación clínica y por citología de impresión. Arch. Soc. Canar. Oftalmol. 13

Nakamura M, Endo K, Nakata K, Hamano T. (1997) Gefarnate stimulates secretion of mucin-like glycoproteins by corneal epithelium in vitro and protects corneal epithelium from dessication in vivo. Exp. Eye Res. 65(4), 569-574.

Nakamura S, Shibuya M, Saito Y, Nakashima H, Saito F, Higuchi A, Tsubota K. (2003) Protective effect of D- $\beta$ -Hydroxybutyrate on corneal epithelia in dry eye conditions through suppression of apoptosis. Invest . Ophthalmol. Vis. Sci. 44 (11), 4682-4688.

Nakamura Y Sotozono C, Kinoshita S (2001) The epidermal growth factor receptors (EGFR): role in corneal wound healing and homeostasis. Exp. Eye Res. 72(5), 511-517.

Nichols B, Dawson CR, Togni B. (1983). Surface features of the conjunctiva and cornea. Invest. Ophthalmol. Vis. Sci. 24(5), 570-6.

Nichols BA, Chiappino ML, Dawson CR.(1985) Demonstrationof the mucous layer of the tear film by electron microscopy. Invest. Ophthalmol. Vis Sci. 26(4):464-473.

Noecker RJ, Herrygers LA, Anwaruddin R. (2004) Corneal and conjuntival changes caused by commonly used glaucoma medications. Cornea 23 (5): 490-496.

Nonatz E, Brewitt H. (1986). Morphological studies of the corneal epithelium before and after the application of topical ophthalmic drugs. In Holly FJ, ed. The preocular tear film in health. Lubbock TX : the dry eye institute. 280-290.

Norn MS. (1972). Tetrazolium alcian blue mixture I: vital staining of cornea and conjunctiva. Acta Ophthalmol. 50, 277-285.

Ohashi Y, Ishida R, Kojima T, Goto E, Matsumoto Y, Watanabe K, Ishida N, Nakata K, Takeuchi T, Tsubota K (2003) Abnormal protein profiles in tears with dry eye syndrome. Am. J. Ophthalmol. 136, 291-299.

Ohashi Y, Motokura M, Kinoshita Y, Mano T, Watanabe H, Kinoshita S, Manabe R, Oshiden K, Yanaihara C (1989) Presence of epidermal growth factor in human tear. Invest. Ophthalmol. Vis. Sci. 30 (8), 1879-1882.

O'Lairy DJ, Wilso G. (1986). Tear-side regulation od desquamation in the rebbir corneal epithelium. A specular microscopy study. Cli Exp. Optom. 69, 22-6.

Olson RJ. White GL. (1990). Preservatives in ophthalmic topical medications. Cornea. 9(4), 363-364.

Ojeda JL. Ventosa A, Piedra S. (2001). The three-dimensional microanatomy of the rabbit and human cornea. A chemical and mechanical microdissection-SEM approach. J. Anat. 199 (Pt 5), 567-576.

Owaribe K, Nishizawa Y, Franke WW. (1991). Isolation ans characteritation of hemidesmosomes from bovine corneal epithelial cells. Expe. Cell. Res. 192(2), 622-630.

Oyster CW. (1999) The Human Eye. Stucture and function. The Cornea and the Sclera Sinauer Associates, Inc. Publishers. 325-378

Paterakis O, Petroutsos G, Sherrard N, Ng W. (1987) Lentille souple et épithélium cornéen : étude expérimentale au microscope à balayage. J. Fr. Ophthalmol. 10, 413-417.

Pau H. Conrads H. (1957). Die bedeutung der Langerhanschen Zellen für die Nerven des Hornhautepithels. Graefes arch. Ophthalmo. 158, 1179-1183.

Peña, D. (2002): Análisis de datos multivariantes, McGraw Hill, Madrid, España.

Pfister RR. (1973). The normal surface of the corneal epithelium : a scanning electron microscopic study. Invest. Ophthalmol. 12, 654-68.

Pfister RR. (1975). The healing of corneal epithelial abrasions in the rabbit: a scanning electron microscope study. Invest. Ophthalmol. 14, 648-61

Pfister RR, Burstein NL (1976). The effect of the ophthalmic drugs, vehicles and preservatives on corneal epithelium: a scanning electron microscope study. Invest. Ophthalmol, Vis. Sci. 15, 246-259.

Pfister RR, Burstein NL. (1977). The normal and abnormal human corneal epithelial surface: a scanning electron microscopic study. Invest Ophthalmol. Vis. Sci. 16(7), 614-622.

Pfister RR, Renner M. (1977). The histopathology of experimental drye spots and dellen in rabbit cornea: A light microscopy and scanning and transmission electron microscopy study. Invest. Ophthalmol. Vis. Sci. 16(7), 1025-1038.

Pflugfelder SC, Solomon A, Dursun D, Li DQ (2002) Dry eye and delayed tear clearance: a call to arms. Adv. Exp. Med. Biol. 506, 739-743.

Prince JH. (1970). Anatomy and histology of the eye and orbit in domestic animals. Charles C Thomas, Springfield.

Puy P, Benítez del Castillo JM, Jiménez Alfaro I, García Sánchez J (1998) Alteración de la permeabilidad del epitelio corneal en pacientes con ojo seco. Arch. Soc. Esp. Oftalmol. 73 : 495-499.

Ratkay-Traub I, Hopp B, Bor Z, Dux L, Becker DL, Krenacs T (2001) Regeneration of rabbit cornea following excimer laser photorefractive keratectomy: a study on gap junctions, epithelial junctions and epidermal growth factor receptor expression in correlation with cell proliferation. Exp Eye Res. 73 (3): 291-302.

Remington LA (1998) Clinical Anatomy of the Visual System. The Cornea and the Sclera. Butterworth-Heinemann.9-30

Ren H, Wilson G. (1996a) The cell shedding rate of the corneal epithelium : a comparison of collection methods. Curr. Eye Res. 15(10) : 1054-1059.

Ren H y Wilson G (1996b) Apoptosis in the corneal epithelium. Invest. Ophthalmol. Vis. Sci. 37(6), 1017-1025.

Renard G. Montanez-Mendoza M. Savoldelli M. pouliquen Y. (1983). Etude en microscopio á balayage de l'épithélium cornéen. J. Fr. Ophthalmol. 6( 8-9) 697-705.

Renard G, Patey A, Savoldelli M, Montanez-Mendoza M, Pouliquen Y. (1983). Etude morphologique et quantimetrique de la surface de l'épithélium cornéen. J. Fr. Ophthalmol. 6, 777-783

Rice, J.A. (1995): Mathematical Statistics and Data Analysis, 2nd edition, Wadsworth Pub. Co. , Belmont CA, USA.

Rigal D. (1993) Anatomie de l'épithélium cornéen. Le renouvellement de l'épithélium cornéen. La barrière épithéliale. Dégénérescences épithéliales. En L'Epithélium cornéen. Société Française d'Ophthalmologie. Masson. Paris.

Ringvold A. (1983) Damage of the cornea epithelium caused by ultraviolet radiation. a scanning electronmicroscopic study in rabbit. Acta Ophthalmol. (Kbh) 61, 898-907.

Rivas L, Oroza MA, Perez-Esteban A, Murube-del-Castillo J (1992) Morphological changes in ocular surface in dry eyes and other disorders by impressión cytology. Graefes Arch. Clin. Exp. Ophthalmol. 230(4), 329-334.

Robb RM, Kuwabara T (1962) Corneal wound healing. the movement of polymorphonuclear leukocytes into corneal wounds. Arch. Ophthalmol 68: 636-42.

Rodriguez-Caballero ML, Carretero J, Vazquez R. (1983). Precisions on normal surface of human corneal epithelium:a scanning electrón microscopio study. *J. Submicrosc. Cytol.* 15(4), 1007-1012.

Rolando M, Refojo MF, Kenyon KR. (1983) Increased tear evaporation in eyes with keratoconjuntivitis sicca. *Arch. Ophthalmol.* 101, 557-558.

Rolando M, Zierhut M, (2001) The ocular surface and tear film and their dysfunction in dry eye disease. *Surv. Ophthalmol.* 45 (Suppl. 2) S203-S210.

Sahapiro MS, , Friend J, Thoft RA. (1981) Corneal re-epithelialization from the conjuntiva. *Invest. Ophthalmol.* 21 (1) 135-142.

Schafer M, Carter L, Stein C (1994) Interleukin I beta and corticotropin-releasing factor inhibit pain by releasing opioids from immune cells in inflamed tissue. *Proc Natl. Acad. Sci. USA* 91, 4219-4223

Schrage N, Wuestemeyer H, Langefeld S. (2004) Do different osmolar solutions change the epithelial surface of the healthy rabbit cornea? *Graefe's Arch. Clin. Exp. Ophthalmol.* 242:668-673.

Schwartz DE. (1974) Cornelia sensitivity in diabetics. *Arch. Ophthalmol.* 91(3), 174-178.

Seber, G.A.F. (1984): *Multivariate Observations*, J. Whiley and Sons, New York NY, USA.

Seal DV, Mc Gill JI, Mackie IA, Liakos GM, Jacobs P, Goulding NJ (1986) Bacteriology and tear protein profiles of the dry eye. *Br. J. Ophthalmol.* 70(2): 122-125.

Seek AJ, Van Agtmall EJ, Saowakontha S, Schreurs WHP, Van Haeringen NJ. Fluorometric determination of retinol in human tear fluid using high performance liquid chromatography. *Curr. Eye Res.* 5 (11), 841-845.

Segawa K. (1964). Electron microscopic studies on the hyuman corneal epithelium. Dendritic cells. Arch. Ophthalmol. 72, 650-659.

Sellheyer K, Spitnas M. (1988). Surface differentiation of the human corneal epithelium during prenatal development. Graefes Arch Clin Exp Ophthalmol. 1988;226(5):482-8.

Serdarevic ON y Koester CJ. (1985) Color wide fields specular microscopic investigationof corneal surface disorders. Trans. Ophthalmol. Soc. UK 104, 439-445.

Serrano D, Hibino S, Nishida K, Maeda N, Tano Y. (2003). Electrón microscopy of the epithelial flap created by etanol treatment in the rabbit corneal epithelium. J. Catarat Surg. 29 (7), 1389-1396.

Shalaby O, Sanz AI, Oroza MA, Rivas L Murube J (1998) Cambios en la superficie ocular en pacientes con queratoconjuntivitis seca antes y después del parche punctal. Archivos de la Sociedad Española de Oftalmolgía 10. Octubre.

Sharma A (1993) Energetics of corneal epithelial cell-ocular mucus tear film interactions: some surface-chemical pathways of corneal defense. Biophys. Chem. 47, 87-99.

Sharma A (1998a) Surface-chemical pathways of the tear film breakup. Does corneal mucus have a role? Adv. Exp. Med. Biol. 438, 361-370

Sharma A (1998b) Breakup and dewetting of the corneal mucus layer. An update. Adv. Exp. Med. Biol. 438, 273-280.

Sharma A, Ruckenstein E (1985) Mechanism of tear film rupture and its implications for contact lens tolerance. Am. J. Optom. Physiol. Opt. 62, 246-253.

Shermer A, Galvin S, Sun TT (1986) Differentiation-related expression of a major 64K corneal keratin in vivo and in culture suggest limbal location of corneal epithelial stem cells. *J. Cell Biol.* 103, 49-62.

Shine WE, Mc Culley JP (1998). Keratoconjunctivitis sicca associated with meibomian secretion polar lipid abnormality. *Arch. Ophthalmol.* 116 (7), 849-852.

Shively JN. Epling GP. (1970). Fine structure of the canine eye: Cornea. *Am. J. Vet. Res.* 31 (4), 713-722.

Sokol JL, Masur SK, Asbell PA, Wolosin JM. (1990) Layer-by-layer desquamation of corneal epithelium and madurationof tear-facing membranes. *Invest Ophthalmol Vis Sci.* 31(2): 294-304

Sommer A (1983) Effects of vitamin A deficiency on the ocular surface. *Ophthalmology* 90 (6), 592-600.

Stern ME, Beuerman RW, Fox RI, Gao J, Mircheff AK Pflugfelder SC. (1998) The pathology of dry eye: the interaction between the ocular surface and lacrimal glands. *Cornea* 17 (6), 584-589.

Stroobants A, Fabre K, Maudgal PC. (2000). Effect of non-steroidal anti-inflammatory drugs (NSAID) on the rabbit corneal epithelium studied by scanning electron microscopy. *Bull. Soc. Belge Ophthalmol.* 276, 73-81

Sugiura S. Wakui K. Kondo E. (1962). Polygonal cell system of the corneal epithelium – its comparative anatomy and embryology. *Jap. J. Ophthalmol.* 6, 220-232.

Sullivan DA, Wickham LA, Rocha EM, Kelleher RS, da Silveira LA, Toda I. (1998) Influence of gender, sex steroid hormones, and the hypothalamic-pituitary axis on the structure and funtion of the lacrimal gland. *Adv. Exp. Med Biol.* 438, 11-42.

Tamada Y, Takama H, Kitamura T et al. (1994) Identification of programmed cell death in normal human skin tissues by using specific labelling of fragmented DNA. Br. J. Dermatol. 131, 521-524.

Teng CC. (1961). The fine structure of corneal epithelium and basement membrane of the rabbit. Am. J. Ophthalmol. 51, 278-297.

Tervo T, Sulonen J, Valtones S, Vannas A, Virtanen I. (1986) Distribution of fibronectin in human and rabbit corneas. Exp. Eye Res. 42 (4), 399-406.

Thoft RA, Friend J (1983) The X,Y, Z hypothesis of corneal epithelial maintenance. Inves. Ophthalmol. Vis. Sci. 24(10), 1442-1443.

Tiffany JM, Nagyová B (2002) The role of lipocalin in determining the physical properties of tears. Adv. Exp. Med. Biol. 506, 581-585.

Tomlinson A, Craig JP, Lowther GE (1998) The biophysical role in tear regulation. Adv. Exp. Med. Biol. 438, 371-380.

Tonjum EM. (1975). Effects of benzalkonium chloride upon the corneal epithelium studied with scanning electron microscopy. Acta Ophthalmol. 53, 358-366.

Trinkaus-Randall V, Newton A, Franzblau C (1988) Influence of substratum on corneal epithelial cell growth and protein synthesis. Inves. Ophthalmol. Vis Sci. 29 (12) 1800-1809.

Tseng SCG (1985) Staging of conjunctival squamous metaplasia by impression cytology. Ophthalmolgy 92(6): 728-733.

Tsubota K, Hata S, Okusawa Y, Egami F, Ohtsuki T, Nakamori K (1996) Quantitative videographic analysis of blinking in normal subjects and patients with dry eye. Arch. Ophthalmol. 114(6), 715-720.

Tsubota K, Yamada M (1992) Tear evaporation from the ocular surface. Inves. Ophthalmol. Vis Sci. 33(10), 2942-2950.

Tsubota K, Yamada M, Oma SN (1991) Specular microscopic observation of human corneal epithelial abnormalities. Ophthalmology 98 (2):184-191.

Van Buskirk EM. (1979) Corneal anesthesia after timolol maleate therapy. Am. J. Ophthalmol 88(4), 739-743.

Van Setten GB, Tervo T, Viinikka L, Pesonen K, Perheentupa J, Tarkkanen A. (1991) Ocular disease leads to decrease concentrations of epithelial growth factor in the tear fluid. Curr. Eye Res. 10(6), 523-527.

Waggoner PR: Philip NJ. (1981). Desquamation cells of the chick embryo corneal epithelium. Ophthalmic res. 13 (4), 198-209.

Waring GO. (1984). Corneal structure and pathophysiology. En Corneal disorders. Clinical diagnosis and management. Leibowitz HM. WB. Saunders Philadelphia. 3-25.

Waring GO, Rodriguez MM. (1987) Pattern of pathologic response in the cornea. Surv. Ophthalmol. 31(4):262-266

Whiear M. (1960). An electronmicroscopic study of the cornea in mice, with special reference to the innervation. J. Anat. 94, 387-409.

Wickham LA, Gao J, Toda I, Rocha EM, Ono M, Sullivan DA, (2000) Identification of androgen, estrogen and progesterone receptor mRNAs in the eye. Acta Ophthalmol. Scand 78, 146-153.

Willie AH, Kerr JFK, Currie AR. (1980) Cell death: the significance of apoptosis. Int. Rev. Cytol. 68, 251-306.

Wilson G. (1994) The effect of hypoxia on the shedding rate of the corneal epithelium. *Curr. Eye Res.* 13(6): 409-413.

Wilson G, He YG, Weng J, Li Q, Mc Dowall AW, Vital M, Chwang EL. (1996) Epithelial injury induces keratocyte apoptosis: hypothesized role for the interleukin-1 system in the modulation of corneal tissue organization and wound healing. *Exp. Eye Res.* 62(4): 325-327.

Wilson SE, Mohan RR, Ambrosio Jr R, Hong J, Lee J. (2001) The corneal wound healing response: cytoquine-mediated interaction of the epithelium, stroma and inflammatory cells. *Prog. Retin. Eye Res.* 20, 625-637.

Wolosin JM. (1988) Regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation. *J. Membr. Biol.* 104: 45-51.

Xie Han-ping, Zhang Han-cheng. (1993). Effects of three kinds of topical eye-drops on the experimental rabbit dry eye. *Chin. Med. J.* 106 (3), 196-201.

Zrihan-Licht S, Baruch A, Elroy-Stein O Keydar I, Wreschner DH. (1994) Tyrosine phosphorylation of the MUC1 breast cancer membrane proteins. Cytokine receptor-like molecules. *FEBS Lett.* 356, 130-136.