
Bibliografía

- [AB88] Y. Agrawal and C. Belting. Laser velocimetry for sediment transport. *Deep Sea Res.*, Vol. 95, N.6, pages 1047–1067, 1988.
- [ABDT03] H. Albrecht, M. Borys, N. Damaschke, and C. Tropea. *Laser Doppler and Phase Doppler Measurement Techniques*. Springer-Verlag Berlin Heidelberg. New York, 2003.
- [Adr75] R. J. Adrian. A Bipolar, Two Component Laser-Doppler Velocimeter. *Journal of Physics E: Scientific Instruments Vol.8*, pages 723–726, 1975.
- [Adr78] R.J. Adrian. Estimation of LDA Signal Strength and Signal-to-Noise Ratio. *TSI Quarterly*, Vol. IV, Issue 1, 1978.
- [Adr91] R.J. Adrian. Particle-imaging techniques for experimental fluid mechanics. *Annual Review of Fluid Mechanics 23*, pages 261–304, 1991.
- [AE76] Ronald J. Adrian and Walter L. Earley. Evaluation of LDV Performance Using Mie Scattering Theory. In *Proceeding of Minnesota Symposium on Laser Anemometry*, pages 426–454, Minnesota, Dept. of Conferences, Minneapolis (USA), Mar. 1976.
- [AO77] Ronald J. Adrian and Kenneth L. Orloff. Laser Anemometers signals: Visibility Characteristics and Applications to Particle Sizing. *Applied Optics*. Vol. 16, No.3, March 1977.
- [Bas88] AB Basset. *Treatise on Hidrodynamics Vol II*. Deigton Bell & Co, London, 1888.
- [BC01] L. Buettner and J. Czarske. A Multimode-Fibre Laser-Doppler Anemometer for Highly Spatially Resolved Velocity Measurements Using Low-Coherence Light. *Meas. Sci. Technol.*12, page 1891–1903, 2001.
- [BDL99] S. Becker, F. Durst, and H. Lienhart. LDA Systema for In-Flight Local Velocity Measurements on Airplane Wings. In *Proceedings of the 18th International Congress On Instrumentation in Aerospace Simulation Facilities (ICIASF)*, pages 25/1 – 25/7, Toulouse, France, June 1999.
- [BH83] Craig F. Bohren and Donald R. Huffman. *Absorption and Scattering of Light by Small Particles*. New York: Wiley Ed., 1983.

- [BK85] R H Bahnen and K H Koeller. Two-component laser Doppler System with Pockels Cell - First Measurements in Turbulent Flows. *Journal of Physics E: Scientific Instruments Vol.18*, pages 684–688, 1985.
- [BLT04] H.Ñobach B. Lehmann and C. Tropea. Acceleration Measurement Using the Laser Doppler Technique. In *Proc. of the 12th Int. Symp. Lisbon, Portugal*, page Paper 33.2, 12-15 July 2004.
- [Bou99] A. Boutier. Caractérisation de la Turbulence par Vélocimétrie Laser. In *AAAF – 35ème colloque d’aérodynamique appliquée Lille (France)*, Mars 1999.
- [Bro85] R. D. Brown. Seeding Materials. Health and Safety Considerations. In *NASA Conference Publications 2393*, pages 211–220, USA, 1985.
- [CM02] P. Castellini and R. Montanini. Automotive components vibration measurements by tracking laser Doppler vibrometry: advances in signal processing. *Meas. Sci. Technol.13*, pages 1266–1279, July. 2002.
- [CST98] C. Crowe, M. Sommerfeld, and Y. Tsuji. *Multiphase Flows with Droplets and Particles*. CRC Press, Boca Raton, Boston, USA, 1998.
- [Cza01a] J. Czarske. A Miniaturized Dual-Fibre Laser Doppler Sensor. *Meas. Sci. Technol.12*, page 1191–1198, 2001.
- [Cza01b] J. Czarske. A Miniaturized Dual-Fibre Laser Doppler Sensor. *Meas. Sci. Technol.12*, page 1191–1198, 2001.
- [CZW99] J. Czarske, H. Zellmer, and H. Welling. Directional Achromatic Heterodyne Fiber Laser Doppler Anemometer. *Optics Communications 160*, page 268–272, 1999.
- [DCGV01] F. Dios, A. Camerón, and D. García-Vizcaíno. On the choice of the number of samples in laser Doppler anemometry signal processing. *Opt. Eng.*, 40(5):774–782, May 2001.
- [DK74] J.J Degnan and B.J. Klein. Optical Antenna Gain.2: Receiving Antennas. *Applied Optics Vol. 13-10*, pages 2397–2401, 1974.
- [DMW76] F. Durst, A. Melling, and J. H. Whitelaw. *Principles and practice of laser-Doppler anemometry*. Academic Press, London/New York/San Francisco, 1976.
- [Dra80] L. E. Drain. *The Laser Doppler Technique*. A Wiley-Interscience Publication. John Wiley and Sons, 1980.
- [DS25] M. Deighton and E. Sayles. *An Electronic Tracker for the Continuos Measurement of Doppler Frequency from a Laser Anemometer*. DISA information, 12:5.

- [DT84] D. Dopheide and G. Taux. Accurate Frequency Measurements of Noise-added Doppler-Signals by means of Transient Recorders and LDA Counters using a Laser Diode Simulator. In *Proc. of the 12th Int. Symp. on Appl. of Laser, Lisbon, Portugal*, page Paper 4.3, 1984.
- [Duf03] A. Le Duff. *Contribution à l'Estimation Paramétrique de Signaux à Variations Sinusoïdale de la Fréquence Instantanée et à Amplitude variable: Application à l'Anémométrie Laser Doppler pour l'Acoustique*. Ph.D Université du Maine, 2003.
- [DW71] F. Durst and J. H. Whitelaw. Optimization of Optical Anemometers. In *Proc. of the Royal Society of London A. Vol 324*, pages 157–181, The Royal Society, London, 1971.
- [Dyn02a] Dantec Dynamics. Tonsbakken 16-18, P.O. Box 121 - DK-2740 Skovlunde - Denmark, www.dantecdynamics.com (2002).
- [Dyn02b] Dantec Dynamics. Seeding particles for flow visualisation, LDA and PIV. In *Publication No.: Pi270003*, Tonsbakken 16-18, P.O. Box 121 - DK-2740 Skovlunde - Denmark, www.dantecdynamics.com (2002).
- [Far72] W. M. Farmer. Measurement of Particle Size, Number Density, and Velocity Using a Laser Interferometer. *Applied Optics Vol. 11, No. 11*, pages 98–103, November 1972.
- [FGL65] J. W. Foreman, E. W. George, and R. D. Lewis. Measurements of Localised Flow Velocities in Gases with a Laser Doppler Flowmeter. *Applied Physics Letters Vol.7(4)*, pages 77–78, Aug. 1965.
- [FP83] J. Fernández and M. Pujal. *Iniciación a la Física. Tomo I*. Reverté, 1983.
- [FSJ90] J. Fincke, W. Swank, and C. Jeffery. Simultaneous Measurement of particle size, Velocity, and temperature in thermal plasmas. *IEEE Transactions on Plasma Science, Vol 18, N. 6*, pages 948–957, Decem. 1990.
- [Gag03] Gage. www.gage.com (2003).
- [GH67] R. J. Goldstein and W. F. Hagen. Turbulent Flow Measurements Utilising the Doppler-Shift of Scattered Laser Radiation. *Physics Fluids Vol.10*, page 1349, 1967.
- [GVR00] D. Garcia-Vizcaino and A. Rodríguez. Lidar Heterodino para la medida de desplazamiento de superficies. In *XV Simposium Nacional de la Unión Científica Internacional de Radio*, pages 29–30, Universidad de Zaragoza. Zaragoza - ESPAÑA, 2000.
- [GVR02] D. Garcia-Vizcaino and A. Rodríguez. Optimizacion de un Sistema Radar Laser con Deteccion Heterodina. In *XVII Simposium Nacional de la Unión*

- Científica Internacional de Radio*, pages 619–620, Universidad de Alcalá. Alcalá de Henares. Madrid - ESPAÑA, 2002.
- [IB92] K. Ibrahim and W. Bachalo. The significance of the Fourier analysis in signal detection and processing in laser Doppler and phase Doppler applications. In *Proc. of the 6th Int. Symp. on Appl. of Laser, Lisbon, Portugal*, page Paper 21.5, 1992.
- [Iso04] Isomet. <http://www.isomet.com>. Octubre 2004.
- [Jen92] L. Jensen. LDV Digital signal processor based on autocorrelation. In *Proc. of the 6th Int. Symp. on Appl. of Laser, Lisbon, Portugal*, page Paper 21.4, 1992.
- [JLRM02] J. Czarske, L. Büttner¹, T. Razik¹, and H. Muller. Boundary Layer Velocity Measurements by a Laser Doppler Profile Sensor with Micrometre Spatial Resolution. *Meas. Sci. Technol.* 13, page 1979–1989, 2002.
- [JP70] D. A. Jackson and D. M. Paul. Measurement of Hypersonic Velocities and Turbulence by Direct Spectral Analysis of Doppler Shifted Laser Light. *Applied Physics Letters Vol. 32A(2)*, pages 77–78, June 1970.
- [KD74] B.J. Klein and J.J. Degnan. Optical Antenna Gain.1: Transmitting Antennas. *Applied Optics Vol. 13-9*, pages 2134–2141, 1974.
- [Kol85] P. Kolari. Penetration of unfocused laser light into skin. *Arch. Dermatol. Res., Vol. 277*, pages 342–344, 1985.
- [LA88] L. Lading and K. Andersen. A covariance processor for velocity and size measurements. In *Proc. of the 4th Int. Symp. on Appl. of Laser, Lisbon, Portugal*, page Paper 4.8, 1988.
- [Lad87] L. Lading. Spectrum Analysis of LDA signals. In *Proc. Int. Espec. Meeting on the Use Computers in Laser Velocimetry, ISL, France*, page Paper 20, 1987.
- [Lin03] Linos. <http://www.linos.com>. *Catálogo de productos*, Junio 2003.
- [LM89] B. Lehmann and J. Mante. Application of a laser-Doppler scanning technique to the unstable flow field of a heated jet. In *Proceedings of the 13th International Congress On Instrumentation in Aerospace Simulation Facilities (ICIASF)*, Göttingen, Germany, Sept. 1989.
- [LT97] R. Lockey and R. Tatam. Multicomponent Time-Division-Multiplexed Optical Fibre Laser Doppler Anemometry. *IEEE Proc. Optoelectron. Vol 144*, pages 168–175, 1997.
- [MC87] J. Meyers and J. Clemons. Frequency domain laser velocimeter signal processor. In *NASA Techn.*, page Paper 2735, 1987.

- [MC03] Mini-Circuits. USA, www.minicircuits.com (2003).
- [Mel70] A. Melling. *The Laser-Doppler Shift Technique and Hot Wire Anemometry: a Comparison*. University of London, 1970.
- [Mey91] James F. Meyers. Generation of Particles and Seeding. In *Von Karman Institute for Fluid Dynamics. Lecture Series 1991-08*, NASA - Langley Research Center Hampton, Virginia, USA, Junio 1991.
- [ML91] R. Menon and W. T. Lai. Key Considerations in the Selection of Seed Particles for LDV Measurements. In *Fourth International Conference on Laser Anemometry*, Cleveland, Ohio (USA), Aug. 1991.
- [ML92] J. F. Meyers and J. F. Lee. Three Component Doppler Global Velocimeter Measurements of the Flow Above a Delta Wing. In *Proc. of the 6th Int. Symp. Lisbon, Portugal*, pages 345–363, July 1992.
- [MOC90] D. Marsh, J. Osborn, and A. Cowley. 1/f fluctuations in arterial pressure and the regulation of renal blood flow in dogs. *Amer. J. Physiol., Vol. 258 (Renal Fluid Electrolyte Physiol., Vol N.27)*, pages 1394–1400, 1990.
- [ND90] A.Ñaqwi and F. Durst. An extended Phase-Doppler System for Characterization of Multiphase Flows. In *Proc. 5 Int. Symp. on Appl. of Laser Techniques to Fluid Mech. Lisbon, Portugal*, page paper 24.4, 1990.
- [Neo03] Neos. <http://www.a-a.fr/home.htm>. *Catálogo de productos*, Junio 2003.
- [NNY80] N.Ñakatani, T.Ñishikawa, and T. Yamada. LDV Optical System with MuLtifrequency Shifting for Simultaneous Measurement of Flow Velocities at Several Points. *Journal of Physics E: Scientific Instruments Vol.13*, pages 172–173, 1980.
- [Nob99] H.Ñobach. Advances Techniques for frequency estimation from LDA Burst Signals. In *Proc. of the 8th Int. Conf. on Laser Anem. Adv. and Appl, Rome, Italy*, pages 311–318, 1999.
- [NS03] National-Semiconductor. USA, www.national.com (2003).
- [Oe03] A.A Opto-electronic. <http://www.a-a.fr/home.htm>. *Catálogo de productos*, Junio 2003.
- [OV12] J. Oldengarm and P. Venkatesht. A Simple Two-Component Laser Doppler Anemometer Using a Rotating Radial Diffraction Grating. *J. Phys. E: Sci. Instrum. Vol. 9*, pages 103–107, 1009-1012.
- [OV76] J. Oldengarm and P. Venkatesh. A simple Two-Component Laser Doppler Anemometer Using a Rotating Radial Diffraction Grating. *Journal of Physics E: Scientific Instruments Vol.9*, pages 1009–1012, 1976.

- [Pen69] C. M. Penney. Differential Doppler Velocity Measurements. *IEEE Journal of Quantum Electronics*, Vol. QE-5, page 318, June 1969.
- [PJBP68] E. R. Pike, D. A. Jackson, P. J. Bourke, and D. I. Page. Measurements of Turbulent Velocities from the Doppler-Shift in Scattered Laser-Light. *J. Scient. Instrum. Vol.2*, page 111, 1968.
- [PTJJ88] C. Pannell, R. Tatam, J. Jones, and D. Jackson. Two-Dimensional Fibre-Optic Laser Velocimetry Using Polarisation State Control. *J. Phys. E: Sci. Instrum. Vol. 21*, pages 103–107, 1988.
- [RCGV01] A. Rodríguez, A. Camerón, and D. García-Vizcaíno. Homodyne Laser Radar System for Surface Displacement Monitoring. *Opt. Eng.*, 40(3):398–405, March 2001.
- [RGV00] A. Rodríguez and D. Garcia-Vizcaino. Self-aligned Heterodyne Laser Radar System for Surface Displacement Monitoring. In *EOS/SPIE Symposium on Remote Sensing.*, pages 221–229, SPIE Vol 4167, September 2000.
- [RGVCD00] A. Rodríguez, D. Garcia-Vizcaino, A. Comeron, and F. Dios. Self-aligned coherent Laser Radar System for Surface Displacement Monitoring. In *Microwave Symposium 2000*, pages 152–155, Electronic and Microwaves Group. Faculty of Sciences. Abdelmalek Essaadi University. Tetuan, Marroc., May 2000.
- [Roc96] F. Rocabdenbosch. LIDAR Sensing of the Atmosphere. *Tesis Doctoral. UPC*, 1996.
- [Rod98] A. Rodríguez. Sistemas Lidar coherentes e incoherentes de baja potencia para la detección de velocidad de blancos sólidos. *Tesis Doctoral. UPC*, Mayo 1998.
- [Ros97] M. Ross. Combined Differential and Reference Beam LDV for 3D Velocity Measurement. *Optics and Lasers in Engineering 21*, pages 587–619, 1997.
- [RSG⁺95] C. Resagk, U. Schellenberger, J. Grabow, C. Tropea, and M. Stieglmeier. Two-Component LDA Using Optical Multiplexing. *Meas. Sci. Technol. 6*, pages 674–681, 1995.
- [RWB99] J. Rheims, T. Wriedt, and K. Bauckhage. Sizing of Inhomogeneous Particles by a Differential Laser Doppler Anemometer. *Meas. Sci. Technol.10*, pages 68–75, Nov. 1999.
- [RWK98] M. Raffel, C. Willert, and J. Kompenhans. *Particle Image Velocimetrie*. Springer Verlag, Berlin, 1998.
- [SE73] J. Sullivan and S. Ezekiel. A Two-Component Laser Doppler Velocimeter for Periodic Flow Fields. *Journal of Physics E: Scientific Instruments Vol. 7*, pages 272–274, 1973.

- [SE79] J. Sullivan and S. Ezekiel. A Laser Doppler Anemometer with Microscopic Intersection Volume. *Journal of Physics E: Scientific Instruments Vol. 12*, pages 918–920, 1979.
- [SF88] R. Schodl and W. Forster. A multi color fiber optic laser two focus velocimeter for 3-dimensional flow analisys. In *Proc. 4th Int. Symp. on Appl. of Laser Anemometry to Fluid Mech, Lisboa, Portugal. Paper 4.2*, 1988.
- [SKPW⁺93] G. Smedley, Y. Kay-Pong, A. Wagner, S. Dubovitsky, and D. Marsh. A Laser Doppler instrument for In Vivo Measurements of Blood Flow in Single renal Arterioles. *IEEE Transactions on Biomedical Eng. Vol. 40, N.3*, pages 290–297, March. 1993.
- [SP69] H. D. Stein and H. J. Pfeifer. A Doppler Difference Method for Velocity Measurements. *Metrologia, Vol. 5(2)*, pages 59–61, 1969.
- [SS77] R. Dos Santos and W.R. Stevenson. Aerosol Sizing by Means of Laser-Induced Fluorescence. *Applied Physics Letters*, 30:No. 5, 1977.
- [ST03] SGS-THOMSON. www.thompson.com (2003).
- [Tec03] Linear Technology. USA, www.linear-tech.com (2003).
- [TI02] TSI-Incorporated. USA, www.tsi.com (2002).
- [TI03] Texas-Instruments. USA, www.texas-instruments.com (2003).
- [Vic78] Luis Del Arco Vicente. *Física para Ciencia e Ingeniería*. Ariel, 1978.
- [Wan72] C. P. Wang. A Unified Analysis on Laser Doppler Velocimeters. *Journal of Physics E: Scientific Instruments Vol.5*, pages 763–766, 1972.
- [WH77] Wallace and Hobbs. *Fundamentals of Statistical Signal Processing: Estimation Theory*. Academic Press, 1977.
- [YC64] Y. Yeh and H.Z. Cummins. Localized Fluid Flow Measurements with an HeNe Laser Spectrometer. *Applied Physics Letters Vol. 4(10)*, pages 176–178, May 1964.