

Capítulo 8. BIBLIOGRAFÍA

- Agudo A, Amiano P, Barcos A, Barricate A, Beguiristain JM, Chirlaque MD y cols. Dietary intake of vegetables and fruits among adults in five regions of Spain. European Prospective Investigation into Cancer and Nutrition. EPIC Group of Spain. Eur J Clin Nutr 1999; 53 (3): 174-80
- Agudo A, Slimani N, Ocke MC, Naska A, Miller AB, Kroke A y cols. Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort from 10 European countries. Public Health Nutr 2002; 5 (6B): 1179-96
- Alberts DS, Martinez ME, Roe DJ, Guillén-Rodríguez JM, Marshall van Leeuwen JB, Reid ME y cols. Lack of effect of a high-fiber cereal supplement on the recurrence of colorectal adenomas. Phoenix Colon Cancer Prevention Physician's Network. N Engl J Med 2000; 342 (16): 1156-62
- Allam MF, Lucena RA. Aetiology of sex differences in colorectal cancer. Eur J Cancer Prev 2001; 10: 299-300
- Alley PG, Raewyn K, McNee B. Age and sex differences in right colon cancer. Dis Colon Rectum 1986; 29 (4): 227-9
- American Gastroenterological Association. Medical position statement: impact of dietary fiber on colon cancer occurrence. American College of Gastroenterology. Gastroenterology 2000; 118 (6): 1233-4
- Angell-Andersen E, Tretli S, Coleman MP, Langmark F, Grotmol T. Colorectal cancer survival trends in Norway 1958-1997. Eur J Cancer 2004; 40: 734-42
- Atkin W.S. Flexible sigmoidoscopy as a mass screening tool. Eur J Gastroenterol Hepatol 1998;10:219-23
- Atkin WS, Morson BC, Cuzick J. Long-term risk of colorectal cancer after excision of rectosigmoid adenomas. N Engl J Med 1992; 326 (10): 700-2
- Ayanian JZ, Zaslavsky AM, Fuchs CS, Guadagnoli E, Creech CM, Cress RD y cols. Use of adjuvant chemotherapy and radiation therapy for colorectal cancer in a population-based cohort. J Clin Oncol 2003; 21 (7): 1293-300
- Balmaña J, Brunet J, Pericay C, Capella G, Peinado MA, Blanco I y cols. What is the hereditary non-polyposis colorectal cancer syndrome?. Rev Oncología 2002; 2: 191-201

- Barbacid M. Ras genes. *Ann Rev Biochem* 1987; 56: 779-827
- Baron JA, Beach M, Mandel JS, van Stolk RU, Haile RW, Sandler R y cols. Calcium supplements for the prevention of colorectal adenoma. Calcium Polyp Prevention Study Group. *N Engl J Med* 1999; 340 (2): 101-7
- Baron JA, Cole BF, Sandler RS, Haile RW, Ahnen D, Bresalier R y cols. A randomized trial of aspirin to prevent colorectal adenomas. *N Engl J Med* 2003; 348 (10): 891-9
- Beart RW, Melton LJ, Maruta M. Trends in right and left-sided colon cancer. *Dis Colon Rectum* 1983; 26: 393-8
- Benet M, Carvajal A, Garcia del Pozo J, Álvarez E, Vega T. Hormonal replacement therapy in Spain. *Med Clin* 2002; 119 (1): 4-8
- Berman JM, Cheung RJ, Weinberg DS. Surveillance after colorectal cancer resection. *Lancet* 2000; 355: 395-9
- Bernstein C, Bernstein H, Garewal H, Dinning P, Jabi R, Sampliner RE y cols. A bile acid-induced apoptosis assay for colon cancer risk and associated quality control studies. *Cancer Res* 1999; 59: 2353-7
- Berrino F, Capocaccia R, Coleman MP, Estève J, Gatta G, Hakulinen T, y cols. Survival of Cancer Patients in Europe: the EUROCare-3 Study. *Ann Oncol* 2003; 14 (Suppl 5)
- Berrino F, Capocaccia R, Esteve J, Gatta G, Hakulinen T, Micheli A y cols. Survival of Cancer Patients in Europe. The EUROCare-2 Study. IARC Scientific Publication n°151. Lyon: IARC Scientific Publications; 1999
- Berrino F, Sant M, Verdecchia A, Capocaccia R, Hakulinen T, Esteve J. Survival of Cancer Patients in Europe. The EUROCare Study. IARC Scientific Publication n°132. Lyon: IARC Scientific Publications; 1995
- Bingham SA, Day NE, Luben R, Ferrari P, Slimani N, Norat t y cols. Dietary fiber in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. *Lancet* 2003; 361: 1496-501
- Boffa LC, Lupton JR, Mariani MR, Ceppi M, Newmark HL, Scalmati A y cols. Modulation of colonic epithelial cell proliferation, histone acetylation and

luminal short chain fatty acids by variation of dietary fiber (wheat bread) in rats. *Cancer Res* 1992; 52 (21): 5906-12

Bonithon-Kopp C, Benhamiche AM. Are there several colorectal cancers?. Epidemiological data . *Eur J Cancer Prev* 1999; 8 (S1): S3-12

Bonithon-Kopp C, Kronborg O, Giacosa A, Rath U, Faivre J. Calcium and fibre supplementation in prevention of colorectal adenoma recurrence: a randomized intervention trial. European Cancer Prevention Organization Study Group. *Lancet* 2000; 356 (9238): 1300-6

Borràs JM, Borràs J, Bosch FX, Fernández E, Galceran J, Gispert R y cols. Càncer Catalunya 2001. L'Hospitalet de Llobregat: Institut Català d'Oncologia, Departament de Sanitat i Seguretat Social, 2001

Borràs JM, Espinàs JA. Cribado del cáncer colorectal: entre las dudas y la evidencia. *Gac Sanit* 2002; 16: 285-7

Bosetti C, Gallus S, La Vecchia C. Aspirin and cancer risk: an update to 2001. *Eur J Cancer Prev* 2002; 11: 535-42

Breslow NE, Day NE. Fitting models to grouped data. En: Statistical methods in cancer research. Volume II. IARC Scientific Publication n° 82. Lyon: IARC Scientific Publications; 1987

Bufill JA. Colorectal cancer: evidence for distinct genetic categories based on proximal or distal tumor location. *Ann Intern Med* 1990; 113 (10): 779-88

Burkitt DP. Epidemiology of cancer of the colon and rectum. 1971. *Dis Colon Rectum* 1993; 36 (11): 1071-82

Busquets E, Gispert R. Anàlisi de la mortalitat a Catalunya, 2002. Barcelona, Servei d'Informació i Estudis, Departament de Sanitat i Seguretat Social, 2004

Butcher D, Hassanein K, Dudgeon M, Rhodes J, Holmes FF. Female gender is a major determinant of changing subsite distribution of colorectal cancer with age. *Cancer* 1985; 56: 714-6

Cali RL, Pitsch RM, Thorson AG, Watson P, Tapia P, Blatchford GJ y cols. Cumulative incidence of metachronous colorectal cancer. *Dis Colon Rectum* 1993; 36: 388-93

Calle EE, Miracle-McMahill HL, Thun MJ, Heath CW Jr. Estrogen replacement therapy and risk of fatal colon cancer in a prospective cohort of postmenopausal women. *J Natl Cancer Inst* 1995; 87: 517-23

Capoccacia R, De Angelis R, Frova L, Gatta G, Sant M, Micheli A y cols. Estimation and projections of colorectal cancer trends in Italy. *Int J Epidemiol* 1997; 26 (5): 924-32

Capron JP, Delamarre J, Canarelli JP, Brousse N, Dupas JL. Does cholecystectomy predispose to colo-rectal cancer?. *Gastroenterol Clin Biol* 1978; 2 (4): 383-9

Chao A, Gilliland F, Hunt W, Bulterys M, Becker T, Key C. Increasing incidence of colon and rectal cancer among Hispanics and American Indians in New Mexico, 1969-1994. *Cancer Causes Control* 1998; 9: 137-44

Cheng X, Chen V, Steele B, Ruiz B, Fulton J, Harper M y cols. Sub-site specific incidence rate and stage of disease in colorectal cancer by race, gender and age group in USA, 1992-1997. *Cancer* 2001; 92: 2547-54

Chlebowski RT, Hendrix SL, Langer RD, Stefanick ML, Gass M, Heiss G y cols. Influence of estrogen plus progestin on breast cancer and mammography in healthy postmenopausal women: the Women's Health Initiative Randomized Trial. *JAMA* 2003; 289 (24): 3243-53

Chlebowski RT, Wactawski-Wende J, Ritenbaugh C, Hubbell FA, Ascensao J, Rodabough J y cols. Estrogen plus progestin and colorectal cancer in postmenopausal women. *N Engl J Med* 2004; 350 (10): 991-1004

Chow WH. Colorectal cancer incidence trends: good news and bad news (editorial). *Cancer causes Control* 1998; 9: 127-9

Chow WH, Devesa SS. Death certificate reporting of colon and rectal cancers. *JAMA* 1992; 267 (22): 3028

Chow WH, Devesa SS, Blot WJ. Colon cancer incidence: recent trends in the United States. *Cancer Causes Control* 1991; 2: 419-25

Chu KC, Tarone RE, Chow WH, Hankey BF, Ries LAG. Temporal patterns in colorectal cancer incidence, survival, and mortality from 1950 through 1990. *J Natl Cancer Inst* 1994; 86 (13): 997-1006

Chute CG, Willet WC, Colditz CA, Stampfer MJ, Rosner B, Speizer FE. A prospective study of reproductive history and exogenous estrogens on the risk of colorectal cancer in women. *Epidemiology* 1991; 2: 201-7.

Clayton D, Schifflers E. Models of temporal variation in cancer rates II: age-period-cohort models. *Stat Med* 1987; 6 (4): 469-81

Coleman MP, Esteve J, Damiecki P, Arslan A, Renard H. Trends in Cancer Incidence and Mortality. IARC Scientific Publication n°121. Lyon: IARC Scientific Publications; 1993

Coleman MP, Gatta G, Verdecchia A, Esteve J, Sant M, Storm H y cols. EUROCARE-3 summary: cancer survival in Europe at the end of the 20th century. *Ann Oncology* 2003; 14 (S5): S128-49

Cox B, Little J. Reduced risk of colorectal cancer among recent generations in New Zealand. *Br J Cancer* 1992; 66: 386-90

Cress RD, Morris CR, Wolfe BM. Cancer of the colon and rectum in California: trends in incidence by race/ethnicity, stage, and subsite. *Prev Med* 2000; 31 (4): 447-53

Crocetti E, Barchielli A, Buiatti E, Castiglione G, Zappa M. Colorectal cancer survival: population-based rates in the province of Florence. *Eur J Cancer Prev* 1996; 5: 189-95

Cucino C, Buchner AM, Sonnenberg A. Continued rightward shift of colorectal cancer. *Dis Colon Rectum* 2002; 45: 1035-40

Cuello C, Correa P, Haenzsel W. Trends in cancer incidence in Cali, Colombia. *J Natl Cancer Inst* 1983; 70: 635-41

DeCosse JJ, Ngoi SS, Jacobson JS, Cennerazzo WJ. Gender and colorectal cancer. *Eur J Cancer Prev* 1993; 2: 105-15

De Jong UW, Day NE, Muir CS, Barclay TH, Bras G, Foster FH y cols. The distribution of cancer within the large bowel. *Int J Cancer* 1972; 10 (3):463-77

Demers RY, Severson RK, Schottenfeld D, Lazar L. Incidence of colorectal adenocarcinoma by anatomic subsite. *Cancer* 1997; 79 (3): 441-7

Detsky AS. Screening for colon cancer. Can we afford colonoscopy? (editorial). *N Engl J Med* 2001; 345 (8): 607-8

Devesa SS, Silverman DT, Young JL Jr, Pollack ES, Brown CC, Horm JW y cols. Cancer incidence and mortality trends among whites in the United States, 1947-84. *J Natl Cancer Inst* 1987; 79: 701-45

Di Gregorio C, Fante R, Roncucci MG, Tamassia MG, Benatti P, Pedroni M y cols. Clinical features, frequency and prognosis of Dukes A colorectal carcinomas: a population-based investigation. *Eur J Cancer* 1996; 32A: 1957-62

Díaz-Rubio E, Aranda E. Càncer colorectal. En: Cortés-Funes H, Díaz-Rubio E, García-Conde J, Germá JR, Guillem V, López JJ y cols, editores. *Oncología Médica*. Madrid: Doyma; 1999. p. 585-636

Doll R, Payne P, Waterhouse JAH. *Cancer Incidence in Five Continents Volume I*. Berlin: Springer; 1966

Domergue J, Ismail M, Astre C. Colorectal carcinoma in patients younger than 40 years of age: Montpellier Cancer Institute experience with 78 patients. *Cancer* 1988; 61: 835-40

Dos Santos I, Swerdlow AJ. Sex differences in time trends of colorectal cancer in England and Wales: the possible effect of female hormonal factors. *Br J Cancer* 1996; 73: 692-7

Dubrow R, Bernstein J, Holford TR. Age-period-cohort modelling of large-bowel-cancer incidence by anatomic sub-site and sex in Connecticut. *Int J Cancer* 1993; 53 (6): 907-13

Dubrow R, Johansen C, Skov T. Age-period-cohort modelling of large bowel cancer incidence by anatomic subsite and sex in Denmark. *Int J Cancer* 1994; 58: 324-29

Dukes CE. The classification of cancer of the rectum. *J Pathol Bact* 1932; 35: 323-32

Duran J, Gispert R. *Anàlisi de la mortalitat a Catalunya, 1983-1997*. Barcelona, Servei d'Informació i Estudis, Departament de Sanitat i Seguretat Social, 2000

Ederer F, Axell LM, Cutler SJ. The relative survival rate: a statistical methodology. National Cancer Institute Monographs 1961; 6: 101-29

Ekbom A, Helmick C, Zack M, Adami HO. Increased risk of large-bowel cancer in Crohn's disease with colonic involvement. Lancet 1990, 336 (8711): 357-9

Ekbom A, Yuen J, Adami HO, McLaughlin JK, Chow WH, Devesa SS y cols. Cholecystectomy and colorectal cancer. Gastroenterology 1993; 105 (1): 142-7

Elsaleh H, Joseph D, Grieu F, Zeps N, Spry N, Iacopetta B. Association of tumor site and sex with survival benefit from adjuvant chemotherapy in colorectal cancer. Lancet 2000; 355 (9217): 1745-50

Ershler WB, Longo DL. Aging and cancer: issues of basic and clinical science. J Natl Cancer Inst 1997; 89: 1489-97

Esteve J, De Angelis G, Verdecchia A. Trends in cancer survival probability over the period 1978-89. En: Berrino F, Capocaccia R, Esteve J, Gatta G, Hakulinen T, Micheli A y cols. Survival of Cancer Patients in Europe. The EUROCARE-2 Study. IARC Scientific Publication n°151. Lyon: IARC Scientific Publications; 1999

Fajobi O, Yiu Y, Sen-Gupta SB, Boulos PB. Metachronous colorectal cancers (revisión). Br J Surg 1997; 85: 897-901

Fante R, Benatti P, di Gregorio C, de Pietri S, Pedroni M, Tamassia MG y cols. Colorectal carcinoma in different age groups: a population-based investigation. Am J Gastroenterol 1997; 92 (9): 1505-9

Fearon ER, Vogelstein B. A genetic model for colorectal tomorogenesis. Cell 1990; 61: 759-63

Feinstein AR, Sosin DM, Wells CK. The Will Rogers phenomenon. Stage migration and new diagnostic techniques as a a source of misleading statistics for survival in cancer. N Eng J Med 1985; 312 (25): 1604-8

Ferguson LR, Harris PJ. The dietary fibre debate: more food for thought. Lancet 2003; 361 (9368): 1487-8

Fernandez E, Bosetti C, La Vecchia C, Levi F, Fioretti F, Negri E. Sex differences in colorectal cancer mortality in Europe, 1955-1996. *Eur J Cancer Prev* 2000; 9: 99-104

Fernandez E, La Vecchia C, Franceschi S, Braga C, Talamini R, Negri E y cols. Oral contraceptive use and risk of colorectal cancer. *Epidemiology* 1998; 9 (3): 295-300.

Finn-Faivre C, Maurel J, Benhamiche AM, Herbert C, Mitry E, Launoy G, Faivre J. Evidence of improving survival of patients with rectal cancer in France: a population-based study. *Gut* 1999, 44: 377-81

Finn-Faivre C, Benhamiche AM, Phelip JM, Manfredi S. Colon cancer in France: Evidence for improvement in management and survival. *Gut* 2002, 51 (1): 60-5

Foutch PG, Mai H, Pardy K, Disario JA, Manne RK, Kerr D. Flexible sigmoidoscopy may be ineffective for secondary prevention of colorectal cancer in asymptomatic, average risk men. *Dig Dis Sci* 1991; 36 (7): 924-8

Friedman GD, Goldhaber MK, Quensenberry CP Jr. Cholecystectomy and large bowel cancer. *Lancet* 1987; 1 (8538): 906-8

Froggatt NJ, Green J, Brassett C, Evans DGR, Bishop DT, Kolodner R y cols. A common MSH2 mutation in English and North American HNPCC families: origin, phenotypic expression and sex specific differences in colorectal cancer. *J Med Genet* 1999; 36: 97-102

Fuchs CS, Giovannucci EL, Colditz GA, Hunter DJ, Stampfer MJ, Rosner B y cols. Dietary fiber and the risk of colorectal cancer and adenoma in women. *N Engl J Med* 1999; 340 (3): 169-76

Gatta G, Capocaccia R, Sant M, Bell CM, Coebergh JW, Damhuis RAM y cols. Understanding variations in survival for colorectal cancer in Europe: a EURO CARE high resolution study. *Gut* 2000; 47 (4): 533-8

Gatta G, Ciccolallo L, Capocaccia R, Coleman MP, Hakulinen T, Moller H y cols. Differences in colorectal cancer survival between european and US populations: the importance of subsite and morphology. *Eur J Cancer* 2003; 39: 2214-22

Gatta G, Faivre J, Capocaccia R, Ponz de Leon M and the EURO CARE Working Group. Survival of Colorectal Cancer Patients in Europe During the Period 1978-1989. *Eur J Cancer* 1998; 34 (14): 2176-83

Gatta G, Sant M, Coebergh JW, Hakulinen T and the EURO CARE Working Group. Substantial variation in therapy for colorectal cancer across Europe: EURO CARE analysis of cancer registry data for 1987. *Eur J Cancer* 1996; (5): 831-5

Gerhardsson M, Steineck G, Norell SE. Colorectal cancer in Sweden. *Acta Oncologica* 1990; 29 (7): 855-61

Gervaez P, Bouzourene H, Cerottini JP, Chaubert P, Benhattar J, Secic M y cols. Dukes B colorectal cancer. Distinct genetic categories and clinical outcome based on proximal or distal tumor location. *Dis Colon Rectum* 2001; 44: 364-73

Giovannucci E. Epidemiologic Studies of folate and colorectal neoplasia: a review. *J Nutr* 2002; 132 (S1): S2350-5

Giovannucci E, Colditz GA, Stampfer MJ, Hunter D, Rosner BA, Willett WC y cols (1994a). A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in US women. *J Natl Cancer Inst* 1994; 86 (3): 162-4

Giovannucci E, Egan KM, Hunter DJ, Stampfer MJ, Colditz GA, Willett WC y cols. Aspirin and the risk of colorectal cancer in women. *N Engl J Med* 1995; 333 (10): 609-14

Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Kearney y cols (1994b). A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in US men. *J Natl Cancer Inst* 1994; 86 (3): 183-91

Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Willet WC (1994c). Intake of fat, meat and fiber in relation to risk of colon cancer in men. *Cancer Res* 1994; 54 (9): 2390-7

Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Willet WC (1994d). Aspirin use and the risk for colorectal cancer and adenoma in male health professionals. *Ann Intern Med* 1994; 121 (4): 241-6

Glinghammar B, Holmberg K, Rafter J. Effects of colonic luminal components on AP-1-dependent gene transcription in cultured human colon carcinoma cells. *Carcinogenesis* 1999; 20 (6): 969-76

Gonzalez EC, Roetzheim RG, Ferrante JM, Campbell R. Predictors of proximal versus distal colorectal cancers. *Dis Colon rectum* 2001; 44: 251-8

Greenberg ER, Baron JA, Tosteson TD, Freeman DH Jr, Beck GJ, Bond JH y cols. A clinical trial of antioxidant vitamins to prevent colorectal adenoma. Polyp Prevention Study Group. *N Engl J Med* 1994; 331 (3): 141-7

Griffin PM, Liff JM, Greenberg RS, Clark WS. Adenocarcinoma of the colon and rectum in persons under 40 years old, a population based study. *Gastroenterology* 1991; 100: 1033-40

Groden J, Thliveris A, Samowitz W, Carlson M, Gelbert L, Albertsen H y cols. Identification and characterization of the familial adenomatous polyposis coli gene. *Cell* 1991; 66 (3): 589-600

Grodstein F, Martinez ME, Platz EA, Giovannucci E, Colditz GA, Kautzky M y cols. Postmenopausal hormone use and risk for colorectal cancer and adenoma. *Ann Intern Med* 1998; 128 (9): 705-12

Grupo EPIC de España. Evidencias y controversias de la asociación de la dieta y el cáncer. *Med Clin* 1996; 107: 224-30

Grupo EPIC de España. Consumption patterns and the principal sources of lipids and fatty acids in the spanish cohort of the European Prospective Investigation on Diet and Cancer (EPIC). *Med Clin* 1999; 112 (4): 138-9

Gryfe R, Kim H, Hsieh ET, Aronson MD, Holowaty EJ, Bull SB y cols. Tumor microsatellite instability and clinical outcome in young patients with colorectal cancer. *N Engl J Med* 2000; 342 (2): 69-77

Gual A, Colom J. Why has alcohol consumption declined in countries of southern Europe. *Addiction* 1997; 92 (S1): S21-31

Haenzel W, Correa P. Cancer of the colon and adenomatous polyps: a review of the epidemiological findings. *Cancer* 1971; 28: 14-24

Hamilton SR, Vogelstein B, Kudo S, Riboli E, Nakamura S, Hainaut P y cols. Tumors of the colon and rectum. En: Hamilton SR, Aaltonen LA. *World Health*

Organization Classification of Tumours. Pathology and genetics of tumors of the digestive system. Lyon: IARC Press; 2000. p. 103-20

Hardcastle JC, Chamberlain JO, Robinson MH, Moss SM, Amar SS, Balfour TW y cols. Randomized controlled trial of faecal-occult-blood screening for colorectal cancer. *Lancet* 1996; 348: 1472-7

Hennekens CH; Buring JE; Manson JE, Stampfer M; Rosner B, Coolberg NR y cols. Lack of effect of long-term supplementation with beta caroteno on the incidence of malignant neoplasms and cardiovascular disease. *N Engl J Med* 1996; 334 (18): 1145-9

Hill MJ. Prevention of colon cancer (editorial). *Eur J Cancer Prev* 1997; 6: 105-6

Holowaty EJ, Marrett LD, Parkes R, Fehringer G. Colorectal Cancer in Ontario 1971-1996 (monografía). Surveillance Unit Division of Preventive Oncology Cancer Care Ontario, 1998

Hope RL, Chu G, Hope AH, Newcombe RG, Gillespie PE, Williams SJ. Comparison of three faecal occult blood tests in the detection of colorectal neoplasia. *Gut* 1996; 39 (5): 722-5

Huls G, Koornstra JJ, Kleibeuker JH. Non-steroidal anti-inflammatory drugs and molecular carcinogenesis of colorectal carcinomas. *Lancet* 2003; 362 (9379): 230-2

Iacopetta B. Are there two sides to colorectal cancer? (revisión). *Int J Cancer* 2002; 101: 403-8.

Imperiale TF. Aspirin and the prevention of colorectal cancer. *N Engl J Med* 2003; 348 (10): 879-80

INE (homepage on the Internet). Madrid: Instituto Nacional de Estadística; c1980-2000. Disponible en: <http://www.ine.es>

Isbister WH, Fraser J. Survival following resection for colorectal cancer. A New Zealand National Study. *Dis Colon Rectum* 1985; 28: 725-7

Isbister WH, Fraser J. Larg-bowel cancer in the young: a national survival study. *Dis Colon Rectum* 1990; 33 (5): 363-6

Issa JP, Ottaviano YL, Celano P, Hamilton SR, Davidson NE, Baylin SB. Methylation of the oestrogen receptor CpG island links ageing and neoplasia in human colon. *Nat Genet* 1994; 7 (4): 536-40

Iwashyna TJ, Lamont EB. Effectiveness of adjuvant fluorouracil in clinical practice: a population-based cohort study of elderly patients with stage III colon cancer. *J Clin Oncol* 2002; 20 (19): 3992-8

Jackman RJ, Mayo CW. The adenoma-carcinoma sequence in cancer of the colon. *Surg Gynecol Obstet*, 1951; 93: 327-30

Jänne PA, Mayer RJ. Chemoprevention of colorectal cancer. *N Engl J Med* 2000; 342 (26): 1960-8

Jass JR. Subsite distribution and incidence of colorectal cancer in New Zealand 1974-1983. *Dis Colon Rectum* 1991; 34 (1): 56-9

Jensen OM. Different age and sex relationship for cancer of subsites of the large bowel. *Br J Cancer*. 1984;50 (6):825-9

Jensen OM, Storm HH. Reporting of results. En: Jensen OM, Parkin DM, MacLennan R, Muir CS, Skeet RG, editores. *Cancer Registration: principles and methods*. IARC Scientific Publication n° 95. Lyon: IARC Scientific Publications; 1991

Jessup JM, McGinnis LS, Steele GR Jr, Menck HR, Winchester DP. The national cancer data base. Report on colon cancer. *Cancer* 1996; 78 (4): 918-26

Ji BT, Devesa SS, Chow WH, Jin F, Gao YT. Colorectal cancer incidence trends by subsite in urban Shanghai, 1972-1994. *Cancer Epidemiol Biomarkers Prev* 1998; 7: 661-6

Johansen C, Møller A, Skov T, Kjaergaard J, Lynge E. Colorectal cancer in Denmark 1943-1988. *Int J Colorectal Dis* 1993; 8 (1): 42-7

Kampman E, Giovannucci E, van't Veer P, Rimm E, Stampfer MJ, Colditz GA y cols. Calcium, vitamin D, dairy foods and the occurrence of colorectal adenomas among men and women in two prospective studies. *Am J Epidemiol* 1994; 139 (1): 16-29

Kaplan EL, Meier P. Nonparametric estimation from incomplete observations. *Am Statist Assoc J* 1958; 457-81

Karlen P, Lofberg R, Bronstom O, Leijonmarck CE, Hellers G, Persson PG. Increased risk of cancer in ulcerative colitis: a population-based cohort study. *Am J Gastroenterol* 1999; 94 (4): 1047-52

Kee F, Wilson RH, Gilliland R, Sloan JM, Rowlands BJ, Moorehead RJ. Changing site distribution of colorectal cancer. *BMJ* 1992; 305 (6846): 158

Kemppainen M, Riih   I, Sourander L. A marked increase in the incidence of colorectal cancer over two decades in southwest Finland. *J Clin Epidemiol* 1997; 50 (2): 147-51

Kewenter J, Brevinge H, Engaras B, Haglind E, Ahren C. Results of screening, rescreening and follow-up in a prospective randomized study for detection of colorectal cancer by fecal occult blood testing. Results for 68.308 subjects. *Scand J Gastroenterol* 1994; 29 (5): 468-73

Kim HJ, Fay MP, Feuer EJ, Midthune DN. Permutation tests for jointpoint regression with applications to cancer patients. *Statist Med* 2000; 19: 335-51

Kronborg O, Fenger K, Olsen J, Jorgesen OD, Sondergaard O. Randomized study of screening for colorectal cancer with faecal-occult-blood test. *Lancet* 1996; 348: 1467-71

Kune GA, Vitetta L. Alcohol consumption and the etiology of colorectal cancer: a review of the scientific evidence from 1957 to 1991. *Nutr Cancer* 1992; 18 (2): 97-111

Kune GA, Kune S, Field B. Survival in patients with large bowel cancer. A population-based investigation from the Melbourne colorectal cancer study. *Dis Colon Rectum* 1990; 33: 938-46

La Vecchia C, Franceschi S. Hormone replacement and cancer: an update. *Eur J Cancer Prev* 2003; 12: 3-4

La Vecchia C, Negri E, Decarli A, Franceschi S. Diabetes mellitus and colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev* 1997; 6 (12): 1007-10

Lambert R, Provenzale D, Ectors N, Vainio H, Atkin W, Wilson M y cols. Early diagnosis and prevention of sporadic colorectal cancer. *Endoscopy* 2001; 33 (12): 1042-64

Latarjet M, Ruiz Liard A. Anatomía del intestino grueso. En: Latarjet M. Anatomía Humana. Vol 2. Madrid: Editorial Panamericana; 1989.p. 1577-628.

Lennard-Jones JE, Morson BC, Ritchie JK, Williams CB. Cancer surveillance in ulcerative colitis. Experience over 15 years. Lancet 1983; 2 (8342): 149-52

Levi F, La Vecchia C. Age, cohort and period effects on large bowel cancer incidence. Eur J Cancer Prev 2002; 11: 515-7

Levi F, Randimbison L, La Vecchia C. Trends in subsite distribution of colorectal cancers and polyps from the Vaud Cancer Registry. Cancer 1993; 72 (1): 46-50

Levin B, Brooks D, Smith RA, Stone A. Emerging technologies in screening for colorectal cancer: CT colonography, immunochemical fecal occult blood tests and stool screening using molecular markers. CA A Cancer J Clin 2003; 53: 44-55

Levitt MD, Millar DM, Stewart JO. Rectal cancer after pelvic irradiation. J R Soc Med 1990; 83 (3): 152-4

Lieberman DA, Weiss DG for the Veterans Affairs Cooperative Study Group 380. One-time screening for colorectal cancer with combined fecal occult-blood testing and examination of the distal colon. N Engl J Med 2001; 345 (8): 555-60

Linseisen J, Bergstrom E, Gafa L, Gonzalez CA, Thiebaut A, Trichopoulos A y cols (2002a). Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. Public Health Nutr 2002; 5 (6B): 1227-42

Linseisen J, Kesse E, Slimani N, Bueno-de-Mesquita HB, Ocke MC, Skeie G y cols (2002b). Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. Public Health Nutr 2002; 5 (6B): 1243-58

Loffeld R, Putten A, Balk A. Changes in the localization of colorectal cancer: implications for clinical practice. J Gastroenterol Hepatol 1996; 11: 47-50

Lynch H, Shaw M, Magnuson CW, Larsen AL, Krush AJ. Hereditary factors in cancer: study of two large midwestern kindreds. *Arch Intern Med* 1966; 117: 206-12.

Lynch HT, Watson P, Lanspa SJ, Marcus J, Smyrk T, Louis P y cols. Natural history of colorectal cancer in hereditary nonpolyposis colorectal cancer (Lynch syndromes I and II). *Dis Colon Rectum* 1988; 31: 439-44.

Malila N, Virtamo J, Virtanen M, Albanes D, Tangrea JA, Huttunen M. The effect of alpha-tocopherol and beta-carotene supplementation on colorectal adenomas in middle-aged male smokers. *Cancer Epidemiol Biomarkers Prev* 1999; 8 (6): 489-93

Mamazza J, Gordon PH. The changing distribution of large intestinal cancer. *Dis Colon Rectum* 1982; 25: 558-62

Mandel JS, Bond JH, Church TR, Snover DC, Bradley GM, Schuman LM y cols. Reducing mortality from colorectal cancer by screening for fecal occult blood. Minnesota Colon Cancer Control Study (fe de erratas en: *N Engl J Med* 1993; 329: 672). *N Engl J Med* 1993; 328: 1365-71

Mandel JS, Church TR, Ederer F, Bond JH. Colorectal cancer mortality: effectiveness of biennial screening for fecal occult blood. *J Natl Cancer Inst* 1999; 91 (5): 434-7

Mandel JS, Church TR, Bond J, Ederer F, Geisser MS, Mongin SJ y cols. The effect of fecal occult-blood screening on the incidence of colorectal cancer. *N Engl J Med* 2000; 343: 1603-7

Marble K, Benerjee S, Greenwald L. Colorectal carcinoma in young patients. *J Surg Oncol* 1992; 51: 179-82

Martijn H, Voogd AC, van de Poll-Franse LV, Repelaer van Driel OJ, Rutten HJT and cols. Improved survival of patients with rectal cancer since 1980: a population-based study. *Eur J Cancer* 2003: 2073-9

Martin L, Assem M, Piard F. Are there several types of colorectal carcinomas?. Correlations with genetic data (revisión). *Eur J Cancer Prev* 1999; 8 (S1): S13-20

McCullough ML, Robertson AS, Rodriguez C, Jacobs EJ, Chao A, Carolyn J y cols. Calcium, vitamin D, dairy products and risk of colorectal cancer in the

Cancer Prevention study II Nutrition Cohort (United States). *Cancer Causes Control* 2003; 14 (1): 1-12

McGahren ED, Mills SE, Wilhem MC. Colorectal carcinoma in patients 30 years of age and younger. *Am Surg* 1995; 61 (1): 78-82

McLaughlin JR, Kreiger N, Marret LD. Cancer incidence registration and trends in Ontario. *Eur J Cancer* 1991; 27: 1520-4

McNeil NI, Rampton DS. Is the rectum usually empty?. A quantitative study in subjects with and without diarrhea. *Dis Colon Rectum* 1981; 24 (8): 595-9

Metzger U. Adjuvant therapy for colon and rectum cancer. NHI consensus development conference. *Eur J Cancer* 1990; 26: 753-5

Michels KB, Giovannucci E, Joshipura KJ, Rosner BA, Stampfer MJ, Fuchs CS y cols. Prospective Study of fruit and vegetable consumption and incidence of colon and rectum cancers. *J Natl Cancer Inst* 2000; 92 (21): 1740-52

Mills SE, Allen MS Jr. Colorectal carcinoma in the first three decades of life. *Am J Surg Pathol* 1979; 3: 443-8

Minsky BD, Mies C, Rich TA, Recht A, Chaffey JT. Colloid carcinoma of the colon and rectum. *Cancer* 1987; 60 (12): 103-12

Mitry E, Benhamiche AM, Couillault C, Roy P, Faivre-Finn C, Clinard F, y cols (2002a). Effect of age, period of diagnosis and birth cohort on large bowel cancer incidence in a well-defined french population, 1976-1995. *Eur J Cancer Prev* 2002; 11: 529-34

Mitry E, Benhamiche AM, Esteve J, Faivre J (2002b). Benefit of operative mortality reduction on colorectal cancer survival. *Br J Surg* 2002; 89: 1557-62

Monnet E, Faivre J, Raymond L, Garau I. Influence of stage at diagnosis on survival differences for rectal cancer in three european populations. *Br J Cancer* 1999; 81 (3): 463-8

Muir C, Waterhaus J, Mack T, Powell J, Whelan S. Cancer Incidence in Five Continents. Vol V. IARC Scientific Publication n° 88. Lyon: IARC Scientific Publications; 1987

Mulcahy MF, Benson AB. Posttreatment surveillance of colon and rectal cancers. En: American Society of Clinical Oncology Educational Book. New York: ASCO publishers; 2002. p. 646-50

Muto T, Bussey HJ, Morson BC. The evolution of cancer of the colon and rectum. *Cancer* 1975; 36: 2251-70

Muto T, Kamiya J, Sawada T, Konishi F, Sugihara K, Kubota Y y cols. Small "flat adenoma" of the large bowel with special reference to its clinicopathologic features. *Dis Colon Rectum* 1985; 28: 847-51

Nadel MR, Blackman DK, Shapiro JA, Seeff LC. Are people being screened for colorectal cancer as recommended? Results from the National Health Interview Survey. *Prev Med* 2002; 35: 199-206.

Nelson RL. Division of the colorectum into anatomic subsites: why and where? (editorial). *J Surg Oncol* 1998; 69 (1): 1-3

Nelson RL, Dollear T, Freels S, Persky V. The relation of age, race, and gender to the subsite location of colorectal carcinoma. *Cancer* 1997; 80 (2): 193-7

Nelson R, Persky V, Turyk M. Determination of factors responsible for the declining incidence of colorectal cancer. *Dis Colon Rectum* 1999; 42 (6): 741-52

Neugut AI, Fleischauer AT, Sundararajan V, Mitra N, Heitjan DF, Jacobson JS y cols. Use of adjuvant chemotherapy and radiation therapy for rectal cancer among the elderly: a population-based study. *J Clin Oncol* 2002; 20 (11): 2643-50

Newcomb PA, Storer BE. Postmenopausal Hormone Use and Risk of Large-Bowel Cancer. *J Natl Cancer Inst* 1995; 87 (14): 1067-71

Newcomb PA, Norfleet RG, Storer BE, Surawicz TS, Marcus PM. Screening sigmoidoscopy and colorectal cancer mortality. *J Natl Cancer Inst* 1992; 84 (20): 1572-5

Newcomb PA, Storer BE, Morimoto LM, Templeton A, Potter JD. Long-term efficacy of sigmoidoscopy in the reduction of colorectal cancer incidence. *J Natl Cancer Inst* 2003; 95 (8): 622-5

Newland RC, Dent OF, Chapuis PH, Bokey L. Survival after curative resection of lymph node negative colorectal carcinoma. A prospective study of 910 patients. *Cancer* 1995; 76: 564-71

Northover JMA, Arnott S, Jass R, Williams NS. Colorectal cancer. En: Souhami RL, Tannock I, Hohenberger P, Horiot JC. *Oxford Textbook of Oncology*. 2nd Edition. London: McCraw-Hill; 2001. p. 1545-6

O Brown M, Lanier AP, Becker TM. Colorectal cancer incidence and survival among Alaka natives, 1969-1993. *Int J Epidemiol* 1998; 27: 388-96

Öhman U. Colorectal carcinoma in patients less than 40 years of age. *Dis Colon rectum* 1982; 209-14

Olschwang S, Hamelin R, Laurent-Puig P, Thuille B, De Rycke Y, Li YJ y cols. Alternative genetic pathways in colorectal carcinogenesis. *Proc Natl Acad Sci USA* 1997; 94 (22): 1221-7

Oncoguía Colon y Recto. Barcelona: Instituto Catalán de Oncología; 2003.

Ore L, Hagoel L, Lavi I, Rennert G. Screening with faecal occult blood test (FOBT) for colorectal cancer: assessment of two methods that attempt to improve compliance. *Eur J Cancer Prev* 2001; 10 (3): 251-6

Parkin DM. Global cancer statistics in the year 2000. *Lancet Oncol* 2001; 2: 533-43

Parkin DM, Chen VW, Ferlay J, Galceran J, Storm HH, Whelan SL. Comparability and quality control in cancer registration. IARC Technical Report n°19. Lyon: IARC Scientific Publications; 1994.

Parkin DM, Muir CS, Whelan SL, Gao Y-T, Ferlay J, Powell J. Cancer Incidence in Five Continents. Volumen VI. IARC Scientific Publication n° 120 Lyon: IARC Scientific Publications; 1992.

Parkin DM, Whelan SL, Ferlay J, Raymond L, Young J. Cancer Incidence in Five Continents. Volumen VII. IARC Scientific Publication n° 143. Lyon: IARC Scientific Publications; 1997

Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB. Cancer Incidence in Five Continents, Volumen VIII. IARC Scientific Publications, n° 145. Lyon, 2002

- Pascual E. Resultados de un servicio de endoscopias digestivas, 1982-2001. (comunicación personal). Reus, 2002
- Percy C, Stanek E, Ries GL. Accuracy of cancer death certificates and its effects on cancer mortality statistics. *Am J Public Health* 1981; 71: 242-50.
- Perucho M, Perez-Piteira J, Soto JL, Schwartz S, Gascon A, Yamamoto H. The discovery of the microsatellite mutator phenotype and the distinction of mutator and supressor pathways for colorectal cancer. *Rev Oncología* 1999; 1: 6-12
- Peters U, Sinha R, Chatterjee N, Subar AF, Ziegler RG, Kulldorff M y cols. Dietary fibre and colorectal adenoma in a colorectal cancer early detection programme. *Lancet* 2003; 361: 1491-5
- Pietinen P, Malila N, Virtanen M, Hartman TJ, Tangrea JA, Albanes D y cols. Diet and risk of colorectal cancer in a cohort of Finnish men. *Cancer Causes Control* 1999; 10 (5): 387-96
- Pignone M, Saha S, Hoerger T, Mandelblatt J. Cost-effectiveness analyses of colorectal cancer screening: a systematic review for the US Preventive Services Task Force. *Ann Intern Med* 2002; 137: 96-104
- Pitluk H, Poticha SM. Carcinoma of the colon and rectum in patients less than 40 years of age. *Surg Gynecol Obstet* 1983; 15: 335-7
- Ponz de Leon M, Antonioli A, Ascari A, Zanghieri G, Sacchetti C. Incidence and familial ocurrence of colorectal cancer and polyps in a health-care district of northern Italy. *Cancer* 1987; 60 (11): 1848-59
- Ponz de Leon M, Benatti P, Percesepe A, Di Gregorio C, Fante R, Losi L y cols. Epidemiology of cancer of the large bowel: the 12-year experience of a specialized registry in northern Italy. *Ital J Gastroenterol Hepatol* 1999; 31 (1): 10-8
- Ponz de Leon M, Di Gregorio C, Roncucci L, Benatti P, Fante R, Rossi G y cols. Epidemiology of tumors of the colon and rectum. Incidence, mortality, familiarity and survival in the health care district of Modena, 1984-1995 (monografía). Módena, 1998
- Potter JD. Colorectal cancer: molecules and populations (revisión). *J Natl Cancer Inst* 1999; 91 (11): 916-32

Potter JD, Slattery ML, Bostick RM, Gapstur SM. Colon cancer: a review of the epidemiology(revisión). *Epidemiol Rev* 1993; 15 (2): 499-545

Rabeneck L, El-Serag HB, Davila JA, Sandler RS. Outcomes of colorectal cancer in the United States: no change in survival (1986-1997). *Am J Gastroenterol* 2003; 98 (2): 471-7

Reddy BS, Sharma C, Simi B, Engle A, Laasko K, Puska P y cols. Metabolic epidemiology of colon cancer: effect of dietary fiber on fecal mutagens and bile acids in healthy subjects. *Cancer Res* 1987; 47 (2): 644-8

Rhodes JB, Holmes FF, Clark GM. Changing distribution of primary cancers in the large bowel. *JAMA* 1977; 238: 1641-3

Ries LG, Pollack ES, Young JL Jr. Cancer patient survival: Surveillance, Epidemiology and End Results program, 1973-79. *J Natl Cancer Inst* 1983; 70: 693-707.

Ries LA, Wingo PA, Miller DS, Howe HL, Weir HK, Rosenberg HM y cols. The annual report to the nation on the status of cancer, 1973-1997, with a special section on colorectal cancer. *Cancer* 2000; 88 (10): 2398-424

Rifá J. Supervivencia y factores pronósticos del cáncer colorectal. Análisis del Registro Poblacional de Mallorca (tesis doctoral). Mallorca, 1990

Rodriguez-Artalejo F, Banegas JR, Graciani MA, Hernández-Vecino R, Rey-Calero J. Food and nutrient consumption in Spain in the period 1940-1988. Analysis of its consistency with the mediterranean diet. *Med Clin* 1996; 106 (5): 161-8

Roncucci L, Fante R, Losi L, di Gregorio C, Micheli A, Benatti P y cols. Survival for colon and rectal cancer in a population-based cancer registry. *Eur J Cancer* 1996; 32A (2): 295-302

Rubio CA. Differences in angiogenesis and collagenesis between exophytic and flat adenomas of the colorectal mucosa. *Anticancer Res*, 1997; 17: 737-42

Ruffin MT, Krishnan K, Rock CL, Normolle D, Vaerten MA, Peters-Golden M y cols. Suppression of human colorectal mucosal prostaglandines: determining the lowest effective aspirin dose. *J Natl Cancer Inst* 1997; 89 (15): 1152-60

- Rutsgi AK. Hereditary gastrointestinal polyposis and nonpolyposis syndromes. *N Engl J Med* 1994; 331 (25):1694-6
- Ryan D, Compton C, Mayer R. Carcinoma of the anal canal (revisión). *N Engl J Med* 2000; 342 (11): 792-800
- Samowitz WS, Curtin K, Ma KN, Schaffer D, Coleman LW, Leppert M y cols. Microsatellite instability in sporadic colon cancer is associated with an improved prognosis at the population level. *Cancer Epidemiol Biomark Prev* 2001; 10 (9): 917-23
- Sadler TW. Embriología del Aparato Digestivo. En: Langman, Embriología Médica. 5° edición. Ciudad de México: Panamaricana; 1986. p. 239-48
- Sandler RS, Halabi S, Baron JA, Budinger S, Paskett E, Keresztes R y cols. A randomized trial of aspirin to prevent colorectal adenomas patients with previous colorectal cancer. *N Engl J Med* 2003; 348 (10): 883-90
- Sankaranarayanan R, Black RJ, Parkin DM. Cancer survival in developing countries. IARC Scientific Publication n°145. Lyon: IARC Scientific Publications; 1998
- Sant M, Capocaccia R, Verdecchia A, Gatta G, Micheli A, Mariotto A y cols. Comparisons of colon-cancer survival among european countries: the EURO CARE Study. *Int J Cancer* 1995; 63: 43-8
- Schatzkin A, Lanza E, Corle D, Lance P, Iber F, Caan B y cols. Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. Polyp Prevention trial Study Group. *N Engl J Med* 2000; 342 (16): 1149-55
- Schiaffino A, Fernandez E, Borrell C, Salto E, Garcia M, Borrás JM. Gender and educational differences in smoking initiation in Spain from 1948 to 1992. *Eur J Public Health* 2003; 13 (1): 56-60
- Schottenfeld D, Winawer SJ. Cancers of the large intestine. En: Schottenfeld D, Fraumeni JE, editores. *Cancer Epidemiology and Prevention*. Nueva York: Oxford University Press, 1996. p. 813-40.
- Schrag D, Cramer LD, Bach PB, Begg CB. Age and adjuvant chemotherapy use after surgery for stage III colon cancer. *J Natl Cancer Inst* 2001; 93 (11): 850-7

- Schub R, Steinheber FU. Rightward shift of colon cancer, a feature of the aging gut. *J Clin Gastroenterol* 1986; 8: 630-4
- Segi M, Fukushima, Kurihara M. A proposal on a calculation method to be applied by geographical comparison of cancer mortality. *Tohoku J Exp Med* 1954; 60 (3-4): 307-10
- Segnan N, Signore C, Andreoni B, Aste H, Bonelli L, Crosta C y cols. Baseline findings of the Italian multicenter randomized controlled trial of "once-only sigmoidoscopy"- SCORE. *J Natl Cancer Inst* 2002; 94 (23): 1763-72
- Serra-Majem LI. I Encuesta Catalana de Nutrición. Departament de Sanitat i Seguretat Social. Barcelona: Generalitat de Catalunya, 1993
- Serra-Majem LI. II Encuesta Catalana de Nutrición. Departament de Sanitat i Seguretat Social. Barcelona: Generalitat de Catalunya, 2003
- Sharpe CR, Siemiatycki JA, Rachet BP. The effect of smoking on the risk of colorectal cancer. *Dis Colon Rectum* 2002; 45: 1041-50
- Situm M, Dogas Z, Vujnovic Z, Erceg m, Tercic J, Marusic J y cols. Increased incidence of colorectal cancer in the split-dalmatia county: epidemiological study. *Croat Med J* 2001: 42: 181-7
- Skibber JM, Minsky BD, Hoff PM. Cancer of the colon. En: De Vita VT, Hellman S, Rosenberg SA, editores. *Cancer Principles and Practice of Oncology*. 6th Ed. Philadelphia: JB Lippincolt Company; 2000. Vol 1. p. 1216-70
- Slater G, Papatestas AE, Tartter PI, Mulvihill M, Aufses AH Jr. Age distribution of right and left sided colorectal cancers. *Am J Gastroenterol* 1982; 77: 63-6
- Slattery ML, Friedman GD, Potter JD, Edwards S, Caan BJ, Samowitz W. A description of age, sex and site distribution of colon carcinoma in three geographic areas. *Cancer* 1996; 78: 1666-70
- Slattery ML, Potter J, Caan B, Edwards S, Coates A, Ma KN y cols. Energy balance and colon cancer-beyond physical activity. *Cancer Res* 1997; 57 (1): 75-80
- Snyder DN, Heston JF, Wister M, Meigs J. Changes in site distribution of colorectal carcinoma in Connecticut 1940-1973. *Dig Dis* 1977; 22: 791-7

- Solomon MJ, Schnitzel M. Cancer and inflammatory bowel disease: bias, epidemiology, surveillance and treatment. *World J Surg* 1998; 22 (4): 352-8
- Steinbach G, Lynch PM, Phillips RK, Wallace MH, Hawk E, Gordon GB y cols. The effect of celecoxib, a ciclooxigenasa-2-inhibitor, in familial adenomatous polyposis. *N Eng J Med* 2000; 342 (26): 1946-52
- Steinitz R, Parkin DM, Young JL, Bieber CA, Katz L. Cancer incidence in jewish migrants to Israel 1961-1981. IARC Scientific Publication n° 98. Lyon: IARC Scientific Publications; 1989
- Steinmetz KA, Kushi LH, Bostick RM, Folsom AR, Potter JD. Vegetables, fruits and colon cancer in the Iowa Women's Health Study. *Am J Epidemiol* 1994; 139 (1): 1-15
- St.John DJB, McDermott F, Hopper J, Debney EA, Johnson WR, Hughes ES. Cancer risk in relatives of patients with common colorectal cancer. *Ann Intern Med* 1993; 118: 785-90
- Stralka DJ, Strobel HW. Cytochrome P450 activity and distribution in the human colon mucosa. *Cancer* 1989; 64 (10): 2111-6
- Stryker SJ, Wolff BG, Culp CE , Libbe SD, Ilstrup DM, MacCarty RL. Natural history of untreated colonic polyps. *Gastroenterology* 1987; 93:1009-11
- Sturmer T, Glynn RJ, Lee IM, Christen WG, Hennekens CH. Lifetime cigarette smoking and colorectal cancer incidence in the Physicians' Health Study I. *J Natl Cancer Inst* 2000; 92 (14): 1178-81
- Sturmer T, Glynn RJ, Lee IM, Manson JE, Buring JE, Hennekens C. Aspirin use and colorectal cancer: post-trial follow-up data from the Physicians' Health Study. *Ann Intern Med* 1998; 128 (9): 713-20
- Tamura K, Ishiguro S, Munakata A, Yoshida Y, Nakaji S, Sugawara K. Annual changes in colorectal carcinoma incidence in Japan. Analysis of survey data on incidence in Aomori Prefecture. *Cancer* 1996; 78 (6): 1187-94
- Terry P, Baron JA, Bergkvist L, Holmberg L, Wolk A. Dietary calcium and vitamin D intake and risk of colorectal cancer: a prospective cohort study in women. *Nutr Cancer* 2002; 43 (1): 39-46

Terry P, Giovanucci E, Michels KB, Bergkvist LF, Hansen H, Holmberg L y cols. Fruit, vegetables, dietary fiber and risk of colorectal cancer. *J Natl Cancer Inst* 2001; 93: 525-33

Thomas RM, Sobin LH. Gastrointestinal cancer. *Cancer* 1995; 75: 154-70

Thorn M, Bergstrom R, Kressner U, Sparen P, Zack M, Ekblom A. Trends in colorectal cancer incidence in Sweden 1959-93 by gender, localization, time period and birth cohort. *Cancer Causes Control* 1998; 9: 145-52

Thun MJ, Calle EE, Namboodiri MM, Flanders WD, Coates RJ, Bye T y cols. Risk factors for fatal colon cancer in a large prospective study. *J Natl Cancer Inst* 1992; 84 (19): 1491-500

Thun M, Namboodiri MM, Heath CW Jr. Aspirin use and reduced risk of fatal colon cancer. *N Engl J Med* 1991; 325 (23): 1593-6

Towler B, Irwing L, Glasziou P, Kewenter J, Weller D, Silagy Ch. A systematic review of the effects of screening for colorectal cancer using the faecal occult blood test, hemoccult. *Brit Med J* 1998; 317: 559-65

Troisi RJ, Freedman AN, Devesa SS. Incidence of colorectal carcinoma in the U.S.: an update of trends by gender, race, age, subsite, and stage, 1975-94. *Cancer* 1999; 85 (8): 1670-6

UICC (Union International Contre le Cancer). TNM Classification of malignant tumours. 5° Edition. Paris: Wittekind; 1997

UK Flexible Sigmoidoscopy Screening Trial Investigators. Single flexible sigmoidoscopy screening to prevent colorectal cancer: baseline findings of a UK multicentre randomised trial. *Lancet* 2002; 359: 1291-300

Unidad de Consejo Genético en Cáncer HUSJ. Protocolo de Consejo genético en predisposición hereditaria al cáncer colorectal. Servicio de Oncología Hospital Universitario San Juan de Reus. Tarragona; 1999.

Unidad de Consejo Genético en Cáncer HUSJ. Casuística 1999-2002 (comunicación personal). Servicio de Oncología Hospital Universitario San Juan de Reus. Tarragona; 2003.

U.S.Department of Health and Human Services. National Cancer Institute, Surveillance, Epidemiology and End Results Programm. SEER Cancer Statistics Review 1973-1999. Bethesda: MD; 2002

U.S.Preventive Services Task Force. Screening for Colorectal Cancer: Recommendations and Rationale. Ann Intern Med 2002; 137: 129-31

Vasen HF, Mecklin JP, Khan PM, Lynch HT. The International Collaborative Group on Hereditary Non-Polyposis Colorectal Cancer (ICG-HNPCC). Dis Colon Rectum 1991; 34 (5): 424-5

Verdecchia A, De Angelis R, Capocaccia R, Sant M, Micheli A, Gatta G y cols. The cure for colon cancer: results from the EURO CARE Study. Int J Cancer 1998; 77: 322-9

Viñes JJ, Ardanaz E, Arrazola A, Gaminde I. Epidemiología poblacional del cáncer colorectal: revisión de la causalidad. An Sist Sanit Navarra 2003; 26 (1): 79-97

Vobecky J, Leduc C, Devroede G. Sex differences in the changing anatomic distribution of colorectal carcinoma. Cancer 1984; 66: 2442-9

Vukasin AP, Ballantyne GH, Flannery JT, Lerner E, Modlin IM. Increasing incidence of cecal and sigmoid carcinoma: data from the Connecticut Tumor Registry. Cancer 1990; 66: 2442-9

Waddell WR, Loughry RW. Sulindac for polyposis of the colon. J Surg Oncol 1983; 24 (1): 83-87

Waterhouse JAH, Muir CS, Correa E. Cancer Incidence in Five continents Volume III. IARC Scientific Publication n°15. Lyon: IARC Scientific Publications; 1976

Waterhouse JAH, Muir CS, Shanmugaratnam K, Powell J. Cancer Incidence in Five continents Volume IV. IARC Scientific Publication n°42. Lyon: IARC Scientific Publications; 1982

Watson P, Lin K, Rodriguez-Bigas MA, Smyrk T, Lemon S, Shashidharan M y cols. Colorectal cancer survival among hereditary nonpolyposis colorectal cancer family members. Cancer 1998; 83: 259-66

Welch AA, Lund E, Amiano P, Dorronsoro B, Brustad M, Kumle M y cols. Variability of fish consumption within the 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Public Health Nutr* 2002; 5 (6B): 1273-85

WHO. International Classification of Diseases. 9ª Edición. Geneva: World Health Organization; 1977

WHO. International Classification of Diseases for Oncology. 1ª Edición. Geneva: World Health Organization; 1976

WHO. International Classification of Diseases for Oncology. 2ª Edición. Geneva: World Health Organization; 1990

Whynes DK, Nelson AR, Walker AR, Hardcastle JD. Faecal occult blood screening for colorectal cancer: is it cost-effective?. *Health Econ* 1998; 7: 21-9

Willet WC, Stampfer MJ, Colditz GA, Rosner BA, Speizer FE. Relation of meat, fat and fiber intake to the risk of colon cancer in a prospective study among women. *N Engl J Med* 1990; 323 (24): 1664-72

Wilson JM, Jungner YG. Principles and practice of mass screening for disease. *Bol Oficina Sanit Panam* 1968; 65 (4): 281-393

Winawer S, Fletcher R, Rex D, Bond J, Burt R, Ferrucci J y cols. Colorectal cancer screening and surveillance: clinical guidelines and rationale-update based on new evidence. *Gastroenterology* 2003; 124 (2): 544-60

Winawer SJ, Zauber AJ, Gerdes H, O'Brien MJ, Gottlieb LS, Sternberg SS y cols. Risk of colorectal cancer in the families of patients with adenomatous polyps. National Polyp Study Workgroup. *N Engl J Med* 1996; 334: 82-7

Winawer SJ, Zauber AJ, Ho MN, O'Brien MJ, Gottlieb LS, Sternberg SS y cols. Prevention of colorectal cancer by colonoscopic polypectomy. *N Engl J Med* 1993; 329: 1977-81

Woodman CBJ, Gibbs A, Scott N, Haboubi NY, Collins S. Are differences in stage at presentation a credible explanation for reported differences in the survival of patients with colorectal cancer in Europe?. *Br J Cancer* 2001; 85 (6): 787-90

Wu K, Willett WC, Fuchs CS, Colditz GA, Giovannucci E. Calcium intake and risk of colon cancer in women and men. *J Natl Cancer Inst* 2002; 94 (6): 437-46

Yancik R, Wesley MN, Ries LA, Havlik RJ, Long S, Edwards BK y cols. Comorbidity and age as predictors of risk for early mortality of male and female colon carcinoma patients: a population-based study. *Cancer* 1998; 82 (11): 2123-34

Yeole BB, Sunny L, Swaminathan R, Sankaranarayanan, Parkin DM. Population-based survival from colorectal cancer in Mumbai (Bombay) India. *Eur J Cancer* 2001; 37: 1402-8

