

# Bibliografía

- [1] M. J. Klein, “The physics of J. Willard Gibbs in his time”, *Physics today* **september**, 40 (1990).
- [2] M. W. Zemansky y R. H. Dittman, *Calor y termodinámica*, 6a. ed. (McGraw-Hill, Madrid, 1984).
- [3] H. B. Callen, *Termodinámica: introducción a las teorías físicas de la termostática del equilibrio y de la termodinámica irreversible*. (AC, Madrid, 1981).
- [4] D. Kondepudi y I. Prigogine, *Modern Thermodynamics. From heat engines to dissipative structures* (Wiley, New York, 1998).
- [5] J. Biel, *Curso sobre el Formalismo y los Métodos de la Termodinámica* (Reverté, Barcelona, 1998)
- [6] L. D. Landau y E. M. Lifshitz, *Statistical Physics*, vol. 5 de *Course of Theoretical Physics*, 3rd ed. (Pergamon Press, Oxford, 1980).
- [7] A. Saxena, G. R. Barsch y D. M. Hatch, “Lattice dynamics representation theory versus isotropy subgroup method with application to  $M_5$  mode instability in CsCl structure”, *Phase transitions* **46**, 89 – 142 (1994).
- [8] V. K. Wadhawan, *Introduction to ferroic materials* (Gordon and Breach, Amsterdam, 2000).
- [9] D. Sornette, *Critical Phenomena in Natural Sciences, Springer Series in Synergetics* (Springer Verlag, Berlin, 2000).
- [10] K. Huang, *Statistical Mechanics*, 2nd ed. (Wiley, New York, 1987).
- [11] M. Plischke y B. Bergersen, *Equilibrium Statistical Mechanics*, 2nd ed. (World Scientific Publishing, Singapore, 1994).

- 
- [12] K. Binder, *Materials Science and Technology*, vol. 5 de *Phase Transformations in Materials*, editado por R. Cahn, P. Haasen y E. Kramer (VCH, Weinheim, Germany, 1991), Cap. 3, pags. 143 – 212.
- [13] J. D. Gunton, M. S. Miguel y P. S. Sahni, *The Dynamics of First-order Phase Transitions*, vol. 8 de *Phase Transitions and Critical Phenomena*, editado por C. Domb y J. L. Lebowitz (Academic Press, London, 1983), pags. 267 – 466.
- [14] Varios autores, *Nucleation*, editado por A. Zettlemoyer (Marcel Dekker, New York, 1969).
- [15] J. W. Christian, *The theory of transformations in metals and alloys*, 2nd ed. (Pergamon Press, Oxford, 1975).
- [16] J. W. Cahn y J. E. Hilliard, “Free energy of a nonuniform system. III. Nucleation in a two-dimensional incompressible fluid”, *J. Chem. Phys.* **31**, 688–699 (1959).
- [17] W. Klein y C. Unger, “Pseudospinodals, spinodals, and nucleation”, *Phys. Rev. B* **28**, 445 – 448 (1983).
- [18] C. Unger y W. Klein, “Nucleation theory near the classical spinodal”, *Phys. Rev. B* **29**, 2698 – 2708 (1984).
- [19] S. K. Ma, *Modern Theory of Critical Phenomena* (Benjamin, New York, 1976).
- [20] N. Goldenfeld, *Lectures on Phase Transitions and the Renormalization Group* (Addison-Wesley, Reading, MA, 1992).
- [21] E. Vives y A. Planes, “Avalanches in a fluctuationless first-order phase transition in a random-bond Ising model”, *Phys. Rev. B* **50**, 3839 – 3848 (1994).
- [22] L. Carrillo, L. Mañosa, J. Ortín, A. Planes y E. Vives, “Experimental Evidence for Universality of Acoustic Emission Avalanche Distributions during Structural Transitions”, *Phys. Rev. Lett.* **81**, 1889 – 1892 (1998).
- [23] K. L. Babcock y R. M. Westervelt, “Avalanches and Self-Organization in Cellular Magnetic-Domain Patterns”, *Phys. Rev. Lett.* **64**, 2168 – 2171 (1990).
- [24] P. J. Cote y L. V. Meisel, “Self-Organized Criticality and the Barkhausen Effect”, *Phys. Rev. Lett.* **67**, 1334 – 1337 (1991).

- 
- [25] L. V. Meisel y P. J. Cote, “Power laws, flicker noise, and the Barkhausen effect”, *Phys. Rev. B* **46**, 10822 – 10828 (1992).
- [26] J. S. Urbach, R. C. Madison y J. T. Market, “Reproducibility of Magnetic Avalanches in an Fe-Ni-Co Ferromagnet”, *Phys. Rev. Lett.* **75**, 4694 – 4697 (1995).
- [27] J. S. Urbach, R. C. Madison y J. T. Market, “Interface Depinning, Self-Organized Criticality, and the Barkhausen Effect”, *Phys. Rev. Lett.* **75**, 276 – 279 (1995).
- [28] D. Spasojević, S. Bukvić, S. Milošević y H. E. Stanley, “Barkhausen noise: Elementary signals, power laws, and scaling relations”, *Phys. Rev. E* **54**, 2531 – 2546 (1996).
- [29] E. Puppín, “Statistical Properties of Barkhausen Noise in Thin Fe Films”, *Phys. Rev. Lett.* **84**, 5415 – 5418 (2000).
- [30] G. Durin y S. Zapperi, “The Barkhausen effect”, *cond-mat/0404512*, 2004.
- [31] H. Barkhausen, “Zwei mit Hilfe der neuen Verstärker entdeckte Erscheinungen”, *Physik Z.* **20**, 401 – 403 (1919), traducido al inglés en la Ref. 30.
- [32] R. Feynman, R. B. Leighton y M. L. Sands, *The Feynman Lectures on Physics: Commemorative Issue* (Addison-Wesley, New York, 1989).
- [33] G. Bertotti, *Hysteresis in magnetism, Electromagnetism series* (Academic Press, San Diego, 1998).
- [34] E. V. Colla, L. K. Chao y M. B. Weissman, “Barkhausen Noise in a Relaxor Ferroelectric”, *Phys. Rev. Lett.* **88**, 017601-1 – 017601-4 (2002).
- [35] S. Field, J. Witt, F. Nori y X. Ling, “Superconducting Vortex Avalanches”, *Phys. Rev. Lett.* **1995**, 1206 – 1209 (1995).
- [36] W. Wu y P. W. Adams, “Avalanches and Slow Relaxation: Dynamics of Ultrathin Granular Superconducting Films in a Parallel Magnetic Field”, *Phys. Rev. Lett.* **74**, 610 – 613 (1995).
- [37] E. Altshuler y T. H. Johansen, “*Colloquium*: Experiments in vortex avalanches”, *Rev. Mod. Phys.* **76**, 471 – 487 (2004).

- [38] L. C. Chang, “On Diffusionless Transformation in Au-Cd Single Crystals Containing 47.5 Atomic Percent Cadmium: Characteristics of Single-Interface Transformation”, *J. Appl. Phys.* **23**, 725 – 728 (1952).
- [39] A. Planes, J. L. Macqueron y G. Guénin, “Study of Martensitic Transformation of Cu-Zn-Al Alloy by Coupled Enthalpy and Acoustic Emission Measurements”, *Phys. Stat Sol. (A)* **66**, 717 – 724 (1981).
- [40] A. Planes, J. L. Macqueron, M. Morin, G. Guénin y L. Delaey, “The  $\beta \rightleftharpoons 2H$  martensitic transformation in a Cu-Zn-Al alloy as studied by simultaneous enthalpy and acoustic emission measurements”, *J. de Physique* **43**, C4-615 – C4-620 (1982).
- [41] E. Vives, J. Ortín, L. Mañosa, I. Ràfols, R. Pérez-Magrané y A. Planes, “Distribution of Avalanches in Martensitic Transformations”, *Phys. Rev. Lett.* **72**, 1694 – 1697 (1994).
- [42] E. Vives, I. Ràfols, L. Mañosa, J. Ortín y A. Planes, “Statistics of avalanches in martensitic transformations. I. Acoustic emission experiments”, *Phys. Rev. B* **52**, 12644 – 12650 (1995).
- [43] I. Ràfols y E. Vives, “Statistics of avalanches in martensitic transformations. II. Modeling”, *Phys. Rev. B* **52**, 12651 – 12656 (1995).
- [44] L. Carrillo y J. Ortín, “Avalanches in the growth of stress-induced martensites”, *Phys. Rev. B* **56**, 11508 – 11517 (1997).
- [45] M. P. Lilly, P. T. Finley y R. B. Hallock, “Memory, Congruence, and Avalanche Events in Hysteretic Capillary Condensation”, *Phys. Rev. Lett.* **71**, 4186 – 4189 (1993).
- [46] V. Hardy, S. Majumdar, M. R. Lees, D. M. Paul, C. Yaicle y M. Hervieu, “Power-law distribution of avalanche sizes in the field-driven transformation of a phase-separated oxide”, *Phys. Rev. B* **70**, 104423-1 – 104423-5 (2004).
- [47] F. Casanova, A. Labarta, X. Batlle, E. Vives, J. Marcos, L. Mañosa y A. Planes, “Dynamics of the first-order magnetostructural transition in  $Gd_5(Si_xGe_{1-x})_4$ ”, *Eur. Phys. J. B* **40**, 427 – 431 (2004).
- [48] F. J. Pérez-Reche, E. Vives, L. Mañosa, A. Planes, J. Marcos, F. Casanova, X. Batlle y A. Labarta, “Acoustic emission at the magnetostructural transition of the giant magnetocaloric material  $Gd_5Si_2Ge_2$ ”, en proceso.

- 
- [49] B. Alessandro, C. Beatrice, G. Bertotti y A. Montorsi, “Domain-wall dynamics and Barkhausen effect in metallic ferromagnetic materials. II. Experiments”, *J. Appl. Phys.* **68**, 2908 – 2915 (1990).
- [50] D. H. Kim, S. Choe y S. Shin, *Phys. Rev. Lett.* **90**, 087203-1 – 087203-4 (2003).
- [51] M. E. J. Newman, “Power laws, Pareto distributions and Zipf’s law”, *cond-mat/0412004*, 2004.
- [52] J. P. Sethna, K. A. Dahmen y C. R. Myers, “Crackling noise”, *Nature (London)* **410**, 242 – 250 (2001).
- [53] R. Gutenberg y R. F. Richter, “Frequency of Earthquakes in California”, *Bulletin of the Seismological Society of America* **34**, 185 – 188 (1944).
- [54] G. K. Zipf, *Human Behaviour and the Principle of Least Effort* (Addison-Wesley, Reading, MA, 1949).
- [55] V. Frette, K. Christensen, A. Malthe-Sorensen, J. Feder, T. Jossang y P. Meakin, “Avalanche dynamics in a pile of rice”, *Nature* **379**, 49 – 52 (1996).
- [56] F. Liljeros, C. R. Edling, L. A. N. Amaral, H. E. Stanley y Y. Åberg, “The web of human sexual contacts”, *Nature* **411**, 907 – 908 (2001).
- [57] J. P. Sethna, K. A. Dahmen, S. Kartha, J. Krumhansl, B. Roberts y J. Shore, “Hysteresis and Hierarchies: Dynamics of Disorder-Driven First-Order Phase Transformations”, *Phys. Rev. Lett.* **70**, 3347 – 3350 (1993).
- [58] E. Obradó, E. Vives y A. Planes, “Magnetic hysteresis in the Cu-Al-Mn intermetallic alloy: Experiments and modeling”, *Phys. Rev. B* **59**, 13901 – 13910 (1999).
- [59] B. Tadić, “Nonuniversal Scaling Behavior of Barkhausen Noise”, *Phys. Rev. Lett.* **77**, 3843 – 3846 (1996).
- [60] E. Vives y A. Planes, “Hysteresis and avalanches in the random anisotropy Ising model”, *Phys. Rev. B* **63**, 134431-1 – 134431-14 (2001).
- [61] Y. Imry y S. K. Ma, “Random-Field Instability of the Ordered State of Continuous Symmetry”, *Phys. Rev. Lett.* **35**, 1399 – 1401 (1975).
- [62] A. T. Ogielski, “Integer Optimization and Zero-Temperature Fixed Point in Ising Random-Field Systems”, *Phys. Rev. Lett.* **57**, 1251 – 1254 (1986).

- [63] T. Nattermann, “Theory of the Random Field Ising Model”, cond-mat/9705295, 1997.
- [64] E. Seppälä, “Ground state structure, domain walls, and external field response in random magnets”, tesis doctoral, Laboratory of Physics. Helsinki University of Technology, Espoo, Finland, 2001.
- [65] A. A. Middleton y D. S. Fisher, “Three-dimensional random-field Ising magnet: Interfaces, scaling, and the nature of states”, Phys. Rev. B **65**, 134411-1 – 134411-31 (2002).
- [66] K. Binder y A. P. Young, “Spin Glasses: Experimental Facts, Theoretical Concepts and Open Questions”, Rev. Mod. Phys. **58**, 801 – 976 (1986).
- [67] D. Sherrington y S. Kirkpatrick, “Solvable Model of a Spin-Glass”, Phys. Rev. Lett. **35**, 1792 – 1796 (1975).
- [68] R. B. Stinchcombe, *Dilute magnetism*, vol. 7 de *Phase Transitions and Critical Phenomena*, editado por C. Domb y J. L. Lebowitz (Academic Press, London, 1983), pags. 151 – 280.
- [69] J. Goicoechea y J. Ortín, “A Random Field 3-State Spin Model to Simulate Hysteresis and Avalanches in Martensitic Transformations”, J. Phys. IV **5**, C2-71 – C2-76 (1995).
- [70] E. Vives, J. Goicoechea, J. Ortín y A. Planes, “Universality in models for disorder-induced phase transitions”, Phys. Rev. E **52**, R5 – R8 (1995).
- [71] M. Blume, V. J. Emery y R. B. Griffiths, “Ising Model for the  $\lambda$  Transition and Phase Separation in He<sup>3</sup>-He<sup>4</sup> Mixtures”, Phys. Rev. A **4**, 1071 – 1077 (1971).
- [72] E. Kierlik, P. A. Monson, M. L. Rosinberg, L. Sarkisov y G. Tarjus, “Capillary Condensation in Disordered Porous Materials: Hysteresis versus Equilibrium Behavior”, Phys. Rev. Lett. **87**, 055701-1 – 055701-4 (2001).
- [73] F. Detcheverry, E. Kierlik, M. L. Rosinberg y G. Tarjus, “Local mean-field study of capillary condensation in silica aerogels”, Phys. Rev. B **68**, 061504-1 – 061504-12 (2003).
- [74] P. Bak, C. Tang y K. Wiesenfeld, “Self-Organized Criticality: An Explanation of  $1/f$  Noise”, Phys. Rev. Lett. **59**, 381 – 384 (1987).

- 
- [75] P. Bak, C. Tang y K. Wiesenfeld, “Self-organized criticality”, *Phys. Rev. A* **38**, 364 – 374 (1988).
- [76] P. Bak, *How Nature Works: the science of self-organized criticality* (Oxford University Press, Oxford, 1997).
- [77] P. C. Clapp, “How Would we Recognize a Martensitic Transformation if it Bumped into us on a Dark & Austy Night?”, *J. Phys. IV* **5**, C8-11 – C8-19 (1995).
- [78] L. Delaey, *Materials Science and Technology*, vol. 5 de *Phase Transformations in Materials*, editado por R. Cahn, P. Haasen y E. Kramer (VCH, Weinheim, Germany, 1991), Cap. 6, pags. 339 – 404.
- [79] Z. Nishiyama, *Martensitic Transformations* (Academic Press, London, 1978).
- [80] T. Lookman, S. R. Shenoy, A. Saxena y A. R. Bishop, “Ferroelastic dynamics and strain compatibility”, *Phys. Rev. B* **67**, 024114-1 – 024114-27 (2003).
- [81] S. R. Shenoy, T. Lookman, A. Saxena y A. R. Bishop, “Martensitic textures: Multiscale consequences of elastic compatibility”, *Phys. Rev. B* **60**, R12537 – R12541 (1999).
- [82] K. O. Rasmussen, T. Lookman, A. Saxena, A. R. Bishop, R. C. Albers y S. R. Shenoy, “Three-dimensional elastic compatibility and varieties of twin in martensites.”, *Phys. Rev. Lett.* **87**, 055704-1 – 055704-4 (2001).
- [83] W. Klein, T. Lookman, A. Saxena y D. M. Hatch, “Nucleation in systems with elastic forces”, *Phys. Rev. Lett.* **88**, 085701-1 – 085701-4 (2002).
- [84] A. L. Roitburd, “Martensitic Transformation as a Typical Phase Transformation in Solids”, *Solid state physics* **33**, 317 – 390 (1978).
- [85] A. L. Roitburd, “Principal Concepts of Martensitic Theory”, *J. Phys. IV* **5**, C8-21 – C8-30 (1995).
- [86] A. L. Roitburd, “Kurdjumov and his school in martensite of the 20<sup>th</sup> century”, *Mater. Sci. Engng. A* **273 – 275**, 1 – 10 (1999).
- [87] G. S. Bales y R. J. Gooding, “Interfacial dynamics at a first-order phase transition involving strain: dynamical twin formation”, *Phys. Rev. Lett.* **67**, 3412 – 3415 (1991).

- 
- [88] K. Bhattacharya, *Microstructure of martensite* (Oxford University Press, Oxford, 2003).
- [89] A. Planes y L. Mañosa, “Vibrational Properties of Shape-Memory Alloys”, *Solid state physics* **55**, 159 – 267 (2001).
- [90] M. Ahlers, “Martensite and equilibrium phases in Cu-Zn and Cu-Zn-Al alloys”, *Prog. Mater. Sci.* **30**, 135 – 186 (1986).
- [91] K. Otsuka y X. Ren, “Martensitic transformations in nonferrous shape memory alloys”, *Mater. Sci. Engng. A* **273 – 275**, 89 – 105 (1999).
- [92] S. Kajiwara, “Theoretical Analysis of the Crystallography of the Martensitic Transformation of *BCC* to *9R* Close-Packed Structure”, *Mater. Trans. JIM* **17**, 435 – 446 (1976).
- [93] T. Castán, A. Planes y A. Saxena, “Modulated phases in multi-stage structural transformations”, *Phys. Rev. B* **67**, 134113-1 – 134113-6 (2003).
- [94] M. Ahlers, “The martensitic transformation: mechanisms and crystallography”, *Phil. Mag. A* **82**, 1093 – 1114 (2002).
- [95] M. Ahlers, “The Martensitic Transformation: A Model”, *Z. Metallk.* **65**, 636 – 642 (1974).
- [96] E. Obradó, L. Mañosa y A. Planes, “Stability of the bcc phase of Cu-Al-Mn shape-memory alloys”, *Phys. Rev. B* **56**, 20 – 23 (1997).
- [97] J. W. Christian, “Deforming by Moving Interfaces”, *Metall. Trans. A* **13A**, 509 – 538 (1982).
- [98] *Shape Memory Materials*, editado por K. Otsuka y C. M. Wayman (Cambridge University Press, Cambridge, 1998).
- [99] A. Planes y J. Ortín, “Study of thermoelastic growth during martensitic transformations”, *J. Appl. Phys.* **71**, 950 – 957 (1992).
- [100] W. Cao, J. A. Krumhansl y R. J. Gooding, “Defect-induced heterogeneous transformations and thermal growth in athermal martensite”, *Phys. Rev. B* **41**, 11319 – 11327 (1990).



- 
- [101] L. Mañosa, A. Planes, D. Rouby, M. Morin, P. Fleischmann y J. L. Macque-ron, “Acoustic emission field during thermoelastic martensitic transformations”, *Appl. Phys. Lett.* **54**, 2574 – 2576 (1989).
- [102] R. Ahluwalia y G. Ananthkrishna, “Power-Law Statistics for Avalanches in a Mar-  
tensitic Transformation”, *Phys. Rev. Lett.* **86**, 4076 – 4079 (2001).
- [103] S. Sreekala y G. Ananthkrishna, “Acoustic emission and shape memory effect in  
the martensitic transformation”, *Phys. Rev. Lett.* **90**, 135501-1 – 135501-4 (2003).
- [104] S. Sreekala, R. Ahluwalia y G. Ananthkrishna, “Precursors and power-law statis-  
tics of acoustic emission and shape memory effect in martensites”, *Phys. Rev. B* **70**,  
224105-1 – 224105-13 (2004).
- [105] S. Kajiwara, “Continuous observation of isothermal martensite formation in Fe-Ni-  
Mn”, *Acta metall.* **32**, 407 – 413 (1984).
- [106] S. Kajiwara, “Mechanism of Isothermal Martensitic Transformation”, *Mater. Trans.*  
*JIM* **33**, 1027 – 1034 (1992).
- [107] H. K. D. H. Bhadeshia, *Bainite in steels. Transformations, microstructure and  
properties*, 2nd ed. (Cambridge University Press, Cambridge, 2001).
- [108] H. G. Smith, “Martensitic Phase Transformation of Single-Crystal Lithium from bcc  
to a  $9R$ -Related Structure”, *Phys. Rev. Lett.* **58**, 1228 – 1231 (1987).
- [109] H. Abe, K. Ohshima, T. Suzuki, S. Hoshino y K. Kakurai, “Neutron-scattering  
study of metallic sodium”, *Phys. Rev. B* **49**, 3739 – 3745 (1994).
- [110] H. Abe, M. Ishibashi, K. Ohshima, T. Suzuki, M. Wuttig y K. Kakurai, “Kinetics  
of the martensitic transition in In-Tl alloys”, *Phys. Rev. B* **50**, 9020 – 9024 (1994).
- [111] T. Kakeshita, T. Fukuda y T. Saburi, “Time-dependent nature of the athermal  
martensitic transformations in Fe-Ni alloys”, *Scr. Mater.* **34**, 147 – 150 (1996).
- [112] T. Kakeshita, J. Katsuyama, T. Fukuda y T. Saburi, “Time-dependent nature  
of displacive transformations in Fe-Ni and Fe-Ni-Mn alloys under magnetic field and  
hydrostatic pressure”, *Mater. Sci. Engng. A* **312**, 219 – 226 (2001).
- [113] T. Kakeshita, T. Saburi y K. Shimizu, “Kinetics of martensitic transformations in  
some ferrous and non-ferrous alloys”, *Phil. Mag. B* **80**, 171 – 181 (2000).

- 
- [114] T. Kakeshita, T. Takeguchi, T. Fukuda y T. Saburi, “Time-Dependent Nature of the Athermal Martensitic Transformation in a Cu-Al-Ni Shape Memory Alloy”, *Mater. Trans. JIM* **37**, 299 – 303 (1996).
- [115] M. Aspelmeier, U. Klemradt, L. T. Wood, S. C. Moss y J. Peisl, “Time-Dependent Aspects of the Athermal Martensitic Transformation: First Observation of Incubation Time in Ni-Al”, *Phys. Stat. Sol.* **174**, R9 – R10 (1999).
- [116] T. Kakeshita, K. Kuroiwa, K. Shimizu, T. Ikeda, A. Yamagishi y M. Date, “Effect of Magnetic Field on Athermal and Isothermal Martensitic Transformations in Fe-Ni-Mn Alloys”, *Mater. Trans. JIM* **34**, 415 – 422 (1993).
- [117] T. Kakeshita, K. Kuroiwa, K. Shimizu, T. Ikeda, A. Yamagishi y M. Date, “A New Model Explainable for Both the Athermal and Isothermal Natures of Martensitic Transformations in Fe-Ni-Mn Alloys”, *Mater. Trans. JIM* **34**, 423 – 428 (1993).
- [118] T. Kakeshita, T. Yamamoto, K. Shimizu, K. Sugiyama y S. Endo, “Effects of Static Magnetic Field and Hydrostatic Pressure on the Isothermal Martensitic Transformation in an Fe-Ni-Mn Alloy”, *Mater. Trans. JIM* **36**, 1018 – 1022 (1995).
- [119] T. Kakeshita, T. Saburi, K. Kindo y S. Endo, “Effect of Magnetic Field and Hydrostatic Pressure on Martensitic Transformation and Its Kinetics”, *Jpn. J. Appl. Phys.* **36**, 7083 – 7094 (1997).
- [120] T. Kakeshita, T. Fukuda y T. Saburi, “Time-dependent nature and origin of displacive transformation”, *Scien. Tech. Adv. Mat.* **1**, 63 – 72 (2000).
- [121] T. Kakeshita, T. Saburi y K. Shimizu, “Effect of hydrostatic pressure and magnetic fields on martensitic transformations”, *Mater. Sci. Engng. A* **273 – 275**, 21 – 39 (1999).
- [122] K. Otsuka, X. Ren y T. Takeda, “Experimental test for a possible isothermal martensitic transformation in a Ti-Ni alloy”, *Scr. Metall. Mater.* **45**, 145 – 152 (2001).
- [123] F. Falk, “Model free-energy, mechanics and thermodynamics of shape-memory alloys”, *Acta metall.* **28**, 1773 – 1780 (1980).
- [124] F. Falk, “Ginzburg-Landau Theory of Static Domain Walls in Shape-Memory Alloys”, *Z. Physik B* **51**, 177 – 185 (1983).

- 
- [125] A. E. Jacobs, “Solitons of the square-rectangular martensitic transformation”, *Phys. Rev. B* **31**, 5984 – 5989 (1985).
- [126] G. R. Barsch y J. A. Krumhansl, “Twin Boundaries in Ferroelastic Media without Interface Dislocations”, *Phys. Rev. Lett.* **53**, 1069 – 1072 (1984).
- [127] G. R. Barsch, B. Horowitz y J. A. Krumhansl, “Dynamics of Twin Boundaries in Martensites”, *Phys. Rev. Lett.* **59**, 1251 – 1254 (1987).
- [128] P. A. Lindgård y O. G. Mouritsen, “Theory and Model for Martensitic Transformations”, *Phys. Rev. Lett.* **57**, 2458 – 2461 (1986).
- [129] J. A. Krumhansl, “Landau models for structural phase transitions: are soft modes needed?”, *Solid State Comm.* **84**, 251 – 254 (1992).
- [130] G. Guénin y P. C. Clapp, *Proceedings of The International Conference on Martensitic Transformations* (The Japan Institute of Metals, Nara, 1986).
- [131] A. Planes, L. Mañosa y E. Vives, “Vibrational behavior of bcc Cu-based shape-memory alloys close to the martensitic transition”, *Phys. Rev. B* **53**, 3039 – 3046 (1996).
- [132] R. J. Gooding y J. A. Krumhansl, “Theory of the bcc-to-9R structural phase transformation of Li”, *Phys. Rev. B* **38**, 1695 – 1704 (1988).
- [133] R. J. Gooding y J. A. Krumhansl, “Symmetry-restricted anharmonicities and the CsCl-to-7R martensitic structural phase transformation of the  $\text{Ni}_x\text{Al}_{1-x}$  system”, *Phys. Rev. B* **39**, 1535 – 1540 (1989).
- [134] H. E. Stanley, *Introduction to Phase Transitions and Critical Phenomena* (Oxford University Press, New York, 1983).
- [135] E. A. Guggenheim, “The Principle of Corresponding States”, *J. Chem. Phys.* **13**, 253 – 261 (1945).
- [136] B. Widom, “Equation of State in the Neighborhood of the Critical Point”, *J. Chem. Phys.* **11**, 3898 – 3905 (1965).
- [137] L. P. Kadanoff, W. Götze, D. Hamblen, R. Hecht, E. A. S. Lewis, V. V. Palciauskas, M. Rayl y J. Swift, “Static Phenomena Near Critical Points: Theory and Experiment”, *Rev. Mod. Phys.* **39**, 395 – 431 (1967).

- 
- [138] M. E. Fisher, “Renormalization group theory: Its basis and formulation in statistical physics”, *Rev. Mod. Phys.* **70**, 653 – 681 (1998).
- [139] K. G. Wilson, “Renormalization Group and critical phenomena. I. Renormalization Group and the Kadanoff scaling picture”, *Phys. Rev. B* **4**, 3174 – 3183 (1971).
- [140] K. G. Wilson, “Renormalization Group and Critical Phenomena. II. Phase-Space Cell Analysis of Critical Behaviour”, *Phys. Rev. B* **4**, 3184 – 3205 (1971).
- [141] S. K. Ma, “Introduction to the Renormalization Group”, *Rev. Mod. Phys.* **45**, 589–614 (1973).
- [142] M. E. Fisher, “The renormalization group in the theory of critical behaviour”, *Rev. Mod. Phys.* **46**, 597–616 (1974).
- [143] Varios autores, *Phase Transitions and Critical Phenomena*, editado por C. Domb y M. Green (Academic Press, New York, 1976), vol. 6.
- [144] M. E. Fisher, *Critical Phenomena*, vol. 186 de *Lecture Notes in Physics*, editado por F. Hahne (Springer, Berlin, 1983), pags. 1 – 139.
- [145] K. G. Wilson, “The Renormalization Group and Critical Phenomena”, *Rev. Mod. Phys.* **55**, 583 – 600 (1983).
- [146] J. J. Binney, N. J. Dowrick, A. J. Fisher y M. E. J. Newman, *The Theory of Critical Phenomena* (Oxford University Press, Oxford, 1992).
- [147] J. Cardy, *Scaling and Renormalization in Statistical Physics* (Cambridge University Press, Cambridge, 1996).
- [148] A. Palisetto y E. Vicari, “Critical phenomena and renormalization-group theory”, *Phys. Rep.* **368**, 549 – 727 (2002).
- [149] L. P. Kadanoff, “Scaling laws for Ising models near  $T_c$ ”, *Physics (N.Y.)* **2**, 263 (1966).
- [150] T. Niemeijer y J. M. J. van Leeuwen, *Renormalization Theory for Ising-like Spin Systems*, vol. 6 de *Phase Transitions and Critical Phenomena*, editado por C. Domb y M. Green (Academic Press, New York, 1976), pags. 425 – 505.

- 
- [151] P. Guenoun, F. Perrot y D. Beysens, “Microscopic Observation of Order-Parameter Fluctuations in Critical Binary Fluids: Morphology, Self-Similarity, and Fractal Dimension”, *Phys. Rev. Lett.* **63**, 1152 – 1155 (1989).
- [152] M. E. Fisher y A. E. Ferdinand, “Interfacial, boundary, and size effects at critical points”, *Phys. Rev. Lett.* **19**, 169 – 172 (1967).
- [153] A. E. Ferdinand y M. E. Fisher, “Bounded and Inhomogeneous Ising Models. Specific-Heat Anomaly of a Finite Lattice”, *Phys. Rev.* **185**, 832 – 846 (1969).
- [154] G. A. T. Allan, “Critical Temperature of Ising Lattice Films”, *Phys. Rev. B* **1**, 352 – 356 (1970).
- [155] M. E. Fisher y M. N. Barber, “Scaling Theory for Finite-Size Effects in the Critical Region”, *Phys. Rev. Lett.* **28**, 1516 – 1519 (1972).
- [156] M. N. Barber, *Finite Size Scaling*, vol. 8 de *Phase Transitions and Critical Phenomena*, editado por C. Domb y J. Lebowitz (Academic Press, New York, 1983), pags. 145 – 266.
- [157] M. Suzuki, “Static and Dynamic Finite-Size Scaling Theory Based on the Renormalization Group Approach”, *Prog. Theor. Phys.* **58**, 1142 – 1150 (1977).
- [158] D. P. Landau, “Finite-size behaviour of the Ising square lattice”, *Phys. Rev. B* **13**, 2997 – 3011 (1976).
- [159] B. Kaufman, “Crystal Statistics. II. Partition Function Evaluated by Spinor Analysis”, *Phys. Rev.* **76**, 1232 – 1243 (1949).
- [160] T. D. Schultz, D. C. Mattis y E. H. Lieb, “Two-Dimensional Ising Model as a Soluble Problem of Many Fermions”, *Rev. Mod. Phys.* **36**, 856 – 871 (1964).
- [161] L. Onsager, “Crystal Statistics. I. A Two-Dimensional Model with an Order-Disorder Transition”, *Phys. Rev.* **65**, 117 – 149 (1944).
- [162] D. P. Landau, “Finite-size behaviour of the simple-cubic Ising lattice”, *Phys. Rev. B* **14**, 255 – 262 (1976).
- [163] D. P. Landau, “Critical behaviour of a bcc Ising antiferromagnet in a magnetic field”, *Phys. Rev. B* **16**, 4161 – 4170 (1977).

- [164] F. Huang, G. J. Mankey, M. T. Kief y R. F. Willis, “Finite-size scaling of ferromagnetic thin films”, *J. Appl. Phys.* **73**, 6760 – 6762 (1993).
- [165] S. Mehta y F. M. Gasparini, “Specific Heat and Scaling of  $^4\text{He}$  Confined in a Planar Geometry”, *Phys. Rev. Lett.* **78**, 2596 – 2599 (1997).
- [166] J. A. Lipa, D. R. Swanson, J. A. Nissen, Z. K. Geng, P. R. Williamson, D. A. Stricker, T. C. P. Chui, U. E. Israelsson y M. Larson, “Specific Heat of Helium Confined to a  $57 - \mu\text{m}$  Planar Geometry near the Lambda Point”, *Phys. Rev. Lett.* **84**, 4894 – 4897 (2000).
- [167] P. C. Hohenberg y B. I. Halperin, “Theory of dynamic critical phenomena”, *Rev. Mod. Phys.* **49**, 435 – 479 (1977).
- [168] S. K. Ma, “Alternative approach to the dynamic renormalization group”, *Phys. Rev. B* **19**, 4824 – 4837 (1979).
- [169] B. Nienhuis y M. Nauenberg, “First-Order Phase Transitions in Renormalization-Group Theory”, *Phys. Rev. Lett.* **35**, 477 – 479 (1975).
- [170] B. Nienhuis y M. Nauenberg, “Renormalization-group calculation for the equation of state of an Ising ferromagnet”, *Phys. Rev. Lett.* **35**, 477 – 479 (1975).
- [171] R. L. Stratonovich, *Topics in the Theory of Random Noise* (Gordon and Breach, New York, 1963), vol. 1.
- [172] N. G. Van Kampen, *Stochastic processes in physics and chemistry* (North Holland, Amsterdam, 1981).
- [173] P. Hänggi, P. Talkner y M. Borkovec, “Reaction-rate theory: fifty years after Kramers”, *Rev. Mod. Phys.* **62**, 251 – 341 (1990).
- [174] D. W. Heermann, *Computer simulation methods in theoretical physics* (Springer Verlag, Berlin, 1986).
- [175] M. C. Mahato y S. R. Shenoy, “Langevin dynamic simulation of hysteresis in a field-swept Landau potential”, *J. Stat. Phys.* **73**, 123 – 145 (1993).
- [176] A. Einstein “Über die von der molekularkinetischen Theorie der Wärme geforderte Bewegung von in ruhenden Flüssigkeiten suspendierten Teilchen”, *Annalen der Physik* **17**, 549 – 560 (1905).

- 
- [177] J. García-Ojalvo y J. M. Sancho, *Noise in Spatially Extended Systems, Institute for nonlinear science* (Springer Verlag, New York, 1999).
- [178] S. Chandrasekhar, “Stochastic problems in physics and astronomy”, *Rev. Mod. Phys.* **15**, 1 – 89 (1943).
- [179] R. Roy, R. Short, J. Durnin y L. Mandel, “First-passage-time distributions under the influence of quantum fluctuations in a laser”, *Phys. Rev. Lett.* **45**, 1486–1490 (1980).
- [180] R. Gilmore, “Catastrophe time scales and conventions”, *Phys. Rev. A* **20**, 2510 – 2515 (1979).
- [181] G. S. Agarwal y S. R. Shenoy, “Observability of hysteresis in first-order equilibrium and nonequilibrium phase transitions”, *Phys. Rev. A* **23**, 2719 – 2723 (1981).
- [182] H. A. Kramers, “Brownian motion in a Field of force and the diffusion model of chemical reactions”, *Physica (Utrecht)* **7**, 284 – 304 (1940).
- [183] M. Rao, H. R. Krishnamurthy y R. Pandit, “Hysteresis in model spin systems”, *J. Phys.: Condens. Matter* **1**, 9061 – 9066 (1989).
- [184] M. Rao, H. R. Krishnamurthy y R. Pandit, “Magnetic hysteresis in two model spin systems”, *Phys. Rev. B* **42**, 856 – 884 (1990).
- [185] Q. Jiang, H. N. Yang y G. C. Wang, “Scaling and dynamics of low-frequency hysteresis loops in ultrathin Co films on a Cu(001) surface”, *Phys. Rev. B* **52**, 14911 – 14916 (1995).
- [186] B. C. Choi, W. Y. Lee, A. Samad y J. A. C. Bland, “Dynamics of magnetization reversal in thin polycrystalline Ni<sub>80</sub>Fe<sub>20</sub> films”, *Phys. Rev. B* **60**, 11906 – 11909 (1999).
- [187] B. K. Chakrabarti y M. Acharyya, “Dynamic transitions and hysteresis”, *Rev. Mod. Phys.* **71**, 847 – 859 (1999).
- [188] M. C. Mahato y S. R. Shenoy, “Hysteresis as rate competition: a Landau model example”, *Physica A* **186**, 220 – 230 (1992).
- [189] G. Broggi, A. Colombo, L. A. Lugiato y P. Mandel, “Influence of white noise on delayed bifurcations”, *Phys. Rev. A* **33**, 3635 – 3637 (1986).

- 
- [190] R. Mannella, F. Moss y P. V. E. McClintock, “Postponed bifurcation of a ring-laser model with a swept parameter and additive colored noise”, *Phys. Rev. B* **35**, 2560 – 2566 (1987).
- [191] M. C. Torrent y M. San Miguel, “Stochastic-dynamics characterization of delayed threshold instability with swept control parameter”, *Phys. Rev. B* **38**, 245 – 251 (1988).
- [192] M. C. Torrent, “Inestabilidades dinámicas”, tesis doctoral, Departament d’Estructura i Constituents de la Matèria. Universitat de Barcelona, 1989.
- [193] W. H. Press, S. A. Teukolsky, W. T. Vetterling y B. P. Flannery, *Numerical Recipes in Fortran 77. The Art of Scientific Computing*, 2nd ed. (Cambridge University Press, Cambridge, 2001).
- [194] F. J. Pérez-Reche, E. Vives, L. Mañosa y A. Planes, “Athermal character of structural phase transitions”, *Phys. Rev. Lett.* **87**, 195701-1 – 195701-4 (2001).
- [195] S. R. Shenoy y G. S. Agarwal, “First-passage times and hysteresis in multivariable stochastic processes: The two-mode ring laser”, *Phys. Rev. A* **29**, 1315 – 1325 (1984).
- [196] H. Ji y M. O. Robbins, “Percolative, self-affine, and faceted domain growth in random three-dimensional magnets”, *Phys. Rev. B* **46**, 14519 – 14527 (1992).
- [197] B. Koiller y M. O. Robbins, “Morphology transitions in three-dimensional growth with Gaussian random fields”, *Phys. Rev. B* **62**, 5771 – 5778 (2000).
- [198] O. Perković, K. A. Dahmen y J. P. Sethna, “Disorder-Induced Critical Phenomena in Hysteresis: A Numerical Scaling Analysis”, [cond-mat/9609072](https://arxiv.org/abs/cond-mat/9609072), 1996.
- [199] D. Dhar, P. Shukla y J. P. Sethna, “Zero-temperature hysteresis in the random-field Ising model on a Bethe lattice”, *J. Phys. A: Math. Gen.* **30**, 5259 – 5267 (1997).
- [200] S. Sabhapandit, “Hysteresis and Avalanches in the Random Field Ising Model”, tesis doctoral, University of Mumbai, 2002.
- [201] J. Katz, “Permanent hysteresis in physical adsorption. A theoretical discussion”, *J. Phys (Colloid) Chem* **53**, 1166 – 1186 (1949).
- [202] D. C. Jiles y D. L. Atherton, “Theory of ferromagnetic hysteresis (invited)”, *J. Appl. Phys.* **55**, 2115 – 2120 (1984).



- 
- [203] Z. Z. Wang y N. P. Ong, “Desiquilibration of the pinned charge-density-wave state by slight changes in temperature”, *Phys. Rev. B* **34**, 5967 – 5969 (1986).
- [204] J. Ortín, “Preisach modeling of hysteresis for a pseudoelastic Cu-Zn-Al single crystal”, *J. Appl. Phys.* **71**, 1454 – 1461 (1992).
- [205] A. A. Middleton, “Asymptotic Uniqueness of the Sliding State for Charge-Density Waves”, *Phys. Rev. Lett.* **68**, 670 – 673 (1992).
- [206] A. A. Middleton y D. S. Fisher, “Critical behavior of charge-density waves below threshold: Numerical and scaling analysis”, *Phys. Rev. B* **47**, 3530 – 3552 (1993).
- [207] I. D. Mayergoyz, *Mathematical Models of Hysteresis* (Springer-Verlag, Berlin, 1991).
- [208] I. D. Mayergoyz, “Mathematical Models of Hysteresis”, *Phys. Rev. Lett.* **56**, 1518 – 1521 (1986).
- [209] J. Goicoechea y J. Ortín, “Hysteresis and Return-Point Memory in Deterministic Cellular Automata”, *Phys. Rev. Lett.* **72**, 2203 – 2206 (1994).
- [210] G. Bertotti, I. D. Mayergoyz, V. Basso y A. Magni, “Functional integration approach to hysteresis”, *Phys. Rev. E* **60**, 1428 – 1440 (1999).
- [211] J. M. Deutsch, A. Dhar y O. Narayan, “Return to Return Point Memory”, *Phys. Rev. Lett.* **92**, 227203-1 – 227203-4 (2004).
- [212] K. A. Dahmen y J. P. Sethna, “Hysteresis loop critical exponents in  $6 - \epsilon$  dimensions”, *Phys. Rev. Lett.* **71**, 3222 – 3225 (1993).
- [213] J. P. Sethna, K. A. Dahmen y O. Perković, “Random-Field Ising Models of Hysteresis”, *cond-mat/0406320*, 2004.
- [214] P. Shukla, “Exact solution of return hysteresis loops in a one-dimensional random-field Ising model at zero temperature”, *Phys. Rev. E* **62**, 4725 – 4729 (2000).
- [215] S. Sabhapandit, P. Shukla y D. Dhar, “Distribution of Avalanche Sizes in the Hysteretic Response of the Random-Field Ising Model on a Bethe Lattice at Zero Temperature”, *J. Stat. Phys.* **98**, 103 – 129 (2000).

- 
- [216] P. Shukla, “Exact expressions for minor hysteresis loops in the random field Ising model on a Bethe lattice at zero temperature”, *Phys. Rev. E* **63**, 027102-1 – 027102-4 (2001).
- [217] K. A. Dahmen y J. P. Sethna, “Hysteresis, avalanches, and disorder-induced critical scaling: A renormalization-group approach”, *Phys. Rev. B* **53**, 14872 – 14905 (1996).
- [218] P. C. Martin, E. Siggia y H. Rose, “Statistical dynamics of classical systems”, *Phys. Rev. A* **8**, 423 – 437 (1973).
- [219] O. Narayan y D. S. Fisher, “Dynamics of Sliding Charge-Density Waves in  $4 - \epsilon$  Dimensions”, *Phys. Rev. Lett.* **68**, 3615 – 3618 (1992).
- [220] O. Narayan y A. A. Middleton, “Avalanches and the renormalization group for pinned charge-density waves”, *Phys. Rev. B* **49**, 244 – 256 (1994).
- [221] H. Kleinert, J. Neu, V. Schulte-Frohlinde, K. G. Chetyrkin y S. A. Larin, “Five-loop renormalization group functions of  $O(n)$ -symmetric  $\phi^4$ -theory and  $\epsilon$ -expansions of critical exponents up to  $\epsilon^5$ ”, *Phys. Lett. B* **272**, 39 – 44 (1991).
- [222] O. Perković, K. A. Dahmen y J. P. Sethna, “Disorder-induced critical phenomena in hysteresis: Numerical scaling in three and higher dimensions”, *Phys. Rev. B* **59**, 6106 – 6119 (1999).
- [223] M. C. Kuntz y J. P. Sethna, “Noise in disordered systems: The power spectrum and dynamics exponents in avalanche models”, *Phys. Rev. B* **62**, 11699 – 11708 (2000).
- [224] A. P. Mehta, A. C. Mills, K. A. Dahmen y J. P. Sethna, “Universal pulse shape scaling functions and exponents: Critical test for avalanche models applied to Barkhausen noise”, *Phys. Rev. E* **65**, 046139-1 – 046139-6 (2002).
- [225] G. Durin y S. Zapperi, “On the power spectrum of magnetization noise”, *cond-mat/0106113*, 2001.
- [226] A. Baldassarri, F. Colaiori y C. Castellano, “The average shape of a fluctuation: universality in excursions of stochastic processes”, *Phys. Rev. Lett.* **90**, 060601-1 – 060601-4 (2003).
- [227] F. Colaiori, A. Baldassarri y C. Castellano, “Average trajectory of returning walks”, *Phys. Rev. E* **69**, 041105-1 – 041105-11 (2004).

- 
- [228] O. Perković, K. A. Dahmen y J. P. Sethna, “Avalanches, Barkhausen Noise, and Plain Old Criticality”, *Phys. Rev. Lett.* **75**, 4528 – 4531 (1995).
- [229] B. Tadić y U. Nowak, “Barkhausen avalanches in anisotropic ferromagnets with 180 domain walls”, *Phys. Rev. E* **61**, 4610 – 4613 (2000).
- [230] W. H. Press, S. A. Teukolsky, W. T. Vetterling y B. P. Flannery, *Numerical Recipes in Fortran 90. The Art of Parallel Scientific Computing*, 2nd ed. (Cambridge University Press, Cambridge, 2001).
- [231] M. C. Kuntz, O. Perković, K. A. Dahmen, B. W. Roberts y J. P. Sethna, “Hysteresis, Avalanches, and Noise”, *Computing in Science & Engineering* **1**, 73 – 81 (1999).
- [232] L. Furuberg, J. Feder, A. Aharony y T. Jøssang, “Dynamics of Invasion Percolation”, *Phys. Rev. Lett.* **61**, 2117 – 2120 (1988).
- [233] X. Illa y E. Vives, “Statistical properties of pinning fields in the 3d-Gaussian RFIM”, *Physica B* **343**, 308 – 313 (2003).
- [234] U. Wolff, “Collective Monte Carlo Updating for Spin Systems”, *Phys. Rev. Lett.* **62**, 361 – 364 (1989).
- [235] B. B. Mandelbrot, *The Fractal Geometry of Nature* (Freeman, New York, 1983).
- [236] B. B. Mandelbrot, Y. Gefen, A. Aharony y J. Peyrière, “Fractals, their transfer matrices and their eigen-dimensional sequences”, *J. Phys. A: Math. Gen.* **18**, 335 – 354 (1985).
- [237] A. Kapitulnik, A. Aharony, G. Deutscher y D. Stauffer, “Self similarity and correlation in percolation”, *J. Phys. A: Math. Gen.* **16**, L269 – L274 (1983).
- [238] M. de Guzmán, M. A. Martín, M. Morán y M. Reyes, *Estructuras fractales y sus aplicaciones* (Labor, Barcelona, 1993).
- [239] S. M. Bhattacharjee y F. Seno, “A measure of data collapse for scaling”, *J. Phys. A: Math. Gen.* **34**, 6375 – 6380 (2001).
- [240] A. Maritan, M. Cieplak, M. R. Swift y J. R. Banavar, “Spin-Flip Avalanches and Dynamics of First Order Phase Transitions”, *Phys. Rev. Lett.* **72**, 946 – 946 (1994).

- 
- [241] K. J. Falconer, *The geometry of fractal sets* (Cambridge University Press, Cambridge, 1985).
- [242] K. J. Falconer, *Fractal geometry* (Willey, New York, 1990).
- [243] M. B. Isichenko, “Percolation, statistical topography, and transport in random media”, *Rev. Mod. Phys.* **64**, 961 – 1043 (1992).
- [244] C. Allain y M. Cloitre, “Characterizing the lacunarity of random and deterministic fractal sets”, *Phys. Rev. A* **44**, 3552 – 3558 (1991).
- [245] A. Bunde y S. Havlin, *Fractals in Science*, editado por A. Bunde y S. Havlin (Springer Verlag, Berlin, 1994), Cap. 1.
- [246] O. Malcai, D. A. Lidar, O. Biham y D. Avnir, “Scaling range and cutoffs in empirical fractals”, *Phys. Rev. E* **56**, 2817 – 2828 (1997).
- [247] D. Avnir, O. Biham, D. Lidar y O. Malcai, “Is the Geometry of Nature Fractal?”, *Science* **279**, 39 – 40 (1998).
- [248] B. B. Mandelbrot, “Is nature fractal?”, *Science* **279**, 783 – 784 (1998).
- [249] O. Biham, O. Malcai, D. Lidar y D. Avnir, “Is nature fractal?”, *Science* **279**, 785 – 786 (1998), respuesta a B. B. Mandelbrot.
- [250] Y. Gefen, B. B. Mandelbrot y A. Aharony, “Critical phenomena on fractal lattices”, *Phys. Rev. Lett.* **45**, 855 – 858 (1980).
- [251] M. Suzuki, “Phase Transition and Fractals”, *Prog. Theor. Phys.* **69**, 65 – 76 (1983).
- [252] J. P. Sethna, K. A. Dahmen, S. Kartha, J. A. Krumhansl, B. W. Roberts y J. D. Shore, *Phys. Rev. Lett.* **72**, 947 – 947 (1994).
- [253] D. Stauffer, “Scaling theory of percolation clusters”, *Phys. Rep.* **54**, 1 – 54 (1979).
- [254] J. Stauffer y A. Aharony, *Introduction to percolation theory*, 2nd ed. (Taylor and Francis, Washington, D.C., 1994).
- [255] E. Vives, E. Obradó y A. Planes, “Hysteresis and avalanches in the site-diluted Ising model: comparison with experimental results in Cu-Al-Mn alloys”, *Physica B* **275**, 45 – 49 (2000).

- [256] N. Nakanishi, T. Shigematsu, M. Machida, K. Ueda, K. Shimitsu y Y. Nakata, “Site Determination of Mn Atoms in Cu-Al-Mn Alloys by ALCHEMI”, *Proceedings of the International Conference on Martensitic Transformations 1992*, editado por C. M. Wayman y J. Perkins (Monterey Institute for Advanced Studies, Monterey, CA, 1993), pag. 581.
- [257] E. Vives y A. Planes, “Hysteresis and avalanches in disordered systems”, *J. Mag. Magn. Mat.* **221**, 164 – 171 (2000).
- [258] A. Berger, A. Inomata, J. S. Jiang, J. E. Pearson y S. D. Bader, “Experimental Observation of Disorder-Driven Hysteresis-Loop Criticality”, *Phys. Rev. Lett.* **85**, 4176 – 4179 (2000).
- [259] J. Marcos, E. Vives, L. Mañosa, M. Acet, E. Duman, M. Morin, V. Novák y A. Planes, “Disorder-induced critical phenomena in magnetically glassy Cu-Al-Mn alloys”, *Phys. Rev. B* **67**, 224406-1 – 224406-5 (2003).
- [260] R. A. da Silveira y M. Kardar, “Critical hysteresis for n-component magnets”, *Phys. Rev. E* **59**, 1355 – 1367 (1999).
- [261] R. A. da Silveira y S. Zapperi, “Critical hysteresis from random anisotropy”, *Phys. Rev. B* **69**, 212404-1 – 212404-4 (2004).
- [262] A. Berger, A. Inomata, J. S. Jiang, J. E. Pearson, S. D. Bader y K. A. Dahmen, “Disorder-driven hysteresis-loop criticality in Co/CoO films”, *J. Appl. Phys.* **89**, 7466 – 7468 (2001).
- [263] A. Berger, M. J. Pechan, R. Compton, J. S. Jiang, J. E. Pearson y S. D. Bader, “Disorder-tuning of hysteresis-loop properties in Co/CoO-film structures”, *Physica B* **306**, 235 – 239 (2001).
- [264] G. P. Zheng y M. Li, “Universality of dynamic scaling for avalanches in disordered Ising systems”, *Phys. Rev. E* **66**, 036108-1 – 036108-7 (2002).
- [265] G. P. Zheng, M. Li y J. Zhang, “Dynamics of Barkhausen jumps in disordered ferromagnets”, *J. Appl. Phys.* **92**, 883–888 (2002).
- [266] A. Magni, C. Beatrice, G. Durin y G. Bertotti, “Stochastic model for magnetic hysteresis”, *J. Appl. Phys.* **86**, 3253 – 3261 (1999).

- [267] A. Magni, “Hysteresis properties at zero temperature in the dipolar random-field Ising model”, *Phys. Rev. B* **59**, 985 – 990 (1999).
- [268] J. Marcos, “Estudi de les propietats estructurals i magnètiques en aliatges de tipus Heusler”, tesis doctoral, Departament d’Estructura i Constituents de la Matèria. Universitat de Barcelona, Barcelona, 2004.
- [269] K. Narita, S. Koga y Y. Motowaki, “Displaced hysteresis loop and microstructure of Cu-Mn-Al alloys”, *Appl. Phys. Lett.* **36**, 862 – 864 (1980).
- [270] M. Acet, E. Duman, F. Wassermann, L. Mañosa y A. Planes, “Coexisting ferro- and antiferromagnetism in Ni<sub>2</sub>MnAl Heusler alloys”, *J. Appl. Phys.* **92**, 3867 – 3871 (2002).
- [271] T. Schneider y E. Pytte, “Random-field instability of the ferromagnetic state”, *Phys. Rev. B* **15**, 1519 – 1522 (1977).
- [272] A. Aharony, “Tricritical points in systems with random fields”, *Phys. Rev. B* **18**, 3318 – 3327 (1978).
- [273] A. T. Ogielski y D. A. Huse, “Critical Behavior of the Three-Dimensional Dilute Ising Antiferromagnet in a Field”, *Phys. Rev. Lett.* **56**, 1298 – 1301 (1986).
- [274] P. M. Duxbury y J. H. Meinke, “Ground state nonuniversality in the random-field Ising model”, *Phys. Rev. E* **64**, 036112-1 – 036112-4 (2001).
- [275] R. Dobrin, J. H. Meinke y P. M. Duxbury, “Random-field Ising model on complete graphs and trees”, *J. Phys. A: Math. Gen.* **35**, L247 – L254 (2002).
- [276] E. Vives, M. L. Rosinberg y G. Tarjus, “Hysteresis and avalanches in the  $T = 0$  random-field Ising model with 2-spin-flip dynamics”, *cond-mat/0411330*, 2004.
- [277] J. H. Carpenter, K. Dahmen, J. P. Sethna, G. Friedman, S. Loverde y A. Vanderveld, “Subloops, Barkhausen noise, and disorder induced critical behaviour”, *J. Appl. Phys.* **89**, 6799 – 6801 (2001).
- [278] J. H. Carpenter y K. A. Dahmen, “Barkhausen noise and critical scaling in the demagnetization curve”, *Phys. Rev. B* **67**, 020412(R)-1 – 020412(R)-4 (2003).
- [279] F. Colaiori, M. J. Alava, G. Durin, A. Magni y S. Zapperi, “Phase Transitions in a Disordered System in and out of Equilibrium”, *Phys. Rev. Lett.* **92**, 257203-1 – 257203-4 (2004).

- 
- [280] M. J. Alava, V. Basso, F. Colaiori, L. Dante, G. Durin, A. Magni y S. Zapperi, “Ground state optimization and hysteretic demagnetization: the random-field Ising model”, *Phys. Rev. B* **71**, 064423-1 – 064423-12 (2005).
- [281] L. Dante, G. Durin, A. Magni y S. Zapperi, “Low-field hysteresis in disordered ferromagnets”, *Phys. Rev. B* **65**, 144441-1 – 144441-7 (2002).
- [282] H. J. Herrmann y H. E. Stanley, “Building Blocks of Percolation Clusters: Volatile Fractals”, *Phys. Rev. Lett.* **53**, 1121 – 1124 (1984).
- [283] L. P. Kadanoff, *Scaling, Universality and Operator Algebras*, vol. 5a de *Phase Transitions and Critical Phenomena*, editado por C. Domb y M. S. Green (Academic Press, New York, 1976), pags. 1–34.
- [284] K. Binder, ““Clusters” in the Ising Model, Metastable States and Essential Singularity”, *Ann. Phys.* **98**, 390 – 417 (1976).
- [285] A. Coniglio y W. Klein, “Clusters and Ising critical droplets: a renormalization group approach”, *J. Phys. A: Math. Gen.* **13**, 2775 – 2780 (1980).
- [286] A. Coniglio y F. Peruggi, “Clusters and droplets in the  $q$ -state Potts model”, *J. Phys. A: Math. Gen.* **15**, 1873 – 1883 (1982).
- [287] A. Coniglio, “Fractal Structure of Ising and Potts Clusters: Exact Results”, *Phys. Rev. Lett.* **26**, 3054 – 3057 (1989).
- [288] D. Stauffer, “Speculations on the Cluster Radius Below the Percolation Threshold”, *Z. Physik B* **30**, 173 – 176 (1978).
- [289] L. Monette y W. Klein, “Spinodal nucleation as a coalescence process”, *Phys. Rev. Lett.* **68**, 2336 – 2339 (1992).
- [290] J. Hoshen, D. Stauffer, G. H. Bishop, R. J. Harrison y G. P. Quinn, “Monte Carlo experiments on cluster size distribution in percolation”, *J. Phys. A: Math. Gen.* **12**, 1285 – 1307 (1979).
- [291] N. G. Wadley y J. A. Simmons, *Nondestructive Testing Handbook*, editado por R. K. Miller y P. McIntire (American Society for Nondestructive Testing, USA, 1976), vol. 5, Cap. 3.
- [292] C. B. Scruby, “An introduction to acoustic emission”, *J. Phys. E* **20**, 947 – 953 (1987).

- [293] D. E. Bray y D. McBride, *Nondestructive Testing Techniques* (John Wiley and Sons, New York, 1992).
- [294] S. Gross, J. Fineberg, M. Marder, W. D. McCoimick y L. Swinney, “Acoustic Emissions from Rapidly Moving Cracks”, *Phys. Rev. Lett.* **71**, 3162 – 3165 (1993).
- [295] L. I. Salminen, A. I. Tolvanen y M. J. Alava, “Acoustic Emission from Paper Fracture”, *Phys. Rev. Lett.* **89**, 185503-1 – 185503-4 (2002).
- [296] M. C. Miguel, A. Vespignani, S. Zapperi, J. Weiss y J. R. Grasso, “Intermittent dislocation flow in viscoplastic deformation”, *Nature* **410**, 667 – 671 (2001).
- [297] J. Weiss y D. Marsan, “Three-Dimensional Mapping of Dislocation Avalanches: Clustering and Space/Time Coupling”, *Science* **299**, 89 – 92 (2003).
- [298] D. Rouby, P. Fleischmann y C. Duvergier, “Un modèle de sources d’émission acoustique pour l’analyse de l’émission continue et l’émission par salves I. Analyse théorique”, *Phil. Mag. A* **47**, 671 – 687 (1983).
- [299] D. Rouby, P. Fleischmann y C. Duvergier, “Un modèle de sources d’émission acoustique pour l’analyse de l’émission continue et l’émission par salves II. Vérifications expérimentales”, *Phil. Mag. A* **47**, 689 – 705 (1983).
- [300] Z. Yu y P. C. Clapp, “Quantitative analysis of acoustic emission signals”, *J. Appl. Phys.* **62**, 2212 – 2220 (1987).
- [301] L. Mañosa, A. Planes, D. Rouby y J. L. Macqueron, “Dynamics of the acoustic emission source during a martensitic transformation”, *J. Phys. F: Met. Phys.* **18**, 1725 – 1731 (1988).
- [302] K. Aki y P. G. Richards, *Quantitative seismology* (W. H. Freeman and Company, San Francisco, 1980).
- [303] Theoretical Seismology, “Notas de sismología teórica del *Department of geosciences at Virginia Tech*. Página web <http://equake.geol.vt.edu/pdf/5114-green.pdf>”, 2004.
- [304] R. Madariaga, “Dislocations and earthquakes”, *Physics of Defects*, editado por R. Balian, M. Kléman y J. P. Poirier (North-Holland, Holland, 1981), pags. 571 – 615.



- [305] C. Picornell, C. Seguí, V. Torra, F. C. Lovey y R. Rapacioli, “Systematic study of the martensitic transformation in a Cu-Zn-Al alloy. Optical microscopy and simultaneous thermosonimetry of a microplate”, *Termochim. Acta* **113**, 171 – 183 (1987).
- [306] A. V. Oppenheim y A. S. Willsky, *Signals and Systems* (Prentice Hall international editions, New Jersey, 1990).
- [307] A. Amengual, “A feedback algorithm for programmed temperature control”, *Meas. Sci. Technol.* **3**, 1043 – 1046 (1992).
- [308] E. Calvet y H. Prat, *Recent progress in microcalorimetry* (Pergamon Press, New York, 1963).
- [309] L. Mañosa, M. Bou, C. Calles y A. Cirera, “Low-cost differential scanning calorimeter”, *Am. J. Phys.* **64**, 283 – 287 (1996).
- [310] E. Obradó, “Acoblament entre propietats magnètiques i estructurals en aliatges metàl·lics”, tesis doctoral, Departament d'Estructura i Constituents de la Matèria. Universitat de Barcelona, Barcelona, 1999.
- [311] I. Hurtado, D. Segers, J. V. Humbeeck, , L. Dorikens-Vanpraet y C. Dauwe, “Evolution of the position annihilation lifetime for ageing in  $\beta$  phase Cu-Al-Ni-(Ti)-(Mn) in shape memory alloys”, *Scr. Metall. Mater.* **33**, 741 – 747 (1995).
- [312] L. Mañosa, M. Jurado, A. González-Comas, E. Obradó, A. Planes, J. Zarestky, C. Stassis, R. Romero, A. Somoza y M. Morin, “A comparative study of the post-quench behaviour of Cu-Al-Be and Cu-Zn-Al shape memory alloys”, *Acta metall.* **46**, 1045 – 1053 (1998).
- [313] R. Romero, A. Somoza, L. Mañosa y A. Planes, “Vacancies and the martensitic transition in Cu-based shape-memory alloys. A comparative study”, *J. Phys. IV* **112**, 471 – 474 (2003).
- [314] L. Mañosa, A. Planes, J. Zarestky, T. Lograsso, D. L. Schlagel y C. Stassis, “Phonon softening in Ni-Mn-Ga alloys”, *Phys. Rev. B* **64**, 024305-1 – 024305-6 (2001).
- [315] F. C. Lovey, A. Amengual y V. Torra, “Experimental and crystallographic evidence for the growth of two equivalent  $\beta$ -variants from one single martensite plate in a Cu-Zn-Al single crystal”, *Phil. Mag. A* **64**, 787 – 796 (1991).

- [316] F. C. Lovey y V. Torra, “Shape memory in Cu-based alloys: phenomenological behavior at the mesoscale level and interaction of martensitic transformation with structural defects in Cu-Zn-Al”, *Prog. Mater. Sci.* **44**, 189 – 289 (1999).
- [317] J. Perkins y P. Bobowiec, “Microstructural Effects of Martensitic Transformation Cycling of a Cu-Zn-Al Alloy: Vestigial Structures in the Parent Phase”, *Metall. Trans. A* **17A**, 195 – 203 (1986).
- [318] A. Planes, E. Obradó, A. González-Comas y L. Mañosa, “Premartensitic Transition Driven by Magnetoelastic Interaction in bcc Ferromagnetic Ni<sub>2</sub>MnGa”, *Phys. Rev. Lett.* **79**, 3926 – 3929 (1997).
- [319] J. L. Pelegrina y M. Ahlers, “The stability of the martensitic phases in Cu-Zn-Al at an electron concentration of 1.534”, *Acta mater.* **38**, 293 – 299 (1990).
- [320] C. Lexcelent y P. Blanc, “Phase transformation yield surface determination for some shape memory alloys”, *Acta mater.* **52**, 2317 – 2324 (2004).
- [321] V. K. Pecharsky y K. A. Gschneidner, Jr., “Giant Magnetocaloric Effect in Gd<sub>5</sub>(Si<sub>2</sub>Ge<sub>2</sub>)<sub>4</sub>”, *Phys. Rev. Lett.* **78**, 4494 – 4497 (1997).
- [322] L. Morellon, P. A. Algarabel, M. R. Ibarra, J. Blasco, B. García-Landa y Z. Arnold, “Magnetic-field-induced structural phase transition in Gd<sub>1.8</sub>(Si<sub>1.8</sub>Ge<sub>2.2</sub>)”, *Phys. Rev. B* **58**, R14721 – R14724 (1998).
- [323] L. Morellon, J. Blasco, P. A. Algarabel y M. R. Ibarra, “Nature of the first-order antiferromagnetic-ferromagnetic transition in the Ge-rich magnetocaloric compounds Gd<sub>5</sub>(Si<sub>x</sub>Ge<sub>1-x</sub>)<sub>4</sub>”, *Phys. Rev. B* **62**, 1022 – 1026 (2000).
- [324] A. O. Pecharsky, K. A. Gschneidner, Jr., V. K. Pecharsky y C. E. Schindler, “The room temperature metastable/stable phase relationships in the pseudo-binary Gd<sub>5</sub>Si<sub>4</sub>-Gd<sub>5</sub>Ge<sub>4</sub> system”, *J. Alloys Compd* **338**, 126 – 135 (2002).
- [325] E. M. Levin, K. A. Gschneidner, Jr. y V. K. Pecharsky, “Magnetic correlations induced by magnetic field and temperature in Gd<sub>5</sub>Si<sub>4</sub>”, *Phys. Rev. B* **65**, 214427-1 – 214427-5 (2002).
- [326] H. Hardy, M. Majumdar, S. J. Crowe, M. R. L. D. M. Paul, L. Hervé, A. Maignan, S. Hébert, C. Martin, C. Yaicle, M. Hervieu y B. Raveau, “Field-induced magnetization steps in intermetallic compounds and manganese oxides: The martensitic scenario”, *Phys. Rev. B* **69**, 020407(R)-1 – 020407(R)-4 (2004).

- [327] F. Casanova, “Magnetocaloric effect in  $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$  alloys”, tesis doctoral, Departament de Física Fonamental. Universitat de Barcelona, Barcelona, 2003.
- [328] J. Leib, J. E. Snyder, T. A. Lograsso, D. Schlagel y D. C. Jiles, “Dynamics of the magnetic field-induced first order magnetic-structural phase transformation of  $\text{Gd}_5(\text{Si}_{0.5}\text{Ge}_{0.5})_4$ ”, *J. Appl. Phys.* **95**, 6915 – 6917 (2004).
- [329] J. Perkins y W. E. Muesing, “Martensitic Transformation Cycling Effects in Cu-Zn-Al Shape Memory Alloys”, *Metall. Trans. A* **14A**, 33 – 36 (1983).
- [330] K. Marukawa y S. Kajiwara, “On the Burgers vector of dislocations produced by a cyclic b.c.c./9R martensitic transformation”, *Phil. Mag. A* **55**, 85 – 97 (1987).
- [331] D. Ríos-Jara y G. Guénin, “On the characterization and origin of the dislocations associated with the two way memory effect in Cu-Zn-Al thermoelastic alloys–I. Qualitative analysis of the dislocations”, *Acta metall.* **35**, 109 – 119 (1987).
- [332] D. Ríos-Jara y G. Guénin, “On the characterization and origin of the dislocations associated with the two way memory effect in Cu-Zn-Al thermoelastic alloys–II. The model for the formation of dislocations”, *Acta metall.* **35**, 121 – 126 (1987).
- [333] A. Amengual, L. Mañosa, F. Marco, C. Picornell, C. Seguí y V. Torra, “Systematic study of the martensitic transformation in a Cu-Zn-Al alloy. Reversibility versus irreversibility via acoustic emission”, *Thermochim. Acta* **116**, 195 – 208 (1987).
- [334] C. Auguet, E. Cesari y L. Mañosa, “Calorimetric study of the influence of thermal cycling on the martensitic transformation of Cu-Zn-Al alloys”, *J. Phys. D: Appl. Phys.* **22**, 1712 – 1720 (1989).
- [335] J. Pons, F. C. Lovey y E. Cesari, “Electron microscopy study of dislocations associated with thermal cycling in a Cu-Zn-Al shape memory alloy”, *Acta metall. mater.* **38**, 2733 – 2740 (1990).
- [336] M. L. Goldstein, S. A. Morris y G. G. Yen, “Problems with fitting to the power-law distribution”, *Eur. Phys. J. B* **41**, 255 – 258 (2004).
- [337] L. Onsager, “Reciprocal relations in irreversible processes. I”, *Phys. Rev.* **37**, 405 – 426 (1931).
- [338] L. Onsager, “Reciprocal relations in irreversible processes. II”, *Phys. Rev.* **38**, 2265 – 2279 (1931).

- 
- [339] G. Nicolis y I. Prigogine, *Self-Organization in Non-equilibrium Systems* (Wiley, New York, 1977).
- [340] I. Prigogine, “Time, structure and fluctuations”, Nobel lecture, 1977.
- [341] B. Derrida y H. Flyvbjerg, “Statistical analysis of randomly broken objects and of multivalley structures in disordered systems”, *J. Phys. A: Math. Gen.* **20**, 5273 – 5288 (1987).
- [342] C. Frontera, J. Goicoechea, I. Ràfols y E. Vives, “Sequential partitioning: An alternative to understanding size distributions of avalanches in first-order phase transitions”, *Phys. Rev. E* **52**, 5671 – 5674 (1995).
- [343] P. L. Krapivsky, I. Grosse y E. Ben-Naim, “Scale invariance and lack of self-averaging in fragmentation”, *Phys. Rev. E* **61**, R993 – R996 (2000).
- [344] J. Schmalian y P. G. Wolynes, “Stripe Glasses: Self-Generated Randomness in a Uniformly Frustrated System”, *Phys. Rev. Lett.* **85**, 836 – 839 (2000).
- [345] H. Westfahl, J. Schmalian y P. G. Wolynes, “Self-generated randomness, defect wandering, and viscous flow in stripe glasses”, *Phys. Rev. B* **64**, 174203-1 – 174203-16 (2001).
- [346] Y. Wang y A. G. Khachaturyan, “Three-dimensional field model and computer modeling of martensitic transformations”, *Acta mater.* **45**, 759 – 773 (1997).
- [347] L. D. Landau, *Theory of elasticity*, vol. 7 de *Course of theoretical physics* (Pergamon Press, Oxford, 1986).
- [348] E. Puppini y M. Zani, “Magnetic hysteresis and Barkhausen noise in thin Fe films at 10 K”, *J. Phys.: Condens. Matter* **16**, 1183 – 1188 (2004).
- [349] G. Durin y S. Zapperi, “Scaling Exponents for Barkhausen Avalanches in Polycrystalline and Amorphous Ferromagnets”, *Phys. Rev. Lett.* **84**, 4705 – 4708 (2000).
- [350] G. Bertotti, G. Durin y A. Magni, “Scaling aspects of domain wall dynamics and Barkhausen effect in ferromagnetic materials”, *J. Appl. Phys.* **75**, 5490 – 5492 (1994).
- [351] B. Tadić, “Switching current noise and relaxation of ferroelectric domains”, *Eur. Phys. J. B* **28**, 81 – 89 (2002).

- 
- [352] A. Travesset, R. A. White y K. A. Dahmen, “Crackling noise, power spectra, and disorder-induced critical scaling”, *Phys. Rev. B* **66**, 024430-1 – 024430-11 (2002).
- [353] R. A. White y K. A. Dahmen, “Driving Rate Effects on Crackling Noise”, *Phys. Rev. Lett.* **91**, 085702-1 – 085702-4 (2004).
- [354] S. Zapperi, P. Cizeau, G. Durin y H. E. Stanley, “Dynamics of a ferromagnetic domain wall: Avalanches, depinning transition, and the Barkhausen effect”, *Phys. Rev. B* **58**, 6353 – 6366 (1998).
- [355] B. Alessandro, C. Beatrice, G. Bertotti y A. Montorsi, “Domain-wall dynamics and Barkhausen effect in metallic ferromagnetic materials. I. Theory”, *J. Appl. Phys.* **68**, 2901 – 2907 (1990).
- [356] S. L. A. de Queiroz y M. Bahiana, “Finite driving rates in interface models of Barkhausen noise”, *Phys. Rev. E* **64**, 066127-1 – 066127-6 (2001).
- [357] Y. Sutou, Y. Imano, N. Koeda, T. Omori, R. Kainuma, K. Ishida y K. Oikawa, “Magnetic and martensitic transformations of NiMnX(X=In, Sn, Sb) ferromagnetic shape memory alloys”, *Appl. Phys. Lett.* **85**, 4358 – 4360 (2004).
- [358] T. Krenke, M. Acet, E. F. Wassermann, X. Moya, L. Mañosa y A. Planes, “Martensitic transitions and the nature of ferromagnetism in the austenitic and martensitic states of Ni-Mn-Sn alloys”, enviado para su publicación, 2005.
- [359] P. J. Webster, K. R. A. Ziebeck, S. L. Town y M. S. Peak, “Magnetic order and phase transformation in Ni<sub>2</sub>MnGa”, *Phil. Mag. B* **49**, 295 – 310 (1984).
- [360] P. J. Brown, J. Crangle, T. Kanomata, M. Matsumoto, K. U. Neumann, B. Ouladdiaf y K. R. A. Ziebeck, “The crystal structure and phase transitions of the magnetic shape memory compound Ni<sub>2</sub>MnGa”, *J. Phys.: Condens. Matter* **14**, 10159 – 10171 (2002).
- [361] J. Pons, V. A. Chernenko, R. Santamarta y E. Cesari, “Crystal structure of martensitic phases in Ni-Mn-Ga shape memory alloys”, *Acta mater.* **48**, 3027 – 3038 (2000).
- [362] A. T. Zayak, P. Entel, J. Enkovaara, A. Ayuela y R. M. Nieminen, “First-principles investigations of homogeneous lattice-distortive strain and shuffles in Ni<sub>2</sub>MnGa”, *J. Phys.: Condens. Matter* **15**, 159 – 164 (2003).

- [363] J. Enkovaara, A. Ayuela, A. T. Zayak, P. Entel, L. Nordström, M. Dube, J. Jalkanen, J. Impola y R. M. Nieminen, “Magnetically driven shape memory alloys”, *Mater. Sci. Engng. A* **378**, 52 – 60 (2004).
- [364] K. Ullako, J. K. Huang, C. Kantner, R. C. O’Handley y V. V. Kokorin, “Large magnetic-field-induced strains in Ni<sub>2</sub>MnGa single crystals”, *Appl. Phys. Lett.* **69**, 1966 – 1968 (1996).
- [365] R. C. O’Handley, “Model for strain and magnetization in magnetic shape-memory alloys”, *J. Appl. Phys.* **83**, 3263 – 3270 (1998).
- [366] M. A. Marioni, S. M. Allen y R. C. O’Handley, “Nonuniform twin-boundary motion in Ni-Mn-Ga single crystals”, *Appl. Phys. Lett.* **84**, 4071 – 4073 (2004).
- [367] L. Straka, V. Novák, M. Landa y O. Heczko, “Acoustic emission of Ni-Mn-Ga magnetic shape memory alloy in different straining modes”, *Mater. Sci. Engng. A* **374**, 263 – 269 (2004).
- [368] A. Zheludev, S. M. Shapiro, P. Wochner, A. Schwartz, M. Wall y L. E. Tanner, “Phonon anomaly, central peak, and microstructures in Ni<sub>2</sub>MnGa”, *Phys. Rev. B* **51**, 11310 – 11314 (1995).
- [369] A. Zheludev, S. M. Shapiro, P. Wochner y L. E. Tanner, “Precursor effects and pre-martensitic transformation in Ni<sub>2</sub>MnGa”, *Phys. Rev. B* **54**, 15045 – 15050 (1996).
- [370] J. Worgull, E. Petti y J. Trivisonno, “Behavior of the elastic properties near an intermediate phase transition in Ni<sub>2</sub>MnGa”, *Phys. Rev. B* **54**, 15695 – 15699 (1996).
- [371] L. Mañosa, A. González-Comas, E. Obradó y A. Planes, “Anomalies related to the  $TA_2$ -phonon-mode condensation in the Heusler Ni<sub>2</sub>MnGa alloy”, *Phys. Rev. B* **55**, 11068 – 11071 (1997).
- [372] A. T. Zayak, P. Entel, J. Enkovaara, A. Ayuela y R. M. Nieminen, “First-principles investigation of phonon softenings and lattice instabilities in the shape-memory system Ni<sub>2</sub>MnGa”, *Phys. Rev. B* **68**, 132402-1 – 132402-4 (2003).
- [373] L. Mañosa y A. Planes, “Structural and magnetic phase transitions in Ni-Mn-Ga shape-memory alloys”, *Adv. Solid State Phys* **40**, 361 – 374 (2000).

- 
- [374] T. Castán, E. Vives y P. A. Lindgård, “Modeling premartensitic effect in Ni<sub>2</sub>MnGa: A mean-field and Monte Carlo simulation study”, *Phys. Rev. B* **60**, 7071 – 7084 (1999).
- [375] L. Mañosa, L. Carrillo, E. Vives, E. Obradó, A. González-Comas y A. Planes, “Acoustic Emission at the Premartensitic and Martensitic Transitions of Ni<sub>2</sub>MnGa Shape Memory Alloys”, *Mater. Sci. Forum* **327–328**, 481 – 484 (2000).
- [376] N. W. Ashcroft y N. D. Mermin, *Solid State Physics* (Saunders College, Philadelphia, 1988).
- [377] M. Filonenko-Borodich, *Theory of elasticity* (Dover, New York, 1965).
- [378] H. F. Pollard, *Sound Waves in Solids* (Pion Limited, London, 1977), vol. 9.
- [379] J. W. Essam, *Percolation and Cluster Size*, vol. 2 de *Phase Transitions and Critical Phenomena*, editado por C. Domb y M. S. Green (Academic Press, New York, 1972), pags. 197–270.
- [380] A. Coniglio, “Geometrical approach to phase transitions in frustrated and unfrustrated systems”, *Physica A* **281**, 129 – 146 (2000).
- [381] P. L. Leath y G. R. Reich, “Scaling form for percolation cluster sizes and perimeters”, *J. Phys.: Condens. Matter* **11**, 4017 – 4036 (1978).
- [382] A. Aharony, Y. Gefen y A. Kapitulnik, “Scaling at the percolation threshold above six dimensions”, *J. Phys. A: Math. Gen.* **17**, L197 – L202 (1984).
- [383] A. B. Harris, T. C. Lubensky, W. Holcomb y C. Dasgupta, “Renormalization-Group Approach to Percolation Problems”, *Phys. Rev. Lett.* **35**, 327 – 330 (1975).
- [384] A. Coniglio, *Proceedings of the Les Houches Conf. on Physics of Finely Divided Matter*, editado por M. Daoud y N. Boccara (Springer Verlag, Berlin, 1985).
- [385] G. Andronico, A. Coniglio y S. Fortunato, “A Geometrical Interpretation of Hyperscaling Breaking in the Ising Model”, hep-lat/0208009, 2002.
- [386] L. de Arcangelis, “Multiplicity of infinite clusters in percolation above six dimensions”, *J. Phys. A: Math. Gen.* **20**, 3057 – 3061 (1987).
- [387] C. M. Newman y L. S. Schulman, “Infinite clusters in percolation models”, *J. Stat. Phys.* **26**, 613 – 628 (1981).

- 
- [388] C. M. Newman y L. S. Schulman, “Number and density of percolating clusters”, *J. Phys. A: Math. Gen.* **14**, 1735 – 1743 (1981).
- [389] M. Aizenman, H. Kesten y C. M. Newman, “Uniqueness of the Infinite Cluster and Continuity of Connectivity Functions for Short and Long Range Percolation”, *Commun. Math. Phys.* **111**, 505 – 531 (1987).
- [390] A. Gandolfi, G. Grimmett y L. Russo, “On the Uniqueness of the Infinite Cluster in the Percolation Model”, *Commun. Math. Phys.* **114**, 549 – 552 (1988).
- [391] R. M. Burton y M. Keane, “Density and Uniqueness in Percolation”, *Commun. Math. Phys.* **121**, 501 – 505 (1989).
- [392] M. Aizenman, “On the number of incipient spanning clusters”, *Nucl. Phys. B* **485**, 551 – 582 (1997).
- [393] D. Stauffer, “Minireview: New results for old percolation”, *Physica A* **242**, 1 – 7 (1997).
- [394] C. K. Hu y C. Y. Lin, “Universal Scaling Functions for Numbers of Percolating Clusters on Planar Lattices”, *Phys. Rev. Lett.* **77**, 8 – 11 (1996).
- [395] F. Harary, *Graph Theory and Theoretical Physics* (Academic Press, London, 1967).
- [396] M. F. Sykes y M. Glen, “Percolation processes in two dimensions I. Low-density series expansions”, *J. Phys. A: Math. Gen.* **9**, 87 – 95 (1976).
- [397] S. Mertens, “Lattice Animals: A Fast Enumeration Algorithm and New Perimeter Polynomials”, *J. Stat. Phys.* **58**, 1095 – 1108 (1990).
- [398] M. F. Sykes, D. S. Gaunt y M. Glen, “Percolation processes in three dimensions”, *J. Phys. A: Math. Gen.* **9**, 1705 – 1712 (1976).
- [399] M. F. Sykes, D. S. Gaunt y M. Glen, “Percolation processes in two dimensions II. Critical concentrations and the mean size index”, *J. Phys. A: Math. Gen.* **9**, 97 – 103 (1976).
- [400] M. F. Sykes, D. S. Gaunt y M. Glen, “Percolation processes in two dimensions IV. Percolation probability”, *J. Phys. A: Math. Gen.* **9**, 725 – 730 (1976).



- 
- [401] D. S. Gaunt y M. F. Sykes, “Percolation processes in two dimensions V. The exponent  $\delta_p$  and scaling theory”, *J. Phys. A: Math. Gen.* **9**, 1109 – 1116 (1976).
- [402] D. S. Gaunt, “Percolation exponent  $\delta_p$  for lattice dimensionality  $d \geq 3$ ”, *J. Phys. A: Math. Gen.* **10**, 807 – 812 (1977).

