

Consell Superior d'Investigacions Científiques (CSIC)  
**Institut de Ciències de la Terra “Jaume Almera”**  
Departament d'Estructura i Dinàmica de la Terra

Programa de doctorat Ciències de la Terra  
Bienni 2006-2007

---

# **CARACTERITZACIÓ ESTRUCTURAL I SISMOTECTÒNICA DE LA LITOSFERA EN EL DOMINI PIRENAICO-CANTÀBRIC A PARTIR DE MÈTODES DE SÍSMICA ACTIVA I PASSIVA**

---

## **Tesi**

presentada per

Mario Ruiz Fernández

Al Departament de Geodinàmica i Geofísica de la Universitat de Barcelona

Directors:

Dr. Josep Gallart Muset

Dr. Jordi Díaz Cusí

Tutor: Dr. Francesc Sàbat Montserrat

## BIBLIOGRAFIA

Aller, J. (1994). A 2 1/2D interpretation of the Cantabrian zone magnetic anomaly using geological and geophysical constraints: structural implications. Rev. Soc. Geol. España, 7 (3-4), 327-335.

Aller, J. i Zeyen, H.J. (1996). A 2.5D interpretation of the Basque country magnetic anomaly (northern Spain): geodynamical implications. Geol. Rundsch., 85, 303-309.

Alonso, J.L. i Pulgar, J.A. (2004). La estructura Alpina de la Cordillera Cantábrica: generalidades. A: *Geología de España*. (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp.332-334.

Alonso, J.L., Pulgar, J.A., García-Ramos, J.C. i Barba, P. (1996). Tertiary basins and Alpine tectonics in the Cantabrian mountains (NW Spain). A: *Tertiary basins of Spain: The Stratigraphic Record of Crustal Kinematics*, edited by Friend P.F. and Dabrio, C.J., pp. 214-227, Cambridge University Press, Cambridge.

Álvarez-Marrón, J. (1989). La estructura geológica de la región del Ponga. Tesi Doctoral. Univ. Oviedo, 223 p.

Álvarez-Marrón, J., Pérez-Estaún, A., Dañobeitia, J.J., Pulgar, J.A., Martínez Catalán, J.R., Marcos, A., Bastida, F., Ayarza-Arribas, P., Aller, J., Gallart, J., Gonzalez-Lodeiro, F., Banda, E., Comas, M.C. i Córdoba, D. (1996). Seismic structure of the northern continental margin of Spain from ESCIN deep seismic profiles. Tectonophysics, 264, 153-174.

Álvarez-Marrón, J., Rubio, E. i Torné, M. (1997a). Subduction-related structures in the North Iberian Margin. J. Geophys. Res. V. 102, NO. B10, pp. 22,497-22,511.

Álvarez-Marrón, J., Pulgar, J.A., Dañobeitia, J.J., Pérez-Estaún, A., Gallastegui, J., Martínez-Catalan, J.R., Banda, E., Comas, M.C. i Córdoba, D. (1997b). Results from the ESCI-N4 marine deep seismic profile in the northern Iberian Margin. Rev. Soc. Geol. España, 8 (4), 1995, 355-363.

Ardizone, J., Mezcua, J. i Socías, I., (1989). Mapa aeromagnético de España Peninsular,

## Bibliografia

---

Instituto Geográfico Nacional, Madrid.

Aster, R.C. i Scott, J. (1993). Comprehensive characterization of waveform similarity in microearthquake data sets. *Bull. Seism. Soc. Am.* Vol. 83, No. 4, pp. 1307-1314.

Auglier, P., Cattaneo, M. i Eva, C., (1995). Seismic multiplets analysis and its implication in seismotectonics. *Tectonophysics*, 248, pp. 219-234.

Avedik, F., Camus, A.L., Ginsburg, A., Montadert, L., Roberts, D.G. i Whitmarsh, R.B. (1982). A seismic refraction and reflection study of the continent-ocean transition beneath the north Biscay margin. *Phil. Trans. R. Soc. Lond.*, 305, 5-25.

Ayarza, P., Martínez-Catalán, J.R., Gallart, J., Pulgar, J.A i Dañobeitia, J.J. (1998). Estudio Sísmico de la Corteza Ibérica Norte 3.3: A seismic image of the Variscan crust in the hinterland of the NW Iberian Massif. *Tectonics*, v. 17, No. 2, 171-186.

Ayarza, P., Martínez-Catalán, J.R., Álvarez-Marrón, J., Zeyen, H. i Juhlin, C. (2004). Geophysical constraints on the deep structure of a limited ocean-continent subduction zone at the North Iberian Margin. *Tectonics*, V. 23, pp. 1-21

Bacon, M. i Gray, F. (1970). A gravity survey in the eastern part of the Bay of Biscay. *Earth. Plan. Sci. Lett.*, 10, 101-105.

Bacon, M., Gray, F. i Matthews, D.H. (1969). Crustal structure studies in the Bay of Biscay. *Earth. Plan. Sci. Lett.*, 6, 377-385.

Banda, E. (1988). Crustal parameters in the Iberian Peninsula. *Phys. Earth Plan. Int.*, 51, 222-225.

Banda, E. i Correig, A. (1984). The Catalan earthquake of February 2, 1428. *Eng. Geol.* 20, 89-97.

Banda, E., Udias, A., Mueller, St., Mezcua, J., Boloix, M., Gallart, J. i Aparicio, A. (1983). Crustal structure beneath Spain from deep seismic sounding experiments. *Phys. Earth Plan. Int.*, 31, 277-280.

Barnolas, A. i Pujalte, V. (2004). La cordillera Pirenaica: definición, límites y división. A:

## Bibliografia

---

- Geología de España.* (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp.233-241.
- Barruol, G. i Souriau, A. (1995). anisotropy beneath the Pyrenees range from teleseismic shear wave splitting: results from test experiment. *Geophys. Res. Lett.* V. 22, No. 4, pp. 493-493.
- Barruol, G., Souriau, A., Vauchez, A., Díaz, J., Gallart, J., Tubia, J. i Cuevas, J. (1998). Lithospheric anisotropy beneath the Pyrenees form shear wave splitting. *J. Geophys. Res.* V. 103, No B12, pp. 30,0039-30,0053.
- Bastida, F. (2004) Zona Cantábrica. (Coordinador). A: *Geología de España.* (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp.25-49.
- Berge-Thierry, C., Fels, J.F., Dervin, P., Guéguen, P., Nechtschein, S., Hatzfeld, D., Volant, P., Bard, P.Y., Courboulex, F., Dominique, P. i Feignier, B. (2004). The French permanent accelerometric network: technological and parametrical choices, scientific goals and results, Workshop on strong motion record processing, COSMOS, Richmond, CA, May 26-27.
- Bialas, J. i Flueh, E. R. (1999). A new Ocean Bottom Seismometer (with a new type of data logger). *Sea Technology*, 40, 4, 41-46.
- Boillot, G., Dupeuble, P.A. i Malod, J. (1979). Subduction and tectonics on the continental margin off northern Spain, *Mar. Geol.*, 32, 53-70.
- Bois, C., Gariel, O., Lefort, J.P., Rolet, J., Brunet, M.F., Masse, P. i Olivet, J.L. (1997). Geologic contribution of the Bay of Biscay deep seismic survey: a summary of the main scientific results, a discussion of the open questions and suggestions for further investigation. *Mém. Soc. Géol. France.* n. 171, 193-209.
- Cámara, P. i Klimowitz, J. (1985). Interpretación geodinámica de la vertiente centro-occidental surpirenaica (cuencas de Jaca-Tremp). *Estudios Geol.*, Madrid, 41, pp. 391-404.
- Carreño, E., López, C., Bravo, B., Expósito, P., Gurría, E. i García, O. (2003). Sismicidad en la Península Ibérica en la época Instrumental: 1985-2002. *Física de la Tierra*, 15, 73-91.

## Bibliografia

---

- Casas, A., Kearey, P., Rivero, L. i Adam, C.R. (1997). Gravity anomaly map of the Pyrenean region and a comparison of the deep geological structure of the western and eastern Pyrenees. *Earth and Planet. Sci. Lett.*, 150, 65-78.
- Cerveny, V, Molotkov, I. i Psencik, I. (1977). Ray method in seismology. Charles Univ. Press, Prague, 214 pp.
- Chian, D. i Louden, K.E. (1994). The continent-ocean crustal transition across the southwest Greenland margin. *J. Geophys. Res.* V. 99, No. B5, 9117-9135.
- Chian, D., Louden, K.E., Minshull, T.A. i Whitmarsh, R.B. (1999). Deep structure of the ocean-continent transition in the southern Iberia Abyssal Plain from seismic refraction profiles: Ocean Drilling Program (Legs 149 and 173) transect. *J. Geophys. Res.* Vol. 104, No. B4, 7443-7462.
- Cho, H.M., Kim, H.J., Jou., H.T., Hong, J.K. i Baag, C.E., (2004). Transition from rifted continental to oceanic crust at the south-eastern Korean margin in the East Sea (Japan Sea). *Geophys. Res. Lett.* V. 31, L07606, doi:10.1029/2003GL019107.
- Choukroune, P. (1992). Tectonic Evolution of the Pyrenees. *Annu. Rev. Earth Planet. Sci.* 20, 143-158.
- Choukroune, P. i Etude Continentale et Océanique par Reflexion et Refracción Sísmique (ECORS) Team, (1989). The ECORS Pyrenean deep seismic profile reflection data and the overall structure of an orogenic belt. *Tectonics*, 8, 23-39.
- Choukroune, P., Pinet, B., Roure, F. i Cazes, M. (1990). Major Hercinian thrusts along the ECORS Pyrenees and Biscay lines. *Bull. Soc. Geol. France*, 8, VI (2): 313-320.
- Christensen, N.I. i Mooney, W.D. (1995). Seismic velocity structure and composition of the continental crust: A global view. *J. Geophys. Res.* V. 100, No. B7, pp. 9761-9788.
- Contrucci, I., Klingelhöfer, F., Perrot, J., Bartolomé, R., Gutscher, M.A., Sahabi, M., Malod, J., i Rehault J.P. (2004). The crustal structure of the NW Moroccan continental margin from wide-angle and reflection seismic data. *Geophys. J. Int.* V. 159, l. 1, pp 117-128.
- Daignières, M., Gallart, J. i Banda, E. (1981). Lateral variation of the crust in the North Pyrenean Zone. *Ann. Geophys.* 37,3, 435-456.

## Bibliografia

---

- Daignières, M., Gallart, J., Banda, E. i Hirn, A. (1982). Implications of the seismic structure for the orogenic evolution of the Pyrenean range. *Earth and Planet. Sci. Lett.*, 57, 88-100.
- Daignières, M., Séguret, M., Specht, M. i ECORS team. (1994). The Arzacq-Western Pyrenees ECORS deep seismic profile. *Publ. Eur. Assoc. Pet. Geol.* 4, 199-208.
- Daignières, M., de Cabissole, B., Gallart, J., Hirn, A., Suriñach, E. i Torné. (1989). Geophysical constraints on the deep structure along the ECORS Pyrenees Line. *Tectonics*, V. 8, N. 5, 1051-1058.
- De Voogd, B., Nicolich, R., Olivet, J.L., Fanucci, F., Burrus, J., Mauffret, A., Pascal, G., Argnani, A., Auzende, J.M., Bernabini, M., Bois, C., Carmignani, L., Fabbri, A., Finetti, I., Galdeano, A., Gorini, C.Y., Labaume, P., Lajat, D., Patriat, P., Pinet, B., Ravat, J., Ricci Lucchi, F. i Vernassa, S. (1991). First deep seismic reflection transect from the Gulf of Lions to Sardinia (ECORS - CROP profiles in western Mediterranean). A: *Continental Lithosphere: Deep Seismic Reflections*, Geodynamics, 22, American Geophysical Union, 265-274.
- Deichmann, N. i García-Fernández, M. (1992). Rupture Geometry from high-precision relative hypocentre locations of microearthquakes clusters. *Geophys. J. Int.* 110, 501-517.
- Delouis, B., Haessler, H., Cisternas, A. i Rivera, L. (1993). Stress tensor determination in France and neighbouring regions. *Tectonophysics*, 221, 413-437.
- Derégnaucourt, D. i Boillot, G. (1982). Structure Géologique du golfe de Gascogne. *Bull. Bur. Rech. Géol. Min.*, 2, I, (3): 149-178.
- Díaz, J., Gallart, J., Ruiz, M., Pulgar, J.A., López, C. i González-Cortina, J.M. (2002). Anisotropic features of the Alpine Lithosphere in Northern Spain. *Geophys. Research Letters*, 29, 24, 2225, doi: 10.1029/2002GL015997.
- Díaz, J., Gallart, J., Pedreira, D., Pulgar, J.A., Ruiz, M., López, C. i González-Cortina, J.M. (2003). Teleseismic imaging of alpine crustal underthrusting beneath N Iberia. *Geophys. Research Letters*, 30, 11, 1554, doi:10.1029/2003GL017073.
- Díaz, J., Gallart, J., Ruiz, M., Pulgar, J.A., López-Fernández, C. i González-Cortina, J.M. (2006). Probing seismic anisotropy in North Iberia from shear wave splitting. *Physics of the Earth and Planetary Interiors*. 158, 210-225. doi: 10.1016/j.pepi.2005.12.011.

## Bibliografia

---

- Díaz, J., Gallart, J., Gaspà, O., Ruiz, M. i Córdoba, D. (2007). Seismicity analysis in the Galicia Margin, NW of Iberia, in relation with the sinking of the ‘Prestige’ oil-tanker. *Marine Geology*. In Press.
- Dubos, N., Sylvander, M., Souriau, A., Ponsolles, C., Chevrot, S., Fels, J.F. i Benahmed, S. (2004) Analysis of the 2002 May earthquake sequence in the central Pyrenees, consequences for the evaluation of the seismic risk at Lourdes, France. *Geophys. J., Int.* 156, 527-540.
- ECORS Pyrenees Team (1988). The ECORS deep reflection seismic survey across the Pyrenees. *Nature* 331, 508-511.
- Engeser, T. i Schwentke, W. (1986). Towards a new concept of the tectogenesis of the Pyrenees. *Tectonophysics*, 129, 233 – 242.
- Ewing, J.I. i Purdy, G.M. (1982). Upper crustal velocity structure in the ROSE area of the East Pacific Rise. *J. Geophys. Res.*, V. 87, N. B10, 8397-8402.
- Explosion Seismology Group Pyrenees (1980). Seismic reconnaissance of the structure of the Pyrenees. *Ann. Géophys.* 36, 2, 135-140.
- Faci, E., Castiella, J., Del Valle, J., García, A., Díaz, A., Salvany, J.M., Cabra, P., Ramírez del Pozo, J. i Meléndez, A. (1997). Mapa geológico de Navarra 1:200.000. Gobierno de Navarra. 142 pp.
- Fernández-Viejo, G. (1997). Estructura cortical de la Cordillera Cantábrica y su transición a la Cuenca del Duero a partir de datos de sísmica de refracción/reflexión de gran ángulo. Tesi Doctoral, Universitat de Barcelona, 309 pp.
- Fernández-Viejo, G. i Gallastegui, J. (2005). The ESCI-N Project after a decade: a synthesis of the results and open questions. *Trabajos de Geología. Univ. Oviedo*, 25, 9-25.
- Fernández-Viejo, G., Gallart, J., Pulgar, J.A., Gallastegui, J., Dañobeitia, J.J. i Córdoba, D. (1998) Crustal transition between continental and oceanic domains along the North Iberian margin from wide angle seismic and gravity data. *Geophys. Res. Lett.* v. 25. No. 23, pp. 4249-4252.
- Fernández-Viejo, G., Gallart, J., Pulgar, J.A., Córdoba, D. i Dañobeitia, J.J. (2000). Seismic

## Bibliografia

---

- signature of Variscan and Alpine tectonics in NW Ibèria: Crustal structure of the Cantàbrian Mountains and Duero basin. J. Geophys. Res. V. 105, NO. B2, 3001-3018.
- Fernández-Viejo, G., Pulgar, J.A., Gallart, J., Gallastegui, J., Ruiz, M., Benjumea, B., Bartolomé, R. i the MARCONI Team. (2007). The MARCONI Project: A seismic view into the Bay of Biscay. Enviat a G-cube. En correcció.
- Feuillée, P. i Rat, P. (1971). Structures et paléogéographies Pyrénéo-Cantabriques. In: *Histoire Structurale du Golfe de Gascogne* (J. Debysier, X. Le Pichon and L. Montadert, Eds). Publ. Inst. Français du Pétrole, Ed. Technip, Vol. 1, 1-48.
- Figueras, S., Villaseñor, A., Frontera, T., Olivera, C., Fleta, J., Ruiz, M., Díaz, J., Gallart J. i Vergès, J. (2006). Analysis of the September, 2004 seismic crisis in the area of the 1428 earthquake ( $I_0=IX$ ), Eastern Pyrenees. Proceedings of the 1º European Conference on Earthquake Engineering (ECEE). Ginebra, Suiza.
- Fontseré, E. i Iglésies, J. (1971). Recopilació de dades sísmiques de les terres catalanes entre 1100 i 1906. Fundació Salvador Vives Casajuana, Barcelona. 547 pp.
- Flueh, E.R. i Bialas, J. (1996). A digital, high data capacity ocean bottom recorder for seismic investigations; Int. Underwater Systems Design, V.18, No. 3, 18-20.
- Flueh, E.R., Fischer, M.A., Bialas, J., Childs, J.R., Klaeschen, D., Kukowski, N., Parsons, T., Scholl, D. W., Brink ,U., Tréhu, A.M., Vidal., N. (1998). New seismic images of the Cascadia subduction zone from cruise SO108 – ORWELL. Tectonophysics, 293, 69-84.
- Frémont M.J. i Malone, S.D. (1987). High precision relative locations of earthquakes at Mount St. Helens, Washington. Jour. Geophy. Res. Vol. 92, No. B10, pp. 10,223-10,236.
- Frontera, T., Olivera, C., Figueras, S., Fleta, J., Ruiz, M., Díaz, J., Gallart J., i Vergès, J. (2005). Seismic monitoring of recent activity in the area of the 1428 earthquake ( $I_0=IX$ ), Eastern Pyrenees. Proceedings of the EGU General Assembly. Viena, Austria.
- Funck, T, Hopper, J.R., Larsen, H.C., Louden, K.E., Tucholke, B.E., Holbrook, W.S., (2003). Crustal structure of ocean-continent transition at Flemish Cap: Seismic refraction results. J. Geophys. Res. V. 108, No. B11, 2531, doi: 10.1029/2003JB002434. 1-20 pp.

## Bibliografia

---

- Gagnepain, J., Mediano, T., Cisternas, A., Ruegg, J.C., Vadell, M., Hatzfeld, D. i Mezcua, J. (1980). Sismicité de la région d'Arette (Pyrénées-Atlantiques) et mécanismes au foyer. Ann. Geofis., 36, 499-508.
- Gagnepain-Beyneix, J., Haessler, H. i Modiano, T. (1982). The Pyrenean Earthquake of February 29, 1980: An Example of complex faulting. Tectonophysics, 85, 273-290.
- Gallart, J., Banda, E. i Daignières, M., (1981). Crustal structure of the Paleozoic Axial Zone of the Pyrenees and transition to the North Pyrenean Zone. Annales Geophysicae, 37, 3, 457-480.
- Gallart, J. Daignières, M., Banda, E., Suriñach, E. i Hirn, A. (1980). The eastern Pyrenean domain: lateral variations at crust-mantle level. Ann. Géophys., 36 (2), 141-158.
- Gallart, J., Daignières, M., Gagnepain-Beyneix, J., Hirn, A. i Olivera, C. (1985a). Seismostructural studies in the Pyrenees: Evolution and recent results. PAGEOPH vol. 122 (1984/85), 713-724.
- Gallart, J., Daignières, M. Gagnepain-Beyneix, J. i Hirn, A. (1985b). Relationship between deep structure and seismicity in the western Pyrenees. Annales Geophysicae, 3, 2, 239-248.
- Gallart, J., Fernández-Viejo, G., Díaz, J., Vidal, N. i Pulgar, J.A. (1997). Deep structure of the transition between the Cantabrian mountains and the North Iberian Margin from wide-angle ESCI-N data. Rev. Soc. Geol. España, 8 (4), 1995, 365-382.
- Gallart, J., Díaz, J. i Córdoba, D. (2006). Investigando la estructura litosférica en la Península Ibérica y sus márgenes: tres décadas de perfiles sísmicos profundos. Física de la Tierra, 18, 69-96.
- Gallastegui, J. (2000). Estructura cortical de la Cordillera y Margen Continental Cantábricos: Perfiles ESCI-N. Trabajos de Geología, 22, 9-234.
- Gallastegui, J., Pulgar, J.A., Álvarez-Marrón, J. (1997). 2-D seismic modelling of the Variscan foreland thrust and fold belt crust in NW Spain from ESCIN-1 deep seismic reflection data. Tectonophysics, 269, 21-32.
- Gallastegui, J. Pulgar, J. A. i Gallart, J. (2002). Initiation of an active margin at North Iberian

## Bibliografia

---

- continent-ocean transition. *Tectonics*, 21, No.4, doi:10.1029/2001TC901046.
- García-Modéjar, J. (1989). Strike-slip subsidence of the Basque-Cantabrian basin of northern Spain and its relationship to Aptian-Albian opening of the Bay of Biscay. A: *Extensional tectonics and stratigraphy of the North Atlantic margins* (A.J. Tankard i H.R. Balkwill, eds) AAPG Mem. 46, P. 395-409.
- García-Modéjar, J. (1996). Plate reconstruction of the Bay of Biscay. *Geology*, 24, 635-638.
- García-Modéjar, J., Agirrezala, L.M., Aranburu, A., Fernández-Mendiola, P.A., Gómez-Pérez. I., López-Horgue, M. i Rosales, I. (1996), Aptian-Albian tectonic pattern of the Basque-Cantabrian Basin (Northern Spain). *Geol. Jour.* V. 31., 13-45.
- García-Sansegundo, J. (1993). Memoria y mapas geológicos a escala 1: 25.000 de la hoja nº 142 (Aoiz), cuadrantes de Aoiz (I), Irurozqui (II), Monreal (III) y Domeño (IV). *Diputación Foral de Navarra*.
- Gariel, O., Bois, C., Curnelle, R., Lefort, J.P. i Rolet, J. (1997). The ECORS Bay of Biscay deep seismic survey. Geological framework and overall presentation of the work. *Mém. Soc. Géol. France*. n. 171, 7-19.
- Gil-Peña, I. i Barnolas, A. (2004). Introducción al ciclo varisco en los Pirineos. A: *Geología de España*. (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp. 241.
- Goldstein, P., Minner, L., 1996. SAC2000: Seismic Signal Processing and Analysis Tools For the 21st Century. *Seis. Res. Lett.*, 67, 39.
- Goldstein, P., Dodge, D., Firpo, M., Minner, L., 2003. SAC2000: Signal processing and analysis tools for seismologists and engineers. Invited contribution to "The IASPEI International Handbook of Earthquake and Engineering Seismology", Volume 81B. Edited by WHK Lee, H. Kanamori, P.C. Jennings, and C. Kisslinger, Academic Press, London.
- Got, J.L., Fréchet, J. i Klein F.W. (1994). Deep fault plane geometry inferred from multiplet relative relocation beneath the south flank of Kilauea. *Jour. Geophys. Res.* Vol. 99, No. B8, pp. 15,375- 15,286.

## Bibliografia

---

- Goula, X., Olivera, C., Fleta, J., Grellet, B., Lindo, B., Rivera, L.A., Cisternas, A. i Carbon, D. (1999). Present and recent stress regime in the eastern part of the Pyrenees. *Tectonophysics*, 308, 487-502.
- Goula, X., Jara, J.A., Susagna, T. i Roca, A. (2001). A New Broad-Band seismic network with satellite transmission in Catalonia (Spain). *ORFEUS Newsletter*, Volume 3, N. 1.
- Grandjean, J., Daignières, M., Gallart, J. i Hirn, A. (1994). Répartition de la sismicité dans la partie occidentale des Pyrénées. *C.R. Acad. Sci. Paris Ser. II* 319, 527-533.
- Guo, Z. i Ogata, Y. (1997). Statistical relations between the parameters of aftershocks in time, space and magnitude. *Jour. Geophys. Res.* Vol. 102, No. B2, pp. 2857-2873.
- Herraiz, M., De Vicente., G., Lindo-Ñaupari, R., Giner, J., Simón, J.I., González-Casado, J.M., Vadillo, O., Rodríguez-Pascua, M.A., Cicuéndez, J.I., Casas, A., Cabañas, L., Rincón, P., Cortés, A.L., Ramírez, M. i Lucini, M. (2000). The recent (upper Miocene to Quaternary) and present tectonic stress distributions in the Iberian Peninsula. *Tectonics*, v. 19, 762-786.
- Holbrook, W.S., Mooney, W.D. i Christensen, N.I. (1992). The seismic velocity structure of the deep continental crust. A: *Continental Lower Crust*, Editors: D.M. Fountain, R. Arculus i R.W. Kay. *Developments in Geotectonics*, 23, Academic Press, Elsevier, pp. 1-43.
- Jabaloy, A., Galindo-Zaldívar, J. i González-Lodeiro, F. (2002). Palaeostress evolution of the Iberian Peninsula (Late Carboniferous to present-day). *Tectonophysics*, 357, 159-186.
- Jones E.W. i Ewing, J.I. (1969). Age of the Bay of Biscay; evidence from seismic profiles and bottom samples. *Science*, 166, 102-105.
- Julivert, M. (1960). Estudio geológico de la Cuenca de Beleño (Valles altos del Sella, Ponga, Nalón y Esla). *Bol. Inst. Geol. Min. España*, 71: 1-346.
- Julivert, M., Martínez, F. i Ribeiro, A. (1980) The Iberian segment of the European hercynian Fol. Belt. In: *26<sup>th</sup> Congr. Geol. Int. París. Colloq. C6, Géologie de l'Europe, du Précambrien aux bassins sédimentaires posthercyniens. Bur. Rech. Geol. Min. Mémoires*. 108: 132-158.
- Jurado, M.J. i Müller, B. (1997). Contemporary tectonic stress in northeastern Iberia. New results from borehole breakout analysis. *Tectonophysics*, 282, 99-115.

- Korenaga, J., Holbrook, W.S., Kent, G.M., Kelemen, P.B., Detrick, R.S. Larsen, H.C., Hopper, J.R. i Dahl-Jensen, T. (2000). Crustal structure of the southeast Greenland margin from joint refraction and reflection seismic tomography. *J. Geophys. Res.*, 105, 21,591-21,614.
- Larrasoña, J.C., Parés, J.M., Del Valle, J. i Millán, H. (2003a). Triassic paleomagnetism from the Western Pyrenees revisited: Implications for the Iberian-Eurasian Mesozoic plate boundary. *Tectonophysics*, 362 161-182.
- Larrasoña, J.C., Parés, J.M., Millán, H., Del Valle, J. i Pueyo, E.L. (2003b). Paleomagnetic, structural, and stratigraphic constraints on transverse fault kinematics during basin inversion: The Pamplona Fault (Pyrenees, north Spain). *Tectonics*, Vol. 22, No. 6, 1071, doi: 10.1029/2002TC001446.
- Lau, K.W.H, Louden, K.E., Funck, T., Tucholke, B.E., Holbrook, W. S. Hooper, J.R., Larsen, H.C. (2006). Crustal structure across the Grand Banks – Newfoundland Basin continental margin – I. Results from a seismic refraction profile. *Geophys. J. Int.*, doi:10.1111/j.1365-246X.2006.02988.x, 1-30 pp.
- Le Pichon, X., i Barbier, F., (1987). Passive margin formation by low-angle faulting within the upper crust: The northern Bay of Biscay margin. *Tectonics*, V. 6. No. 2, pp., 133-150.
- Lee, W.H.K., Bennet, R.E. i Meagher, K.L. (1972). A Method of estimating magnitude of local earthquakes from signal duration. U.S. Geol. Surv. Open file report 1-28.
- Lee, W.H. i Lahr, J.C. (1975). HYPO71 (revised): A computer program for determining hypocenters, magnitudes and first motion pattern of local earthquakes. U.S. Geol. Surv. Open File report 75-311, 116 pp.
- ledo, J., Ayala, C., Pous, J., Queralt, P., Marcuello, A. i Muñoz, J.A. (2000). New geophysical constraints on the deep structure of the Pyrenees. *Geophys. Res. Letters.*, V. 27, NO. 7,1037-1040.
- Levander, A.R. i Holliger, K. (1992). Small-scale heterogeneity and large-scale velocity structure of the continental crust. *J. Geophys. Res.* V. 97, No. B6, pp. 8797-8804.
- Limond, W.Q., Gray, F., Grau, G. i Patriat, Ph. (1972). Mantle reflections in the Bay of

## Bibliografia

---

- Biscay. Earth. Plan. Sci. Lett., 15, 361-366.
- Limond, W.Q., Gray, F., Grau, G. Fail, J.P., Montadert, L. i Patriat, Ph. (1974). A seismic study in the Bay of Biscay. Earth. Plan. Sci. Lett., 23, 357-368.
- López-Fernández, C. (2007). Actividad sísmica, zonación sismotectónica y riesgo sísmico en el NO de la península Ibérica. Tesi Doctoral, Univ. Oviedo. 304 pp.
- López-Fernández, C., Pulgar, J.A., Gallart, J., González, J.M., Díaz, J. i Ruiz, M. (2002). Actividad sísmica reciente en el NO de la Península Ibérica. Proceedings de la III Asamblea Hispano-Portuguesa de Geodesia y Geofísica. Valencia, Febrero 2002. pg 395-398. Tomo I. Universidad Politécnica de Valencia. Editores F. García García y J.L. Berné Valero.
- López-Fernández, C., Pulgar, J.A., González-Cortina, J.M., Gallart, J., Díaz J. i Ruiz, M. (2004a). Actividad Sísmica en el NO de la Península Ibérica observada por la red sísmica local del Proyecto GASPI (1999-2002). Trabajos de Geología. Universidad de Oviedo. Vol. 24, 91-106.
- López-Fernández, C., Pulgar, J.A., Gallart, J., González-Cortina, J.M., Díaz, J. i Ruiz, M. (2004b). Sismicidad y tectónica en el área de Becerreá – Triacastela (Lugo, NO España). Geogaceta. Vol. 36. pp. 51-54. Proceedings del XXXVI sesión científica de la Sociedad Geológica de España, Oviedo (España).
- Louden K.E. i Chian, D. (1999). The deep structure of non-volcanic rifted continental margins. Phil. Trans. R. Soc. Lond., 357, 767-805.
- Malod, J.A. i Maufred, A. (1990). Iberian Plate motions during the Mesozoic. Tectonophysics, 184, 261-278.
- Marillier, F., Tomassino, A., Priat, Ph i Pinet, B. (1988). Deep structure of the Aquitaine Shelf: constraints from expanding spread profiles on the ECORS Bay of Biscay transect. Mar. Pet. Geol. V. 5, 65-74.
- Martínez-Catalan, J.R. (1985). Estratigrafía y estructura del domo de Lugo (Sector Oeste de la Zona Asturoccidental-leonesa). Corpus Geologicum Gallaeciae, 2<sup>a</sup> serie, 2, 291 pp.
- Martínez-Catalan, J.R, Ayarza-Arribas, P., Pulgar, J.A., Pérez-Estaún., A., Gallart, J.,

## Bibliografia

---

- Marcos., A., Bastida., F., Álvarez-Marrón, J., González-Lodeiro, F., Aller, J., Dañobeitia, J.J., Banda, E., Córdoba., D. i Comas, M.C. (1997). Results from the ESCI-N3.3 marine deep seismic profile along the Cantabrian continental margin. Rev., Soc. Geol. España, 8 (4), 1995, 341-354.
- Martínez-Solares, J.M. i Mezcua, J. (2003). Catálogo sísmico de la península Ibérica (880 ac-1900). Instituto Geográfico Nacional. Monografía N. 18, 254 pp.
- Martínez-Torres, L.M. (1989). El Manto de los Mármoles (Pirineo Occidental): geología estructural y evolución geodinámica. Tesi Doctoral, Univ. País Vasco, Spain. 294 pp.
- Martínez-García, E. (1982). El Pérmico de la región Cantábrica. A: *Carbonífero i Pérmico de España* (C. Martínez Díaz, Ed.), IGME, Madrid, 391-402.
- Massa, M., Eva, E., Spallarossa, D. i Eva, C. (2006) Detection of earthquake clusters on the basis of waveform similarity: An application in the Monferrato region (Piedmont, Italy). J. Seismol. V. 10, N. 1., 1-22.
- Mathey, B., Foquet, M. i Martínez-Torres, L.M. (1999). The Leiza paleo-fault: role and importance in the Upper Cretaceous sedimentation and paleogeography of the Basque Pyrenees (Spain). C. R. Acad. Sci. Paris 328, 393-399.
- Mattauer, M. (1990). Une autre interprétation du perfil ECORS Pyrénées. Bull. Soc. Géol. France, Serie 8, 6 (2), 307-311.
- Matte, Ph. (1986). Tectonics and plate tectonics model for the Variscan belt of Europe, Tectonophysics, 126, 329-337.
- Matte, Ph. (1991). Accretionary history and crustal evolution of the Variscan belt in the western Europe. Tectonophysics, 196, 309-337.
- Maurer H. i Deichmann, N. (1995). Microearthquake cluster detection on waveform similarities, with an application to the western Swiss Alps. Geophys. J. Int. 123, 588-600.
- Mendia, M.S. i Gil-Ibarguchi, J.L. (1991). High-grade metamorphic rocks and peridotites associated to the Leiza Fault (Western Pyrenees). Geol. Rundsh. 80, 93-107.
- Minshull, T.A. (2002). Seismic structure of the oceanic crust and passive continental

margins. Invited contribution to "The IASPEI International handbook of earthquake and engineering seismology", Vol. 81A. Edited by Lee, W.H.K., Kanamori, H., Jennings, P.C. and Kisslinger, C. Academic Press, London.

Montadert, L., Charpal, O., Roberts, D.G., Guennoc, P. i Sibuet, J.C. (1979). Northeast Atlantic passive margins: rifting and subsidence processes. *Ammer. Geophys. Un. Revue*, 3, 154-186.

Mooney, W.D., Prodehl, C., Pavlenkova, N.I. (2002). Seismic velocity structure of the continental lithosphere from controlled source data. Invited contribution to "The IASPEI International handbook of earthquake and engineering seismology", Vol. 81A. Edited by Lee, W.H.K., Kanamori, H., Jennings, P.C. and Kisslinger, C. Academic Press, London.

Müller, J. i Rodgers, P. (1977). L'evolution des Pyrénées (domaine central et occidental). Le segment Hercynien, la chaîne de fond alpine, *Geol. Alp.*, 53, 141 – 191.

Müller, B., Zoback, M.L., Fuchs, K., Mastin, L., Gregersen, S., Pavoni, N., Stephansson, O. i Ljunggren, C. (1992). Regional patterns of tectonic stress in Europe. *J. Geophys. Res.* 97(B8): 11.783-11.803

Müller, B., Wehrle, V., Zeyen, H. i Fuchs, K. (1997). Short-scale variations of tectonic regimes in the western European stress province north of the Alps and Pyrenees. *Tectonophysics*, 275, 199-219.

Muñoz, J.A. (1992). Evolution of a continental collision belt: ECORS- Pyrenees crustal balanced cross-section. McClay, K.R. (Editor) *Thrust Tectonics*. Chapman and Hall. London, 235-246.

Muñoz, J.A. (2002). Alpine tectonics I: the Alpine system north of the Betic Cordillera: The Pyrenees. A: *The Geology of Spain* (W. Gibbons i T. Moreno, Eds.), Geological Society, London: 370-385.

Nicolas, M., Santoire, J.P. i Delpech, P.Y. (1990). Intraplate seismicity: new seismotectonic data in Western Europe. *Tectonophysics*, 179, 27-53.

Ogata, Y. (1999). Seismicity analysis through point-process modelling: a review. *Pure and Appl. Geophys.*, 155, 471-507.

## Bibliografia

---

- Olivera, C. Gallart, J., Goula., X. i Banda, E. (1986). Recent activity and seismotectonics of the eastern Pyrenees. *Tectonophysics*. 129, 367-380.
- Olivera, C. i Gallart, J. (1987). Sismicidad de la región de Navarra (Pirineos Occidentales). *Rev. de Geofísica*, 43, 221-234.
- Olivet, J.L. (1996). La cinématique de la Plaque Ibérique, *Bull. Cent. Rech. Explor. Prod. Elf Aquitaine*, 20, 1:131-195
- Pauchet, H., Rigo, A., Rivera, L. i Souriau, A. (1999). A detailed analysis of the February 1996 aftershock sequence in the eastern Pyrenees, France. *Geophys. J. Int.* 137, 107-127.
- Pedreira, D. (2004). Estructura cortical de la zona de transición entre los Pirineos y la Cordillera Cantábrica. *Tesi Doctoral*, Univ. Oviedo. Espanya. 343 pp.
- Pedreira, D., Pulgar, J.A., Gallart, J. i Díaz. J. (2003). Seismic evidence of Alpine crustal thickening and wedging from the Western Pyrenees to the Cantabrian Mountains (North Iberia). *J. Geophys. Res.* Vol. 108, N. B4, 2204, doi 10.1029/2001JB001667.
- Pérez-Estaún, A., Bastida, F., Alonso, J. L., Marquínez, J., Aller, J., Álvarez-Marrón, J., Marcos, A. i Pulgar, J.A., (1988). A thin-skinned tectonics model for an arcuate fold and thrust belt: the Cantabrian Zone (Variscan Ibero-Armorian Arc). *Tectonics*, 7: 517-537.
- Pérez-Estaún, A., Martínez-Catalán, J.R. i Bastida, F. (1991). Crustal thickening and deformation sequence in the footwall to the suture of the Variscan belt of northwest Spain. *Tectonophysics*, 191, 243-253.
- Pérez-Estaún, A., Pulgar, J.A., Banda, E., Álvarez-Marrón, J. i ESCI-N Research Group. (1994). Crustal structure of the external variscides in northwest Spain from deep seismic reflection profiling. *Tectonophysics*, 232, 91-118.
- Pérez-Estaún, A., Pulgar, J.A., Álvarez-Marrón i ESCI-N Group. (1997). Crustal structure of the Cantabrian Zone: seismic image of a Variscan foreland thrust and fold belt (NW Spain). *Rev. Soc. Geol. España*, 8 (4), 1995, 307-319.
- Pérez-Estaún, A., Bea, F., Bastida, F., Marcos, A., Martínez-Catalán, J.R., Martínez-Poyatos, D., Arenas, R., Díaz-García, F., Azor, A., Simancas, J.F. y González-Lodeiro, F.

## Bibliografia

---

- (2004). La cordillera Varisca Europea: El macizo Ibérico. A: *Geología de España*. (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp.21-25.
- Pérez-Gussinyé, M. i Reston, T.J. (2001). Rheological evolution during extension at nonvolcanic rifted margins: Onset of serpentinization and development of detachments leading to continental breakup. *J. Geophys. Res.* V. 106. No. B3, 3961-3975.
- Pérez-Gussinyé, M., Reston, T.J. i Morgan, P. (2001). Serpentinization and magmatism during extension at non-volcanic margins: the effect of initial lithospheric structure. (A: Non-volcanic rifting of continental margins: A comparison of evidence from land and sea, Ed: Wilson, R.C.L., Whitmarsh, R.B., Taylor, R.B. i Froitzheim, N.) *Geol. Soc. London*, 551-575.
- Pérez-Gussinyé, M., Ranero, C.R., Reston, T.J. i Sawyer, D. (2003). Mechanisms of extension at nonvolcanic margins: Evidence from Galicia interior basin, west of Iberia. *J. Geophys. Res.* V. 108, No. B5, 2245, doi:10.1029/2001JB000901. 19 pp.
- Pickup, S.L.B., Whitmarsh, R.B., Fowler, C.M.R. i Reston, T.J. (1996). Insight into the nature of the ocean-continent transition off West Iberia from deep multichannel seismic reflection profile. *Geology*, v. 24, n. 12, 1079-1082.
- Pinet, B., Montadert, L. i ECORS Scientific Party. (1987). Deep seismic reflection and refraction profiling along the Aquitaine shelf (Bay of Biscay). *Geophys. J. R. Astr. Soc.*, 89, 305-312.
- Poupinet, G., Ellsworth, W.L. i Frechet, J. (1984). Monitoring velocity variations in the crust using earthquakes doublets: An application to the Calaveras Fault, California. *J. Geophys. Res.* Vol. 89, NO. B7, pp. 5719-5731.
- Poupinet, G., Souriau, A., Vadell, M. i Njike-Kassala, J.D. (1992). Constraints on the lithospheric structure beneath the North Pyrenean fault from teleseismic observations. *Geology*, V. 20, 157-160.
- Pous, J., Ledo, J., Marcuello, A. i Daignières, M. (1995a). Electrical resistivity model of the crust and the upper mantle from a magnetotelluric survey through the central Pyrenees. *Geophys. J. Int.* 121, 750-762.

## Bibliografia

---

- Pous, J. Muñoz, J.A. Ledo, J.J. i Liesa, M. (1995b). Partial melting of subducted continental lower crust in the Pyrenees. *Journal of the Geological Society*, 152, 217 – 220.
- Pous, J., Queralt, P. i Marcuello, A. (2001). Magnetotelluric signature of the western Cantabrian Mountains. *Geophys. Res. Lett.* V. 28, No. 9, 1795-1798.
- Priat, P., Ouassaa, K. i Pinet, B. Velocity determination from analysis of the X-T sections of the Bay of Biscay expanding seismic profiles (ESP). *Mém. Soc. Géol. France*. n. 171, 45-56.
- Puigdefabregas, C., Rojas, B., Sánchez Carpintero, I. i Valle de Lerchundi, J. del, (1978). Memoria y Mapa Geológico de España, E. 1:50.000, 2<sup>a</sup> ser., Hoja nº 142 (Aoiz). *Inst. Geol. Min. Esp.*
- Pulgar, J.A., Gallart, J., Fernández-Viejo, G., Pérez-Estaún, A., Álvarez-Marrón, J. i ESCIN Group. (1996). Seismic image of the Cantabrian Mountains in the western extension of the Pyrenees from integrated ESCIN reflection and refraction data. *Tectonophysics*, 264, 1-19.
- Pulgar, J.A., Pérez-Estaún, A., Gallart, J., Álvarez-Marrón, J., Gallastegui, J., Alonso, J.L. i ESCIN Group (1997). The ESCI-N2 deep seismic reflection profile: a traverse across the Cantabrian Mountains and adjacent Duero basin. *Rev. Soc. Geol. España*, 8 (4), 1995, 383-394.
- Rat, P. (1988). The Basque-Cantabrian basin between the Iberian and European plates; some facts but still many problems. *Rev. Soc. Geol. Esp.* 1 (3-4), 327-348.
- Reasenberg, P.A. i Oppenheimer, D. (1985). FPFIT, FPPILOT and FPPAGE: Fortran computer programs for calculating and displaying fault-plane solutions. U.S. Geol. Surv. Open File report 85-739, 25 pp.
- Reinecker, J., Heidbach, O., Tingay, M., Sperner, B. i Müller, B. (2005): The release 2005 of the World Stress Map (available online at [www.world-stress-map.org](http://www.world-stress-map.org))
- Ries, A.C. (1978). The opening of the Bay of Biscay- A review. *Earth-Science Reviews*, 14, 35-63.
- Rigo, A., Pauchet, H., Souriau, A., Grésillaud, A., Nicolas, M., Olivera, C., i Figueras, S.

## Bibliografia

---

- (1997). The February 1996 earthquake sequence in the eastern Pyrenees: first results. *J. Seismology*. 1,3-14.
- Rigo, A., Souriau, A., Dubos, N., Sylvander, M. i Ponsolles, C. (2005). Analysis of the seismicity in the central part of the Pyrenees (France), and tectonic implications. *J. Seismology*. 9, 211-222.
- Rosenbaum, G. Lister, G.S. i Duboz, C. (2002), Relative motions of Africa, Iberia and Europe during Alpine orogeny. *Tectonophysics*, 359, 117-129
- Roure, F., Choukroune, P., Berastegui, X., Muñoz, J.A., Villien, A., Matheron, P., Bareyt, M., Seguret, M., Camara, P. i Deramond. J. (1989). ECORS deep seismic data and balanced cross sections: geometric constraints on the evolution of the Pyrenees. *Tectonics*, V. 8, No. 1, pp. 41-50.
- Rubin, A.M., Gillard, D. i Got, J.L. (1999). Streaks of microearthquakes along creeping faults. *Nature*. Vol. 400, 635-641.
- Rudnick, R.L. i Fountain, D.M. (1995). Nature and composition of the continental crust: A lower crustal perspective. *Reviews of Geophysics*, 33, 3. 267-309.
- Rueda, J. i Mezcua, J. (2001). Sismicidad, sismotectónica y peligrosidad sísmica en Galicia. Publicación temática. N. 35. Instituto Geográfico Nacional. Madrid, 64 pp.
- Ruiz, M., Gallart, J., Díaz, J., Olivera, C., Pedreira, D., López, C., González-Cortina, J.M. i Pulgar, J.A. (2006a). Seismic activity at the Western Pyrenean edge. *Tectonophysics*, 412, 3-4, 217-235, doi:10.1016/j.tecto.2005.10.034.
- Ruiz, M., Díaz, J., Gallart, J., Pulgar, J.A., González-Cortina, J.M. i López C. (2006b). Seismotectonic constraints at the western edge of the Pyrenees: aftershock series monitoring of the 2002 February 21, 4.1Lg earthquake. *Geophys. J. Int.*, V. 166 (1), 238-252, doi:10.1111/j.1365-246X.2006.02965.x
- Ruiz, M., Gaspà, O., Gallart, J., Díaz, J., Pulgar, J.A., García-Sansegundo, J., López-Fernández, C. i González-Cortina, J.M. (2006c). Aftershocks Series Monitoring of the September 18, 2004 M=4.6 Earthquake at the Western Pyrenees: a case of Reservoir-Triggered Seismicity?. *Tectonophysics*. 424, 223-243, doi:10.1016/j.tecto.2006.03.037.

## Bibliografia

---

- Ruppel, C. (1995). Extensional processes in continental lithosphere. *J. Geophys. Res.* V. 100, No. B12, 24,187-24,215
- Saccorotti, G., Carmona, E., Ibáñez, J.M. i Del Pezzo, E. (2002). Spatial characterization of Agron, southern Spain, 1988-1989 seismic series. *Phys. Earth and Planet. Inter.* 129, 13-29.
- Schimmel, M. i Gallart, J. (2007). Frequency-Dependent Phase Coherence for Noise Suppression in Seismic Array Data. *J. Geophys. Res.* In press.
- Schott, J.J. i Peres, A. (1988). Paleomagnetism of Permo-Triassic red beds in the western Pyrenees: evidence for strong clockwise rotations of the Paleozoic Units. *Tectonophysics*, 156, 75-88.
- Séguret M. i Daignières, M. (1986). Crustal scale balanced cross-sections of the Pyrenees; discussion, *Tectonophysics*, 129, 303-318.
- Sibuet, J.C. i Le Pichon, X. (1971). Structure gravimétrique du Golfe de Gascone et le fosé marginal nord-espagnol. A: Histoire structurale du golfe de Gascogne (J. Debysier, X. Le Pichon i M. Montadert, Eds). Technip, París; VI9-1 – VI9-18.
- Sibuet, J. C., Ryan, W. B. F., Arthur, M., Barnes, R., Blechschmidt, G., De Charpal, O., De Graciansky, P. C, Habib, D. Iaccarino, S, Johnson, D., Lopatin, B. G., Maldonado, A., Montadert, L., Moore, D.G., Morgan, G. E., Mountain, G., Rehault, J. P., Sigal; J. i Williams C. A. (1980). Deep Drilling Results of Leg 47b (Galicia Bank Area) in the Framework of the Early Evolution of the North Atlantic Ocean. *Phil. Trans. Roy. Soc. London. Series A*, Vol. 294, No. 1409, pp. 51-61.
- Sibuet, J.C. i Collette, B.J. (1991). Triple junctions of Bay of Biscay and North Atlantic: New constraints on the kinematic evolution. *Geology*. V. 19, 522-525.
- Sibuet, J.C., Srivastava, S.P. i Spakman, W. (2004). Pyrenean orogeny and plate kinematics. *J. Geophys. Res.*, 109, B08104, doi:10.1029/2003JB002514.
- Souriau, A. i Granet, M. (1995). A tomographic study of the lithosphere beneath the Pyrenees from local and teleseismic data. *J. Geophys. Res.* Vol.100, No. B9, 18.117-18.134.

## Bibliografia

---

- Souriau, A. i Pauchet, H. (1998). A new synthesis of Pyrenean seismicity and its tectonic implications. *Tectonophysics*, 290, 221-244.
- Souriau, A., Sylvander, M., Rigo, A., Fels, J.F., Douchain, J.M. i Ponsolles, C. (2001). Sismotectonique des Pyrénées: Principales contraintes sismologiques. *Bull. Soc. Géol. France*. 172, n 1, 25-39.
- Spence, G.D. (1983). RAYAMP: An Algorithm for tracing rays and calculating amplitudes in laterally varying media: program documentation, Univ. of British Columbia.
- Srivastava, S.P. i Roest, W.R., (1995). Nature of thin crust across the Southwest Greenland margin and its bearing on the location of ocean-continent boundary. A: Rifted ocean-continent boundaries (ed. Banda, M. Torné i M. Talwani), pp. 95-120. Amsterdam: Kluwer.
- Srivastava, S.P., Schouten, H., Roest, W.R., Klitgord, K.D., Kovacs, L.C., Verhoef, J. i Macnab, R. (1990a). Iberian plate kinematics: A jumping boundary between Eurasia and Africa, *Nature*, 344, 756-759.
- Srivastava, S.P., Roest, W.R., Kovacs, L.C., Oakey, G., Lévesque, S., Verhoef, J. i Macnab R. (1990b). Motion of Iberia since the Late Jurassic: Results from detailed aeromagnetic measurements in the Newfoundland Basin. *Tectonophysics*, 184, 229-260.
- Suriñach, E. i Roca, A. (1982). Catálogo de terremotos de Cataluña, Pirineos y zonas adyacentes. 1100-1979. A: *La sismicidad en la zona comprendida entre 40°N-44°N y 3°W-5°E. NE Península Ibérica*. Publicación de la Cátedra de Geofísica. N. 190. Univ. Complutense de Madrid. 155 pp.
- Suriñach, E. Marthelot, J.M., Gallart, J., Daignières, M. i Hirn, A. (1993). Seismic images and evolution of the Iberian Crust in the Pyrenees. *Tectonophysics*, 221, 67-80.
- Teixell A. (1998). Crustal structure and orogenic material budget in the west central Pyrenees. *Tectonics*, 17(3), pp. 395-406.
- Teixell, A. (2004). Estructura cortical de la Cordillera Pirenaica. A: *Geología de España*. (Ed. Princ.: J.A. Vera). Sociedad geológica de España y Instituto geológico y minero de España. pp.320-321.
- Thinon, I. (1999). Structure profonde de la Marge Nord Gascone et du Bassin Armoracain.

## Bibliografia

---

Tesi Doctoral. Univ. Bretagne Occidentale. 332 p.

Thinon, I., Réhault, J.P., Fidalgo-González, L. (2002). La couverture sédimentaire syn-rift de la marge Nord-Gascogne et du Bassin armoricain (golfe de Gascogne): à partir de nouvelles données de sismique refraction. Bull. Soc. géol. France. T. 173, n. 6. pp. 515-522.

Thinon, I., Matias, L., Réhault, J.P., Hirn, A., Fidalgo-González, L. i Avedik, F. (2003). Deep structure of the Armorican Basin (Bay of Biscay): a review of Norgasis seismic reflection and refraction data. J. Geol. Soc. Lond., V. 160, pp. 99-116.

Tomassino, A. i Marillier, F. (1997). Processing and interpretation in the tau-p domain of the ECORS Bay of Biscay expanding spread profiles. Mém. Soc. Géol. France. n. 171, 31-43.

Torné, M., de Cabissole, B., Bayer, R. Casas, A., Daignières, M. i Rivero, A. (1989). Gravity constraints on the deep structure of the Pyrenean belt along the ECORS profile. Tectonophysics, 165, 105-116.

Tsuijura, M. (1983). Characteristic frequencies for earthquake families and their tectonic implications: evidence from earthquake swarms in the Kanto District, Japan. Pure and Appl. Geophys., 4, 573-600.

Turner, J.P. (1996). Switches in subduction direction and the lateral termination of mountain belts: Pyrenees-Cantabrian transition, Spain. Journal of the Geological Society. Vol. 153. 563-571.

Utsu, T. (1961). Statistical study on the occurrence of aftershocks. Geophys. Mag. 30, 521-605.

Utsu, T. (1999). Representation and analysis of the earthquake size distribution: A Historical review and some new approaches. Pure Appl. Geophys. 155. 509-535.

Utsu, T., Ogata, Y. i Matsumura, S. (1995). The centenary of the Omori Formula for a decay law of aftershocks activity. J. Phys. Earth, 43, 1-33.

Vacher, P. i Souriau, A. (2001). A three-dimensional model of the Pyrenean deep structure based on gravity modelling, seismic images and petrological constraints. Geophys. J. Int. 145, 460-470.

## Bibliografia

---

- Van der Voo, R. i Boessenkool, A. (1973). Permian paleomagnetic result from the Western Pyrenees delineating the plate boundary between the Iberian peninsula and stable Europe. *J. Geophys. Res.*. Vol.78 No 23 5118-5127.
- Vannucci, G., Pondrelli, S., Argnani, A., Morelli, A., Gasperini, P. i Boschi, E. (2004). An atlas of the Mediterranean seismicity. *Annals of Geophysics*, supplement to Vol. 47, N. 1.
- Vauchez, A. i Barruol, G. (1996). Shear-wave splitting in the Appalachians and the Pyrenees: importance of the inherited tectonic fabric of the lithosphere. *Phys. Earth. Plan. Int.*, 95, 127-138.
- Vergés, J. (2003). Evolución de los sistemas de rampas oblicuas de los Pirineos meridionales: fallas del Segre y Pamplona. *Boletín Geológico y Minero*, 114 (1): 87-101.
- Vergés, J., Millán, H., Roca, E., Muñoz, J.A., Marzo, M., Cirés, J., Den Bezemer, T., Zoetemeijer, R. i Cloetingh, S. (1995). Eastern Pyrenees and related foreland basins: Pre-, syn- and post-collisional crustal-scale cross-sections. *Mar. Pet. Geol.*, 12, pp. 893-915.
- Waldhauser, F. (2001). HypoDD - A program to compute double-difference hypocenter locations. U.S. Geological Survey. Open File Report 01-113.
- Waldhauser, F. i Ellsworth, W.L. (2000). A double-difference earthquake location algorithm: method an application to the northern Hayward fault, California. *Bull. Seis. Soc. Am.*, 90,6, pp.1353-1368.
- White, R.S. i Matthews, D.H., (1980). Variations in oceanic upper crustal structure in a small area of northeastern Atlantic. *Gephys. J. R. Astron. Soc.*, 61, 401-431.
- White, S.R., McKenzie; D. i O'Nions, K.R., (1992). Oceanic crustal thickness from seismic measurements and rare element inversions. *Jour. Geophys. Res.* V. 97. No B13, 19.683-19.715.
- Whitmarsh, R.B. i Miles, P.R. (1995). Models of the development of the west Iberia rifted continental margin at 40°30'N deduced from surface and deep-tow magnetic anomalies. *J. Geophys. Res.* 100, 3789-3806.
- Whitmarsh, R.B., Miles, P.R. i Mauffret, A., (1990). The ocean-continent boundary off the

## Bibliografia

---

- western continental margin of Iberia – I. Crustal structure at 40°30' N. *Geophys. J. Int.*, 103, 509-531.
- Whitmarsh, R.B., White, R.S., Housefield, S.J., Sibuet, J.C., Recq, M.R., i Louvel, V. (1996). The ocean-continent boundary off the western continental margin of Iberia: crustal structure west of Galicia Bank. *J. Geophys. Res.*, V. 101, No. B12, 28291-28314.
- Williams, C.A. (1975). Sea-floor spreading in the Bay of Biscay and its relationship to the north Atlantic. *Earth. Planet. Sci. Lett.*, 24, 440-456.
- Zelt, C.A. (1999). Modelling strategies and model assessment for wide-angle seismic traveltimes data. *Geophys. J. Int.*, 139, 183-204.
- Zelt, C.A. i Ellis, R.M. (1988). Practical and efficient ray tracing in two-dimensional media for rapid traveltimes and amplitude forward modelling, *Can. J. Explor. Geophys.*, Vol. 24, N.1, 16-31.
- Zelt, C.A. i Forsyth, D.A. (1994). Modelling wide-angle seismic data for crustal structure: Southeastern Grenville Province. *J. Geophys. Res.*, V. 99, N. B6, 11,687-11,704.
- Zelt, C.A. i Smith, R.B. (1992). Seismic traveltimes inversion for 2-D crustal velocity structure, *Geophys. J. Int.*, 108, 16-34.
- Zeyen, H.J. i Banda, E. (1989). 2 1/2 and 3 dimensional interpretation of magnetic anomalies in the central-southern Pyrenees (Spain). *Geodinamica Acta*, 3, 229-236.

## Bibliografia

---