

# Génesis de carbonatos autigénicos asociados a volcanes de fango del Golfo de Cádiz (SW España): influencia de procesos bioquímicos y desestabilización de hidratos de gas

Marta Rejas Alejos

**ADVERTIMENT.** La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX ([www.tesisenxarxa.net](http://www.tesisenxarxa.net)) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

**ADVERTENCIA.** La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR ([www.tesisenred.net](http://www.tesisenred.net)) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

**WARNING.** On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX ([www.tesisenxarxa.net](http://www.tesisenxarxa.net)) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.



**Departament de Geoquímica, Petrologia i Prospecció Geològica  
Universitat de Barcelona  
Programa de Doctorat de Ciències de la Terra  
Bienni 2004-2006**

**Génesis de carbonatos autigénicos asociados a  
volcanes de fango del Golfo de Cádiz (SW España):  
influencia de procesos bioquímicos y  
desestabilización de hidratos de gas.**

**Marta Rejas Alejos  
2009**

## *Capítulo 9. Bibliografía.*

## 9. Bibliografía.

**Aceñolaza, G.F., Nieva, S.M.** (2003). Upper Cambrian-Arenig stratigraphy and Biostratigraphy in the Purmamarca area, Jujuy province, NW Argentina, *INSUGEO, Miscellanea* 9, 5-12.

**Adachi, N., Ezaki, Y., Liu, J.** (2004). The fabrics and origins of peloids immediately after the end-Permian extinction, Guizhou Province, South China, *Sedimentary Geology* 164, 161-178.

**Adkins, F.K., Boyle, E.A., Curry, W.B., Lutringer, A.** (2003). Stable isotopes in deep-sea corals and a new mechanism for "vital effects", *Geochim. Cosmochim. Acta* 67, 1129-1143.

**Aharon, P.** (1994). Geology and biology of modern and ancient submarine hydrocarbon seep and vents: an introduction. *Geo Marine Letters* 14, 69-73.

**Aharon, P, Fu, B.S.** (2000). Microbial sulfate reduction rates and sulfur and oxygen isotope fractionation at oil and gas seep in deep water Gulf of México. *Geochimica et Cosmochimica acta* 64, 233-246.

**Akhmanov, G. C., Ivanof, M. K., Henriet, J. P., Sarantzev, E. S.** (2002). The El Arraiche diapiric field and its "exotic" mud volcanic deposits recovered during the TTR-12 cruise in the Gulf of Cadiz. *JOC Workshop report*, vol.187, 9.

**Ali-Zade, A. Shuyokov, E., Grigorianz, B., Aliev, A. y Rahmanov, R.** (1984). Geotectonic conditions of mud volcano manifestation on the Earth and their significance for oil and gas prospects. *Proc 27<sup>o</sup> World Geol. Congr. (en Ruso)*, C13, 166-172.

**Aloisi, G., Pierre, C., Rouchy, J.M., Foucher, J.P., Woodside, J., y MEDINAUT Scientific Party.** (2000). Methane-related authigenic carbonates of eastern Mediterranean Sea mud volcanoes and their possible relation to gas hydrate destabilisation. *Earth and Planetary Science Letters* 184, 321-338.

**Alperin, MJ., Reeburgh, W.S., Whiticar, M.J.** (1988). Carbon and hydrogen isotope fractionation resulting from anaerobic methane oxidation. *Global Biogeochem. Cycles* 2, 279-288.

**Anderson, T.F., Arthur, M.A.** (1983). Stable isotopes of oxygen and carbon and their application to sedimentologic and paleoenvironmental problems. In: Arthur, M.A., Anderson, T.F., Kaplan, I.R., Veizer, J., Land, L.S. (Eds.), *Stable Isotopes in Sedimentary Geology. Soc. Econ. Paleont. Min., Short Course No. 10*, Dallas.

**Aquilina, L, Dia, A.N., Boulegue, J., Bourgois, j., Fouiliac, A.M.** (1997). Massive barite deposits in the convergent margin of Peru. Implications for fluid circulation within subduction zones. *Geochimica et Cosmochimica Acta* 61, 1233-1245.

**Baas, J.H., Schönfeld, J., Zahn, R.** (1998). Mid-depth oxygen drawdown during Heinrich events: Evidence from benthic foraminifera community structure. Trace fossil tiering, and benthic  $\delta^{13}\text{C}$  at the Portuguese margin. *Mar. Geol* 152, 25-55.

- Banner, J.L.** (2004). Radiogenic isotopes: systematic and applications to earth surface processes and chemical stratigraphy. *Earth-Sci. Rev.* 65, 141-194.
- Barber, A. J., Tjokrosapoetro, S., Charlton, T. R.** (1986). Mud volcanoes, shale diapirs, wrench fault and melanges in accretionary complexes, eastern Indonesia. *Bull. Am. Assoc. Pet. Geol.* 70, 1729-1741.
- Barker, C.** (1990). Calculated volume and pressure changes during the thermal cracking of oil to gas in reservoirs. *Am. Assoc. Petrol. Geol. Bull.* 74, 1254-1261.
- Barrier, P., D'Alessandro, A.** (1985). Structures biogéniques et physiques dans les sables de Pavigliana Regio Calabria (Italie). *Rivist. Ital., Paleont. Strat* 91, 379-408.
- Barvalina, O., Sarantsev, E.** (2004). A view on mud volcanoes formation in the Gulf of Cadiz based on studying mud breccia clasts. In North Atlantic and Labrador Sea margin Architecture and Sedimentary Processes. *International Conference and Twelfth Post-Cruise Meeting of the training-Through-research Programme. UNESCO Workshop report n° 191.*
- Basharmal, G.M.** (1985). Isotopic composition of aqueous sulphur at landfill sites. MSc Thesis, University of Waterloo, Waterloo, 172.
- Bathurst, R.G.C.** (1971). In: *Carbonate Sediments and their Diagenesis*, Elsevier, Amsterdam, 620.
- Bé, A.W.H.** (1977). An ecological, zoogeographic and taxonomic review of recent planktonic foraminifera. In: *Oceanic Micropaleontology*. A.T.S. Ramsay (Ed), Academic Press, New York, 1, 1-100.
- Bé, A.W.H., Tolderlund, D.S.** (1971). Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian Oceans. B. M. Furnell & W.R. Riedel (Eds). Cambridge Univ. Pres., 105-149.
- Berástegui, X., Banks, C. J., Puig, C., Taberner, C., Waltham, D., Fernández, M.** (1998). Lateral diapiritic emplacement of Triassic evaporites at the southern margin of the Guadalquivir Basin, Spain. In: *Masclé, A., Puigdefrábregas, C., Luterbacher, H., Fernández, M. (Eds). Cenozoic Foreland Basins of Western Europe*. Geol. Soc. Spec. Publ. 134, 49-68.
- Berggren, W.A., Kent, D.V., Swisher, C.C., Aubry, M.P.** (1995). A revised Cenozoic geochronology and chronostratigraphy. In *Geochronology, time scales and global stratigraphic correlation*. Society for Sedimentary Geology (SEPM), Special Publication 54, 129-212.
- Bernard, B.B.** (1978). Natural gas seepage in the Gulf of Mexico *Ph.D. Thesis*, Texas A&M University
- Berner, R.A.** (1969). Migration of iron and sulphur within anaerobic sediments during early diagenesis. *Am.J.Sci* 267, 19-42.
- Birgel, D., Peckmann, J., Klautzsch, S., Thiel, V., Reitner, J.** (2006). Anaerobic and Aerobic oxidation of methane at Late Cretaceous seeps in the Western Interior Seaway, USA. *Geomicrobiology Journal*, 23, 565-577.

- Bishop, J.K.B.** (1988). The Barite-opal-organic carbon association in oceanic particulate matter. *Nature* 331, 341-343.
- Blair, N, E.** (1998). The  $\delta^{13}\text{C}$  of biogenic methane in marine sediments: the influence of  $C_{\text{org}}$  deposition rate. *Chemical Geology* 152. 139-150.
- Blair, N.E., Aller, R.C.** (1995). Anaerobic methane oxidation on the Amazon shelf. *Geochim. Cosmochim. Acta* 59, 3707-3715.
- Blair, N.E., Plaia, G.R., Boehme, S.E., DeMaster, D.J., Levin, L.A.** (1994). The remineralization of organic carbon on the North Carolina continental slope. *Deep-Sea Res. II* 41, 755-766.
- Boetius, A., Ravensschlag, K., Schubert, C.J., Rickert, D., Widdel, F., Gieseke, A., Amann, R., Jorgense, B.B., Witte, U., Pfannkuche, O.** (2000). A marine microbial consortium apparently mediating anaerobic oxidation of methane. *Nature* 407, 623-626.
- Boltovskoy, E.** (1981). Foraminifera. In: *Atlas del Zooplancton del Atlántico Suroccidental y métodos de trabajo con el zooplancton marino*. Boltovskoy, D(Ed.). Publicación Especial del INIDEP Mar de Plata, Argentina. 317-352.
- Boltovskoy, E., Wright, R.** (1976). *Recent Foraminifera*. The Hague. 515.
- Borjesson, G., Chanton, J., Svensson, B.H.** (2001). Methane oxidation in two Swedish landfill covers measured with carbon-13 to carbon-12 isotope ratios. Technical Reports. *J. Environ. Qual* 30, 369-376.
- Borole, D.V., Somayajulu, B.L.K.** (1977). Radium and lead-210 in marine barite. *Marine Chemistry* 5, 291-296.
- Borowski, W.S., Paull, C.K., Ussler, W.** (1999). Global and local variations of interstitial sulfate gradients in deep-water continental margin sediments: sensitivity to underlying methane and gas hydrates. *Marine Geology* 159, 131-154.
- Boua, K., Boushe I., Maskal A., Montade L., Ravenn K., Wanesson J.** (1984). Global geological history and oil and gas potential of deepwater continental margins (en ruso). In: Proc 27<sup>th</sup> World Geological Congr C13 : 45-64.
- Bromley, R.G.** (1970). Boring as trace fossils and *Entobia cretacea* Portlock, as an example. In: *Trace fossils*. T.P. Crimes & J.C. Harper (eds). Geological journal Special Issues 3, 49-90.
- Bromley, R.G.** (1996). *Trace Fossils: Biology, Taphonomy and Applications* (Second edition), Chapman and Hall, 361.
- Bromley, R.G., D'Alessandro, A.** (1984). The ichnogenus *Entobia* from the Miocene, Pliocene and Pleistocene of southern Italy. *Rivist. Ital., Paleont. Strat* 90, 227-296.
- Bromley, R.G., Ekdale, A.A.** (1984). Chondrites - A trace fossil indicator of anoxia in Sediments. *Science* 224, 872-874.
- Bronn, H.C.** (1837). *Lethacea Geognostica oder Abbildungen und Beschreibungen der fur die Gebirgsformationen bezeichnendsten Versteinerungen*. E. Schweitzerbart, Stuttgart, 672.

- Brown, K. M.** (1990). The nature and hydrogeologic significance of mud diapirs and diameters for accretionary systems. *Journal Geophysical Research* 95, 8969-8982.
- Brown, K., Westbrook, G.K.** (1988). Mud diapirs and subcretion in the Barbados ridge accretionary complex: the role of fluids in accretionary processes. *Tectonics* 7, 613-640.
- Burton, E.** (1993). Controls on marine carbonate cement mineralogy: review and reassessment. *Chemical Geology* 105, 163-179.
- Burhan, R.Y.P., Trendel, J.M., Adam, P., Wehrung, P., Albrecht, P., Nissenbaum, A.** (2002). Fossil bacterial ecosystem at methane seeps: origin of organic matter from Be'eri sulfur deposit, Israel. *Geochimica et Cosmochimica Acta* 66, 4085-4101 pp.
- Burke, W.H., Denison, R.E., Hetherington, E.A., Koepnik, R.B., Nelson, H.F., Otto, J.B.** (1982). Variation of seawater  $^{87}\text{Sr}/^{86}\text{Sr}$  throughout Phanerozoic time. *Geology* 10, 516-5119.
- Campbell, K.A.** (2006). Hydrocarbon seep and hydrothermal vent paleoenvironments and palaeontology: Past developments and future research directions. *Palaeo* 232, 362-407.
- Campbell, K.A., Bottjer, D.J.** (1993). Fossil cold seeps. *Nat. Geogr. Res. Explor.* 9, 326-343.
- Campbell, K.A., Farmer, J.D., Des Marais, D.** (2002). Ancient hydrocarbon seeps from the Mesozoic convergent margin of California: carbonate geochemistry, fluids and paleoenvironments. *Geofluids* 2, 63-94.
- Cande, S.C., Kent, D.V.** (1995) Revised calibration of geomagnetic polarity timescale for the late Cretaceous and Cenozoic. *J. Geophys. Res.* 100, 6093-6095.
- Canet, C., Prol-Ledesma, R.M., Escobar-Briones, E., Mortera-Gutiérrez, C., Lozano-Santa Cruz, R., Linares, C., Cienfuegos, E., Morales-Puente, P.** (2006). Mineralogical and geochemical characterization of hydrocarbon seep sediments from the Gulf of Mexico, *Mar. Pet. Geol.* 23, 605-619.
- Capuano, R.M.** (1992). The temperature dependence of hydrogen isotope fractionation between clay minerals and water: Evidence from a geopressured system. *Geochimica et Cosmochimica Acta* 56, 2547-2554.
- Carpenter, W.B., Parker, W.K., Jones, T.R.** (1862). Introduction to the Study of the Foraminifera. *Ray Soc, London.* 319.
- Casas, D., Ercilla, G., Baraza, J.** (2003). Acoustic evidences of gas in the continental slope sediments of the Gulf of Cadiz (E Atlantic). *Geo-Marine Letters* 23, 300-310.
- Castellini, D.G., Dickens, G.R., Snyder, G.T., Ruppel, C.D.** (2006). Barium cycling in shallow sediment above active mud volcanoes in the Gulf of Mexico. *Chemical Geology* 226, 1-30.
- Cavagna, S., Clari, P., Martire.** (1999). The role of bacteria in the formation of cold seep carbonates: geological evidence from Monteferrato (Tertiary, NW Italy). *Sedimentary Geology* 126, 253-270.

- Cazenade, S., Chapoulie, R., Villeneuve, G.** (2003). Cathodoluminescence of synthetic and natural calcite: the effects of manganese and iron on orange emission. *Mineralogy and Petrology* 78, 243-253.
- Cecile, M. P., Shakur, M. A., Krouse, H. R.** (1993). The isotopic composition of western Canadian barites and the possible derivation of oceanic sulfate  $\delta^{34}\text{S}$  and  $\delta^{18}\text{O}$  age curves: *Canadian Journal of Earth Sciences* 20, 1528-1535.
- Chafetz, H.S.** (1986). Marine peloids: a product of bacterially induced precipitation of calcite. *Journal of Sedimentary Petrology* 56, 812-817.
- Chafetz, H.S., Folk, R.I.** (1984). Travertines: depositional morphology and the bacterially constructed constituents, *J. Sediment. Petrol.* 54, 289-316.
- Chan, L.H., Kastner, M.** (2000). Lithium isotopic compositions of pore fluids and sediments in the Costa Rica subduction zone: implications for fluid processes and sediment contribution to the arc volcanoes, *Earth Planet. Sci. Lett.* 183 (1-2), 275-290.
- Cherkashev, G.A., Soloviev, V.A.** (2002). Economic use of hydrates: Dream or reality 17<sup>th</sup> World petroleum Congress. September 1-5 2002, Rio de Janeiro, Brazil. *Abstracts of the technical Programme.*
- Choquette, P.W., Pray, L.C.** (1970). Geologic nomenclature and classification of porosity in sedimentary carbonates: AAPG Bulletin 54, 207-250.
- Chow, N., Longstaffe, F.** (1995). Dolomite of the Middle Devonian Elk Point Formation, Southern Manitoba: intrinsic controls on early dolomitization. *Bulletin of Canadian Petroleum Geology* 43, 214-225.
- Clari, P., Fornara, L., Ricci, B., Zuppi, G.M.** (1994). Methane-derived carbonates and chemosymbiotic communities of Piedmont (Miocene), Northern Italy: An update. *Geomarine Letters* 14, 201-209.
- Clarke, J.M.** (1908). The beginnings of dependent life. N.Y. State Mus. Bull 121, 149-169.
- Claypool, G.E., Kaplan, I.R.** (1974). The origin and distribution of methane in marine sediments. In: Kaplan, I.R. (Ed.), *Natural Gases in Marine Sediments*. Plenum, 99-139.
- Claypool, G.E., Holser, W.T., Kaplan, I.R., Sakai, H., Zak, I.** (1980). The age curves of sulfur and oxygen isotopes in marine sulfate and their mutual interpretation, *Chem. Geol.* 28, 199-260.
- Coloma, C., Marchant, M., Hebbeln, D.** (2005). Foraminíferos planctónicos durante El Niño 1997-98 del área de Coquimbo (30°S; 73°W), Chile. *Gayana* 69(1) 48-77.
- Conti M.A., de Alteriis G., Marino M.C., Pallini G., Tonielli R.** (2004). Discovery of Late Jurassic fossils inside modern sediments at Gorrige Bank (Eastern Atlantic ocean) and some geological implications. *Terra Nova*.
- Craig, H.** (1965) The measurement of oxygen isotope palaeotemperatures. In: Tongiorgi E (Ed) *Stable Isotopes in Oceanographic Studies and Palaeotemperatures* 3, 1-16.



- Criss, R.E., Taylor, H.P.** (1986). Meteoric-hydrothermal systems. *Rev. Mineral.* 16, 373-424.
- Criss, R.E., Gregory, R.T., Taylor Jr., H.P.** (1987). Kinetic theory of oxygen isotopic exchange between minerals and water. *Geochim. Cosmochim. Acta* 51, 1099-1108.
- Cunha, M.R., Subida, M.D., Vandendriessche, S., Lima, I., Ravara, A., TTR 11 Leg3 Scientific Party.** (2002). Macrofaunal communities associated to the carbonate chimneys from the Gulf of Cadiz. Preliminary results from the video imagery and dredge sampling obtained during the TTR-11 Cruise. UNESCO-IOC Worksh Rep 183, 39-40.
- Cushman, J.** (1927). An outline of a re-classification of the Foraminifera. *Contr. Cusham Lab. Foram. Res.* 3(1), 1-105.
- Dählmann, A., de Lange, G.J.** (2003). Fluid-sediment interactions at Eastern Mediterranean mud volcanoes: a stable isotope study from ODP Leg 160. *Earth and Planetary Science Letters* 212, 377-391.
- Davidson, D.W., Leaist, D.G.** (1983). Oxygen-18 enrichment in the water of a clathrate hydrate. *Geochimica et Cosmochimica Acta* 47, 2293-2295.
- De Boever, E., Swennen, R., Dimitrov, L.** (2005). Lower Eocene carbonate-cemented "chimneys" structures (Varna, Bulgaria)- Control of seepage rates on their formation and stable isotopic signature. *Journal of Geochemical Exploration* 89, 1-3, 78-82.
- Dehairs, F., Chesselet, R., Jedwab, J.** (1980). Discrete suspended particles of barite and the barium cycle in the open ocean: *Earth and Planetary Science Letters*, v. 49. 529-550.
- de Haas, H., Mienis, F., Shipboard Scientific Party.** (2003). The distribution, morphology and sedimentology of mud mounds in the Faeroe Shetland Channel and carbonate mounds at the SW Rockall Bank margins. *Unpublished cruise report Royal Netherlands Institute for Sea Research*, 89.
- de Haas, H., Mienis, F., Shipboard Scientific Crew.** (2005). Cold water corals and carbonate mound formation at the Pen Duick Escarpment (Gulf of Cadiz) and Rockall Bank. *Cruise report R. V. Pelagia cruise M2005 (64PE237)*. Royal Netherlands Institute for Sea Research, Texel.
- Derkachev, A.N., Bohrmann, G., Greinert, J., Mozherovskii, A.V.** (2000). Authigenic Carbonate and Barite Mineralization in Sediments of the Deryugin Basin (Sea of Okhotsk). *Lithology and Mineral Resources* 35 (6), 568-585.
- Dia, A.n., Aquilina, L., Boulegue, J., Bourgois, J., Suess, E. Torres, M.** (1993). Origin of fluids and related barite deposits at vent sites along the Peru convergent margin. *Geology*, 21. 1099-1102.
- Díaz-del-Río, V., Somoza, L., Martínez-Frias, J., Mata, M.P., Delgado, A., Hernández-Molina, F.J., Lunar, R., Martín-Rubí, J.A., Maestro, A., Fernández-Puga, M.C., León, R., Llave, E., Medialdea, T., Vázquez, J.T.** (2003). Vast fields of hydrocarbon-derived carbonate chimneys related to the accretionary wedge/olistostrome of the Gulf of Cadiz. *Marine Geology* 195, 177-200.

- Dickens, G.R., Wallace, P.J., Paull, C.K., Borowski W.S.** (2000). Detection of methane gas hydrate in the pressure core sampler (PCS): volume-pressure-time relations during controlled degassing experiments. In: *Paull, C.K. Matsumoto, R. Wallace, P.J. Dillon, W.P.(eds). Proceedings Ocean Drilling Program, Scientific Results*, 164. Ocean drilling program. College Station. 113-126.
- Dillon, W.P., Grow, J.A., Paull, C.K.** (1980). Unconventional gas hydrate seals may trap gas off southeast US. *Oil and Gas Journal* 78: 124-130.
- Dimitrov, L. I.** (2002). Mud volcanoes-the most important pathway for degassing deeply buried sediments. *Earth-Science Reviews* 59, 49-76.
- Dobrynin, V.M., Korotajev, Y.P., Plyushev, D.V.** (1981). Gas Hydrates-one of the possible energy sources. In: Meyer, R.G., y Olson, J.C. (Eds), *Long-Term Energy Resources*. Pitman, Boston, MA, 727-729.
- Domènech, R., Martinell, J., de Porta, J.** (2008). Bioerosión por poliquetos espiónidos (polychaeta, Spionidae) en moluscos marinos del cuaternario caribeño de Colombia. *Rev. Acad. Colomb. Cienc., XXXII*, 124.
- D'Orbigny. O.** (1839). Voyage dans l'Amérique Meridionale. Foraminifères. 5(5): 1-86 (Atlas, 9, 1847), Paris. In Gay, C 1854. Historia Física y política de Chile. *Zoología* 8 (foraminíferos). 457-468.
- Dunham, R. J.** (1962). Classification of carbonate rocks according to depositional texture. In: Ham, W. E. (ed.). Classification of carbonate rocks. *American Association of Petroleum Geologists, Memoir* 1, 108-121.
- Ehrenberg, K.** (1944). Ergänzende Bemerkungen zu den seinerzeit aus dem Miozän von Burgschleinitz beschriebenen Gangkernen und Bauten dekapoder Krebse, *Paläontologische Zeitschrift* 23, 345-359.
- Ehrenberg, C.G.** (1839). Über die Bildung der Kreidefelsen und des Kreidemergels durch unsichtbare Organismen, *Physikalische Abhandlungender Königlichen Akademie der Wissenschaften zu Berlin* 1838, 59-147.
- Ekdale, A.A., Bromley, R.G., Pemberton, S.G.** (1984). Ichnology – the use of trace fossils in sedimentology and stratigraphy, *SEPM Short Courses* 15, 317.
- Ekdale, A.A., Mason, T.R.** (1988). Characteristic trace-fossil associations in oxygen-poor sedimentary environments, *Geology* 16, 720-723.
- Egorov, A. V., Crane, K., Vogt, P.R., Rozhkov, A.N.** (1999). Gas hydrates that outcrop on the sea floor: stability models. *Geo-Marine Letters*, 19, 89-96.
- Fåhraeus, L.E., Slatt, R.M., Nowlan, G.S.** (1974). Origin of carbonate Pseudopellets. *Journal of Sedimentary Petrology* 44, 27-29.
- Farrand, M.** (1970). M. Farrand, Framboidal sulphides precipitated synthetically. *Mineral. Deposita* 5, 237-247.
- Faure, G., Mensing, T.M.** (2005). *Isotopes Principles and Applications* (third ed.), Wiley Ed. 897p.

- Feely, R.A, Maureen , L., Massoth, G.J, Robert-Baldo, G., Lavelle, J.W., Byrne, R.H., Von-Damm, K.L., Curl, H.C. (1987). Composition and dissolution of black smoker particulates from active vents on the Juan de Fuca Ridge. *Journal of Geophysical Research*, 92, 11347-11363.
- Fernández-Puga MC. (2004). Diapirismo y estructuras de expulsión de gases hidrocarburos en el talud continental del Golfo de Cádiz. *Tesis Doctoral*. Universidad de Cádiz.
- Fernández-Puga, M.C., Vázquez, J.T., Somoza, L., Díaz del Río, V., Medialdea, T., Mata, M.P., León. (2007). Gas-related morphologies and diapirism in the Gulf of Cádiz. *Geo-Marine Letters* 27, 213-221.
- Fisher, R.S., Land, L.S. (1986). Diagenetic history of the Eocene Wilcox sandstone and associated formation waters, South-Central Texas. *Geochimica et cosmochimica Acta* 50, 551-562.
- Flinch, J. Bally, A. W., Wu, S. (1996). Emplacement of a passive margin evaporitic allochthon in the Betic Cordillera of Spain. *Geology*, 24, 67-70.
- Formolo, M.J., Lyons, T.W., Zhang, C.L., Kelley, C., Sassen, R., Horita, J., Cole, D.R. (2004). Quantifying carbon sources in the formation of authigenic carbonates at gas hydrate sites in the Gulf of Mexico. *Chemical Geology* 205, 253-264.
- Foubert, A., Depreiter, D., Beck, T., Maignien, L., Pannemans, B., Frank, N., Blamart, D., Henriot, J.P. (2008). Carbonate mounds in a mud volcano province off northwest Morocco: Key to processes and controls. *Marine Geology* 248, 74-96.
- Freed, R.L., Peacor, D.R. (1989) Variability in temperature of the smectite illite reaction in Gulf Coast sediments. *Clay Minerals*, 24, 171-180.
- Frey, R.W., Seilacher, A. (1980). Uniformity in marine invertebrate ichnology. *Lethaia* (13-39), 183-207.
- Friedman, I., O'Neil, J.R. (1977). Compilation of stable isotope fractionation factors of geochemical interest. *USGS. Prof. Paper*. 440-KK
- Fritz, P., Basharmal, G.M., Drimme, R.J., Ibsen, J., Qureshi, M. (1989). Oxygen isotope exchange between sulphate and water during bacterial reduction of sulphate, *Chem. Geol.* 79, 99-105.
- Fu, S., Werner, F. (1994). Distribution and composition of biogenic structures on the Iceland-Faeroe Ridge: relation to different environments. *Palaios* 9, 92-101.
- Gámez, J.A, Liñán, E. (1996). Revisión de la terminología icnológica en español. *Revista Española de Paleontología* (11-2), 155-176.
- Gardner, J.M. (2000). Gulf of Cadiz/Moroccan margin, mud diapirism and mud volcanism study, introduction and geological setting. In: N.H. Kenyon, M.K. Ivanov, A.M. Akhmetzhanov y G.G. Akhmanov, Editors, Multidisciplinary Study of Geological Processes on the North East Atlantic and Western Mediterranean Margins, *UNESCO Intergovernmental Oceanographic Commission Technical Series* vol. 56, 56.

- Gardner, J.M.** (2001). Mud volcanoes revealed and sampled on the Western Moroccan continental margin, *Geophys. Res. Lett.* 28 (2), 339–342.
- Gibert, R.O., Taberner, C., Sáez, A., Giralt, S., Alonso, R.N., Edwards, R.L., Pueyo, J.J.** (2009). Igneous origin of CO<sub>2</sub> in ancient and recent hot-springs waters and travertines from the northern Argentinean Andes. *Journal of Sedimentary Research*, 2009, vol 79. DOI:10.2110.
- Gibert, J. M., Rejas, M., Taberner, C., Mata, P., Díaz del Río, V., Somoza, L.** (2005). An alternative interpretation for the carbonate “chimneys from the Gulf of Cadiz as concretions around burrows: *Geophysical Research Abstracts* 7, 03169.
- Gill, F.L., Harding, I.C., Little, C.T.S., Todd, J.A.** (2005). Palaeogene and Neogene cold seep communities in Barbados, Trinidad and Venezuela: an overview, *Palaeogeography, Palaeoclimatology, Palaeoecology* 227, 191–209.
- Gingras, M.K., Pemberton, G.S; Muelenbachs, K., Machel, H.** (2004). Conceptual models for burrow-related, selective dolomitization with textural and isotopic evidence from the Tyndall Stone, Canada. *Geobiology*, 2, 21-30.
- Ginsburg, G., Milkov, A.V., Soloviev, V.A., Egorov, A.V., Cherkashev, G.A., Vogt, P.R., Crane, K., Lorenson, T.D., Khutorskoy, M.D.** (1999). Gas hydrate accumulation at the Haskon Mosby Mud Volcano. *Geo-Marine Letters*, 19, 57-67.
- Glaessner, M.F.** (1937). Planktonische Foraminiferen aus der Kreide und dem Eozan und ihre stratigraphische Bedeutung. In: *Studies in Micropaleontology* 1 (1), 27-46.
- Goldhaber, M.B., Kaplan, I.R.** (1980). Mechanisms of sulfur incorporation and isotope fractionation during early diagenesis in sediments of the Gulf of California. *Mar. Chem.* 9 (1980), 95–143.
- Gontharet, S., Pierre, C., Blanc Valleron, M., Rouchy, J.M., Fouquet, Y., Bayon G., Foucher, J.P., Woodside, J., Mascle, J., the Nautinil Scientific Party.** (2007). Nature and origin of diagenetic carbonate crusts and concretions from mud volcanoes and pockmarks of the Nile deep sea fan (eastern Mediterranean Sea). *Deep Sea Research II* 54, 1292-1311.
- González, A., Córdoba, D., Vegas R., Matias, L.M.** (1998). Seismic crustal structure in the southwest of the Iberian Peninsula and the Gulf of Cádiz. *Tectonophysics* 296, 317-331.
- González, F.J., Somoza, L., Lunar, R., Martínez-Frías, J., Martín Rubí, J.A., Torres, T., Ortiz, J.E., Díaz del Río, V., Pinheiro, L., Magalhaes, V. H.** (2009). Hydrocarbon-derived ferromanganese nodules in carbonate-mud mounds from the Gulf of Cadiz: Mud-breccia sediments and clasts as nucleation site. *Marine Geology*. En prensa.
- González-Fernández, A., Córdoba, D., Matias, L.M., Torné, M.** (2001). Seismic crustal structure in the Gulf of Cadiz (SW Iberian Peninsula). *Mar. Geophys. Res.* 22, 207–223.
- Goodfellow, W.D., Jonasson, I.R.** (1984). Ocean stagnation and ventilation defined by <sup>34</sup>S secular trends in pyrite and barite: Selwyn Basin, Yukon. *Geology*, 12, 583-586.

- Goubkin, I. M., Fedorov, S. F.** (1938). Mud volcanoes of the Soviet Union and their connection with the genesis of petroleum fields in Cremea-Caucas geologic province. *USSR Academy of Science* (en ruso).
- Gràcia, E., Dañobeitia, J., Vergés, J., Bartolomé, R.** (2003). Crustal architecture and tectonic evolution of the Gulf of Cadiz (SW Iberian margin) at the convergence of the Eurasian and African Plates. *Tectonics*, 22 (4), 1033.
- Graham, U.M., Ohmoto, H.** (1994) Experimental study of formational mechanisms of hydrothermal pyrite. *Geochim. Cosmochim. Acta*, 58, 2186-2202.
- Gregory, R.T., Criss, R.E.** (1986). Isotopic exchange in open and closed systems. In: J.W. Valley, H.P. Taylor, Jr. and J.R. O'Neil, Editors, Stable Isotopes in High Temperature Geological Processes. *Mineral. Soc. Am., Rev. Mineral.* 16, 91-127.
- Greinert, J., Bohrmann, G., Suess, E.** (2001). Gas Hydrate-Associated Carbonates and Methane-Venting at Hydrate Ridge: Classification, Distribution and Origin of Authigenic Lithologies. Natural Gas Hydrates: Occurrence, Distribution and Detection. *Geophysical Monograph 124. American Geophysical Union.*
- Greinert, J., Bollwerk, S.M., Derkachev, A., Bohrmaa, G., Suess, E.** (2002). Massive barite deposits and carbonate mineralization in the Derugin Basin, Sea of Okhotsk. Precipitation processes at cold seep sites. *Earth and Planetary Science letters* 203, 165-180.
- Grossman, E.L., Ku, T.** (1986). Oxygen and carbon isotope fractionation in biogenic aragonite: temperature effects, *Chem. Geol., Isot. Geosci. Sect* 59, 59-74.
- Gutscher, M. A., Malod, J., Rehault, J. P., Contrucci, I., Klinelhoefer, F., Mendes-Victor, L., Spakman, W.** (2002). Evidence for active subduction beneath Gibraltar. *Geology* 30 (12), 1071-1074.
- Hallstadius, L.** (1984.) A method for the electrodeposition of actinides. *Nuclear Instruments and Methods in Physics Research* 223, 266-267.
- Hammerschmidt, E.G.** (1934). Formation of Gas Hydrates in Natural Gas Transmission Lines. *Ind. Eng. Chem* 26, 851-855.
- Han, X., Suess, E., Sahling, H., Wallmann, K.** (2004). Fluid venting activity on the Costa Rica margin: new results from authigenic carbonates, *International Journal of Earth Sciences* 93 (4), 596-611.
- Hedberg, H. D.** (1974). Relation of methane generation to undercompacted shales, shales diapirs and mud volcanoes. *Bull. Am. Assoc. Pet. Geol.* 58, 661-673.
- Hensen, Ch., Nuzzo, M., Hornibrook, E., Pinheiro, L.M., Bock, B., Magalhaes, V.H., Bruckmann, W.** (2007). Sources of mud volcano fluids in the Gulf of Cadiz- indications for hydrothermal imprint. *Geochimica et Cosmochimica Acta* 71, 1232-1248.
- Hernández-Molina, F.J., Llave, E., Somoza, L., Fernández-Puga, M.C., Maestro, A., León, R., Medialdea, T., Barnolas, A., García, M., Díaz del Río, V., Fernández-Salas, L.M., Vázquez, J.T., Lobo, F.J., Alveirinho Dias, J.M., Rodero, J., Gardner, J.** (2003). Looking for clues to paleoceanographic imprints: a diagnosis of the Gulf of Cádiz contourite depositional systems. *Geology* 31, 19-22.

- Higgins, G. E., Saunders, J.B.** (1973). Mud volcanoes their nature and origin: contribution to the geology and paleobiology of the Carribean and adjacent areas. *Verh. Naturforsch. Geschel. Basel* 84, 1001-1052.
- Hoefs, J.** (1980). *Stable Isotope Geochemistry*. Libro. Editorial Springer-Verlag, Heidelberg, Alemania, p 36.
- Hovland, M., Svensen, H., Forsberg, C.F.** (2005). Complex pockmarks with carbonate-ridges off mid-Norway: Products of sediment degassing, *Marine Geology* 218 (1-4), 191-206.
- Hovland, M., Talbot, M.R., Qvale, H., Olaussen, S., Aasberg, L.** (1987). Methane-related carbonate cements in pockmarks of the North Sea. *Journal of Sedimentary Petrology* 57(5), 881-892.
- Howie, R.A., Broadhurst, F.M.** (1958). X-ray data for dolomite and ankerite. *Am. Mineralogist*. 43, 1210-1214.
- Iribaren, L., Vergés, J., Camurri, F., Fulla, J., Fernández, M.** (2007). The structure of the Atlantic-Mediterranean transition zone from the Alboran Sea to the Horseshoe Abyssal Plain (Iberia-Africa plate boundary). *Marine Geology* 243, 97-119.
- Irwin, H.** (1980). Early diagenetic carbonate precipitation and pore fluid migration in the kimmeridge Clay of Dorset, England. *Sedimentology* 27, 577-591.
- Irwin, H.** (1981). On calcic dolomite-ankerite from the Kimmeridge Clay. Short Communications. *Mineralogical Magazine* 44, 105-107.
- Irwin, H., Curtis, Ch., Coleman, M.** (1977). Isotopic evidence for source of diagenetic carbonates forms during burial of organic-rich sediments. *Nature* 269, 209-213.
- Ivanov, M.K., Limonov, A.F., van Weering T.C.E.** (1996). Comparative characteristics of Black sea and Mediterranean Ridge mud volcanoes. *Marine Geology* 132, 253-271.
- Ivanov, M. K., Pinheiro, L., Stadnitskaia, A., Blinova, V.** (2001). Hydrocarbon seeps on Deep Portuguese Margin. Final. Proc. 11 th Meeting of the European Union of Geosciences, Strasbourg, France, CC11, p.160.
- Ivanovich, M., Harmon, R.S.,** (Eds.) (1992). Uranium Series Disequilibrium: Applications to Earth, *Marine and Environmental Sciences, 2nd edition*. Clarendon Press, Oxford.
- Jakubov, A.A., Ali-Zade, A.A., Zeynalov, M.M.** (1971). Mud volcanoes of the Azerbaijan SSR, *Academy of Science of the Azerbaijan SSR*, Baku 257.
- Judd, A., Charlier, R., Larox, A., Lumbert, G., Rouland, C.** (1993). Minor sources of methane. Atmospheric Methane, Sources, Sinks and Role in the Global Change. NATO ASI Series, Series I: *Global Environmental Change*, 13, 432-456.
- Kaplan, I.R.; Galperin, Y., Lu, S.T, Lee, R.P.** (1997). Forensic Environmental Geochemistry: differentiation of fuel types, their sources and release times. *Organic Geochemistry*, 27, 289-317.

- Kauffman, E.G.** (1986). Geological and paleontological site analysis of the Pinon Canyon Maneuver site, Las Animas County, Colorado. *U.S Army, unpublished report.*
- Kazmierczak, J., Coleman, M.L., Gruszczynski, M., Kempe, S.** (1996). Cyanobacterial key to the genesis of micritic and peloidal limestones in ancient seas. *Acta Palaeontologica Polonica* 41, 319-338.
- Kelly, S.R.A., Ditchfield, P.W., Doubleday, P.A., Marshall, J.D.** (1996). A Late Jurassic methane-seep limestone from the Fossil Bluff Group fore-arc basin of Alexander Island Antarctica. *Journal of Sedimentary Petrology* A65, 274-282.
- Kim, S.T., O'Neil, J.R.** (1977). Equilibrium and nonequilibrium oxygen isotope effects in synthetic carbonates. *Geochimica et Cosmochimica Acta* 61, 3461-3475.
- Kulm, L.D., Suess, E., Moore, J.C., Carson, B., Lewis, B.T., Ritger, S.D., Kadko, D.C., Thornburg, T.M., Embley, R.W., Rugh, W.D., Massot, G.J.** (1986). Oregon Subduction Zone: Venting, Fauna and, Carbonates. *Science* 231, 561-566.
- Kvenvolden, K.A.** (1993). Gas hydrates-geological perspective and global change. *Rev. Geophys* 31, 173-187.
- Kvenvolden, K.A., Claypool, G.E.** (1988). Gas hydrates in the oceanic sediment. In: *U.S. Geol. Surv. Open-File Rep. No. 88-216*, 1988, 50.
- Lajat, D., Biju-Duval, B., Gonnard, R., Letouzey, J., Winnock, E.** (1975). Prolongement dans l'Atlantique de la partie externe de l'Arc Betico-Rifain. *Bull. Soc. Geol. Fr.* 17(4), 481-485.
- Land, L.S., Moore, C.H.** (1980). Lithification, micritization and syndepositional diagenesis of biolithites on the Jamaican Island slope. *Journal of Sedimentary Petrology* 50, 357-370.
- Laurito, C.** (1988). Icnología de los sedimentos marinos de la formación del Carmen distrito de Cobano, Puntaarenas. Costa Rica. *Rev. geol. Amer. Central* 9, 41-60.
- León, R., Somoza, L., Giménez-Moreno, C.J., Dabrio, C.J., Ercilla, G., Praeg, D., Díaz del Río, V., Gómez-delgado, M.** (2009). A predictive numerical model for potential mapping of gas hydrate stability zone in the Gulf of Cadiz. *Marine and Petroleum Geology*. En prensa.
- Leymerie, M.A.** (1842). Suite du mémoire sur le terrain Crétacé du Département de L'Aube. *Soc. Geol. France. Mem* 5, 1-34.
- Liñán, E., Gámez, J.A.** (1993). Introducción a la paleoicnología de invertebrados. Conferencia Logrono. *Zubía* 14, 65-77.
- Lisiecki, L.E., Raymo, M.** (2005). A Pliocene-Pleistocene stack of 57 globally distributed benthic  $\delta^{18}O$  records. *Paleoceanography*, 20. PA1003, 1-17.
- Liu, W., Fei, P.X.** (2006). Methane-rich fluid inclusions from opiolitic dunite and post-collisional mafic-ultramafic intrusion. The mantle dynamics underneath the Palaeo-Asian Ocean through to the post-collisional period. *Earth and Planetary Science Letters*, 42, 286-301.

- Lobo, J., Hernández-Molina, F.J., Somoza, L., Díaz del Río, V.** (2001). The sedimentary record of the post-glacial transgression on the Gulf of Cadiz continental shelf (Southwest Spain), *Marine Geology*. 178, 171-195.
- Lonsdale, P.** (1979). A deep-sea hydrothermal site on a strike-slip fault. *Nature*, 281, 531-534.
- Lonsdale, P, Becker, K.** (1985). Hydrothermal plumes, hot springs, and conductive heat flow in the Southern Trough Of Guaymas Basin. *Earth and Planetary Science Letters*, 73, 211-225.
- Love, L.G.** (1967). Early diagenetic iron sulphide in Recent sediments in the Wash, England. *Sedimentology*, v 9, 327-352.
- Love, L.G.** (1971). Early diagenetic polyframboidal pyrite, primary and redeposited, from the Wenlockian Denbigh grit group, Conway, North Wales, U.K. *Journal of Sedimentary Petrology* 41, 1038-1044.
- Löwemark, L., Schönfeld, J., Werner, F., Schäfer, P.** (2004). Trace fossils as a paleoceanographic tool: evidence from Late Quaternary sediments of the southwestern Iberian margin. *Marine Geology* 204, 27-41.
- Ludwig, K.A., Kelley, D. S., Butterfield, D. A, Nelson, B. K., Fruh-Green, G.** (2006). Formation and evolution of carbonate chimneys at the Lost city Hydrothermal Field. *Geochimica et Cosmochimica Acta* 70, 3625-3645.
- Luther III, G.W., Giblin, A., Howarth, R.W., Ryans, R.A.,** (1982). Pyrite and oxidized iron mineral phases formed from pyrite oxidation in salt marsh and estuarine sediments. *Geochimica et cosmochimica Acta* 46, 2665-2669.
- MacDonald G.T.** (1990). The future of methane as an energy resource. *Annual Review of Energy*, 15, 53-83.
- MacEachern, J.A., Burton, J.A.** (2000). Firmground Zoophycos in the Lower Cretaceous Viking Formation, Alberta: a distal expression of the Glossifungites ichnofacies. *Palaios* 15, 387-398.
- Macintyre, I.G.** (1985). Submarine cements—the peloidal question. In: N. Schneidermann and P.M. Harris, Editors, Carbonate Cements vol. 36, Special Publication-Society of Economic Paleontologists and Mineralogists, Tulsa, Oklahoma. 109-116.
- MacLeod M.K.** (1982). *Hydrates of Natural Gas* (translation of: *Gidraty Privodnykh Gazov*). Tulsa, Oklahoma: Pennwell Publishing Cp. 237.
- Makogon, Y.F.** (1997). *Hydrates of Hydrocarbon*. Penn Well Publishing comp. 442.
- Maldonado, A., Nelson, C. H.** (1999). Interaction of tectonic and depositional processes that control the evolution of the Iberian Gulf of Cadiz margin. *Marine Geology* 155, 217-242.
- Maldonado, A., Somoza, L., Pallarés, L.** (1999). The betic orogen and the Iberian-African boundary in the Gulf of Cadiz: geological evolution. *Marine Geology* 155, 9-43.



- Malod, J A.** (1982). Comparaison de l'évolution des marges continentales au nord et au sud de la Peninsule Ibérique. *Thèse de doctorats*. Univ. Curie. Paris, 235.
- Malod, J. A., Mougenot, D.** (1979). L'histoire géologique néogène du Golfe de Cádiz. *Bull. Soc. Géol. France*, 7, 603-611.
- Martín, K.D.** (2004). A re-evaluation of the relationship between trace fossils and dysoxia. In: Mcllroy, D(Ed). *The Application of Ichnology to Palaeoenvironmental and Stratigraphic Analysis*, vol 228. *Special Publication of the Geological Society, London*, 141-157.
- Martín, E.E., Macdougall, J.D., Herbert, T.D., Paytan A., Kastner, M.** (1995). Strontium and neodymium isotopic analyses of marine barite separates: *Geochimica et Cosmochimica acta*, 59, 1353-1361.
- Martinell, J.** (1989). Interacción organismos/sustrato duro: la bioerosión y sus implicaciones. In: e. Aguirre (Coord). *Paleontología*. Col. Nuevas tendencias. 205-222. CSIC. Madrid.
- Martínez del Olmo, W.** (1996). Caracterización de " Systems Tracts" a partir de sondeos de exploración de hidrocarburos. *Geogaceta*, 20(1), 100-103.
- Martínez del Olmo, W., García Gallo, J., Leret, G., Serrano, A., Suárez, J.** (1984). Modelo Tectosedimentario del Bajo Guadalquivir: I Congreso Español de Geología, Segovia, 199-213.
- Masaad, M.** (1974). Framboidal Pyrite in Concretions. *Mineral. Deposits* (Berl) 9, 87-89.
- Mason, R.A., Mariano, A.N.** (1990). Cathodoluminescence activation in manganese-bearing and rare earth-bearing synthetic calcites. *Chemical Geology* 88, 191-206.
- Massalongo, A.** (1855). Zoophycos, novum genus Plantarum fossilium, Monographia, Typis Antonellianis, Veronae, 45-52.
- Mazurenko, L.L., Soloviev, V., Ivanov, M.K., Pinheiro, L.M., Gardner, J.** (2001). Composition of gas Hydrate-forming fluids of the Gulf of Cadiz. EUG XI. Conference Proceedings. 1005.
- Mazurenko, L.L., Soloviev, V.A., Belenkaya, I., Ivanov, M.K., Pinheiro, L.M.** (2002). Mud volcano gas hydrates in the Gulf Of Cadiz. *Terra Nova* 14, 321-329.
- Mazurenko, L.L., Soloviev, V.A., Gardner, J.M., Ivanov, M.K.** (2003). Gas hydrates in the Ginsburg and Yuma mud volcano sediments (Moroccan Margin): results of chemical and isotopic studies of pore water. *Marine Geology* 195, 201-210.
- Mazzini, A., Ivanov, M.K., Parnell, J., Stadnitskaia, A., Cronin, B.T., Poludetkina, E., Mazurenko, L., van Weering, T.C.E.** (2004). Methane-related authigenic carbonates from the Black Sea: geochemical characterisation and relation to seeping fluids. *Marine Geology* 212, 153-181.
- Mazzini, A., Svensen, H., Hovland, M., Planke. S.** (2006). Comparison and implications from strikingly different authigenic carbonates in a Nyegga complex pockmark, G11, Norwegian Sea. *Marine Geology* 231, 89-102.

- Medialdea, T., Vegas, R., Somoza, L., Vázquez, J.T., Maldonado, A., Díaz del Río, V., Maestro, A., Córdoba, D., Fernández-Puga, M.C.** (2004). Structure and evolution of the “Olistrostome” complex of the Gibraltar Arc in the Gulf of Cadiz (eastern Central Atlantic: evidence from two long seismic cross-sections. *Marine Geology* 209, 173-198
- McConnaughey, T.** (1989).  $^{13}\text{C}$  and  $^{18}\text{O}$  isotopic disequilibrium in biological carbonates: I. Patterns. *Geochim. Cosmochim. Acta* 53, 151-162.
- McCready, R.D.I., Krause, H.R.** (1980). Sulfur isotope fractionation by *Desulfovibrio vulgaris* during metabolism of  $\text{BaSO}_4$ . *Geomicrobiol. J.*, 2, 55-61.
- McManus, J., Berelson, W.M., Hammond, D.E., Klinkhammer, G.P.** (1999). Sedimentary Barium Cycling in the North Pacific: Implications for the Utility of Ba as a Paleoproductivity and a Paleoalkalinity Proxy. *Paleoceanography* 14, 53-61.
- Medialdea, T., Vegas, R., Somoza, L., Vázquez, J.T., Maldonado, A., Díaz del Río, V., Maestro, A., Córdoba, D., Fernández-Puga, M.C.** (2004). Structure and evolution of the “Olistrostome” complex of the Gibraltar arc in the Gulf of Cadiz (eastern Central Atlantic): evidence from two long seismic cross-sections. *Marine Geology* 209, 173-198.
- Medialdea, T., Somoza, L., Pinheiro, L.M., Fernández-Puga, M.C., Vázquez, J.T., León, R., Ivanov, M.K., Magalhaes, V., Díaz del Río, V., Vegas, R.** (2008). Tectonics and mud volcano development in the Gulf of Cadiz. *Marine Geology* (en prensa).
- Merinero, R., Lunar, R., Martínez-Frías, J., Somoza, L., Díaz del Río, V.** (2008). Iron oxyhydroxide and sulphide mineralization in hydrocarbon seep -related carbonate submarine chimneys, gulf of Cadiz (SW Iberian Peninsula). *Marine and Petroleum Geology*, 25 (8), 706-713.
- Michaelis, W., Seifert, R., Nauhaus, K., Treude, T., Thiel, V., Blumenberg, M., Knittel, K., Gieseke, A., Peterknecht, K., Pape, T., Boetius, A., Amann, R., Jorgensen, B.B., Widdel, F., Peckmann, J., Pimenov, N.V., Gulin, M.** (2002). Microbial reefs in the Black Sea fuelled by anaerobic oxidation of methane. *Science* 297, 1013-1015.
- Mienis, F., de Haas, H., Shipboard Scientific Party.** (2004). Report of cruise “Moundforce 2004” with Royal R. V. Pelagia. The distribution, morphology, sedimentology and watermass characteristics of and around mounds in the Gulf of Cadiz and the SW Rockall Trough Margin. *Unpublished cruise report Royal Netherlands Institute for Sea RESEARCH*, 100.
- Milkov, A. V.** (2000). Worldwide distribution of submarine mud volcanoes and associated gas hydrates. *Marine Geology* 167, 29-42.
- Milkov, A.V., Sassen, R.** (2003). Two-dimensional modeling of gas hydrate decomposition in the northwestern Gulf of Mexico: significance to global change assessment. *Glob. Planet. Change* 36. 31-46.
- Mizutani, Y., Rafter, T.A.** (1969). Oxygen isotopic composition of sulphates—V. Isotopic composition of sulphate in rainwater, Gracefield, New Zealand, N.Z. *Jl Sci.* 12, 69-80.
- Mizutani, Y., Rafter, T.A.** (1973). Isotopic behaviour of sulphate and oxygen in the bacterial reduction of sulphate. *Geochem. J.* 6, 183-191.

- Monty, C.L.V.** (1976). The origin and development of cryptalgal fabrics. In: M.R. Walter, Editor, *Stromatolites*, Elsevier, Amsterdam, 193–249.
- Moore, W. S., Stakes, D.** (1990). Ages of barite-sulfide chimneys from the Mariana Trough. *Earth and Planetary Science Letters*, 100, 265-274.
- Murton, B. J., Biggs, J.** (2003). Numerical modelling of Mud Volcanoes and their flows using constraints from The Gulf of Cadiz. *Geophysical research Abstracts*, 5, 08880.
- Naehr, T.H., Stakes, D.S., Moore, W.S.** (2000). Mass wasting ephemeral fluid flow and barite deposition on the California continental margin. *Geology*, 28, 315-318.
- Naehr, T.H., Eichhubl, P., Orphan, V.J., Hovland, M., Paull, C.K., Ussler III, W., Lorensen, T.D., Greene, H.G.** (2007). Authigenic carbonate formation at hydrocarbon seeps in continental margin sediments. A comparative study. *Deep-sea Research II* 54, 1268-1291.
- Neumann, C.** (1966). Observations on coastal erosion in Bermuda and measurements of the boring rate of the sponge *Cliona lampa*. *Limnology and Oceanography*, 11, 92-108.
- O'Brien, G. D.** (1968). Survey of diapirism. En: Braunstein, J. y O'Brien, G. D. (editors). *Diapirism and diapirs*. *Am. Assoc. Pet. Geol. Mem*, 8, 1-9.
- Ohfuji, H., Rickard, D.** (2006). High resolution transmission electron microscopic study of synthetic nanocrystalline mackinawite. *Earth and Planetary Science Letters* 241, 227-233.
- Oschmann, W.** (1991). Distribution, dynamics and palaeoecology of Kimmeridgian (Upper Jurassic) shelf anoxia in Western Europe. In: Tyson T.H., Pearson (Eds.) *Modern and Ancient Shelf Anoxia*, vol 58. *Special Publication of the Geological Society*, London, 381-395.
- Pagel, M., Barbin, V., Blanc, P., Ohnenstetter, D.** (eds), (2000). *Cathodoluminescence in geosciences*. Springer, Berlin Heidelberg New York Tokio, 514.
- Paytan, A., Kastner, M., Martín, E.E., Macdougall, J.D., Herbert, T.** (1993). Marine barite as a monitor of seawater strontium isotope composition. *Nature* 366, 445-449.
- Paytan, A., Mearon, S., Cobb, K., Kastner, M.** (2002). Origin of marine barite deposits: Sr and S isotope characterization. *Geology*, 30 (8), 747-750.
- Pemberton, S.G., Frey, R.W.** (1985). Quantitative methods in ichnology: spatial distribution among populations. *Lethaia* 17, 33-49.
- Pemberton, S.G., Wightman, D.M.** (1992). Ichnological characteristics of brackish water deposits. In: Pemberton, S.G. (ed.). *Applications of Ichnology to Petroleum Exploration*, 17. *SEPM Core Workshop*, 141-169.
- Peckmann, J., Goedert, J.L., Thiel, V., Michaelis, W., Reitner, J.** (2002). A comprehensive approach to the study of methane-seep deposits from the Lincoln Creek Formation, western Washington State, USA, *Sedimentology* 49, 855–873 pp.

- Peckmann, J., Reimer, A., Luth, U., Luth, C., Hansen, B.T., Heinicke, C., Hoefs, J., Reitner, J.** (2001). Methane-derived carbonates and authigenic pyrite from the north-western Black Sea. *Marine Geology* 177, 129-150.
- Peckmann, J., Thiel, V.** (2004). Carbon cycling at ancient methane-seeps. *Chemical Geology* 205, 443-467.
- Peckmann, J., Thiel, V., Reitner, J., Taviani, M., Aarón, P., Michaelis, W.** (2004). A microbial mat of a large sulfur bacterium preserved in a Miocene methane-seep limestone. *Geomicrobiology Journal* 21, 247-255 pp.
- Peckmann, J., Walliser, O.H., Riegel, W., Reitner, J.** (1999). Signatures of hydrocarbon venting in a Middle Devonian carbonate mound (Hollard Mound) at the Hamar Laghdad (AntiAtlas, Morocco). *Facies* 40, 281-296.
- Perry, K.A., Pedersen, T.F.** (1993). Sulphur speciation and pyrite formation in meromictic ex-fjords, *Geochim. Cosmochim. Acta* 57, 4405-4418.
- Petit J.R., Jouzel J., Raynaud D., Barkov N.I., Barnola J.M., Basile I., Bender M., Chappellaz J., Davis J., Delaygue G., Delmotte M., Kotlyakov V.M., Legrand M., Lipenkov V., Lorius C., Pépin L., Ritz C., Saltzman E., Stievenard M.** (1999). "Climate and Atmospheric History of the Past 420,000 years from the Vostok Ice Core, Antarctica". *Nature* 399: 429-436.
- Pickerill, R.K, Donovan, S.K., Portell, R.W.** (2002). *Caulostrepsis spiralis* isp. Nov. miocene grand Bay formation of Carriacou (grenadines, Lesser Antilles). *Ichnos* 8.
- Pin, C., Bassin, C.** (1992). Evaluation of a strontium-specific extraction chromatographic method for isotopic analysis in geological materials. *Analytica Chimica Acta* 269, 249-255.
- Pinheiro, L. M., Magalhaes, V. M., Somoza, L., Díaz del Río, V., Gardner, J., Ivanov, M.K.** (2003). Gas Hydrates, mud volcanoes and carbonate chimneys in the Gulf of Cadiz. EGS-AGU-EUG Joint Assembly, Abstracts from the meeting held in Nice. Abstract 13693.
- Piñero, E.** (2009). Sedimentology and geochemistry of gas hydrate-rich sediments from the Oregon margin (Ocean drilling program Leg 204). *Tesis Doctoral*. Universitat de Barcelona.
- Pollard, J.E., Goldring, R., Buck, S.G.** (1993). Ichnofabrics containing Ophiomorpha: significance in shallow-water facies interpretations. *Journal of the Geological Society*, London 150, 149-164.
- Prior, D.B., Doyle, E.H., Kaluza, M.J.** (1989). Evidence for sediment eruption on deep sea floor, Gulf of Mexico. *Science* 243, 517-519.
- Rakhmanov, R.R.** (1987). Mud volcanoes and their importance in forecasting of subsurface petroleum potential. Nedra (en ruso).
- Reed, D. I., Silver, E.A., Tagudin, J. E., Shipley, T. H., Vrljik, P.** (1990). Relations between mud volcanoes, thrust deformation, slope sedimentation, and gas hydrate, offshores north Panama. *Mar. Pet. Geol.* 7, 44-54.

- Reitner, J.** (1993). Modern cryptic microbialite/metazoan facies from Lizard Island (Great Barrier Reef, Australia) formation and concepts. *Facies* 29, 3–40.
- Rejas, M., Taberner, C., de Haas, H., Mienis, F., van Weering, T.C.E.** (2006). Origin and Characterization of carbonate crusts of Pen Duick escarpment (Gulf of Cadiz). *Geophysical Research Abstracts* 8, 07936, Sref-ID: 1607-79627gra/EGU06 – A-07936.
- Riaza, C., Martínez del Olmo, W.** (1996). Depositional model of the Guadalquivir-Gulf of Cádiz Tertiary basin. En: Friend P. F y Dabrio, C.J (Editors). Tertiary basins of Spain. The Stratigraphic record of Crustal Kinematics (World and Regional geology, 6) Cambridge University Press. Cambridge, 330-338.
- Riding, R.** (1991). Calcification of microbial carbonates. In: R. Riding, Editor, *Calcareous Algae and Stromatolites*, Springer, Berlin, 21–51.
- Riding, R., Tomás, S.** (2006). Stromatolite reef crusts, Early Cretaceous, Spain: bacterial origin of in situ-precipitated peloid microspar?. *Sedimentology* 53, 23–34.
- Ritger, S., Carson, B., Suess, E.** (1987). Methane-derived authigenic carbonates formed by subduction-induced pore-water expulsion along the Oregon/Washington margin. *Geological Society of America Bulletin* 98, 147–156.
- Roberts, A.P., Jiang, W.T., Florindo, F., Horng, Ch., Laj, C.** (2005). Assessing the timing of greigite formation and the reliability of the Upper Olduvai polarity transition record from the Crostolo River, Italy. *Geophysical Research Letters* 32, doi:10.1029/2004GL022137.
- Rodero, J.** (1999). Dinámica sedimentaria y modelo evolutivo del margen continental suroriental del Golfo de Cádiz durante el Cuaternario Superior (Pleistoceno Medio-Holoceno) *Tesis Doctoral, Universidad de Granada, Granada* 343.
- Ross, D.A., Degens, E.T.** (1974). Recent sediments of the Black Sea. In: E.T. Degens and D.A. Ross, Editors, *Black Sea-Geology, Chemistry, and Biology*, AAPG Mem. 20, 183–199.
- Rust, G.W.** (1935). Colloidal primary copper ores at Cornwall Mines, southeastern Missouri. *J.Geol.* 43, 398–426.
- Saint-Seine, R.** (1951). Un cirripède acrothoracique du Crétacé: *Rogerella lecontrei* n.g., n.sp. *Acad. Sci. Comple rendus* 233, 1051–1053.
- Salter, J.W.** (1857): On annelide-burrows and surface markings from the Cambrian rocks of the Longmynd. - Geological Society of London, *Quarterly Journal*, 13: 199–206, 1 Taf.; London.
- Sample, J.C., Kopf, A.** (1995). Isotope geochemistry of syntectonic carbonate cements and veins from the Oregon Margin: implications for the hydrogeologic evolution of the accretionary wedge. *Proc.Oc. Drill. Prog.* 146, 137–150.
- Sander, C.B., Kalf, J.** (1993). Factors controlling bacterial production in marine and freshwater sediments. *Microbial Ecology* 26, 79–99.

- Sartori, R., Torelli, L., Ziterllini, N., Peis, D., Lodolo, E.** (1994) Eastern segment of the Azores-Gibraltar line (central-eastern Atlantic). An oceanic plate boundary with diffuse compressional deformation. *Geology* 22, 555-558.
- Savard, M.M., Beauchamp, B., Veizer, J.** (1996). Significance of aragonite cements around cretaceous marine methane sep. *Journal of Sedimentary Research* 66, 430-438.
- Savrda, C.E., Bottjer, D.J.** (1987). The exaerobic zone, a new oxygen deficient marine biofacies. *Nature* 327, 54-56.
- Schmuck, E.A., Paull, C.K.** (1993). Evidence for gas accumulation associated with diapirism and gas hydrates at the head of the Cape fear Slide. *Geo-Marine Letters* 13, 145-152.
- Schulz, H.D., Zabel, M.** (2006). *Marine Geochemistry*, 2º Edición. Springer verlag, Berlin, germany, 574.
- Seilacher, A.** (1964). Biogenic sedimentary structures. In: Imbrie, J., Newell, N. (Eds.). *Approaches to Paleocology*. Wiley, New York. 296-316.
- Seilacher, A.** (1967). Bathymetry of trace fossils. *Marine Geology* 5, 413-428.
- Shapiro, R.S.** (2004). Recognition of fossil prokaryotes in Cretaceous methane seep carbonates: relevance to astrobiology, *Astrobiology* 4, 438-44.
- Shapiro, R., Fricke, H.** (2002). Tepee Buttes: fossilized methane-seep ecosystems: Field Trip Guidebook, Geological Society of America, Boulder, Colorado, 94-101.
- Shen, C.C., Edwards, R.L., Cheng, H., Dorale, J.A., Thomas, R.B., Moran, S.B., Edmonds, H.N.** (2002). Uranium and thorium isotopic and concentration measurements by magnetic sector inductively coupled plasma mass spectrometry. *Chemical Geology*, 185. 165-178.
- Sheppard, S.M.F., Gilg, H.A.** (1996). Stable isotope geochemistry of clay minerals. *Clay Minerals* 31, 1-24.
- Shnukov, E. F., Naumenko, P. I., Lebedev, Yu. S., Usenko, V. P., Gordievich, V. A. Yuhonov, I. S., Shiriza, A. S.** (1971). Mud volcanisms and ore formation. Naukova Dumka (en Ruso).
- Shuvalov, A.** (2005). Carbonate chimneys formation in the Gulf of Cádiz. Geosphere-Biosphere coupling processes: the TTR interdisciplinary approach towards studies of the European and North African margins. *International Conference and Post -Cruise Meeting of the Training-Through-research Programme. Marrakech, Morocco, 2-5 February 2005*. UNESCO 2005.
- Sloan, E.D.J.** (1998). Physical/chemical properties of gas hydrates and application to world margin stability and climatic change. In: Henriot, J.P., and Mienert, J (Eds). *Gas hydrates: Relevance to World margin stability and Climate Change*. Special Publications, London Geological Society 137, 31-50.
- Somoza, L., Díaz del Río, V., Gardner, J.M., Hernández-Molina, F.J., Pinheiro, L., Medialdea, T., Vázquez, J.T., Lowrie, A., León, R., Fernández-Puga, M.C., Maestro, A., Fernández-Salas, I.M., Llave, E, Rodero, J.** (2002). Mud volcanism, carbonate

chimneys and gas hydrate stability in the Gulf of Cadiz: are sea-floor methane fluxes modulated by episodic tectonic and climate/oceanographic events?. En; *UNESCO International Workshop Report. Geosphere/Biosphere/Hydrosphere coupling processes, fluid escape structures and tectonics at continental margins and ocean ridges. International Conference and Tenth post-cruise meeting of the Training-Through-Research Programme. Aveiro, Portugal*

**Somoza, L. Díaz-delRío, V., León, R., Ivanov, M., Fernández-Puga, M. C., Gardner, J. M., Hernández-Molina, F. J., Pinherio, I. M., Rodero, J., Lobato, A., Maestro, A., Vázquez, J. T., Medialdea, T., Fernández-Salas, L. M.** (2003). Seabed morphology and hydrocarbon seepage in the Gulf of Cadiz mud volcano area: Acoustic imagery, multibeam and ultra- high resolution seismic data. *Marine Geology* 195, 153-175.

**Srinivasan, M.S., Kennett, J.P.** (1981). Neogene planktonic foraminiferal biostratigraphy and evolution: equatorial to subantarctic, South Pacific. *Mar. Micropaleontol.*, 6, 499-533.

**Sternberg, K.G.** (1833). Versuch einer geognostisch-botanischen Darstellung der Flora der Vorwelt. IV Heft. C.E. Brenck, Regensburg.

**Strauss, H.** (1997). The isotopic composition of sedimentary sulfur through time: *Paleogeography, Palaeoclimatology, Palaeoecology*, 132, 97-118.

**Steiger R.H., Jäger, E.** (1977). Subcommittee on geochronology: convention on the use of decay constants in geo- and cosmochronology. *Earth Planet. Sci. Lett.* 36, 359-362.

**Suess, E., Torres, M.E., Bohrmann, G., Collier, R.W., Greinert, J., Linke, P., Rehder, G., Trehu, A., Wallmann, K., Winckler, G., Zuleger, E.** (1999). Gas hydrate destabilization: enhanced dewatering, benthic material turnover and large methane plumes at the Cascadia convergent margin. *Earth and Planetary Science Letters* 170, 1-15.

**Suits, N.S., Wilkin, R.T.**(1998). Pyrite formation in the water column and sediments of a meromictic lake, *Geology* 26 (12), 1099-1102.

**Sunagawa, I., Endo, Y., Nakai, N.** (1971). Hydrothermal synthesis of framboidal pyrite. *Soc. Min.Geol. Jp. Spec Issue* 2, 10-14.

**Sweeney, R.E., Kaplan, I.R.** (1973). Pyrite framboid formation: laboratory synthesis and marine sediments, *Econ. Geol.* 68 (1973), 618-634.

**Szamalek, K.** (2004). International research project on gas hydrates: *Hydrates in Oceans-Programme of Exploration (HOPE)*. *Przegląd Geologiczny* 52 (8/2).

**Talvitie, N.A.** (1972). Electrodeposition of actinides for alpha spectrometric determination. *Analytical Chemistry* 44, 280-283.

**Teichert, B.M.A., Bohrmann, G., Suess, E.** (2005). Chemoherms on Hydrate Ridge-Unique microbially-mediated carbonate build-ups growing into the water column. *Palaeo* 227, 67-85.

**Terzi, C., Aharon, P., Ricci Lucchi, F., Vai, G.B.** (1994). Petrography and stable isotope aspects of cold -vent activity imprinted on the Miocene-age "calcarei a Lucina" from

Tuscan and Romagna Apennines G. Fossili stratigrafia ed età dei terreni del Casentino (Toscana). *Bolletino della Società Geologica Italiana* 20, 669-721.

**Thiel, J. Peckmann, J. Reitner, R. Seifert, P. Wehrung, W.** (1999). Highly isotopically depleted isoprenoids—molecular markers for ancient methane venting. *Geochemica et Cosmochimica Acta* 63, 3959–3966.

**Thornburg , T. M., Suess, E.** (1990). Carbonate cementation of granular and fracture porosity: Implications for the cenozoic hydrologic development of the Peru continental margin. *Proceedings of the Ocean Drilling Program. Scientific Results. Vol 112.*

**Tomás, S.** (2007). Sistemas arrecifales del cretácico inferior de la cuenca del Maestrat. Modelos deposicionales, paleontológicos y diagenéticos. *Tesis Doctoral.* Universitat de Barcelona. 192.

**Torelli, L. Santori, R., Zitellini, N.** (1997). The giant chaotic body in the atlantic Ocean off Gibraltar: New results from a deep seismic reflection survey. *Mar. Pet. Geol.* 14(5), 125-138.

**Torres, M.E., Bohrmann, G., Suess, E.** (1996a). Authigenic barites and fluxes of barium associated with fluid seeps in the Peru subduction zone. *Earth and Planetary Science Letters* 144, 469-481.

**Torres, M. E., Brumsack., H.J., Bohrmann, G., Eneis, K.C.** (1996b). Barite fronts in Continental Margin Sediments: A new look at Barium Remobilization in the Zone Of Sulfate Reduction and Formation of Heavy Barites in diagenetic fronts. *Chemical Geology* 127, 125-139.

**Tortella, D., Torné, M., Pérez-Estaún, A.** (1997). Geodynamic Evolution of the eastern segment of the Ozores-Gibraltar Zone: the Gorringe Bank and the Gulf Of Cadiz Region. *Mar. Geophys. Res* 19, 211-230.

**Tucker, M.E.** (1981). *Sedimentary petrology. An introduction.* Geoscience texts. Volume 3. Blackwell Scientific Publications.

**Tucker, M.E., Wright, V.P.** (1990). *Carbonate sedimentology.* Libro. Blackwell Science Ltd.

**Urey , H.C.** (1947). The thermodynamics of isotopic substances. *J. Chem. Soc.*, 562-581.

**van Rensbergen, P., Depreiter, D., Pannemans, B., Moerkerke, G., van Rooij, D., Marsset, B., Akhmanov, G., Blinova, V., Ivanov, M., Rachidi, M., Magalhaes, V., Pinheiro, L., Cunha, M., Henriët, J. P.** (2005) The El Arraiche mud volcano field at the Moroccan Atlantic slope, Gulf of Cádiz. *Marine Geology* 219, 1-17.

**Voigt, E.** (1965). Über parasitische Polychaeten in Kreide-Austern sowie einige andere in Muschelschalen bohrende Würmer, *Paläontologische Zeitschrift* 39, 193–211.

**Warme, J.E.** (1975). Borings as trace fossils, and the processes of marine bioerosion. In. *The study of trace fossils.* Frew. R.W. ed. Springer verlag. Berlin 181-227.

**Wetzel, A.** (1983). Biogenic structures in modern slope to deep-sea sediments in the Sulu Sea Basin (Philippines). *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 42, 285-304.



- Wetzel, A.** (1991). Ecologic interpretation of deep-sea trace fossil communities. *Palaeogeogra. Palaeoclimatol. Palaeoecol* 85, 47-69.
- Whiticar, M.J., Faber, E., Schoell, M.** (1986). Biogenic methane formation in marine and freshwater environments: CO<sub>2</sub> reduction vs. acetate fermentation—Isotope evidence. *Geochim. Cosmochim. Acta* 50, 693–709.
- Wiedicke, M., Neben, S y Spiess, V.** (2001) Mud volcanoes at the front of the Makran accretionary complex, Pakistan. *Marine Geology*, 172, 57-73.
- Wignall, P.B.** (1991). Dysaerobic trace fossils and ichnofabrics in the Upper Jurassic kimmeridge Clay of southern England. *Palaios* 6, 264-270.
- Wilkin, R.T., Barnes, H.L., Brantley, S.L.** (1986). The size distribution of framboidal pyrite in modern sediments: An indicator of redox conditions, *Geochim. Cosmochim. Acta* 60, 3897–3912.
- Wilkin, R.T., Barnes, H.L.** (1997). Formation processes of framboidal pyrite. *Geochimica et Cosmochimica Acta* 61, 323-339.
- Woodside, J. M., Ivanov, M. K., Limonov, A. F., (Eds).** (1997). Neotectonics and fluid flow through sea floor sediments in the Eastern Mediterranean and Black Seas-Parts I and II. IOC Tech. Ser. 48.
- Yakubov, A.A., Alizade, A.A., Zeinalov, M.M.,** (1971). Mud Volcanoes of Azerbaijan SSR, Atlas. Elm, Baku (en ruso).
- Zeyen , H., Ayarza, P., Fernández, M., Rimi, A.** (2005). Lithospheric structure under the western African-European plate boundary: A transect across the Atlas Mountains and the Gulf of Cadiz, *Tectonics*, 24, TC2001.
- Zierenberg, R.A, Shanks, W.C, Bischoff, J.L.** (1984). Massive sulfide deposits at 21° N, East Pacific Rise: Chemical composition, stable isotopes, and phase equilibria: *Geological Society of America Bulletin*, 95, 922-929.
- Zitter, T.A.C.** (2004). Mud volcanism and fluid emissions in Eastern Mediterranean neotectonic zones. *Doctoral Thesis*. Vrije University.