

UNIVERSITAT DE BARCELONA

FACULTAT DE FARMÀCIA

DEPARTAMENT DE NUTRICIÓ I BROMATOLOGÍA

**Efecto del consumo del aceite
de oliva sobre la composición
de las lipoproteínas de baja
densidad en individuos de
diferentes países europeos.**

Karina de la Torre Carbot, 2007

VII. BIBLIOGRAFÍA



VII. Bibliografía

1. Ernst J Shaefer. Lipoprotein, nutrition, and heart disease. *The American Journal of Clinical Nutrition* **2002**, 75, 191-212.
2. Ascaso, J. F. Antioxidantes y enfermedades cardiovasculares. *Endocrinología y Nutrición* **2000**, 47, 191-96.
3. Tunstall-Pedoe, H.; Kuulasmaa, K.; Mahonen, M.; Tolonen, H.; Ruokokoski, E.; Amouyel, P. Contribution of trends in survival and coronary-event rates to changes in coronary heart disease mortality: 10-year results from 37 WHO MONICA project populations. Monitoring trends and determinants in cardiovascular disease. *Lancet* **1999**, 353, 1547-57.
4. Sans, S.; Kesteloot, H.; Kromhout, D. The burden of cardiovascular diseases mortality in Europe. Task Force of the European Society of Cardiology on Cardiovascular Mortality and Morbidity Statistics in Europe. *European Heart Journal* **1997**, 18, 1231-48.
5. Steinberg, D.; Conner L.A. Memorial Lecture - Oxidative modification of LDL and atherogenesis. *Circulation* **1997**, 95, 1062-71.
6. Lapointe, A.; Couillard, C.; Lemieux, S. Effects of dietary factors on oxidation of low-density lipoprotein particles. *The Journal of Nutritional Biochemistry* **2006**, 17, 645-58.
7. Witztum, J. L. The oxidation hypothesis of atherosclerosis. *The Lancet* **1994**, 344, 793-95.
8. Staprans, I.; Pan, X. M.; Rapp, J. H.; Feingold, K. R. The role of dietary oxidized cholesterol and oxidized fatty acids in the development of atherosclerosis. *Molecular Nutrition and Food Research*. **2005**, 49, 1075-82.
9. Perez-Jimenez, F.; Lopez-Miranda, J.; Mata, P. Protective effect of dietary monounsaturated fat on arteriosclerosis: beyond cholesterol. *Atherosclerosis* **2002**, 163, 385-98.
10. Gimeno, E.; Fito, M.; Lamuela-Raventos, R. M.; Castellote, A. I.; Covas, M.; Farre, M.; Torre-Boronat, M. C.; Lopez-Sabater, M. C. Effect of ingestion of virgin olive oil on human low-density lipoprotein composition. *European Journal of Clinical Nutrition* **2002**, 56, 114-20.
11. Parthasarathy, S.; Santanam, N.; Ramachandran, S.; Meilhac, O. Oxidants and antioxidants in atherogenesis. An appraisal. *Journal of Lipid Research*. **1999**, 40, 2143-57.
12. Moreno, J. J.; Mitjavila, M. T. The degree of unsaturation of dietary fatty acids and the development of atherosclerosis (review). *The Journal of Nutritional Biochemistry* **2003**, 14, 182-95.

13. Gerber, M. Biofactors in the Mediterranean diet. *Clinical Chemistry and Laboratory Medicine* **2003**, *41*, 999-1004.
14. Perez-Jimenez, F. and others. International conference on the healthy effect of virgin olive oil - Consensus report, Jaen (Spain) 2004. *European Journal of Clinical Investigation* **2005**, *35*, 421-24.
15. Covas, M. I. and others. The effect of polyphenols in olive oil on heart disease risk factors: a randomized trial. *Annals of Internal Medicine* **2006**, *145*, 333-41.
16. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
17. Weinbrenner, T. and others. Olive oils high in phenolic compounds modulate oxidative/antioxidative status in men. *Journal of Nutrition* **2004**, *134*, 2314-21.
18. Marrugat, J.; Covas, M. I.; Fito, M.; Schroder, H.; Miro-Casas, E.; Gimeno, E.; Lopez-Sabater, M. C.; De La Torre, R.; Farre, M. Effects of differing phenolic content in dietary olive oils on lipids and LDL oxidation - A randomized controlled trial. *European Journal of Nutrition* **2004**, *43*, 140-47.
19. Visioli, F.; Poli, A.; Galli, C. Antioxidant and other biological activities of phenols from olives and olive oil. *Medicinal Research Reviews*. **2002**, *22*, 65-75.
20. Covas, M. I.; Fito, M.; Lamuela-Raventos, R. M.; Sebastia, N.; De la Torre-Boronat, C.; Marrugat, J. Virgin olive oil phenolic compounds: Binding to human low density lipoprotein (LDL) and effect on LDL oxidation. *International Journal of Clinical Pharmacology Research* **2000**, *20*, 49-54.
21. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; Torrents, J.; de la Torre, C.; Marrugat, J. Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation. *Lipids* **2000**, *35*, 633-38.
22. Franconi, F.; Coinu, R.; Carta, S.; Urgeghe, P. P.; Ieri, F.; Mulinacci, N.; Romani, A. Antioxidant effect of two virgin olive oils depends on the concentration and composition of minor polar compounds. *Journal of Agricultural and Food Chemistry* **2006**, *54*, 3121-25.
23. Servili, M.; Selvaggini, R.; Esposto, S.; Taticchi, A.; Montedoro, G.; Morozzi, G. Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil. *Journal of Chromatography A* **2004**, *1054*, 113-27.
24. Palmerini, C. A.; Carlini, E.; Saccardi, C.; Servili, M.; Montedoro, G.; Arienti, G. Antagonism between olive oil phenolics and nitric oxide on lymphomonocyte cytosolic calcium. *Molecular and Cellular Biochemistry* **2005**, *280*, 181-84.
25. Covas, M. I. Olive oil and the cardiovascular system. *Pharmacological Research* **2007**, *55*, 175-86.

26. Lada, A. T.; Rudel, L. L. Associations of low density lipoprotein particle composition with atherogenicity. *Current Opinion in Lipidology* **2004**, *15*, 19-24.
27. Pruzanski, W.; Stefanski, E.; de Beer, F. C.; de Beer, M. C.; Ravandi, A.; Kuksis, A. Comparative analysis of lipid composition of normal and acute-phase high density lipoproteins. *Journal of Lipid Research* **2000**, *41*, 1035-47.
28. Rodriguez-Villar, C.; Perez-Heras, A.; Mercade, I.; Casals, E.; Ros, E. Comparison of a high-carbohydrate and a high-monounsaturated fat, olive oil-rich diet on the susceptibility of LDL to oxidative modification in subjects with Type 2 diabetes mellitus. *Diabet.Med* **2004**, *21*, 142-49.
29. Mata, P.; varez-Sala, L. A.; Rubio, M. J.; Nuno, J.; De Oya, M. Effects of long-term monounsaturated- vs polyunsaturated-enriched diets on lipoproteins in healthy men and women. *American Journal of Clinical Nutrition* **1992**, *55*, 846-50.
30. Estruch, R. and others. Effects of a Mediterranean-style diet on cardiovascular risk factors - A randomized trial. *Annals of Internal Medicine* **2006**, *145*, 1-11.
31. Lamuela-Raventos, R. M.; Covas, M. I.; Fito, M.; Marrugat, J.; de la Torre-Boronat, M. C. Detection of dietary antioxidant phenolic compounds in human LDL. *Clinical Chemistry* **1999**, *45*, 1870-72.
32. Urpi-Sarda, M. and others. HPLC-Tandem Mass Spectrometric Method to Characterize Resveratrol Metabolism in Humans. *Clinical Chemistry* **2007**, *53*, 292-99.
33. Bonanome, A. and others. Evidence of postprandial absorption of olive oil phenols in humans. *Nutrition Metabolism and Cardiovascular Diseases* **2000**, *10*, 111-20.
34. El Mundo Aceites de oliva en España, Catálogo de Almazaras, Valladolid, España, 2000.
35. Aparicio, R.; Harwood, J. Manual del aceite de oliva, Primera ed.; Madrid, España, 2003.
36. Mendoza, J. A. Características de los aceites de oliva y subproductos de los sistemas de elaboración en España. *Grasas y Aceites* **1997**, *48*, 338-43.
37. Ranalli, A.; Ferrante, M. L.; De Mattia, G.; Costantini, N. Analytical evaluation of virgin olive oil of first and second extraction. *Journal of Agricultural and Food Chemistry* **1999**, *47*, 417-24.
38. Romero, M. P.; Tovar, M. J.; Girona, J.; Motilva, M. J. Changes in the HPLC phenolic profile of virgin olive oil from young trees (*Olea europaea* L. cv. Arbequina) grown under different deficit irrigation strategies. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 5349-54.

39. Gimeno, E.; Calero, E.; Castellote, A. I.; Lamuela-Raventos, R. M.; de la Torre, M. C.; Lopez-Sabater, M. C. Simultaneous determination of alpha-tocopherol and beta-carotene in olive oil by reversed-phase high-performance liquid chromatography. *Journal of Chromatography A* **2000**, *881*, 255-59.
40. Maestro Duran, R.; Borja Padilla, R. La calidad del aceite de oliva en relación con la composición y maduración de la aceituna. *Grasas y Aceites* **1990**, *41*, 171-78.
41. Gimeno, E.; Castellote, A. I.; Lamuela-Raventos, R. M.; de La Torre-Boronat MC; Lopez-Sabater, M. C. Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, alpha-tocopherol and beta-carotene in human plasma and low-density lipoproteins. *Journal of Chromatography.B, Biomedical Sciences & Applications*.758(2):315-22, **2001**.
42. Commission Regulation. Commission Regulation (EEC) n 2568/91 of July 11 1991 on the characteristics of olive oil and olive-residue oil and on the relevant methods of analysis. 1991.
43. Commission Regulation. Reglamento (CE) N° 1989/2003 de la Comisión de 6 de noviembre de 2003 que modifica el Reglamento (CEE) n° 2568/91, relativo a la características de los aceites de oliva y de los aceites de orujo de oliva y sobre sus métodos de análisis. 2003.
44. Aparicio, R.; Roda, L.; Albi, M. A.; Gutierrez, F. Effect of various compounds on virgin olive oil stability measured by rancimat. *Journal of Agricultural and Food Chemistry* **1999**, *47*, 4150-55.
45. Ryan, D.; Robards, K.; Prenzler, P.; Antolovich, M. Applications of mass spectrometry to plant phenols. *Trac-Trends in Analytical Chemistry* **1999**, *18*, 362-72.
46. Mataix FJ; Martínez Victoria E El aceite de oliva. Bases para el futuro, Sevilla, España, 1988.
47. Karleskind A Sources and monographies des principaux corpo gras. Manuel des corps gras. Technique and Documentation, Lavoisier, Paris, 1992.
48. Soler-Rivas, C.; Espin, J. C.; Wichers, H. J. Oleuropein and related compounds. *Journal of the Science of Food and Agriculture* **2000**, *80*, 1013-23.
49. Angerosa, F.; Mostallino, R.; Basti, C.; Vito, R. Virgin olive oil odour notes: their relationships with volatile compounds from the lipoxygenase pathway and secoiridoid compounds. *Food Chemistry* **2000**, *68*, 283-87.
50. Mateos, R.; Espartero, J. L.; Trujillo, M.; Rios, J. J.; Leon-Camacho, M.; Alcudia, F.; Cert, A. Determination of phenols, flavones, and lignans in virgin olive oils by solid-phase extraction and high-performance liquid chromatography with diode array ultraviolet detection. *Journal of Agricultural and Food Chemistry* **2001**, *49*, 2185-92.

51. Ranalli, A.; Modesti, G.; Patumi, M.; Fontanazza, G. The compositional quality and sensory properties of virgin olive oil from a new olive cultivar -- I-77. *Food Chemistry* **2000**, *69*, 37-46.
52. Servili, M.; Montedoro, G. Contribution of phenolic compounds to virgin olive oil quality. *European Journal of Lipid Science and Technology* **2002**, *104*, 602-13.
53. Keceli, T.; Gordon, M. H. The antioxidant activity and stability of the phenolic fraction of green olives and extra virgin olive oil. *Journal of the Science of Food and Agriculture* **2001**, *81*, 1391-96.
54. Okogeri, O.; Tasioula-Margari, M. Changes occurring in phenolic compounds and alpha-tocopherol of virgin olive oil during storage. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 1077-80.
55. Esti, M.; Cinquanta, L.; La Notte, E. Phenolic Compounds in Different Olive Varieties. *Journal of Agricultural and Food Chemistry* **1998**, *46*, 32-35.
56. Gimeno, E.; Castellote, A. I.; Lamuela-Raventos, R. M.; de la Torre, M. C.; Lopez-Sabater, M. C. The effects of harvest and extraction methods on the antioxidant content (phenolics, alpha-tocopherol, and beta-carotene) in virgin olive oil. *Food Chemistry* **2002**, *78*, 207-11.
57. Romero, C.; Garcia, P.; Brenes, M.; Garcia, A.; Garrido, A. Phenolic compounds in natural black Spanish olive varieties. *European Food Research & Technology* **2002**, *215*, 489-96.
58. Tovar, M. J.; Motilva, M. J.; Romero, M. P. Changes in the phenolic composition of virgin olive oil from young trees (*Olea europaea* L. cv. Arbequina) grown under linear irrigation strategies. *Journal of Agricultural and Food Chemistry* **2001**, *49*, 5502-08.
59. Tovar, M. J.; Motilva, M. J.; Luna, M.; Girona, J.; Romero, M. P. Analytical characteristics of virgin olive oil from young trees (Arbequina cultivar) growing under linear irrigation strategies. *Journal of the American Oil Chemists Society* **2001**, *78*, 843-49.
60. Morello, J. R.; Romero, M. R.; Motilva, M. J. Influence of seasonal conditions on the composition and quality parameters of monovarietal virgin olive oils. *Journal of the American Oil Chemists Society* **2006**, *83*, 683-90.
61. Morello, J. R.; Romero, M. P.; Ramo, T.; Motilva, M. J. Evaluation of L-phenylalanine ammonia-lyase activity and phenolic profile in olive drupe (*Olea europaea* L.) from fruit setting period to harvesting time. *Plant Science* **2005**, *168*, 65-72.
62. Morello, J. R.; Romero, M. P.; Motilva, M. J. Effect of the maturation process of the olive fruit on the phenolic fraction of drupes and oils from Arbequina, Farga, and Morrut cultivars. *Journal of Agricultural and Food Chemistry* **2004**, *52*, 6002-09.

63. Criado, M. N.; Morello, J. R.; Motilva, M. J.; Romero, M. P. Effect of growing area on pigment and phenolic fractions of virgin olive oils of the Arbequina variety in Spain. *Journal of the American Oil Chemists Society* **2004**, *81*, 633-40.
64. Brenes, M.; Hidalgo, F. J.; Garcia, A.; Rios, J. J.; Garcia, P.; Zamora, R.; Garrido, A. Pinoresinol and 1-acetoxypinoresinol, two new phenolic compounds identified in olive oil. *Journal of the American Oil Chemists Society* **2000**, *77*, 715-20.
65. Brenes, M.; Garcia, A.; Rios, J. J.; Garcia, P.; Garrido, A. Use of 1-acetoxypinoresinol to authenticate Picual olive oils. *International Journal of Food Science and Technology* **2002**, *37*, 615-25.
66. Owen, R. W.; Mier, W.; Giacosa, A.; Hull, W. E.; Spiegelhalder, B.; Bartsch, H. Identification of lignans as major components in the phenolic fraction of olive oil. *Clinical Chemistry* **2000**, *46*, 976-88.
67. Pirisi, F. M.; Cabras, P.; Cao, C. F.; Migliorini, M.; Muggelli, M. Phenolic compounds in virgin olive oil. 2. Reappraisal of the extraction, HPLC separation, and quantification procedures. *Journal of Agricultural and Food Chemistry* **2000**, *48*, 1191-96.
68. Brenes, M.; Garcia, A.; Garcia, P.; Garrido, A. Acid hydrolysis of secoiridoid aglycons during storage of virgin olive oil. *Journal of Agricultural and Food Chemistry* **2001**, *49*, 5609-14.
69. Motilva, M. J.; Tovar, M. J.; Romero, M. P.; Alegre, S.; Girona, J. Influence of regulated deficit irrigation strategies applied to olive trees (Arbequina cultivar) on oil yield and oil composition during the fruit ripening period. *Journal of the Science of Food and Agriculture* **2000**, *80*, 2037-43.
70. Caruso, D.; Colombo, R.; Patelli, R.; Giavarini, F.; Galli, G. Rapid evaluation of phenolic component profile and analysis of oleuropein aglycon in olive oil by atmospheric pressure chemical ionization-mass spectrometry (APCI-MS). *Journal of Agricultural and Food Chemistry* **2000**, *48*, 1182-85.
71. Mosca, L.; De Marco, C.; Visioli, F.; Cannella, C. Enzymatic assay for the determination of olive oil polyphenol content: Assay conditions and validation of the method. *Journal of Agricultural and Food Chemistry* **2000**, *48*, 297-301.
72. Caponio, F.; Alloggio, V.; Gomes, T. Phenolic compounds of virgin olive oil: influence of paste preparation techniques. *Food Chemistry* **1999**, *64*, 203-09.
73. Perri, E.; Raffaelli, A.; Sindona, G. Quantitation of oleuropein in virgin olive oil by ionspray mass spectrometry - Selected reaction monitoring. *Journal of Agricultural and Food Chemistry* **1999**, *47*, 4156-60.
74. Tsimidou, M. Polyphenols and quality of virgin olive oil in retrospect. *Italian Journal of Food Science* **1998**, *10*, 99-116.

75. Bianco, A.; Coccioli, F.; Guiso, M.; Marra, C. The occurrence in olive oil of a new class of phenolic compounds: hydroxy-isochromans. *Food Chemistry* **2002**, *77*, 405-11.
76. Bianco, A.; Buiarelli, F.; Cartoni, G.; Coccioli, F.; Jasionowska, R.; Margherita, P. Analysis by liquid chromatography-tandem mass spectrometry of biophenolic compounds in virgin olive oil, part II. *Journal of Separation Science* **2003**, *26*, 417-24.
77. Evangelisti, F.; Zunin, P.; Tiscornia, E.; Petacchi, R.; Drava, G.; Lanteri, S. Stability to oxidation of virgin olive oils as related to olive conditions: Study of polar compounds by chemometric methods. *Journal of the American Oil Chemists Society* **1997**, *74*, 1017-23.
78. Tsimidou, M.; Lytridou, M.; Boskou, D.; Pappalouisi, A.; Kotsifaki, F.; Petrakis, C. On the determination of minor phenolic acids of virgin olive oil by RP-HPLC. *Grasas y Aceites* **1996**, *47*, 151-57.
79. Cortesi, N.; Azzolini, M.; Rovellini, P. Determination of Minor Polar Componentes in Virgin Olive Oils. *La Rivista Italiana delle Sostanze Grasse* **1995**, *LXXII*, 333-37.
80. Angerosa, F.; Dalessandro, N.; Konstantinou, P.; Digiacinto, L. Gc-Ris Evaluation of Phenolic-Compounds in Virgin Olive Oil. *Journal of Agricultural and Food Chemistry* **1995**, *43*, 1802-07.
81. Cortesi, N.; Azzolini, M.; Rovellini, P.; Fedeli, E. Minor Polar Components of Virgin Olive Oils: a Hypothetical Structure by LC-MS. *La Rivista Italiana delle Sostanze Grasse* **1995**, *LXXII*, 241-51.
82. Saitta, M.; Lo Curto, S.; Salvo, F.; Di Bella, G.; Dugo, G. Gas chromatographic-tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils. *Analytica Chimica Acta* **2002**, *466*, 335-44.
83. Tasioula-Margari, M.; Okogeri, O. Isolation and characterization of virgin olive oil phenolic compounds by HPLC/UV and GC-MS. *Journal of Food Science* **2001**, *66*, 530-34.
84. Servili, M.; Baldioli, M.; Selvaggini, R.; Miniati, E.; Macchioni, A.; Montedoro, G. High-performance liquid chromatography evaluation of phenols in olive fruit, virgin olive oil, vegetation waters, and pomace and 1D-and 2D-nuclear magnetic resonance characterization. *Journal of the American Oil Chemists Society* **1999**, *76*, 873-82.
85. Gomez-Alonso, S.; Salvador, M. D.; Fregapane, G. Phenolic compounds profile of Cornicabra virgin olive oil. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 6812-17.
86. Pirisi, F. M.; Angioni, A.; Cabras, P.; Garau, V. L.; diTeulada, M. T. S.; dosSantos, M. K.; Bandino, G. Phenolic compounds in virgin olive oils .1. Low-wavelength quantitative determination of complex phenols by high-performance

- liquid chromatography under isocratic elution. *Journal of Chromatography A* **1997**, 768, 207-13.
87. Montedoro, G.; Servili, M.; Baldioli, M.; Selvaggini, R.; Miniati, E.; Macchioni, A. Simple and Hydrolyzable Compounds in Virgin Olive Oil .3. Spectroscopic Characterizations of the Secoiridoid Derivatives. *Journal of Agricultural and Food Chemistry* **1993**, 41, 2228-34.
88. Owen, R. W.; Mier, W.; Giacosa, A.; Hull, W. E.; Spiegelhalder, B.; Bartsch, H. Phenolic compounds and squalene in olive oils: the concentration and antioxidant potential of total phenols, simple phenols, secoiridoids, lignans and squalene. *Food and Chemical Toxicology* **2000**, 38, 647-59.
89. Angerosa, F.; Dalessandro, N.; Corana, F.; Mellerio, G. Characterization of phenolic and secoiridoid aglycons present in virgin olive oil by gas chromatography chemical ionization mass spectrometry. *Journal of Chromatography A* **1996**, 736, 195-203.
90. Esterbauer, H.; Puhl, H.; eber-Rotheneder, M.; Waeg, G.; Rabl, H. Effect of antioxidants on oxidative modification of LDL. [Review] [44 refs]. *Annals of Medicine*.23(5):573-81, **1991**.
91. Visioli, F.; Bogani, P.; Grande, S.; Galli, C. Mediterranean food and health: building human evidence. *J Physiol Pharmacol* **2005**, 56 Suppl 1, 37-49.
92. Sattar, N.; Petrie, J. R.; Jaap, A. J. The atherogenic lipoprotein phenotype and vascular endothelial dysfunction. *Atherosclerosis* **1998**, 138, 229-35.
93. Meisinger, C.; Baumert, J.; Khuseyinova, N.; Loewel, H.; Koenig, W. Plasma oxidized low-density lipoprotein, a strong predictor for acute coronary heart disease events in apparently healthy, middle-aged men from the general population. *Circulation* **2005**, 112, 651-57.
94. Kreisberg, R. A.; Oberman, A. Medical management of hyperlipidemia/dyslipidemia. *J Clin.Endocrinol.Metab* **2003**, 88, 2445-61.
95. Kaur, C.; Kapoor, H. C. Antioxidants in fruits and vegetables - the millennium's health. *International Journal of Food Science and Technology* **2001**, 36, 703-25.
96. Ballester, M. [Anti-oxidants, free radicals, and health. A chemical, organic, and physical approach]. *Medicina Clinica.(Barc.)* **1996**, 107, 509-15.
97. Schwedhelm, E.; Maas, R.; Troost, R.; Boger, R. H. Clinical pharmacokinetics of antioxidants and their impact on systemic oxidative stress. *Clinical Pharmacokinetics* **2003**, 42, 437-59.
98. Benzie, I. F. Lipid peroxidation: a review of causes, consequences, measurement and dietary influences. *International .Journal of Food Science and Nutrition* **1996**, 47, 233-61.
99. Morton, L. W.; Caccetta, R. A.; Puddey, I. B.; Croft, K. D. Chemistry and biological effects of dietary phenolic compounds: Relevance to cardiovascular

- disease. *Clinical and Experimental Pharmacology and Physiology* **2000**, *27*, 152-59.
100. Visioli, F.; Bellomo, G.; Montedoro, G.; Galli, C. Low-Density-Lipoprotein Oxidation Is Inhibited In-Vitro by Olive Oil Constituents. *Atherosclerosis* **1995**, *117*, 25-32.
101. Visioli, F.; Galli, C. Oleuropein Protects Low-Density-Lipoprotein from Oxidation. *Life Sciences* **1994**, *55*, 1965-71.
102. Patrono, C.; FitzGerald, G. A. Isoprostanes: potential markers of oxidant stress in atherothrombotic disease. *Arteriosclerosis Thrombosis and Vasccular Biology* **1997**, *17*, 2309-15.
103. Stupans, I.; Kirlich, A.; Tuck, K. L.; Hayball, P. J. Comparison of radical scavenging effect, inhibition of microsomal oxygen free radical generation, and serum lipoprotein oxidation of several natural antioxidants. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 2464-69.
104. Masella, R.; Vari, R.; D'Archivio, M.; Di Benedetto, R.; Matarrese, P.; Malorni, W.; Scazzocchio, B.; Giovannini, C. Extra Virgin Olive Oil Biophenols Inhibit Cell-Mediated Oxidation of LDL by Increasing the mRNA Transcription of Glutathione-Related Enzymes. *Journal of Nutrition* **2004**, *134*, 785-91.
105. Gutteridge, J. M. C. Lipid-Peroxidation and Antioxidants As Biomarkers of Tissue-Damage. *Clinical Chemistry* **1995**, *41*, 1819-28.
106. Leenen, R.; Roodenburg, A. J. C.; Vissers, M. N.; Schuurbijs, J. A. E.; van Putte, K. P. A. M.; Wiseman, S. A.; van de Put, F. H. M. M. Supplementation of plasma with olive oil phenols and extracts: Influence on LDL oxidation. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 1290-97.
107. Benkhalti, F.; Legssyer, A.; Gomez, P.; Paz, E.; Lopez-Miranda, J.; Perez-Jimenez, F.; el Boustani, E. S. Effects of virgin olive oil phenolic compounds on LDL oxidation and vasorelaxation activity. *Therapie* **2003**, *58*, 133-37.
108. Wiseman, S. A.; Mathot, J. N. N. J.; deFouw, N. J.; Tijburg, L. B. M. Dietary non-tocopherol antioxidants present in extra virgin olive increase the resistance of low density lipoproteins to oxidation in rabbits. *Atherosclerosis* **1996**, *120*, 15-23.
109. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
110. Weinbrenner, T.; Fito, M.; Farre, A. M.; Saez, G. T.; Rijken, P.; Tormos, C.; Coolen, S.; De La Torre, R.; Covas, M. I. Bioavailability of phenolic compounds from olive oil and oxidative/antioxidant status at postprandial state in healthy humans. *Drugs Under Experimental and Clinical Research* **2004**, *30*, 207-12.
111. Visioli, F.; Caruso, D.; Grande, S.; Bosisio, R.; Villa, M.; Galli, G.; Sirtori, C.; Galli, C. Virgin Olive Oil Study (VOLOS): vasoprotective potential of extra

- virgin olive oil in mildly dyslipidemic patients. *European Journal of Nutrition* **2005**, *44*, 121-27.
112. Visioli, F.; Caruso, D.; Galli, C.; Viappiani, S.; Galli, G.; Sala, A. Olive oils rich in natural catecholic phenols decrease isoprostane excretion in humans. *Biochemical and Biophysical Research Communications* **2000**, *278*, 797-99.
113. Ruano, J. and others. Phenolic Content of Virgin Olive Oil Improves Ischemic Reactive Hyperemia in Hypercholesterolemic Patients. *Journal of the American College of Cardiology* **2005**, *46*, 1864-68.
114. Moschandreas, J.; Vissers, M. N.; Wiseman, S.; van Putte, K. P.; Kafatos, A. Extra virgin olive oil phenols and markers of oxidation in Greek smokers: a randomized cross-over study. *European Journal of Clinical Nutrition* **2002**, *56*, 1024-29.
115. Parthasarathy, S.; Khoo, J. C.; Miller, E.; Barnett, J.; Witztum, J. L.; Steinberg, D. Low density lipoprotein rich in oleic acid is protected against oxidative modification: implications for dietary prevention of atherosclerosis. *Proceedings of the National Academy of Sciences of the United States of America*.*87(10):3894-8*, **1990**.
116. Masella, R.; Giovannini, C.; Vari, R.; Di Benedetto, R.; Coni, E.; Volpe, R.; Fraone, N.; Bucci, A. Effects of dietary virgin olive oil phenols on low density lipoprotein oxidation in hyperlipidemic patients. *Lipids* **2001**, *36*, 1195-202.
117. Boullier, A.; Li, Y.; Quehenberger, O.; Palinski, W.; Tabas, I.; Witztum, J. L.; Miller, Y. I. Minimally Oxidized LDL Offsets the Apoptotic Effects of Extensively Oxidized LDL and Free Cholesterol in Macrophages. *Arteriosclerosis, Thrombosis, and Vascular Biology* **2006**, *26*, 1169-76.
118. Lechleitner, M.; Hoppichler, F.; Foger, B.; Patsch, J. R. Low-Density Lipoproteins of the Postprandial State Induce Cellular Cholesteryl Ester Accumulation in Macrophages. *Arteriosclerosis and Thrombosis* **1994**, *14*, 1799-807.
119. Heinecke, J. W. Oxidants and antioxidants in the pathogenesis of atherosclerosis: implications for the oxidized low density lipoprotein hypothesis. *Atherosclerosis* **1998**, *141*, 1-15.
120. Masella, R.; Di Benedetto, R.; Vari, R.; Filesi, C.; Giovannini, C. Novel mechanisms of natural antioxidant compounds in biological systems: involvement of glutathione and glutathione-related enzymes. *The Journal of Nutritional Biochemistry* **2005**, *16*, 577-86.
121. Llaverias, G.; Noe, V.; Laguna, J.; Ciudad, C.; Alegret, M. Differentially expressed genes in macrophages treated with oxidized LDL, and PPAR alpha and gamma agonists. *Atherosclerosis Supplements* **2004**, *5*, 85.
122. Cirico, T.; Omaye, S. T. Additive or synergetic effects of phenolic compounds on human low density lipoprotein oxidation. *Food and Chemical Toxicology* **2006**, *44*, 510-16.

123. Halliwell, B. Dietary polyphenols: Good, bad, or indifferent for your health? *Cardiovascular Research* **2007**, *73*, 341-47.
124. Bravo, L. Polyphenols: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutrition Reviews* **1998**, *56*, 317-33.
125. Droge, W. Free radicals in the physiological control of cell function. *Physiological Reviews* **2002**, *82*, 47-95.
126. Jagla, A.; Schrezenmeir, J. Postprandial triglycerides and endothelial function. *Exp.Clin Endocrinol.Diabetes* **2001**, *109*, S533-S547.
127. Austin, M. A.; Rodriguez, B. L.; McKnight, B.; McNeely, M. J.; Edwards, K. L.; Curb, J. D.; Sharp, D. S. Low-density lipoprotein particle size, triglycerides, and high-density lipoprotein cholesterol as risk factors for coronary heart disease in older Japanese-American men. *American Journal of Cardiology* **2000**, *86*, 412-16.
128. Murdoch, S. J. and others. LDL composition in E2/2 subjects and LDL distribution by Apo E genotype in type 1 diabetes. *Atherosclerosis* **2007**, *192*, 138-147.
129. Princen, H. M.; van, D. W.; Buytenhek, R.; van der, L. A.; van, P. G.; Gevers Leuven, J. A.; van, H., V. Supplementation with low doses of vitamin E protects LDL from lipid peroxidation in men and women. *Arteriosclerosis, Thrombosis & Vascular Biology*.*15(3):325-33*, **1995**.
130. Carmena, R.; Ascaso, J. F.; Camejo, G.; Varela, G.; Hurt-Camejo, E.; Ordovas, J. M.; Martinez-Valls, J.; Bergstom, M.; Wallin, B. Effect of olive and sunflower oils on low density lipoprotein level, composition, size, oxidation and interaction with arterial proteoglycans. *Atherosclerosis* **1996**, *125*, 243-55.
131. Noto, D.; Rizzo, M.; Barbagallo, C. M.; Cefalu, A. B.; Lo Verde, A.; Fayer, F.; Notarbartolo, A.; Averna, M. R. Low-density lipoproteins generated during an oral fat load in mild hypertriglyceridemic and healthy subjects are smaller, denser, and have an increased low-density lipoprotein receptor binding affinity. *Metabolism-Clinical and Experimental* **2006**, *55*, 1308-16.
132. Rizzo, M.; Berneis, K. Small, dense tow-density-lipoproteins and the metabotic syndrome. *Diabetes-Metabolism Research and Reviews* **2007**, *23*, 14-20.
133. Rizzo, M.; Berneis, K. Should we measure routinely the LDL peak particle size? *International Journal of Cardiology* **2006**, *107*, 166-70.
134. Berneis, K.; Rizzo, M. LDL size: does it matter? *Swiss Medical Weekly* **2004**, *134*, 720-24.
135. van de Vijver, L.; Kardinaal, A. F.; van, D. W.; Kruijssen, D. A.; Grobbee, D. E.; van, P. G.; Princen, H. M. LDL oxidation and extent of coronary atherosclerosis. *Arterioscler.Thromb.Vasc.Biol.* **1998**, *18*, 193-99.

136. Kratz, M.; Cullen, P.; Kannenberg, F.; Kassner, A.; Fobker, M.; Abuja, P. M.; Assmann, G.; Wahrburg, U. Effects of dietary fatty acids on the composition and oxidizability of low-density lipoprotein. *European Journal of Clinical Nutrition* **2002**, *56*, 72-81.
137. O'Byrne, D. J.; O'Keefe, S. F.; Shireman, R. B. Low-fat, monounsaturated-rich diets reduce susceptibility of low-density lipoproteins to peroxidation ex vivo. *Lipids* **1998**, *33*, 149-56.
138. Wright, A. J. A. and others. Comparison of LDL fatty acid and carotenoid concentrations and oxidative resistance of LDL in volunteers from countries with different rates of cardiovascular disease. *British Journal of Nutrition* **2002**, *87*, 21-29.
139. Urpi-Sarda, M.; Jauregui, O.; Lamuela-Raventos, R. M.; Jaeger, W.; Miksits, M.; Covas, M. I.; Antolovich, M.; Andres-Lacueva, C. Uptake of diet resveratrol into the human low-density lipoprotein. identification and quantification of resveratrol metabolites by liquid chromatography coupled with tandem mass spectrometry. *Analytical Chemistry* **2005**, *77*, 3149-55.
140. Covas, M. I. and others. Coronary heart disease protective factors: antioxidant effect of olive oil. *Therapie* **2001**, *56*, 607-11.
141. Stoclet, J. C.; Chataigneau, T.; Ndiaye, M.; Oak, M. H.; El, B. J.; Chataigneau, M.; Schini-Kerth, V. B. Vascular protection by dietary polyphenols. *European Journal of Pharmacology* **2004**, *500*, 299-313.
142. Visioli F.; Bogani P.; Grande S.; Galli C. Olive Oil and Oxidative Stress. *Grasas y Aceites* **2004**, *55*, 66-75.
143. Mancini, M.; Parfitt, V. J.; Rubba, P. Antioxidants in the Mediterranean Diet. *Canadian Journal of Cardiology* **1995**, *11*, G105-G109.
144. Edwin N Frankel. Food antioxidants and phytochemicals: present and future perspectives. *Fett/Lipid* **1999**, *12 S*, 450-55.
145. Wahle, K. W.; Caruso, D.; Ochoa, J. J.; Quiles, J. L. Olive oil and modulation of cell signaling in disease prevention. *Lipids* **2004**, *39*, 1223-31.
146. Moreno, J. J.; Carbonell, T.; Sanchez, T.; Miret, S.; Mitjavila, M. T. Olive oil decreases both oxidative stress and the production of arachidonic acid metabolites by the prostaglandin G/H synthase pathway in rat macrophages. *Journal of Nutrition* **2001**, *131*, 2145-49.
147. Fernandez-Jarne, E.; Martinez-Losa, E.; Prado-Santamaria, M.; Brugarolas-Brufau, C.; Serrano-Martinez, M.; Martinez-Gonzalez, M. A. Risk of first non-fatal myocardial infarction negatively associated with olive oil consumption: a case-control study in Spain. *International Journal of Epidemiology*. **2002**, *31*, 474-80.
148. Thomsen, C.; Rasmussen, O.; Lousen, T.; Holst, J. J.; Fenselau, S.; Schrezenmeir, J.; Hermansen, K. Differential effects of saturated and

- monounsaturated fatty acids on postprandial lipemia and incretin responses in healthy subjects. *The American Journal of Clinical Nutrition* **1999**, *69*, 1135-43.
149. Mata, P.; Garrido, J. A.; Ordovas, J. M.; Blazquez, E.; varez-Sala, L. A.; Rubio, M. J.; Alonso, R.; de, O. M. Effect of dietary monounsaturated fatty acids on plasma lipoproteins and apolipoproteins in women. *The American Journal of Clinical Nutrition*. **1992**, *56*, 77-83.
150. Mata, P. and others. Effect of Dietary Fat Saturation on LDL Oxidation and Monocyte Adhesion to Human Endothelial Cells In Vitro. *Arteriosclerosis, Thrombosis, and Vascular Biology* **1996**, *16*, 1347-55.
151. Katan, M. B.; Zock, P. L.; Mensink, R. P. Dietary oils, serum lipoproteins, and coronary heart disease. *The American Journal of Clinical Nutrition*. **1995**, *61*, 1368S-73S.
152. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
153. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; Torrents, J.; de la Torre, C.; Marrugat, J. Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation. *Lipids* **2000**, *35*, 633-38.
154. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; de la Torre, C.; Marrugat, J. Olive oil and inhibition of low density lipoprotein oxidation. Role of phenolic compounds. *Medicina Clinica* **2000**, *115*, 166-69.
155. Tsimikas, S.; Philis-Tsimikas, A.; Alexopoulos, S.; Sigari, F.; Lee, C.; Reaven, P. D. LDL isolated from Greek subjects on a typical diet or from American subjects on an oleate-supplemented diet induces less monocyte chemotaxis and adhesion when exposed to oxidative stress. *Arteriosclerosis Thrombosis and Vascular Biology* **1999**, *19*, 122-30.
156. Verlengia, R.; Gorjao, R.; Kanunfre, C. C.; Bordin, S.; de Lima, T. M.; Curi, R. Effect of arachidonic acid on proliferation, cytokines production and pleiotropic genes expression in Jurkat cells - A comparison with oleic acid. *Life Sciences* **2003**, *73*, 2939-51.
157. Perona, J. S.; Cabello-Moruno, R.; Ruiz-Gutierrez, V. The role of virgin olive oil components in the modulation of endothelial function. *Journal of Nutritional Biochemistry* **2006**, *17*, 429-45.
158. Aguilera, C. M.; Ramirez-Tortosa, M. C.; Mesa, M. D.; Gil, A. [Protective effect of monounsaturated and polyunsaturated fatty acids on the development of cardiovascular disease]. *Nutr Hosp*. **2001**, *16*, 78-91.
159. Basu, A.; Devaraj, S.; Jialal, I. Dietary factors that promote or retard inflammation. *Arteriosclerosis Thrombosis and Vascular Biology* **2006**, *26*, 995-1001.

160. Baer, D. J.; Judd, J. T.; Clevidence, B. A.; Tracy, R. P. Dietary fatty acids affect plasma markers of inflammation in healthy men fed controlled diets: a randomized crossover study. *American Journal of Clinical Nutrition* **2004**, *79*, 969-73.
161. Visioli, F.; Galli, C. Biological properties of olive oil phytochemicals. *Critical Reviews in Food Science and Nutrition* **2002**, *42*, 209-21.
162. Assmann, G. and others. International consensus statement on olive oil and the Mediterranean diet: implications for health in Europe. *European Journal of Cancer Prevention* **1997**, *6*, 418-21.
163. Quilez, J.; Rafecas, M.; Brufau, G.; Garcia-Lorda, P.; Megias, I.; Bullo, M.; Ruiz, J. A.; Salas-Salvado, J. Bakery products enriched with phytosterol esters, alpha-tocopherol and beta-carotene decrease plasma LDL-cholesterol and maintain plasma beta-carotene concentrations in normocholesterolemic men and women. *Journal of Nutrition* **2003**, *133*, 3103-09.
164. Vivancos, M.; Moreno, J. J. beta-sitosterol modulates antioxidant enzyme response in RAW 264.7 macrophages. *Free Radical Biology and Medicine* **2005**, *39*, 91-97.
165. Freedman, J. E.; Farhat, J. H.; Loscalzo, J.; Keaney, J. F. alpha-tocopherol inhibits aggregation of human platelets by a protein kinase C-dependent mechanism. *Circulation* **1996**, *94*, 2434-40.
166. Devaraj, S.; Li, D.; Jialal, I. The effects of alpha tocopherol supplementation on monocyte function - Decreased lipid oxidation, interleukin 1 beta secretion, and monocyte adhesion to endothelium. *Journal of Clinical Investigation* **1996**, *98*, 756-63.
167. Nicolaiew, N.; Lemort, N.; Adorni, L.; Berra, B.; Montorfano, G.; Rapelli, S.; Cortesi, N.; Jacotot, B. Comparison between extra virgin olive oil and oleic acid rich sunflower oil: Effects on postprandial lipemia and LDL susceptibility to oxidation. *Annals of Nutrition and Metabolism* **1998**, *42*, 251-60.
168. Salvini, S. and others. Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. *British Journal of Nutrition* **2006**, *95*, 742-51.
169. Vissers, M. N.; Zock, P. L.; Roodenburg, A. J. C.; Leenen, R.; Katan, M. B. Olive oil phenols are absorbed in humans. *Journal of Nutrition* **2002**, *132*, 409-17.
170. Manna, C.; Galletti, P.; Maisto, G.; Cucciolla, V.; D'Angelo, S.; Zappia, V. Transport mechanism and metabolism of olive oil hydroxytyrosol in Caco-2 cells. *Febs Letters* **2000**, *470*, 341-44.
171. Manach, C.; Scalbert, A.; Morand, C.; Remesy, C.; Jimenez, L. Polyphenols: food sources and bioavailability. *American Journal of Clinical Nutrition* **2004**, *79*, 727-47.

172. Rechner, A. R.; Kuhnle, G.; Hu, H. L.; Roedig-Penman, A.; van den Braak, M. H.; Moore, K. P.; Rice-Evans, C. A. The metabolism of dietary polyphenols and the relevance to circulating levels of conjugated metabolites. *Free Radical Research* **2002**, *36*, 1229-41.
173. Faine, L. A.; Rodrigues, H. G.; Galhardi, C. M.; Ebaid, G. M. X.; Diniz, Y. S.; Padovani, C. R.; Novelli, E. L. B. Effects of olive oil and its minor constituents on serum lipids, oxidative stress, and energy metabolism in cardiac muscle. *Canadian Journal of Physiology and Pharmacology* **2006**, *84*, 239-45.
174. Visioli, F.; Galli, C. Olive oil phenols and their potential effects on human health. *Journal of Agricultural and Food Chemistry* **1998**, *46*, 4292-96.
175. Lamuela-Raventos, R. M.; Romero-Perez, A. I.; Andres-Lacueva, C.; Tornero, A. Review: Health effects of cocoa flavonoids. *Food Science and Technology International* **2005**, *11*, 159-76.
176. Vaidyanathan, J. B.; Walle, T. Transport and metabolism of the tea flavonoid (-)-epicatechin by the human intestinal cell line Caco-2. *Pharmaceutical Research* **2001**, *18*, 1420-25.
177. Day, A. J.; Gee, J. M.; Dupont, M. S.; Johnson, I. T.; Williamson, G. Absorption of quercetin-3-glucoside and quercetin-4'-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter. *Biochemical Pharmacology* **2003**, *65*, 1199-206.
178. Manach, C.; Williamson, G.; Morand, C.; Scalbert, A.; Remesy, C. Bioavailability and bioefficacy of polyphenols in humans. I. Review of 97 bioavailability studies. *American Journal of Clinical Nutrition* **2005**, *81*, 230S-42S.
179. Tuck, K. L.; Hayball, P. J. Major phenolic compounds in olive oil: metabolism and health effects. *Journal of Nutritional Biochemistry* **2002**, *13*, 636-44.
180. Vissers, M. N.; Zock, P. L.; Katan, M. B. Bioavailability and antioxidant effects of olive oil phenols in humans: a review. *European Journal of Clinical Nutrition* **2004**, *58*, 955-65.
181. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
182. D'Angelo, S.; Manna, C.; Migliardi, V.; Mazzoni, O.; Morrica, P.; Capasso, G.; Pontoni, G.; Galletti, P.; Zappia, V. Pharmacokinetics and metabolism of hydroxytyrosol, a natural antioxidant from olive oil. *Drug Metabolism and Disposition* **2001**, *29*, 1492-98.
183. Mateos, R.; Goya, L.; Bravo, L. Metabolism of the olive oil phenols hydroxytyrosol, tyrosol, and hydroxytyrosyl acetate by human hepatoma HepG2 cells. *J Agric Food Chem.* **2005**, *53*, 9897-905.

184. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
185. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
186. Caruso, D.; Visioli, F.; Patelli, R.; Galli, C.; Galli, G. Urinary excretion of olive oil phenols and their metabolites in humans. *Metabolism-Clinical and Experimental* **2001**, *50*, 1426-28.
187. Miró Casas; Magí Farré Albadalejo; Covas, M. I.; Fito, M.; Lamuela-Raventos, R.; de la Torre-Fornell, R. Tyrosol Bioavailability in Humans after Ingestion of Virgin Olive Oil. *Clinical Chemistry* **2001**, *47*, 341-43.
188. Corona, G.; Tzounis, X.; Dessi, M. A.; Deiana, M.; Debnam, E. S.; Visioli, F.; Spencer, J. P. E. The fate of olive oil polyphenols in the gastrointestinal tract: Implications of gastric and colonic microflora-dependent biotransformation. *Free Radical Research* **2006**, *40*, 647-58.
189. Visioli, F.; Galli, C.; Grande, S.; Colonnelli, K.; Patelli, C.; Galli, G.; Caruso, D. Hydroxytyrosol excretion differs between rats and humans and depends on the vehicle of administration. *Journal of Nutrition* **2003**, *133*, 2612-15.
190. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
191. Edgecombe, S. C.; Stretch, G. L.; Hayball, P. J. Oleuropein, an antioxidant polyphenol from olive oil, is poorly absorbed from isolated perfused rat intestine. *Journal of Nutrition* **2000**, *130*, 2996-3002.
192. Bazoti, F. N.; Gikas, E.; Puel, C.; Coxam, V.; Tsarbopoulos, A. Development of a Sensitive and Specific Solid Phase Extraction-Gas Chromatography-Tandem Mass Spectrometry Method for the Determination of Elenolic Acid, Hydroxytyrosol, and Tyrosol in Rat Urine. *Journal of Agricultural and Food Chemistry* **2005**, *53*, 6213-21.
193. Tuck, K. L.; Freeman, M. P.; Hayball, P. J.; Stretch, G. L.; Stupans, I. The in vivo fate of hydroxytyrosol and tyrosol, antioxidant phenolic constituents of olive oil, after intravenous and oral dosing of labeled compounds to rats. *Journal of Nutrition* **2001**, *131*, 1993-96.
194. Del Boccio, P.; Di Deo, A.; De Curtis, A.; Celli, N.; Iacoviello, L.; Rotilio, D. Liquid chromatography-tandem mass spectrometry analysis of oleuropein and its metabolite hydroxytyrosol in rat plasma and urine after oral administration. *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences* **2003**, *785*, 47-56.

195. Visioli, F.; Galli, C.; Bornet, F.; Mattei, A.; Patelli, R.; Galli, G.; Caruso, D. Olive oil phenolics are dose-dependently absorbed in humans. *Febs Letters* **2000**, *468*, 159-60.
196. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
197. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
198. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
199. Tuck, K. L.; Hayball, P. J.; Stupans, I. Structural characterization of the metabolites of hydroxytyrosol, the principal phenolic component in olive oil, in rats. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 2404-09.
200. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
201. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
202. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
203. Ruiz-Gutierrez, V.; Juan, M. E.; Cert, A.; Planas, J. M. Determination of hydroxytyrosol in plasma by HPLC. *Analytical Chemistry* **2000**, *72*, 4458-61.
204. Covas, M. I.; Miro-Casas, E.; Fito, M.; Farre-Albadalejo, M.; Gimeno, E.; Marrugat, J.; De La Torre, R. Bioavailability of tyrosol, an antioxidant phenolic compound present in wine and olive oil, in humans. *Drugs Under Experimental and Clinical Research* **2003**, *29*, 203-06.
205. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
206. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.

207. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
208. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
209. Bilbao, M. D. M.; ndres-Lacueva, C.; Jauregui, O.; Lamuela-Raventos, R. M. Determination of flavonoids in a Citrus fruit extract by LC-DAD and LC-MS. *Food Chemistry* **2007**, *101*, 1742-47.
210. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
211. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
212. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
213. De La Torre, R.; Covas, M. I.; Pujadas, M. A.; Fito, M.; Farre, M. Is dopamine behind the health benefits of red wine? *European Journal of Nutrition* **2006**, *45*, 307-10.
214. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
215. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
216. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
217. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
218. Manna, C.; D'Angelo, S.; Migliardi, V.; Loffredi, E.; Mazzoni, O.; Morrica, P.; Galletti, P.; Zappia, V. Protective effect of the phenolic fraction from virgin

- olive oils against oxidative stress in human cells. *Journal of Agricultural and Food Chemistry* **2002**, *50*, 6521-26.
219. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
220. Polzonetti, V.; Egidi, D.; Vita, A.; Vincenzetti, S.; Natalini, P. Involvement of oleuropein in (some) digestive metabolic pathways. *Food Chemistry* **2004**, *88*, 11-15.
221. Fki, I.; Bouaziz, M.; Sahnoun, Z.; Sayadi, S. Hypocholesterolemic effects of phenolic-rich extracts of Chemlali olive cultivar in rats fed a cholesterol-rich diet. *Bioorganic & Medicinal Chemistry* **2005**, *13*, 5362-70.
222. Bazoti, F. N.; Bergquist, J.; Markides, K. E.; Tsarbopoulos, A. Noncovalent Interaction Between Amyloid-[beta]-Peptide (1-40) and Oleuropein Studied by Electrospray Ionization Mass Spectrometry. *Journal of the American Society for Mass Spectrometry* **2006**, *17*, 568-75.
223. de la Puerta, R.; Ruiz Gutierrez, V.; Hoult, J. R. Inhibition of leukocyte 5-lipoxygenase by phenolics from virgin olive oil. *Biochemical Pharmacology* **1999**, *57*, 445-49.
224. Visioli, F.; Bellosta, S.; Galli, C. Oleuropein, the bitter principle of olives, enhances nitric oxide production by mouse macrophages. *Life Sciences*. **1998**, *62*, 541-46.
225. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
226. Moreno, J. J. Effect of olive oil minor components on oxidative stress and arachidonic acid mobilization and metabolism by macrophages RAW 264.7. *Free Radical Biology and Medicine* **2003**, *35*, 1073-81.
227. Vivancos, M.; Moreno, J. J. Olive oil and red wine polyphenols inhibit reactive oxygen species and eicosanoid release induced by oxidised low density lipoproteins. *Atherosclerosis Supplements* **2006**, *7*, 435.
228. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; Torrents, J.; de la Torre, C.; Marrugat, J. Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation. *Lipids* **2000**, *35*, 633-38.
229. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; de la Torre, C.; Marrugat, J. Olive oil and inhibition of low density lipoprotein oxidation. Role of phenolic compounds. *Medicina Clinica* **2000**, *115*, 166-69.
230. Moreno, J. A.; Lopez-Miranda, J.; Gomez, P.; Benkhalti, F.; el Boustani, E. S.; Perez-Jimenez, F. [Effect of phenolic compounds of virgin olive oil on LDL oxidation resistance]. *Medicina Clinica(Barc.)* **2003**, *120*, 128-31.

231. Goya, L.; Mateos, R.; Bravo, L. Effect of the olive oil phenol hydroxytyrosol on human hepatoma HepG2 cells. *European Journal of Nutrition* **2007**, *V46*, 70-78.
232. Giovannini, C.; Straface, E.; Modesti, D.; Coni, E.; Cantafora, A.; De Vincenzi, M.; Malorni, W.; Masella, R. Tyrosol, the major olive oil biophenol, protects against oxidized-LDL-induced injury in Caco-2 cells. *Journal of Nutrition* **1999**, *129*, 1269-77.
233. Coni, E.; Di Benedetto, R.; Di Pasquale, M.; Masella, R.; Modesti, D.; Mattei, R.; Carlini, E. A. Protective effect of oleuropein, an olive oil biophenol, on low density lipoprotein oxidizability in rabbits. *Lipids* **2000**, *35*, 45-54.
234. Gorinstein, S. and others. Olive oils improve lipid metabolism and increase antioxidant potential in rats fed diets containing cholesterol. *Journal of Agricultural and Food Chemistry*. **2002**, *50*, 6102-08.
235. Visioli, F.; Galli, C.; Plasmati, E.; Viappiani, S.; Hernandez, A.; Colombo, C.; Sala, A. Olive phenol hydroxytyrosol prevents passive smoking-induced oxidative stress. *Circulation* **2000**, *102*, 2169-71.
236. Ochoa, J. J.; Quiles, J. L.; Ramirez-Tortosa, M. C.; Mataix, J.; Huertas, J. R. Dietary oils high in oleic acid but with different unsaponifiable fraction contents have different effects in fatty acid composition and peroxidation in rabbit LDL. *Nutrition* **2002**, *18*, 60-65.
237. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
238. Fito, M. and others. Antioxidant effect of virgin olive oil in patients with stable coronary heart disease: a randomized, crossover, controlled, clinical trial. *Atherosclerosis* **2005**, *181*, 149-58.
239. Turner, R.; Etienne, N.; Alonso, M. G.; de Pascual-Teresa, S.; Minihane, A. M.; Weinberg, P. D.; Rimbach, G. Antioxidant and anti-atherogenic activities of olive oil phenolics. *International Journal for Vitamin and Nutrition Research* **2005**, *75*, 61-70.
240. Petroni, A.; Blasevich, M.; Papini, N.; Salami, M.; Sala, A.; Galli, C. Inhibition of leukocyte leukotriene B-4 production by an olive oil-derived phenol identified by mass-spectrometry. *Thrombosis Research* **1997**, *87*, 315-22.
241. Carluccio, M. A.; Siculella, L.; Ancora, M. A.; Massaro, M.; Scoditti, E.; Storelli, C.; Visioli, F.; Distanti, A.; De, C. R. Olive oil and red wine antioxidant polyphenols inhibit endothelial activation: antiatherogenic properties of Mediterranean diet phytochemicals. *Arteriosclerosis, Thrombosis, and Vascular Biology* **2003**, *23*, 622-29.
242. Dell'Agli, M. and others. Minor components of olive oil modulate proatherogenic adhesion molecules involved in endothelial activation. *Journal of Agricultural and Food Chemistry* **2006**, *54*, 3259-64.

243. Vieira, O.; Escargueil-Blanc, I.; Meilhac, O.; Pierre Basile, J.; Laranjinha, J.; Almeida, L.; Salvayre, R.; Nègre-Salvayre, A. Effect of dietary phenolic compounds on apoptosis of human cultured endothelial cells induced by oxidized LDL. *British Journal of Pharmacy* **1998**, *123*, 565-73.
244. Kim, H. K.; Cheon, B. S.; Kim, Y. H.; Kim, S. Y.; Kim, H. P. Effects of naturally occurring flavonoids on nitric oxide production in the macrophage cell line RAW 264.7 and their structure-activity relationships. *Biochemical Pharmacology* **1999**, *58*, 759-65.
245. Togna, G. I.; Togna, A. R.; Franconi, M.; Marra, C.; Guiso, M. Olive Oil Isochromans Inhibit Human Platelet Reactivity. *Journal of Nutrition* **2003**, *133*, 2532-36.
246. Miles, E. A.; Zoubouli, P.; Calder, P. C. Differential anti-inflammatory effects of phenolic compounds from extra virgin olive oil identified in human whole blood cultures. *Nutrition* **2005**, *21*, 389-94.
247. Martinez-Dominguez, E.; de la Puerta, R.; Ruiz-Gutierrez, V. Protective effects upon experimental inflammation models of a polyphenol-supplemented virgin olive oil diet. *Inflammation Research* **2001**, *50*, 102-06.
248. Bogani, P.; Galli, C.; Villa, M.; Visioli, F. Postprandial anti-inflammatory and antioxidant effects of extra virgin olive oil. *Atherosclerosis* **2007**, *190*, 181-86.
249. Fito, M. and others. Antioxidant effect of virgin olive oil in patients with stable coronary heart disease: a randomized, crossover, controlled, clinical trial. *Atherosclerosis* **2005**, *181*, 149-58.
250. Esterbauer, H.; Gebicki, J.; Puhl, H.; Jurgens, G. The Role of Lipid-Peroxidation and Antioxidants in Oxidative Modification of Ldl. *Free Radical Biology and Medicine* **1992**, *13*, 341-90.
251. Louheranta, A. M.; Porkkala-Sarataho, E. K.; Nyssonen, M. K.; Salonen, R. M.; Salonen, J. T. Linoleic acid intake and susceptibility of very-low-density and low density lipoproteins to oxidation in men. *The American Journal of Clinical Nutrition*. **1996**, *63*, 698-703.
252. Gimeno E.; de la Torre-Carbot K.; Lamuela-Raventós R.M.; Castellote A.I.; Fitó M.; Covas M.I.; López-Sabater M.C. Changes in phenolic content of low density lipoprotein after olive oil consumption in men: a randomized controlled trial. *British Journal of Nutrition* **2007**, *In press*.
253. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
254. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; Torrents, J.; de la Torre, C.; Marrugat, J. Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation. *Lipids* **2000**, *35*, 633-38.

255. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; de la Torre, C.; Marrugat, J. Olive oil and inhibition of low density lipoprotein oxidation. Role of phenolic compounds. *Medicina Clinica* **2000**, *115*, 166-69.
256. Lamuela-Raventós, R. M.; Gimeno, E.; Fitó, M.; Castellote, A. I.; Covas, M. I.; de la Torre-Boronat, M. C.; López-Sabater, M. C. Interaction of Olive Oil Phenol Antioxidant Components with Low-density Lipoprotein. *Biological Research* **2004**, *37*, 247-52.
257. Bendini, A.; Bonoli, M.; Cerretani, L.; Biguzzi, B.; Lercker, G.; Toschi, T. G. Liquid-liquid and solid-phase extractions of phenols from virgin olive oil and their separation by chromatographic and electrophoretic methods. *Journal of Chromatography A* **2003**, *985*, 425-33.
258. Briante, R.; La Cara, F.; Tonziello, M. P.; Febbraio, F.; Nucci, R. Antioxidant activity of the main bioactive derivatives from oleuropein hydrolysis by hyperthermophilic beta-glycosidase. *Journal of Agricultural and Food Chemistry* **2001**, *49*, 3198-203.
259. De La Torre-Carbot, K.; Jauregui, O.; Gimeno, E.; Castellote, A. I.; Lamuela-Raventos, R. M.; Lopez-Sabater, M. C. Characterization and quantification of phenolic compounds in olive oils by solid-phase extraction, HPLC-DAD, and HPLC-MS/MS. *Journal of Agricultural and Food Chemistry* **2005**, *53*, 4331-40.
260. Fito, M.; Covas, M. I.; Lamuela-Raventos, R. M.; Vila, J.; Torrents, J.; de la Torre, C.; Marrugat, J. Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation. *Lipids* **2000**, *35*, 633-38.
261. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
262. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
263. Covas, M. I. and others. Postprandial LDL phenolic content and LDL oxidation are modulated by olive oil phenolic compounds in human. *Free Radical Biology and Medicine* **2006**, *40*, 608-16.
264. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
265. De La Torre-Carbot, K.; Chavez-Servin, J. L.; Jauregui, O.; Castellote, A. I.; Lamuela-Raventos, R. M.; Fito, M.; Covas, M. I.; Munoz-Aguayo, D.; Lopez-Sabater, M. C. Presence of virgin olive oil phenolic metabolites in human low density lipoprotein fraction: Determination by high-performance liquid chromatography-electrospray ionization tandem mass spectrometry. *Analytica Chimica Acta* **2007**, *583*, 402-10.

266. Caturla, N.; Perez-Fons, L.; Estepa, A.; Micol, V. Differential effects of oleuropein, a biophenol from *Olea europaea*, on anionic and zwitterionic phospholipid model membranes. *Chemistry and Physics of Lipids* **2005**, *137*, 2-17.
267. Miro-Casas, E.; Covas, M. I.; Fito, M.; Farre-Albadalejo, M.; Marrugat, J.; De La Torre, R. Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans. *European Journal of Clinical Nutrition* **2003**, *57*, 186-90.
268. Miro-Casas, E.; Covas, M. I.; Farre, M.; Fito, M.; Ortuno, J.; Weinbrenner, T.; Roset, P.; De La Torre, R. Hydroxytyrosol disposition in humans. *Clinical Chemistry* **2003**, *49*, 945-52.
269. Miro-Casas, E.; Albaladejo, M. F.; Covas, M. I.; Rodriguez, J. O.; Colomer, E. M.; Raventos, R. M. L.; De La Torre, R. Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake. *Analytical Biochemistry* **2001**, *294*, 63-72.
270. Visioli, F.; Galli, C. Olive oil: more than just oleic acid. *American Journal of Clinical Nutrition* **2000**, *72*, 853.
271. Fito, M.; Gimeno, E.; Covas, M. I.; Miro, E.; Lopez-Sabater, M. D.; Farre, M.; De La Torre, R.; Marrugat, J. Postprandial and short-term effects of dietary virgin olive oil on: Oxidant/antioxidant status. *Lipids* **2002**, *37*, 245-51.
272. Fito, M. and others. Antioxidant effect of virgin olive oil in patients with stable coronary heart disease: a randomized, crossover, controlled, clinical trial. *Atherosclerosis* **2005**, *181*, 149-58.

