

Degradation of lingual orthodontics archwires

The effect of corrosion and nickel release on their properties

Carlos Suárez Martínez

Directors

Dr. María Teresa Vilar Martínez (UB)
Dr. Francesc Xavier Gil Mur (UPC)

Department of Odontostomatology
PhD Program: Clinical Techniques in Odontostomatology (2003-2005)

Faculty of Dentistry. University of Barcelona
4th of December 2007

6. References

1. Kurz C, Swartz ML, Andreiko C. Lingual Orthodontics: a status report. Part 2: Research and development. *J Clin Orthod* 1982; 16:735-40
2. Fujita K. New orthodontic treatment with lingual bracket and mushroom archwire appliance. *Am J Orthod* 1979; 76:657-75
3. Fujita K. Multilingual bracket and mushroom arch wire technique. A clinical report. *Am J Orthod* 1982; 82:120-40
4. Scuzzo G, Takemoto K, Fillion D. STb bracket pre-congress course. First World Society of Lingual Orthodontics Congress. Oral dissertation. New York, 2nd of March 2006
5. Breece GL, Nieberg LG. Motivations for adult orthodontic treatment. *J Clin Orthod* 1986; 20:166-71
6. Scuzzo G, Takemoto K. Invisible Orthodontics. Current concepts and solutions in lingual orthodontics. Quintessence Publishing (IL) 2003
7. Walker MP, White RJ, Kula KS. Effect of fluoride prophylactic agents on the mechanical properties of nickel-titanium-based orthodontic wires. *Am J Orthod Dentofac Orthop* 2005; 127:662-9
8. Swartz ML. Re: Kaneko K, et al. Degradation in performance of orthodontic wires caused by hydrogen absorption during short-term immersion in 2.0% acidulated phosphate fluoride solution. *Angle Orthod* 2004; 74:487-95
9. Yokoyama K, Kaneko K, Ogawa T, Moriyama K, Asaoka K, Sakai J. Hydrogen embrittlement of work-hardened Ni-Ti alloy in fluoride solutions. *Biomaterials* 2005; 26:101-8
10. Schiff N, Grosogoeat B, Lissac M, Dalard F. Influence of fluoridated mouthwashes on corrosion resistance of orthodontics wires. *Biomaterials* 2004; 25:4535-42
11. Ogawa T, Yokoyama K, Asaoka K, Sakai J. Hydrogen absorption behavior of beta titanium alloy in acid fluoride solutions. *Biomaterials* 2004; 25:2419-25

12. Kaneko K, Yokoyama K, Moriyama K, Asaoka K, Sakai J, Nagumo M. Delayed fracture of beta titanium orthodontic wire in fluoride aqueous solutions. *Biomaterials* 2003; 24:2113-20
13. Neumann P, Bourauel C, Jager A. Corrosion and permanent fracture resistance of coated and conventional orthodontic wires. *J Mater Sci Mater Med* 2002; 13:141-7
14. Widu F, Drescher D, Junker R, Bourauel C. Corrosion and biocompatibility of orthodontic wires. *J Mater Sci Mater Med* 1999; 10:275-81
15. Huang HH, Chiu YH, Lee TH, Wu SC, Yang HW, Su KH, Hsu CC. Ion release from NiTi orthodontic wires in artificial saliva with various acidities. *Biomaterials* 2003; 24:3585-92
16. Huang HH. Variation in corrosion resistance of Nickel-Titanium wires from different manufacturers. *Angle Orthod* 2005; 75:661-5
17. Es-Souni M, Fischer-Brandies H, Es-Souni M. On the in vitro biocompatibility of Elgiloy, a Co-based alloy, compared to two titanium alloys. *J Orofac Orthop* 2003; 64:16-26
18. El Medawar L, Rocher P, Hornez JC, Traisnel M, Breme J, Hildebrand HF. Electrochemical and cytocompatibility assessment of NiTiNOL memory shape alloy for orthodontic use. *Biomol Eng* 2002; 19:153-60
19. Fitjer LC, Jonas IE, Kappert HF. Corrosion susceptibility of lingual wire extensions in removable appliances. An in vitro study. *J Orofac Orthop* 2002; 63:212-26
20. Lee SH, Chang YI. Effects of recycling on the mechanical properties and the surface topography of nickel-titanium alloy wires. *Am J Orthod Dentofac Orthop* 2001; 120:654-63
21. Rondelli G, Vicentini B. Evaluation by electrochemical tests of the passive film stability of equiatomic Ni-Ti alloy also in presence of stress-induced martensite. *J Biomed Mater Res* 2000; 51:47-54
22. Hunt NP, Cunningham SJ, Golden CG, Sheriff M. An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires. *Angle Orthod* 1999; 69:433-40

23. Rondelli G, Vicentini B. Localized corrosion behaviour in simulated human body fluids of commercial Ni-Ti orthodontic wires. *Biomaterials* 1999; 20:785-92
24. Kim H, Johnson JW. Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires. *Angle Orthod* 1999; 69:39-44
25. Edie JW, Andreasen GF, Zaytoun MP. Surface corrosion of nitinol and stainless steel under clinical conditions. *Angle Orthod* 1981; 51:319-24
26. Eliades T, Zinelis S, Papadopoulos MA, Eliades G, Athanasiou AE. Nickel content of as-received and retrieved NiTi and stainless steel archwires: assessing the nickel release hypothesis. *Angle Orthod* 2004; 74:151-4
27. Cioffi M, Gilliland D, Ceccone G, Chiesa R, Cigada A. Electrochemical release testing of nickel-titanium orthodontic wires in artificial saliva using thin layer activation. *Acta Biomaterialia* 2005; 1:717-24
28. Wang J, Li N, Rao G, Han E, Ke W. Stress corrosion cracking of NiTi in artificial saliva. *Dent Mater* 2007; 23:133-7
29. Schiff N, Boinet M, Morgon L, Lissac M, Dalard F, Grosogeat B. Galvanic corrosion between orthodontic wires and brackets in fluoride mouthwashes. *Eur J Orthod* 2006; 28:298-304
30. Oh K-T, Kim K-N. Ion release and cytotoxicity of stainless steel wires. *Eur J Orthod* 2005; 27: 533-40
31. Iijima M, Endo K, Yuasa T, Ohno H, Hayashi K, Kakizaki M, Mizoguchi I. Galvanic corrosion behavior of orthodontic archwire alloys coupled to bracket alloys. *Angle Orthod* 76; 4:705-11
32. Verstrynge A, van Humbeeck J, Willems G. In-vitro evaluation of the material characteristics of stainless steel and beta-titanium orthodontic wires. *Am J Orthod Dentofac Orthop* 2006; 130:460-70

33. Williams DF, Black J, Doherty PJ. Consensus report of second conference on definitions in biomaterials. In: Doherty PJ, Williams RL, Williams DF, Lee AJC, editors. Biomaterial-tissue interfaces, Volume 10. Amsterdam: Elsevier. 1992; p 525-33.
34. McCann HC. Inorganic components of salivary secretions. In: Harris RS, editor. Art and Science of Dental Caries Research. New York: Academic Press; 1968. p. 55-70
35. Degnan TF. Corrosion by hydrochloric acid. In: Korb LJ, Olson DL, editors. Corrosion. ASM Handbook, vol 13. Materials Park, OH: ASM International; 1987. p. 1162-66
36. Brantley WA. Orthodontic wires. In: Brantley WA, Eliades T, editors. Orthodontic Materials: Scientific and Clinical Aspects. Stuttgart: Thieme; 2001. p. 77-103
37. Eliades T, Eliades G, Brantley WA. Orthodontic brackets. In: Brantley WA, Eliades T, editors. Orthodontic Materials: Scientific and Clinical Aspects. Stuttgart: Thieme; 2001. p. 143-72
38. Barton K. Protection against atmospheric corrosion. New York: Wiley, 1973
39. Palaghias G. Oral corrosion and corrosion inhibition processes: An in vitro study. Swed Dent J Suppl 1985; 30:1-72
40. Tatnall RE. Microbial corrosion of metals. Mater Perform 1981; 20:32-40
41. Pope DH, Stoecker JD. Microbiologically influenced corrosion. In: Moniz BJ, Pollock WI, editors. Process Industries Corrosion. Houston: National Association of Corrosion Engineers; 1986. p. 235-46
42. Black J. Biological performance of materials: Fundamentals of biocompatibility. New York: Marcel Decker, 1999:28-44
43. Matasa CG. Microbial attack of orthodontic adhesives. Am J Orthod Dentofac Orthop 1995; 108:132-41
44. McKay GC, Macnair R, MacDonald C, Grant MH. Interactions of orthopaedic metals with an immortalized rat osteoblast cell line. Biomaterials 1996; 17:1339-44

45. Kerosuo H, Kullaa A, Kerosuo E, Kanerva L, Hensten-Pettersen A. Nickel allergy in adolescents in relation to orthodontic treatment and piercing of ears. *Am J Orthod Dentofac Orthop* 1996; 109:148-54
46. Berger-Gorbet M, Broxup B, Rivard C, Yahia L'H. Biocompatibility testing of Ni-Ti screw using immuno histochemistry on sections containing metallic implants. *J Biomed Mater Res* 1996; 32:243-8
47. Bass JK, Fine H, Cisnero CJ. Nickel hypersensitivity in the prosthodontics patient. *Am J Orthod Dentofac Orthop* 1993; 103:280-5
48. Moffa JP. *Calif Dent Assoc J*. 1984; 12:45
49. Grimsdottir MR, Hensten-Pettersen A, Kulmann A. Proliferation of nickel sensitive human lymphocytes by corrosion products of orthodontic appliances. *Biomaterials* 1994; 15:1157-1160
50. Grimsdottir MR, Hensten-Pettersen A, Kulmann A. Cytotoxic effect of orthodontic appliances. *Eur J Orthod* 1992; 14:47-53
51. Ryhanen J, Niemi E, Serlo W, Niemela E, Sandvik P, Pernu H, Salo T. Biocompatibility of nickel-titanium shape memory metal and its corrosion behavior in human cell cultures. *J Biomed Mater Res* 1997; 35:451-7
52. Castleman LS, Motzkin SM. In: Williams DF, editor. *Biocompatibility of clinical implant materials*. Boca Raton: CRC Press;1981. p. 129
53. International Agency for Research on Cancer. *Monographs on the evaluation of carcinogenic risk of chemicals to humans*. IARC, Lyon, France, 1996
54. Zhou D, Salnikow K, Costa M. Cap 43, a novel gene specifically induced by Ni²⁺ compounds. *Cancer Res* 1998; 58:2182-9
55. Salnikow K, Gao M, Voitkun V, Huang X, Costa M. Altered oxidative stress responses in nickel-resistant mammalian cells. *Cancer Res* 1994; 24:6407-12
56. Maurer AM, Merritt K, Brown SA. Cellular uptake of titanium and vanadium from addition salts or fretting corrosion in vitro. *J Biomed Mater Res* 1994; 28:241-6

57. Locci P, Becchetti E, Pugliese M, Rossi L, Lilli C, Calvitti M, Staffolani N. Metal substrates influence the release of glycosaminoglycans and transforming growth factor b by human bone cells. *J Periodont* 1996; 67:1260-6

58. Putters JL, Kaulesar Sukul DM, Zeeuw GR, Bijma A, Besselink PA. Comparative cell culture effects of shape memory metal (Nitinol), nickel and titanium: a biocompatibility estimation. *Eur Surg Res* 1992; 24:378-82

59. Torgersen S, Moe G, Jonsson R. Immunocompetent cells adjacent to stainless steel and titanium miniplates and screws. *Eur J Oral Sci* 1995; 103:46-54

60. Costa MA, Fernandes MH. Proliferation/differentiation of osteoblastic human alveolar bone cell cultures in the presence of stainless steel corrosion products. *J Mater Sci Mater Med* 2000; 11:141-6

61. Salnikow K, Su W, Blagosklonny MV, Costa M. Carcinogenic metals induce hypoxia-inducible factor-stimulated transcription reactive oxygen species-independent mechanism. *Cancer Res* 2000; 60:3375-8

62. Vreeburg KJJ, de Groot K, von Blomberg BME, Scheper RJ. Induction of immunological tolerance by oral administration of nickel and chromium. *J Dent Res* 1984; 63:124-8

63. Wataha JC, Lockwood PE, Marek M, Ghazi M. Ability of Ni-containing biomedical alloys to activate monocytes and endothelial cells in vitro. *J Biomed Mater Res* 1999; 45:251-7

64. Liang R, Senturker S, Shi X, Bal W, Dizdaroglu M, Kasprzak KS. Effects of Ni (II) and Cu (II) on DNA interaction with the N-terminal sequence of human protamine P2: enhancement of binding and mediation of oxidative DNA strand scission and base damage. *Carcinogenesis* 1999; 20:893-8

65. Lloyd DR, Phillips DH. Oxidative DNA damage mediated by copper, iron and nickel fenton reactions:evidence for site-specific mechanisms in the formation of double-strand breaks, 8-hydroxydeoxyguanosine and putative intrastrand cross-links. *Mutat Res* 1999; 424:23-36

66. Lee YW, Kline CB, Kargacin B. Carcinogenic nickel silences gene expression by chromatin condensation and DNA methylation: a new model for epigenetic carcinogens. *Mol Cell Biol* 1995; 5:2547-57

67. Lee YW, Broday L, Costa M. Effects of nickel on DNA methyltransferase activity and genomic DNA methylation levels. *Mutat Res* 1998; 415:213-8
68. Veinen NK, Borchorst E, Hattel T, Laurberg G. Stomatitis or systemically-induced contact dermatitis from metal wire in orthodontic materials. *Contact Dermatitis* 1994; 30:210-3
69. Wataha JC, Sun ZL, Hanks CT, Fang DN. Effect of Ni ions on expression of intercellular adhesion molecule 1 by endothelial cells. *J Biomed Mater Res* 1997; 36:145-51
70. Pereira MC, Pereira ML, Sousa JP. Histological effects of iron accumulation on mice liver and spleen after administration of a metallic solution. *Biomaterials* 1999; 20:2193-8
71. Chen CY, Sheu JY, Lin TH. Oxidative effects of nickel on bone marrow and blood of rats. *J Toxicol Environ Health* 1999; 58:475-83
72. Madden MC, Thomas MJ, Ghio AJ. Acetaldehyde production in rodent lungs after exposure to metal-rich particles. *Free Radic Biol Med* 1999; 26:1569-77
73. Ghio AJ, Carter JD, Dailey LA, Devlin RB, Samet JM. Respiratory epithelial cells demonstrate lactoferrin receptors that increase after metal exposure. *Am J Physiol* 1999; 276:933-40
74. The American Iron and Steel Institute (AISI) website: www.steel.org
75. The Specialty Steel Industry of North America (SSINA) website: www.ssina.com
76. Wikipedia website: www.wikipedia.org
77. Simmons, JW. High-nitrogen alloying of stainless steels, *Materials Science and Engineering*, A207 (1996) 159-169
78. Rawers, J. and M. Grujicic. Effects of metal composition and temperature on the yield strength of nitrogen strengthened stainless steels, *Materials Science and Engineering*, A207 (1996) 188-194
79. Echarri P. *Ortodoncia Lingual. Técnica completa paso a paso*. Nexus Ediciones 2003

80. Buehler WJ, Wiley RC. TiNi- Ductile intermetallic compound. *Trans ASM* 1962;55:269-76

81. Buehler WJ, Wang FE. A summary of recent research on the Nitinol alloys and their potential application in ocean engineering. *Ocean Eng* 1967; 1:105-20

82. Wayman CM. Martensitic and the shape memory effect. *ASM News* 1977; May: pp. 4 and 6

83. Schetky LMCD. Shape-memory alloys. *Scientific American* 1979; 241:74-82

84. Otsuka K, Wayman CM. Mechanism of shape memory effect and superelasticity. In: Otsuka K, Wayman CM, editors. *Shape memory materials*. Cambridge. Cambridge University Press; 1998. p. 27-48

85. Greninger AB, Mooradian VG. Strain transformation in metastable beta copper-zinc and beta copper-tin alloys. *Trans AIME* 1938; 128:337-68

86. Kurdjumov GV, Khandros LG. *Dokl Akad Nauk SSSR* 1949; 66:211-13

87. Chang LC, Read TA. Plastic deformation and diffusionless phase changes in metals - The gold-cadmium beta phase. *Trans AIME* 1951; 189:47-52

88. Castleman LS, Motzkin SM, Alicandri FP, Bonawit VL. Biocompatibility of nitinol alloy as an implant material. *J Biomed Mater Res* 1976; 10:695-731

89. Cutright DE, Bhaskar SN, Perez B, Johnson RM, Cowan GSJ. Tissue reaction to nitinol wire alloy. *Oral Surg Oral Med Oral Pathol* 1973; 35:578-84

90. Iwabuchi T, Suzuki S, Ebina K, Honma T. Memory clip for intracranial aneurysm surgery. Technical note. *J Neurosurg* 1975; 42:733-735

91. Simon M, Kaplow R, Salzman E, Freiman D. A vena cava filter using thermal shape memory alloy. Experimental aspects. *Radiology* 1977; 125:87-94

92. Andreasen GF, Fahl JL. Alloys, Shape Memory. In: Webster JG, editor. *Encyclopedia of medical devices and instrumentation, Volume 2*. New York: Wiley; 1987. p 15-20

93. Hanawa T. Titanium and its oxide film: a substrate for formation of apatite. In: Davies JE, editor. The bone-biomaterial interface. Toronto: University of Toronto press;1991. p. 49-61
94. Oshida Y, Sachdeva RC, Miyazaki S. Microanalytical characterization and surface modification of TiNi orthodontic archwires. *Biomed Mater Eng* 1992; 2:51-62
95. Endo K. Chemical modification of metallic implant surfaces with biofunctional proteins (Part 1). Molecular structure and biological activity of a modified NiTi alloy surface. *Dent Mater J* 1995; 14:185-98
96. Endo K. Chemical modification of metallic implant surfaces with biofunctional proteins (Part 2). Corrosion resistance of a chemically modified NiTi alloy. *Dent Mater J* 1995; 14:199-210
97. Shabalovskaya SA. On the nature of the biocompatibility and on medical applications of NiTi shape memory and superelastic alloys. *Biomed Mater Eng* 1996; 6:267-289
98. Yahia LH, Lombardi S, Piron D, Klemberg-Sapieha JE, Wertheimer MR. NiTi shape memory alloys treated by plasma-polymerized tetrafluoroethylene. A physicochemical and electrochemical characterization. *Med Prog Technol* 1996; 21:187-193
99. Textor M, Sittig C, Frauchiger V, Tosatti S, Brunette DM. Properties and biological significance of natural oxide films on titanium and its alloys. In: Brunette et al, editors. Titanium in Medicine. Springer-Verlag. Berlin and Heidelberg, p. 171-230
100. Trigwell S, Selvaduray G. Effects of surface finish on the corrosion of NiTi alloy for biomedical applications. In: Pelton AR, Hodgson D, Russell SM, Duerig TW, editors. Shape memory and superelastic technologies. Pacific Grove, CA:proceedings of SMST -97, SMST; 1997. p 383-388
101. Duerig TW, Zadno R. An engineer's perspective of pseudoelasticity. In: Duerig TW, editor. Engineering aspects of shape memory alloys. London: Butterworth-Heinemann;1990, p369-93
102. <http://www.ultimateniti.com/documents.cfm?cid=4> Obtained 14th february 2007
103. Funakubo H. Shape memory alloys. Gordon and Breach Science Publishers, New York, 1987

104. Meling TR, Ødegaard J. The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending. *Am J Orthod Dentofac Orthop* 2001; 119:263-73
105. Gil FJ, Planell JA. In vitro thermomechanical ageing of Ni-Ti alloys. *J Biomater Appl* 1998; 12:237-48
106. Shimizu K, Tadaki T. Shape Memory Effect: Mechanism. In: Funakubo H, editor. *Shape memory alloys*. New York: Gordon and Breach Science; 1987. p 1-60
107. Duerig TW, Pelton AR, Stockel D. The utility of superelasticity in medicine. *Biomed Mater Eng* 1996; 6:255-266
108. Kusy RP, Wilson TW. Dynamic mechanical properties of straight titanium alloy arch wires. *Dent Mater* 1990; 6:228-36
109. Goldberg AJ, Morton J, Burstone CJ. The flexure modulus of elasticity of orthodontic wires. *J Dent Res* 1983; 62:856-8
110. Stush AM, Kusy RP. Geometric and material parameters of a nickel-titanium and a beta-titanium orthodontic arch wire alloy. *Dent Mater* 1987; 3:207-17
111. Williams DE. Special Metal Corp, Hartford, NY, private communication (1986)
112. Kusy RP, Greenberg AR. Effects of composition and cross section on the elastic properties of orthodontic arch wires. *Angle Orthod* 1981; 51:325-41
113. Nitinol, Innovative Technology International, Inc, Beltsville, Md, promotional literature (undated)
114. Kousbroek R. Shape memory alloys. In: Ducheyne P, Hastings GW, editors. *Metal and ceramic biomaterials, vol II: Strength and surface*. Boca Raton, Flo: CRC Press; 1984. p. 73-5
115. Farzin-Nia F. Sybron Dental Specialties, Inc, Glendora, Calif, private communication (1995)

116. Lyman T (ed). Metals handbook, vol 8: Metallography, structures, and phase diagrams, 8th ed. Metals Park, OH: American Society for Metals, 1973, p.326
117. Golberg AJ, Burstone CJ. An evaluation of beta titanium alloys for use in orthodontic appliances. *J Dent Res* 1979; 58:593-600
118. Burstone CJ, Goldberg AJ. Beta titanium: a new orthodontic alloy. *Am J Orthod* 1980; 77:121-32
119. Kusy RP. Comparison of nickel-titanium and beta titanium wire sizes to conventional orthodontic arch wire materials. *Am J Orthod* 1981; 79:625-9
120. Kusy RP, Greenberg AR. Comparison of the elastic properties of nickel-titanium and beta titanium archwires. *Am J Orthod* 1982; 82:199-205
121. Drake SR, Wayne DM, Powers JM, Asgar K. Mechanical properties of orthodontic wires in tension, bending and torsion. *Am J Orthod* 1982; 82:206-10
122. Goldberg AJ, Burstone CJ. Status report on beta-titanium orthodontic wires. Council on Dental Materials, Instruments, and Equipment. *J Am Dent Assoc* 1982; 105:684-5
123. Kusy RP. On the use of nomograms to determine the elastic property ratios of orthodontic archwires. *Am J Orthod* 1983; 83:374-81
124. Donovan MT, Jing-Jong Lin J, Brantley WA, Conover JP. Weldability of beta titanium archwires. *Am J Orthod* 1984; 85:207-16
125. Kapila S, Sachdeva R. Mechanical properties and clinical applications of orthodontic wires. *Am J Orthod Dentofac Orthop* 1989; 96:100-9
126. Mendes K, Rossouw PE. Friction: validation of manufacturer's claim. *Semin Orthod* 2003; 9:236-50
127. Cacciafesta V, Sfondrini MF, Scribante A, Klersy C, Auricchio F. Evaluation of friction of conventional and metal-insert ceramic brackets in various bracket-archwire combinations. *Am J Orthod Dentofac Orthop* 2003; 124:403-9

128. Cash A, Curtis R, Garrigia-Majo D, McDonald F. A comparative study of the static and kinetic frictional resistance of titanium molybdenum alloy archwires in stainless steel brackets. *Eur J Orthod* 2004; 26:105-11
129. Garner LD, Allai WW, Moore BK. A comparison of frictional force during simulated canine retraction of a continuous edgewise arch-wire. *Am J Orthod Dentofac Orthop* 1986; 90:199-203
130. Tidy DC. Frictional forces in fixed appliances. *Am J Orthod Dentofac Orthop* 1989; 96:249-54
131. Kapila S, Angolkar PV, Duncanson MG Jr, Nanda RS. Evaluation of friction between edgewise stainless steel brackets and orthodontic wires of four alloys. *Am J Orthod Dentofac Orthop* 1990; 98:117-26
132. Vaughan JL, Duncanson MG Jr, Nanda RS, Currier GF. Relative kinetic frictional forces between sintered stainless steel brackets and orthodontic wires. *Am J Orthod Dentofac Orthop* 1995; 107:20-7
133. Johnson E. Relative stiffness of beta titanium archwires. *Angle Orthod* 2003; 73:259-69
134. Burstone CJ. Welding of TMA wire-clinical applications. *J Clin Orthod* 1987; 21:609-14
135. Burstone CJ. Variable-modulus orthodontics. *Am J Orthod* 1981; 80:81-6
136. Andreasen GF, Hilleman TB. An evaluation of 55 cobalt substituted Nitinol wire for use in orthodontics. *J Am Dent Assoc* 1971; 82:1373-5
137. Bourauel C, Fries T, Drescher D, Plietsch R. Surface roughness of orthodontic wires via atomic force microscopy, laser specular reflectance, and profilometry. *Eur J Orthod* 1998; 20:79-92
138. Fischer-Brandies H, Es-Souni M, Kock N, Raetzke K, Bock O. Transformation behavior, chemical composition, surface topography and bending properties of five selected 0.016"x0.022" NiTi archwires. *J Orofac Orthop* 2003; 64:88-99

139. Gal JY, Fovet Y, Adib-Yadzi M. About a synthetic saliva for in vitro studies. *Talanta* 2001; 53:1103-15
140. Cisse O, Savadogo O, Wu, M, Yahia LH. Effect of surface treatment on NiTi alloy on its corrosion behaviour in Hank's solution. *J Biomed Mater Res* 2002; 61:339-45
141. Geis-Gerstorfer J, Weber H. Effect of potassium thiocyanate on corrosion behavior of non-precious metal dental alloys. *Dtsch Zahnärztl Z* 1985; 40:87-91
142. Horcas I, Fernandez R, Gomez-Rodriguez JM, Colchero J, Gomez-Herrero J, Baro AM. *Review of Scientific Instruments* 2007; 78, 013705
143. Vilar MT, Bosch R. Tratamiento térmico, corrosión y pulido electrolítico en alambres de ortodoncia. *Ortod Esp* 1989; 30:11-6
144. Leckie HP. A contribution to the applicability of critical pitting potentials. *J Electrochem Soc* 1970; 117:1152-4
145. Janik-Czachor M. On the determination of pitting resistance of iron alloys from measurements of characteristic potentials. *Werkstoffe Korros* 1980; 31:606-10
146. Shibata T. *Trans ISIJ* 1983; 23:785
147. Bond P, Lizlovs EA. Anodic polarization of austenitic stainless steels in chloride media. *J Electrochem Soc* 1968; 115:1130-5
148. Manning PE. The effect of scan rate on pitting potentials of high performance alloys in acidic chloride solution. *Corrosion* 1980; 36:468-74
149. Mangin M, Molière M, Pagetti J, Regianne JC, Verdier Y. *Mem Sci Revue Métall* 1989; 86:427
150. Alonso N, Wolyneec S. *Anais do 17º Congresso Brasileiro de Corrosão outubro 1993, Rio de Janeiro-RJ*, 2:980
151. Johnson MJ. In Henthorne M, ed. *Localized Corrosion: Cause of Metal Failure (ASTM STP 516)*, ed ASTM, Philadelphia, PA, USA, p. 262, 1972

152. Barbosa MA, Garrido A, Campilho A, Sutherland I. The surface composition and corrosion behaviour of AISI 304 stainless steel after immersion in 20% HNO₃ solution. *Corros Sci* 1991; 32:179
153. Sydberger T. Influence of the surface state on the initiation of crevice corrosion on stainless steel. *Werkstoffe Korros* 1981; 32:119-28
154. Berge P. *Corros Anti-Corros* 1967; 15:3
155. Crolet JL, Séraphin L, Tricot R. *Mem Sci Revue Métall* 1977; 74:647
156. Manning PE, Duquette CJ, Savage WF. The effect of test method and surface condition on pitting potential of single duplex phase 304 stainless steel. *Corrosion* 1979; 35:151-57
157. Eliades T, Eliades G, Athanasiou AE, Bradley TG. Surface characterization of retrieved NiTi orthodontic archwires. *Eur J Orthod* 2000; 22:317-26
158. Alonso-Falleiros N, Wolyneć S. Correlation between corrosion potential and pitting potential for AISI 304L austenitic stainless steel in 3,5% NaCl Aqueous Solution. *Mater Res* 2002 ; 5:77-84
159. Meling TR, Ødegaard J. On the variability of cross-sectional dimensions and torsional properties of rectangular nickel-titanium arch wires. *Am J Orthod Dentofac Orthop* 1998; 113:546-57
160. Siatkowski RE. Loss of anterior torque control due to variations in bracket slot and archwire dimensions. *J Clin Orthod* 1999; 33:508-10
161. Speck KM, Fraker AC. Anodic polarization behavior of Ti-Ni and Ti-6Al-4V in simulated physiological solutions. *J Dent Res* 1990; 59:1590-5
162. Sedriks AJ, Green AJ, Novak DL. Electrochemical behavior of Ti-Ni alloys in acidic chloride solutions. *Corrosion* 1972; 28:137-42
163. Rondelli G, Vicentini B, Cigada A. The corrosion behavior of nickel titanium shape memory alloys. *Corr Sci* 1990; 30:805-12

164. Sarkar NK, Redmond W, Schwaninger BM, Goldberg JA. The chloride corrosion behaviour of four orthodontic wires. *J Dent Res (Suppl Issue A)* 1979; 53:98
165. Hwang WS, Kim KJ, Seo WC. Pitting corrosion of Ti-Ni shape memory alloy in deaerated chloride solution. 13th Int Corrosion Congr., Melbourne, Australia, 25-29 November 1996: paper 381
166. Kimura H, Sohmura T. Surface coating on Ni-Ti shape memory implant alloy. *J Osaka Univ Dent School* 1987; 27:211-23
167. Nakayama Y, Yamamuro T, Kumar P, Shimizu K, Kotoura Y, Oka M. In vitro measurement of anodic polarization of orthopaedic implant alloys: comparative study of in vivo and in vitro experiments. *Biomaterials* 1989; 10:420-4
168. Trepanier C, Tabrizian M, Yahia L'H, Bilodeau L, Piron DL. Improvement of the corrosion resistance of Ni-Ti stents by surface treatments. *Mater Res Soc Symp Proc* 1997; 459:363-8
169. Sarkar NK, Greener EH. In vitro corrosion resistance of new dental alloys. *Biomat Med Dev Art Org* 1973; 1:121
170. Hoar TP, Mears DC. Corrosion resistant alloys in chloride solutions: materials for surgical implants. *Proc Roy Soc Ser A* 1966; 294:486
171. Sarkar NK, Greener EH. In vitro corrosion resistance of new dental alloys. *Biomat Med Dev Art Org* 1973; 1:121
172. Mueller H, Greener E. Polarization studies of surgical implant materials in Ringer's solution. *J Biomed Mat Res* 1970; 4:29
173. Greer KW, Luckey HA. Corrosion characteristics of Ti-6Al-4V ELI in orthopedic devices. Presented at MATCON'74, ASM/TMS-AIME. Detroit, Oct 22, 1974.
174. Revie RW, Greene ND. Corrosion behavior of surgical implant material:I. Effects of sterilization. *Corr Sci* 1969; 9:755
175. Revie RW, Greene ND. Corrosion behavior of surgical implant material:II. Effects of surface preparation. *Corr Sci* 1969; 9:763

176. Levy M, et al. The corrosion behavior of Titanium alloys in chloride solutions: Materials for surgical implants. Publ No. AD 753 573, NTIS, U.S. Dept of Commerce, 1972
177. Dumbleton JH, Miller EH. Failure of metallic orthopedic implants. In: Failure analysis and prevention, metals handbook, vol. 10, 8th ed. ASM, 1975:571
178. Fraker AC, Ruff AW, Yeager MP. Corrosion of Titanium alloys in physiological solutions. Proc 2nd Int Ti conf, Boston, 1972. New York: Plenum Press, 1973
179. Iijima M, Endo K, Ohno H, Mizoguchi I. Effect of Cr and Cu addition on corrosion behavior of Ni-Ti alloys. Dent Mater J 1998; 17:31-40
180. Jean RD, Duh JB. The thermal cycling effect of Ti-Ni-Cu shape memory alloy. Scr Metall Mater 1995; 32:885-90
181. When X, Zhang N, Li X, Cao Z. Electrochemical and histomorphometric evaluation of the Ti-Ni-Cu shape memory alloy. Biomed Mater Eng 1997; 7:1-11
182. Rondelli G, Vicentini B. Effect of copper on the localized corrosion resistance of Ni-Ti shape memory alloy. Biomaterials 2002; 23:639-44
183. Ryan MP, Williams DE, Chater RJ, Hutton BM, McPhail DS. Why stainless steel corrodes. Nature 2002; 415:770-4
184. Sourmail T, Bhadeshia HKDH. Stainless Steels, 2005. At: http://www.msm.cam.ac.uk/phase-trans/2005/Stainless_steels/stainless.html obtained 4th december 2006
185. Delescluse J, Dinet Y. Nickel allergy in Europe: the new European legislation. Dermatology 1994; 189(suppl 2):56-7
186. Smart GA, Sherlock JC. Nickel in foods and the diet. Food Addit Contam 1987; 4:61-71
187. New York State Department of Environmental Conservation. NY State Draft Air Guide-1. Guidelines for the control of toxic ambient air contaminants. NY state 1994:13

188. Park HY, Shearer TR. In vitro release of nickel and chromium from simulated orthodontic appliances. *Am J Orthod* 1983; 84:156-9
189. Kratzenstein B, Koppenburg P, Sauer KH, Weber H. Speichelanalysen kieferorthopädischer patienten zum nachweis geloster metallischer bestandteile. *Quintessenz* 1988; 39:693-703
190. Grimsdottir MR, Gjerdet NR, Hensten-Pettersen A. Composition and in vitro corrosion of orthodontic appliances. *Am J Orthod Dentofac Orthop* 1992; 101:525-32
191. Kerosuo H, Moe G, Kleven E. In vitro release of nickel and chromium from different types of simulated orthodontic appliances. *Angle Orthod* 1995; 65:111-6
192. Jia W, Beatty MW, Reinhardt RA, Petro TM, Cohen DM, Maze CR, Strom EA, Hoffman M. Nickel release from orthodontic archwires and cellular immune response to various nickel concentrations. *J Biomed Mater Res (Appl Biomater)* 1999; 48:488-95
193. Barrett RD, Bishara SE, Quinn JK. Biodegradation of orthodontic appliances, I. Biodegradation of nickel and chromium in vitro. *Am J Orthod Dentofac Orthop* 1993; 103:8-14
194. Boyer R, Welsch G, Collings EW. *Material properties handbook: titanium alloys*. Materials Park, Ohio: ASM International; 1994 p.1035-44, 1065-73
195. Toumelin-Chemla F, Rouelle F, Burdairon G. Corrosive properties of fluoride-containing odontologic gels against titanium. *J Dent* 1996; 24:109-15
196. Oda Y, Kawada E, Yoshinari M, Hasegawa K, Okabe T. The influence of fluoride concentration on the corrosion of titanium and titanium alloys. *Jpn J Dent Mat Dev* 1996; 15:283-88
197. Yokoyama K, Kaneko K, Moriyama K, Asaoka K, Sakai J, Nagumo M. Hydrogen embrittlement of Ni-Ti superelastic alloy in fluoride solution. *J Biomed Mater Res* 2003; 65:182-7
198. Yoneyama T, Doi H, Hamanaka H, Okamoto Y, Mogi M, Miura F. Super-elasticity and thermal behavior of Ni-Ti alloy orthodontic arch wires. *Dent Mater J* 1992; 11:1-10

199. Brantley TG, Brantley WA, Cullbertson BM. Differential Scanning calorimetry (DSC) analyses of superelastic and non-superelastic nickel-titanium orthodontic wires. *Am J Orthod Dentofac Orthop* 1996; 109:589-97

200. Iijima M, Ohno H, Kawashima I, Endo K, Mizoguchi I. Mechanical behavior at different temperatures and stresses for superelastic nickel-titanium orthodontic wires having different transformation temperatures. *Dent Mater* 2002; 18:88-93

201. Brantley WA, Iijima M, Grentzer TH. Temperature modulated DSC provides new insight about nickel-titanium wire transformations. *Am J Orthod Dentofac Orthop* 2003; 124:387-94

202. Mallory DC, Kerr SD, Powers JM, Brantley WA, Guo WH, Iijima M. Observation and explanation of "Dead Wire" phenomenon for 35° C copper Ni-Ti. *J Dent Res* 2003; 82(special issue A) Abstract 1536

203. Biermann MC, Berzins DW, Bradley TG. Thermal analysis of as-received and clinically retrieved copper-nickel-titanium orthodontic archwires. *Angle Orthod* 2007; 77:499-503

204. Gil FJ, Fernandez E, Manero JM, Planell JA, Sabria J, Cortada M, Giner L. A study of load cycling in a NiTi shape memory alloy with pseudoelastic behaviour used in dental prosthetic fixators. *Biomed Mat Eng* 1996; 6:153-7

205. Andreasen GF, Morrow RE. Laboratory and clinical analyses of nitinol wire. *Am J Orthod* 1978; 73:142-51

206. Andreasen GF. Treatment advantages using nitinol instead of 18-8 stainless steel wire with a transition temperature range between 31°C and 45°C. *Amer J Orthod* 1980; 78:528

207. Libenson C, Gil FJ, Planell A. Differences in pseudoelasticity behaviour of nickel-titanium orthodontic wires. *J Mater Sci Mater Med* 1993; 9:281

208. McCoy BP. Comparison of compositions and differential scanning calorimetric analyses of the new copper-nickel-titanium wires with existing nickel-titanium orthodontic wires (Master's thesis). Columbus, Ohio: The Ohio State University; 1996

209. Todoroki T, Tamura H. Effect of heat treatment after cold working on the phase transformation in TiNi alloy. *Trans Jpn Inst Metals* 1987; 28:83-94

210. Mercier O, Melton KN, Gotthardt R, Kulik A. Lattice instability in the NiTi and NiTiCu alloys. In: Aaronson HL, Laughlin DE, Sekerka RF, Wayman CM, editors. Proceedings of an International Conference on Solid-Solid Phase Transformations. New York: American Institute of Mining, Metallurgical and Petroleum Engineers; 1981.p.1259-63
211. Moberly WJ, Melton KN. Ni-Ti-Cu shape memory alloys. In: Duerig TW, Melton KN, Stöckel D, Wayman CM, editors. Engineering aspects of shape memory alloys. London: Butterworth-Heinemann; 1990, p.46-57
212. Melton KN, Mercier O. The mechanical properties of NiTi-based shape memory alloys. *Acta Met* 1981; 29:393-8
213. Gil FJ, Solano E, Peña J, Engel E, Mendoza A, Planell JA. Microstructural, mechanical and cytotoxicity evaluation of different NiTi and NiTiCu shape memory alloys. *J Mat Sci Mat Med* 2004; 15:1181-5
214. Leu L, Fournelle R, Brantley W, Ehlert T. Evidence of R structure in superelastic NiTi orthodontic wires. *J Dent Res* 1990; 69:(IADR Abstracts)313
215. Goldstein D, Kabacoff L, Tydings J. Stress effects on nitinol phase transformations. *J Metals* 1987; 39:19-26
216. Otsuka K. Introduction to the R-phase transition. In: Duerig TW, Melton KN, Stöckel D, Wayman CM, editors. Engineering aspects of shape memory alloys. London: Butterworth-Heinemann Ltd; 1990, p.36-45