

REFERENCIAS BIBLIOGRÁFICAS

Abrams, P., Paulson, T. y Colunga, A. (1990). "Aspects of response for masonry building structures", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Spring, California, **2**, 55-66

Aiken, I.D., Kelly, J.M., Mahmoodi P. (1990). "The application of viscoelastic dampers to seismically resistant structures", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Spring, California, **3**, 459-468

Akiyama, H. (1980 versión japonesa, 1985 versión inglesa). *Earthquake-resistant limit-state design for buildings*, University of Tokyo Press, Tokyo

Akiyama, H., Takahashi, M. y Shi, Z. (1995). "Ultimate energy absorption capacity of round-shape steel rods subjected to bending", *Journal of Structural and Construction Engineering, Transactions of AIJ*, **475**

Alonso, J.L. (1989). "Mechanical characteristics of X-plate energy dissipators", **CE 299 Report**, University of California, Berkeley

Ballio G. y Castiglioni C.A. (1994). "An approach to the seismic design of steel structures based on cumulative damage criteria", *Earthquake Engineering and Structural Dynamics*, **23**, 969-986

Barbat, A.H., Rodellar, J., Ryan, E.P. y Molinares, N. (1993). "Comportamiento sísmico de edificios con un sistema no lineal de control híbrido", *Revista Internacional de Métodos Numéricos para Cálculo y Diseño en Ingeniería*, **9(2)**, 201-220

Barbat, A.H., Rodellar, J., Ryan, E.P. y Molinares, N. (1995). "Active control of nonlinear base-isolated buildings", *Journal of Engineering Mechanics, ASCE*, **121(6)**, 676-684

Bergman D.M. y Hanson R.D. (1990). "Viscoelastic versus steel mechanical damping devices: an experimental comparison", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Springs, California, **3**, 469-477

Benavent, A. (1997). *Seismic design of structures by using brace-type hysteretic dampers*, tesis doctoral, Facultad de Ingeniería, Universidad de Tokyo, Tokyo

Benavent Climent, A., Akiyama, H. (1997a). "Development of a brace-type hysteretic damper by using round-shape steel rods", *Journal of Structural and Construction Engineering, Transactions of Architectural Institute of Japan*, **501**, 125-133

Benavent Climent A., OH Sang-Hoon y Akiyama H. (1998). "Ultimate energy absorption capacity of slit-type steel plates subjected to shear deformations", *Journal of Structural and Construction Engineering, Transactions of Architectural Institute of Japan*, **503**, 139-147

Benham, P.P., Crawford, R.J and Armstrong, C.G. (1996). *Mechanics of Engineering Materials*, Addison Wesley Longman Limited, Harlow (England)

Bergman, D. M. y Hanson, R.D. (1990). "Viscoelastic versus steel plate mechanical damping devices and experimental comparison", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Springs, California, **3**, 539-548

Bleich, F. (1952). *Buckling strength of metal structures*, McGraw-Hill, New York

Bozzo, L.M., Barbat, A.H. (1995). "Nonlinear response of structures with sliding base isolation", *Journal of Structural Control*, **2(2)**, 59-77

Bozzo, L.M., Foti, D. y Lopez-Almansa, F. (1996). "Design criteria for Earthquake resistant buildings with energy dissipators", *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico

Bozzo, L.M., Cahís, X. y Torres, Ll. (1998). "A shear type energy dissipator for the protection of masonry infill walls", *Proceedings of the Sixth U.S. National Conference on Earthquake Engineering*, Seattle, Washington

Bozzo, L.M., Barbat, A.H. (1999). *Diseño sísmorresistente de edificios*, Editorial Reverté S.A., Barcelona

Brokken, S. y Bertero, V. (1981). "Studies on effects of infills in seismic resistant R/C construction", Earthquake Engineering Research Center, **EERC-81/12**, University of California, Berkeley

Cahís, X., Bozzo, L.M., Foti, D. y Torres, Ll. (1997). "An energy dissipating device for seismic protection of masonry walls". 8 *Convegno Nazionale ANIDIS, L'Ingegneria Sismica in Italia*, Taormina

Clough, R.W. y Penzien, J. (1993). *Dynamics of structures*, segunda edición, McGraw-Hill, New York

Constantinou, M.C., Cacese, J. y Harris, C.H. (1987). "Frictional characteristics of teflon-steel interfaces under dynamic conditions", *Earthquake Engineering and Structural Dynamics*, **15**, 751-759

EN 10 002-1 (1990). *Metallic materials, tensile testing, part 1: method of test*.

Díaz-López, O.J., Esteva, L. y García- Pérez, J. (2000). "Seismic cycle analysis in the seismic design and maintenance policies of buildings with hysteretic energy dissipators", *Proc. 12th World Conference on Earthquake Engineering*, Auckland

Dorka, E. y Bayer, V. (2000). "Distribution of seismic links in hysteretic device systems", *Proc. 12th World Conference on Earthquake Engineering*, Auckland

Filiatrault, A. y Cherry, S. (1987). "Performance evaluation of friction damped braced steel frames under simulated earthquake loads"; *Earthquake Spectra*, **3(1)**, 57-78

Filiatrault, A. y Cherry, S. (1990). "A simplified seismic design procedure for friction damped structures", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Springs, California, **3**, 479-488

Foti, D., Bozzo, L. y López - Almansa, F. (1998). "Numerical efficiency assessment of energy dissipators for seismic protection of buildings", *Earthquake Engineering and Structural Dynamics*, **27**, 543-556

Gere, J.M. y Timoshenko, S.P. (1986). *Mecánica de Materiales*, Grupo Editorial Iberoamérica, Mexico

Harada, Y. y Akiyama, H. (1995). "Seismic design of flexible-stiff mixed frame with energy concentration", *Journal of Structural and Construction Engineering, Transactions of Architectural Institute of Japan*, **472**, 57-66

Harris H.G. y Sabnis G.M. (1999). *Structural modeling and experimental techniques*, CRC Press, Boca Raton (Florida)

Housner, G.W. (1956). "Limit design of structures to resist earthquakes", *Proceedings of the First World Conference on Earthquake Engineering*, San Francisco, **5**, 1-13

Inoue K. y Kuwahara, S. (1998). "Optimum strength ratio of hysteretic damper", *Earthquake Engineering and Structural Dynamics*, **27**, 577-588

Ikonomov, A.S. (1982). "Seismic isolation of bridges with the alexisismon", *Proceedings Conference Short and Medium Span Bridges*, Toronto, 141-153

Jara. J.M. (1994). "Estado del arte sobre dispositivos para reducir daños provocados por temblores", *Revista de Ingeniería Sísmica*, Mexico, **47**, 35-79

Jacobsen L.S. (1960). "Damping in composite structures", *Proc. 2nd WCEE*, Tokyo, 1029-1044

Jennings, P.C. (1964). "Periodic response of a General Yielding Structure", *Journal of the Engineering Mechanics Division*, ASCE, **90(2)**, 131-166

Kar, R., Filiatrault, A. y Tremblay, R. (1998). "Energy dissipation device for seismic control of structures", *Proceedings of the Sixth U.S. National Conference on Earthquake Engineering*, Seattle, Washington

Kasai, K. y Popov, E.P. (1986). "Cyclic web buckling control for shear link beams", *Journal of Structural Engineering*, ASCE, **110 (3)**, 505-523

Kelly, J.M. (1981). "Control of seismic response of piping systems and other structures by base isolation", *Earthquake Engineering Research Center, UCB/EERC-81/01*, University of California, Berkeley

Kato, B. y Akiyama, H. (1973). " Predictable properties of material under incremental cyclic loading", *IABSE Preliminary publication* , Lisboa , 119-131

Kaynia, A. M., Daniele, V. y Biggs, J.M. (1981). "Seismic effectiveness of tuned mass dampers", *Journal of Structural Division*, ASCE, **107**, No ST8, 1465-1484

Kelly, J.M. (1981). "Control of seismic response of piping systems and other structures by base isolation", *Earthquake Engineering Research Center, UCB/EERC-85/09*, University of California, Berkeley

Kelly, J.M., Eiding, J.M y Derham, C.J. (1997). "Practical soft story earthquake isolation system", *Earthquake Engineering Research Center, UCB/EERC-77/27*, University of California, Berkeley

Kenny, C. S. K . (1984). "Damping increase in buildings with tuned mass damper", *Journal of Structural Division*, ASCE, **110(11)**, 1645-1649

Kirikov, B. (1992). *History of earthquake resistant construction*, Instituto de Ciencias de la Construcción Eduardo Torroja, Madrid

Kobori, T., Miura, Y., Fukuzawa, E., Y., Yamada, T., Arita, t., Miyagawa, N., Tanaka, N. y Fukumoto, T. (1992). "Development and application of hysteresis steel dampers", *Earthquake Engineering, Tenth World Conference*, 2341-2346

Kobori, T., Takahashi, M., Nasu, T., Niwa, N. y Ogasawara, K. (1993). "Seismic response controlled structure with Active Variable Stiffness System", *Int. Journal on Earthquake Engineering and Structural Dynamics*, **22**, 925-941

Kurata, N., Kobori, T., Takahashi, M., Niwa, N. y Kurino, H. (1994). "Shaking table experiment of Active Variable Damping System", *Proc. of 1st World Conference on Structural Control*, Los Angeles, California, **2**, TP2-108, TP2-117

Kurata, N., Kobori, T., Takahashi, M. y Niwa, N. (1996). "Study on Active Variable Damping System for high rise buildings in large earthquakes", *Proc. of the 1st European Conference on Structural Control*, Barcelona, 402 - 409

McNamara (1977), "Tuned mass dampers for buildings", *Journal of Structural Engineering*, ASCE, **103**, No ST9, 1785-1798

Mahin, S.A. y Lin, J. (1983). "Construction of inelastic response spectra for single-degree-of-freedom systems", Earthquake Engineering Research Center (EERC), **UBC/EERC-83/17**, University of California, Berkeley

Mahin, S.A., Malley J.O. y Hamburger R.O. (1998). "Implications of recent steel research", *Proceedings of Sixth U.S. National Conference Earthquake Engineering*, Seattle, Washington

Mahmoodi, P., Robertson, L.E., Yontar, M., Moy, C. y Feld, I. (1987). "Performance of Viscoelastic Dampers in World Trade Center Towers", *Dynamic of Structures, Proceedings of The Sessions at Structural Congress '87*, Orlando, 17-20

Miner M.A. (1945). "Cumulative damage in fatigue", *Journal of Applied Mechanics*, ASME, **12**, A159-A164

Mokha, A., Constantinou, M y Reinhorn, A. (1990a). "Teflon bearings in base isolation. I: testing", *Journal of Structural Engineering*, ASCE, **116(2)**, 439-454

Mokha, A., Constantinou, M y Reinhorn, A. (1990b). "Teflon bearings in base isolation. II: modeling", *Journal of Structural Engineering*, ASCE, **116(2)**, 455-474

Monti M.D., Zhao J.X., Gannon C.R. y Robinson W.H. (1998). "Experimental results and dynamic parameters for the Penguin Vibration Damper (PVD) for wind and earthquake loading", *Bulletin of New Zealand National Society for Earthquake Engineering*, **31 (3)**, 177-193

Nacer, N. y Hanson, R.D. (1998). "Seismic response of steel plate energy dissipators with Ramberg-Osgood model", *11th European Conference on Earthquake Engineering*, Balkema, Rotterdam

Nadai, A. (1950). *Theory of flow and fracture of solids*, McGraw Hill

Nagase, T. (2000). "Earthquake records observed in tall buildings with tuned pendulum mass damper", *Proc. 12th World Conference on Earthquake Engineering*, Auckland

Nakashima, M. (1995a). "Strain-hardening behavior of shear panels made of low-yield steel. I: Test", *Journal of Structural Engineering*, ASCE, **121(12)**, 1742-1749

Nakashima, M., Akazawa, T. y Tsuji, B. (1995b). "Strain-hardening behavior of shear panels made of low - yield steel. II: Model", *Journal of Structural Engineering*, ASCE, **121(12)**, 1750-1757

- Nakashima, M., Saburi, K. y Bunzo, T. (1996). "Energy input and dissipation behavior of structures with hysteretic dampers", *Earthquake Engineering and Structural Dynamics*, **25**, 483-496
- Newmark, N.M. and Rosenblueth, E. (1971). *Fundamentals of Earthquake Engineering*, Prentice-Hall Inc., Englewood Cliffs, N.J.
- Pall, A.S. y Marsh, C. (1982). "Response of friction damped braced frames", *Journal of Structural Division*, ASCE, **108(6)**, 1313-1323
- Popov E.P. (1980). "Seismic behavior of structural subassemblages", *Journal of the Structural Engineering*, ASCE, **106(7)**, 1451-1474
- Rai, D.C. y Wallace, B.J. (1998). "Aluminium shear-links for enhance seismic resistance", *Earthquake Engineering and Structural Dynamics*, **27**, 315-342
- Rakicevic Z., Jurukovski D. (2000). "Passive energy dissipation system for non-standard dual steel frame structures". *Proc. 2nd European Conference on Structural Control*
- Rao, R. y White, R. (1996). "Design of a friction damper system for retrofit of gravity load design RC frames", *NCEER Bulletin*, July, 10-12
- Robinson, W y Greenbank, L.R. (1975). "Properties of an extrusion energy absorber", *Bulletin of the New Zealand National Society of the Earthquake Engineering*, **8(3)**, 187-191
- Robinson, W y Greenbank, L.R. (1976). "An extrusion energy absorber suitable for the protection of structures during an earthquake", *International Journal of Earthquake Engineering and Structural Dynamics*, **4**, 225-259
- Robinson, W.H. y Tucker, A.G. (1977). "A lead rubber shear damper", *Bulletin of the New Zealand National Society for Earthquake Engineering*, **10 (3)**, 151-153
- Robinson, W.H. (1982). "Lead rubber hysteretic bearings suitable for protecting structures during earthquakes", *Earthquake Engineering and Structural Dynamics*, **10**, 593-604
- Ruiz S.E., Urrego, O.E. y Silva, F.L. (1995). "Influence of the spatial distribution of energy-dissipating bracing elements on the seismic response of multistory frames", *Earthquake Engineering and Structural Dynamics*, **24**, 1511-1525
- Scholl R.E. (1990). "Improve the earthquake performance of structures with Added Damping and Stiffness elements", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Springs, California, **3**, 489-498

- Serino, G. y Russo, M. (1997). "Development and application of hybrid (semi-active) oleodynamic dampers for seismic response control", *International Post-Smirt Conference Seminar on Seismic Isolation, Passive Energy Dissipation and Active Control of Seismic Vibrations of Structures*, Taormina, Italia
- Skinner, R.I., Beck, J.L. y Bycroft, G.N. (1975a). "A practical system for isolating structures from earthquake attack", *Earthquake Engineering and Structural Dynamics*, **3**, 297-309
- Skinner, R.I., Kelly, J.M. y Heine, A.J. (1975b). "Hysteretic dampers for earthquake resistant structures", *Earthquake Engineering and Structural Dynamics*, **3**, 287-296
- Skinner R.I., Robinson W.H. y McVerry G.H. (1993). *An Introduction to seismic isolation*, John Willey & Sons, Chichester.
- SMIRT11 (1991). "Seismic isolation and vibration control system", en *Seismic Isolation Response Control for Nuclear and Non-Nuclear Structures*, SMIRT 11, Tokyo, 45-56
- Soong, T.T. y Spencer B.F. (2000). "Active, semi-active and hybrid control of structures", *Proc. 12th World Conference on Earthquake Engineering*, Auckland
- Spencer B.F. y Sain M.K. (1998). "Controlling buildings: a new frontier in feedback", *The Shock and Vibration Digest*, **30 (4)**, 267-281
- Su, Y.F. y Hanson, R.D. (1990). "Comparison of effective supplemental damping equivalent viscous and hysteretic", *Proceedings of Fourth U.S. National Conference on Earthquake Engineering*, Palm Springs, California, **3**, 507-516
- Suhardjo, J., Spencer Jr, B.F. y Sain, M.K. (1990). "Feedback-feedforward control of structures under seismic excitation", *Struct. Safety*, **8**, 69-89
- Suyehiro, K. (1932). "Engineering seismology. Notes on California lectures", *Proc. Am. Soc. Civ. Eng.*, **58**
- Tsai, K. C., Chen, H.W., Hong, C.P. y Su, Y.F. (1993). "Design of steel triangular plate energy absorbers for seismic-resistance construction", *Earthquake Spectra*, **9**, 505-528
- Tsai, k.C. y Wang, T.S. (1998). "Shear link energy absorbers for seismic energy dissipation", *Proceedings of Sixth U.S. National Conference Earthquake Engineering*, Seattle, Washington
- UBC-97 (1997). "Uniform building Code", Structural Engineering Design Provisions, International Conference of Building Officials, Whittier, California

Villaverde, R. (1998). "Roof isolation system to reduce the seismic response of buildings: a preliminary assessment", *Earthquake Spectra*, **14(3)**, 521-532

Wakabayashi, M. (1986). *Design of earthquake-resistant buildings*, McGraw-Hill

Wilson E.L. (1992). *SADSAP. Static And Dynamic Structural Analysis Programs (With Nonlinear, Damping and Isolation Elements)*, El Cerrito, California

Whittaker, A., Bertero, V., Alonso, J. y Thompson, C. (1989). "Earthquake simulator testing of Steel Plate Added Damping and Stiffness Elements", Earthquake Engineering Research Center, **UCB/EERC-89/02**, University of California, Berkeley

Yanev, B. y Mc. Niven, H.D. (1985). *An Experimental Program for Studying the Dynamic Response of a Steel Frame With a Variety of Infill Partitions*, Earthquake Engineering Research Center, **EERC-85/16**, University of California, Berkeley

Zayas, V.A., Low, S.S y Mahin, S.A. (1987). "The FPS earthquake resisting system", Earthquake Engineering Research Center, **10(3)**, University of California, Berkeley

Zayas V.A. y Low S.S. (1998). "Seismic isolation protection against strong, near-field earthquake motions", *Proceedings of Sixth U.S. National Conference Earthquake Engineering*, Seattle, Washington