

Capítulo 7:

Literatura Citada

a

- Abel, P. D. 1989. *Water Pollution Biology*. Ellis Horwood Ltd., Gran Bretaña. 231 pp.
- Ackefors, H., y M. Enell. 1994. The release of nutrients and organic matter from aquaculture systems in Nordic countries. *J. Appl. Ichthyol.*, **10**:225-241.
- Alliot, Elisabeth; A. Pastoureaud; y H. Thebault. 1983. Influence de la temperature et de la salinite sur la croissance et la composition corporelle d'alevins de *Dicentrarchus labrax* (en francés). *Aquaculture*, **31**:181-194.
- AMC. 1999. Cost Effective Feeding of Fish in Aquaculture. Proyecto ONEDIN del Programa Leonardo Da Vinci (GR/96/2/0616/PI/II1.1a). Aqualex Multimedia Consortium, Ltd. Irlanda, UK. Consultado el 30/Enero/2002 en: <http://www.aqualex.org/html/onedin/>.
- Anderson, Richard A., y Marilyn M. Polansky. 1995. Dietary and metabolite effects on trivalent chromium retention and distribution in rats. *Biological Trace Element Research*, **50**:97-108.
- AOAC Internacional (Patricia A. Cunniff, ed). 1996. *Official Methods of Analysis*. 16^a edición. Arlington.
- Arias, A. 1980. Crecimiento, regimen alimentario y reproducción de la dorada (*Sparus aurata* L) y del robalo (*Dicentrarchus labrax* L) en los esteros de Cádiz. *Inv. Pesq.*, **44**(1):59-83.
- Austreng, A., S. Risa; D. J. Edwards; y H. Hvidsten. 1977. Carbohydrate in rainbow trout diets, II. Influence of carbohydrate levels on chemical composition and feed utilization of fish from different families. *Aquaculture*, **11**:39-50.
- Azevedo, Paula A., C. Young Cho; S. Leeson; y D. P. Bureau. 1998. Effects of feeding level and water temperature on growth, nutrient and energy utilization and waste outputs of rainbow trout (*Oncorhynchus mykiss*). *Aquatic Living Resources*, **11**:227-238.

B

- Ballestrazzi, R., D. Lanari; E. D'Agaro; y A. Mion. 1994. The effect of dietary protein level and source on growth, body composition, total ammonia and reactive phosphate excretion of growing seabass (*Dicentrarchus labrax*). *Aquaculture*, **127**:197-206.
- Barnabé, Gilbert. 1991. La cría de lubina y dorada. En: *Acuicultura* (editado por Barnabé, G.), tomo II, pp. 573-612. Ediciones Omega, Barcelona.
- Bauchot, M. L., y A. Pras. 1987. *Guía de los Peces de Mar de España y Europa*. Ediciones Omega, Barcelona. 432 pp.
- Bautista-Parejo, Carmen. 1993. Calidad del agua en acuicultura. En: *Acuicultura Marina: Fundamentos Biológicos y Tecnología de Producción* (Editado por Castelló-Orvay, F.), pp. 597-606. Publicaciones de la Universidad de Barcelona, Barcelona.
- Bermúdez, L., B. García; y A. Ortega. 1987. Experiencias de engorde de dorada (*Sparus aurata* L) en estanques. *Cuad. Marisq. Publ. Téc.*, **8**:105-116.

- Black, Kenneth D.** 2001. Environmental Impacts of Aquaculture. Sheffield Academic Press, Reino Unido. 214 pp.
- Bonamusa, L. E.** 1991. Metabolism Glucidic en Fetge de *Sparus aurata*. Regulació en Funció de l'Aport Nutricional (en catalán). Tesis Doctoral. Universitat de Barcelona, Barcelona. 208 pp.
- Bonamusa, L. E., P. García de Frutos; F. Fernández; e I. V. Baanante.** 1992. Nutritional effects on key Fructose 2,6-biphosphatase and enzymes in response to a high protein diet. *Molecular Marine Biology and Biotechnology*, **1(2)**:113-125.
- Bondi, Aron.** 1987. Animal Nutrition. John Wiley & Sons, Londres. 540 pp.
- Bower, C. E., y J. P. Bidwell.** 1978. Ionization of ammonia in seawater: effects of temperature, pH and salinity. *J. Fish. Res. Board Can.*, **35**:1012-1016.
- Boyce, S. J.** 1999. Nitrogenous excretion in the Antarctic plunderfish. *J. Fish. Biol.*, **54**:72-81.
- Brafield, A. F.** 1985. Laboratory Studies of Energy Budgets. En: Fish Energetics: New Perspectives (Editado por Tyler, P., y P. Calow), pp. 257-281. Croom Helm, Sidney.
- Brauge, C., F. Médale y G. Corraze.** 1994. Effect of dietary carbohydrate levels on growth, body composition and glycaemia in rainbow trout, *Oncorhynchus mykiss*, reared in seawater. *Aquaculture*, **123**:109-120.
- Brauge, C., G. Corraze y F. Médale.** 1995. Effect of dietary levels of lipid and carbohydrate on growth performance, body composition, nitrogen excretion and plasma glucose levels in rainbow trout reared at 8 or 18°C. *Reprod. Nutr. Dev.*, **35**:277-290.
- Brett, J. R., y C. A. Zala.** 1975. Daily pattern of nitrogen excretion and oxygen consumption of sockeye salmon (*Oncorhynchus nerka*) under controlled conditions. *J. Fish. Res. Board Can.*, **32**:2479-2486.
- Bromley, P. J.** 1980. Effect of dietary protein, lipid and energy content on the growth, of turbot (*Scophthalmus maximus*, L). *Aquaculture*, **19**:359-369.
- Burel, C., J. Person-Le Ruyet; F. Gaumet; A. Le Roux; A. Sévère y G. Boeuf.** 1996. Effects of temperature on growth and metabolism in juvenile turbot. *Journal of Fish Biology*, **49**:678-692.

C

- Cai, Yongjiu; J. Wermerskirchen; e I. R. Adelman.** 1996. Ammonia excretion rate indicates dietary proteins adequacy for fish. *The Progressive Fish-Culturist*, **58**:124-127.
- Calderer, A., y L. Cardona.** 1993. Cría intensiva de la dorada (*Sparus aurata*) y la lubina (*Dicentrarchus labrax*). En: Acuicultura Marina: Fundamentos Biológicos y Tecnología de Producción (Editado por Castelló Orvay, F.), pp. 389-401. Publicaciones de la Universidad de Barcelona, Barcelona.
- Calow, Peter.** 1985. Adaptative aspects of energy allocation. En: Fish Energetics: New perspectives (Editado por Tyler, P., y P. Calow), pp. 13-31. Croom Helm, Sidney.

- Campbell, Peter N., y A. D. Smith. 1982. *Biochemistry Illustrated*. Churchill Livingstone, Edinburgo. 225 pp.
- Carter, C. G., y A. E. Brafield. 1992. The bioenergetics of grass carp, *Ctenopharyngodon idella* (Val.): the influence of body weight, ration and dietary composition on nitrogenous excretion. *Journal of Fish Biology*, **41**:533-543.
- Carter, C. G., D. F. Houlihan; y F. Owen. 1998. Protein síntesis, nitrogen excretion and long-term growth of juvenile *Pleuronectes flossus*. *Journal of Fish Biology*, **53**:272-284.
- Caseras, Anna. 2000. Caracterització Molecular de 6-Fosfofructo-2-quinasa/Fructosa-2,6-bifosfatasa, Glucoquinasa i Subunitat Catalítica de la Glucosa-6-fosfatasa de Fetge de Daurada (*Sparus aurata*); Regulació Nutricional de l'Expressió de Glucoquinasa i Glucosa-6-fosfatasa (en catalán). Tesis Doctoral. Universitat de Barcelona, Barcelona. 227 pp.
- Caseras; A., I. Metón, F. Fernández e I. V. Baanante. 2000. Glucokinase gene expression is nutritionally regulated in liver of gilthead sea bream (*Sparus aurata*). *Biochimica et Biophysica Acta*, **1493**:135-141.
- Castelló-Orvay, F. 1993. Acuicultura: historia, evolución y situación actual. En: *Acuicultura Marina: Fundamentos Biológicos y Tecnología de Producción* (Editado por Castelló-Orvay, F.), pp. 11-24. Publicaciones de la Universidad de Barcelona, Barcelona.
- Chifré-Petit, Eduard. 1997. La cria de l'orada a Catalunya (en catalán). *Catalunya Rural / Agraria*, **35**:17-20.
- Cho, C. Y, y S. J. Kaushik. 1985. Effects of protein intake on metabolizable and net energy values of fish diets. En: *Nutrition and Feeding in Fish* (Editado por Cowey, C. B., Mackie, A. M., y J. G. Bell), pp. 95-117. Academic Press, Londres.
- Cho, S. H., y Richard T. Lovell. 2002. Variable feed allowance with constant protein input for channel catfish (*Ictalurus punctatus*) cultured in ponds. *Aquaculture*, **204**:101-112.
- Church, C.D. 1988. *El Rumiante: Fisiología Digestiva y Nutrición*. Editorial Acribia, Zaragoza. pp. 255-281.
- Clark, R. B. 1989. *Marine Pollution*. 2ª edición. Oxford Science Publications, Oxford. 220 pp.
- Comín, F. A., y M. Martín. 1993. Elementos nutritivos y producción en ambientes estuarinos. En: *Acuicultura Marina: Fundamentos Biológicos y Tecnología de Producción* (Editado por Castelló-Orvay, F.), pp. 617-627. Publicaciones de la Universidad de Barcelona, Barcelona.
- Cowey, Colin B., y J. R. Sargent. 1972. Fish Nutrition. *Adv. Mar. Biol.*, **10**:383-492.
- Cowey, Colin B., y M. J. Walton. 1989. Intermediary metabolism. En: *Fish Nutrition* (Editado por Halver, J. E.), pp 260-329. Academic Press, Seattle.
- Cui, Yibo; y J. Liu. 1990. Comparison of energy budget among six teleosts-I. Food consumption, faecal production and nitrogenous excretion. *Comp. Biochem. Physiol.*, **96A(1)**:163-171.

D

De Silva, S. S., y M. K. Perera. 1984. Digestibility in *Sarotherodon niloticus* fry: effects of dietary protein level and salinity with further observations on variability in daily digestibility. *Aquaculture*, **38**:293-306.

Dosdat, A., F. Servais; R. Métailler; C. Huelvan y E. Desbruyères. 1996. Comparison of nitrogenous losses in five teleost fish species. *Aquaculture*, **141**:107-127.

E

Echevarria, G., N. Zarauz; J. López-Ruiz y S. Zamora. 1993. Study of nitrogen excretion in gilthead sea bream (*Sparus aurata* L.): Influence of nutritional state. *Comp. Biochem. Physiol.*, **105A**:17-19.

Elbal, M. T., y B. Agulleiro. 1986. A histochemical and ultrastructural study of the gut of *Sparus auratus* (Teleostei). *Journal of Submicroscopic Cytology*, **18**:335-347.

F

Fernández, F., A. García Miquel; J. Guínea; y R. Martínez. 1998. Digestion and digestibility in gilthead seabream (*Sparus aurata*): the effect of diet composition and ration size. *Aquaculture*, **166**:67-84.

Fernández, F., A. García-Miquel; R. Martínez; E. Serra; J. Guínea; F. J. Narbaiza; A. Caseras; e I. Vázquez-Baanante. 1999. Dietary chromic oxide does not affect the utilization of mineral salts in gilthead seabream *Sparus aurata*. *J. Nutr.*, **129**:1053-1059.

Fivelstad, S., J. M., Thomassen; M. J. Smith; H. Kjartansson; y A. B. Sandø. 1990. Metabolite production rates from Atlantic salmon (*Salmo salar* L.) and Arctic charr (*Salvelinus alpinus* L.) reared in single pass land-based brackish water and seawater systems. *Aquacultural Engineering*, **9**:1-21.

Fontanillo-Merino, E; H. Remondo Fernández; A. Jiménez-Rioja y M. A. Andrés del Olmo 1985. Diccionario de Biología. Ediciones Generales Anaya, Madrid. 389 pp.

G

Gallagher, M. K., y A. M. Matthews. 1987. Oxygen consumption and ammonia excretion of the american eel *Anguilla rostrata* fed diets with varying protein energy ratios and protein levels. *J. World Aquaculture Society*, **18**(2):107-112.

García-Alcazar, A., E. Abellán; M^a. R. L. Dehesa; M. Arizcun; J. Delgado; y A. Ortega. 1994. Experiencias de alimentación en preengorde y engorde de dorada (*Sparus aurata* L) y lubina (*Dicentrarchus labrax* L) con dietas de distinta relación proteína/grasa. *Bol. Inst. Esp. Oceanogr.*, **10**(2):191-201.

- García-Badell, José J.** 1988. *Acuicultura Moderna. Prefabricación y Automatización*. Inst. Nac. de Inv. Agrarias/Ministerio de Agricultura, Pesca y Alimentación, Madrid. 440 pp.
- García-Gallego, M., M. D. Suárez; M. C. Hidalgo; A. Sanz; y M. De la Higuera.** 1993. Influencia del origen y magnitud del aporte calórico de la dieta sobre la excreción nitrogenada por la anguila. *Fish Nutrition in Practice*, **61**:327-331.
- Gouveia, A., y S. J. Davies.** 2000. Inclusion of an extruded dehukked pea seed meal in diets for juvenile European sea bass (*Dicentrarchus labrax*). *Aquaculture*, **182**:183-193.
- Grasshoff, K.** 1983. Filtration and storage. En: *Methods of Seawater Analysis* (Editado por Grasshoff, K., M. Ehrhardt; y K. Kremlin), pp. 21-30. Verlag Chemie, Weilheim (RFA).
- Guillén, J. L., M. Endo; J. F. Turnbull; H. Kawatsu; R. H. Richards; y T. Aoki.** 1993. Depressed growth rate and damage to the cartilage of red sea bream larvae associated with exposure to ammonia. *Nippon Suisan Gakkaishi*, **59(7)**:1231-1234.
- Guinea M., Jorge.** 1993. *Relaciones Entre Alimentación y Metabolismo Energético de las Lisas (Pisces-Mugilidae) y en Dorada (Sparus aurata)*. Tesis Doctoral, Universidad de Barcelona. 236 pp.
- Guínea, J., y F. Fernández.** 1991. The effect of SDA, temperature and daily rhythm on the energy metabolism of the mullet *Mugil saliens*. *Aquaculture*, **97**:353-364.
- Guínea, J., y F. Fernández.** 1997. Effect of feeding frequency, feeding level and temperature on energy metabolism in *Sparus aurata*. *Aquaculture*, **148**:125-142.

H

- Hardy, Ronald W.** 1989. Diet preparation. En: *Fish Nutrition* (Editado por Halver, John E.), 2ª edición, pp 475-548. Academic Press, San Diego, CA.
- Helland, S. J., y B. Grisdale-Helland.** 1998. Growth feed utilization and body composition of juvenile Atlantic halibut (*Hippoglossus hippoglossus*) fed diets differing in the ratio between the macronutrients. *Aquaculture*, **166**:49-56.
- Hepher, Balfour.** 1988. *Nutrition of Pond Fishes*. Cambridge University, Cambridge. 388 pp.
- Hertz, Y., Z. Madar; B. Hepher; y A. Gertler.** 1989. Glucose metabolism in the common carp (*Cyprinus carpio, L*): the effects of cobalt and chromium. *Aquaculture*, **76**:255-267.
- Hidalgo, F., y E. Alliot.** 1988. Influence of water temperature on protein requirement and protein utilization in juvenile seabass, *Dicentrarchus labrax*. *Aquaculture*, **72**:115-129.
- Hidalgo, F., E. Alliot; y H. Thebault.** 1987. Influence of water temperature on food intake, food efficiency and gross composition of juvenile sea bass, *Dicentrarchus labrax*. *Aquaculture*, **64**:199-207.

Howarth, R; D. Anderson; J. Cloern; C. Elfring; C. Hopkinson; B. Lapointe; T. Malone; N. Marcus; K. McGlathery; A. Sharpley., y D. Walker. 2000. Nutrient pollution of coastal rivers, bays and seas. *Issues in Ecology*, **7**:1-15.

J

Jauncey, K. 1982. The effect of varying dietary protein level on the growth, food conversion, protein utilization and body composition of juvenile tilapias (*Sarotherodon mossambicus*). *Aquaculture*, **27**:43-54.

Jobling, Malcolm. 1981a. Some effects of temperature, feeding and body weight on nitrogenous excretion in young plaice *Pleuronectes platessa* L. *Journal of Fish Biology*, **18**:87-96.

Jobling, Malcolm. 1981b. Dietary digestibility and the influence of food components on gastric evacuation in plaice *Pleuronectes platessa* L. *Journal of Fish Biology*, **19**:29-36.

Jobling, Malcolm. 1994. Fish Bioenergetics. Chapman & Hall, Londres. 309 pp.

Jones, A., S. Thompson; y F. Gutiérrez. 1987. Cultivo de peces y crustáceos marinos: estado actual, avances y problemas. *Cuad. Marisq. Publ. Téc.*, **10**:31-34.

K

Kalogeropoulos, N., M. N. Alexis; y R. J. Henderson. 1992. Effects of dietary soybean and cod-liver oil levels on growth and body composition of gilthead bream (*Sparus aurata*). *Aquaculture*, **104**:293-308.

Kaushik, Sadasivam J. 1997. Recents developments in the nutrition and feeding of marine finfish of interest to the Mediterranean. En: INVE Conference, Presentación Comercial. Tesalónica, Grecia. Septiembre 27, 1997.

Kaushik, S. J., y P. Luquet (eds). 1991. Fish Nutrition in Practice. Ediciones INRA, Biarritz. 458 pp.

Keembiyehetty, C. N., y R. P. Wilson. 1998. Effect of water temperature on growth and nutrient utilization of sunshine bass (*Morone chrysops* ♀ X *Morone saxatilis* ♂) fed diets containing different energy/protein ratios. *Aquaculture*, **166**:151-162.

Kelly, L. A., A. Bergheim; y M. M. Hennessy. 1994. Predicting output of ammonium from fish forms. *Wat. Res.*, **28**(6):1403-1405.

Knights, Brian. 1985. Feeding behavior and fish culture. En: Nutrition and Feeding in Fish (Editado por Cowey, C. B., A. M. Mackie y J. G. Bell), pp 223-241. Academic Press, Londres.

L

- Lauff, R. F., y C. H. Wood.** 1996. Respiratory gas exchange, nitrogenous waste excretion, and fuel usage during aerobic swimming in juvenile rainbow trout. *Journal of Comparative Physiology B*, **166**:501-509.
- Lehninger, Albert R.** 1984. Principios de Bioquímica. Ediciones Omega, Barcelona. 1013 pp.
- Leung, K. M. Y., J. C. W. Chu; y R. S. S. Wu.** 1999. Effects of body weight, water temperature and ration size on ammonia excretion by the areolated grouper (*Epinephelus areolatus*) and mangrove snapper (*Lutjanus argentimaculatus*). *Aquaculture*, **170**:215-227.
- Lied, Einard y Bjørn Braaten.** 1984. The effect of feeding end starving, and different ratios of protein energy to total energy in the feed on the excretion of ammonia in Atlantic cod (*Gadus morhua*). *Comp. Biochem. Physiol.*, **78A**:49-52.
- Linder, María C.** 1988. Nutrición: Aspectos Bioquímicos, Metabólicos y Clínicos. Ediciones de la Universidad de Navarra, Pamplona. pp. 88-89.
- Loran-Benavent, Gisela.** 1990. Los residuos industriales en Cataluña. *Impacto Ambiental*, **III(16)**:84-97.
- Lupatsch, I., y Wm. Kissil.** 1998. Predicting aquaculture waste from gilthead seabream (*Sparus aurata*) culture using a nutritional approach. *Aquatic Living Resources*, **11(4)**:265-268.
- Lupatsch, I., Wm. Kissil; D. Sklan; y E. Pfeffer.** 1998. Energy and protein requirements for maintenance and growth in gilthead seabream (*Sparus aurata*, L). *Aquaculture Nutrition*, **4**:165-173.
- Lyytjänen, T., y M. Jobling.** 1998. The effect of temperature fluctuations on oxygen consumption and ammonia excretion of underyearling Lake Inari Arctic charr. *Journal of Fish Biology*, **52**:1186-1198.

m

- Maher, Timothy J.** 1999. Chromium: Continuing Education Module. New Hope Institute of Retailing-Massachusetts College of Pharmacy and Health Sciences. 8 pp.
- Marais, J. F. K., y G. Wm. Kissil.** 1979. The influence of energy level on the feed intake, growth, food conversion and body composition of *Sparus aurata*. *Aquaculture*, **17**:203-219.
- Maynard, L. A., y J. K. Loosli.** 1969. Animal Nutrition, 6ª edición. McGraw-Hill, Londres. 613 pp.
- McDonald, P., R. Edwards; y J. F. D. Greenhalgh.** 1988. Nutrición Animal. Editorial Acribia, Zaragoza. pp. 284-289.

- Metón, Isidoro.** 1996. Regulación Nutricional de Enzimas Clave en la Glucólisis-Gluconeogénesis: Expresión del Gen *6-PF 2-K/Fru 2,6-P₂asa* en Hígado de *Sparus aurata*. Tesis Doctoral. Universitat de Barcelona, Barcelona. 179 pp.
- Metón, I., A. Caseras; D. Mediavila; F. Fernández e I. V. Baanante.** 1999a. Molecular cloning of a cDNA encoding *6-phosphofructo-2-kinase/fructose-2,6-biphosphatase* from liver of *Sparus aurata*: nutritional regulation of enzyme expression. *Biochimica et Biophysica Acta*, **1444**:153-165.
- Metón, I., D. Mediavila; A. Caseras; E. Cantó; F. Fernández e I. V. Baanante.** 1999b. Effect of diet composition and ration size on key enzyme activities of glycolysis-gluconeogenesis, the pentose phosphate pathway and amino acid metabolism in liver of gilthead sea bream (*Sparus aurata*). *British Journal of Nutrition*, **82**:223-232.
- Metón, I., A. Caseras; F. Fernández e I. V. Baanante.** 2000. *6-Phosphofructo-2-kinase/Fructose-2,6-biphosphatase* gene expression is regulated by diet composition and ration size in liver of gilthead sea bream, *Sparus aurata*. *Biochimica et Biophysica Acta*, **1491**:220-228.
- Ministerio de Agricultura, Pesca y Alimentación: Secretaría General de Pesca Marítima.** 2001. Libro Blanco de la Acuicultura en España. Ministerio de agricultura, Pesca y Alimentación, Madrid. 521 pp en 2 tomos.
- Mommsen, T. P., y P. J. Walsh.** 1992. Biochemical and enviromental perspectives on nitrogen metabolism in fishes. *Experientia*, **48**:583-592.

N

- Ng, Wing-Keong; y Robert P. Wilson.** 1997. Chromic oxide inclusion in the diets does not affect glucose utilization or chromic retention by channel catfish, *Ictalurus punctatus*. *Journal of Nutrition*, **127**:2357-2362.

O

- Oliva-Teles, Aires.** 2000. Recent advances in European sea bass and gilthead seabream nutrition. *Aquaculture International*, **8**:477-492.
- Oliva-Teles, Aires; A. L. Cerqueira; y P. Gonçalves.** 1999. The utilization of diets containing high levels of fish protein hydrolysate by turbot (*Scophthalmus maximus*) juveniles. *Aquaculture*, **179**:195-201.

P

- Pandian, T. J., y E. Vivekanandan. 1985. Energetics of feeding and digestion. En: Fish Energetics: New Perspectives (Editado por Tyler, P., P. Calow), pp 99-124. Croom Helm, Sidney.
- Panserat, S., F. Médale; C. Blin; J. Brèque; C. Vachot; E. Plagnes-Juan; E. Gomes; R. Krishnamoorthy y S. Kaushik. 2000. Hepatic *glucokinase* is induced by dietary carbohydrates in rainbow trout, gilthead sea bream and common carp. *Am. J. Physiol. Regulatory Integrative Comp. Physiol.*, **278**:R1164-R1170.
- Parsons, T. R., M. Takahashi; y B. Hargrave. 1977. Biological Oceanographic Processes. 2ª edición. Pergamon Press, Oxford. 332 pp.
- Parsons, T. R., Y. Maita; y C. M. Lalli. 1984. A Manual of Chemical and Biological Methods for Seawater Analysis. Pergamon Press, Londres. 173 pp.
- Peres, Helena; y A. Oliva-Teles. 1999. Influence of temperature on protein utilization in juvenile European seabass (*Dicentrarchus labrax*). *Aquaculture*, **170**:337-348.
- Peres, Helena; y A. Oliva-Teles. 2002. Utilisation of raw and gelatinized starch by European sea bass (*Dicentrarchus labrax*) juveniles. *Aquaculture*, **287**:287-299.
- Peres, Helena; P. Gonçalves; y A. Oliva-Teles. 1999. Glucose tolerance in gilthead seabream (*Sparus aurata*) and European seabass (*Dicentrarchus labrax*). *Aquaculture*, **179**:415-423.
- Perez, L., H. González; M. Jover; y J. Fernández-Carmona. 1997. Growth of European seabass fingerlings (*Dicentrarchus labrax*) fed extruded diets containing varying levels of protein, lipid and carbohydrate. *Aquaculture*, **156**:183-193.
- Person-Le Ruyet, J., H. Chartois; y L. Quemener. 1995. Comparative acute toxicity in marine fish and plasma ammonia response. *Aquaculture*, **136**:181-194.
- Person-Le Ruyet, J., R. Galland; A. Le Roux; y H. Chartois. 1997a. Chronic ammonia toxicity in juvenile turbot (*Scophthalmus maximus*). *Aquaculture*, **154**:155-171.
- Person-Le Ruyet, J., G. Boeuf; J. Zambonino-Infante; S. Helgason; y A. Le Roux. 1997b. Short-term physiological changes in turbot and seabream juveniles exposed to exogenous ammonia. *Comp. Biochem. Physiol.*, **119A**:1-8.
- Person-Le Ruyet, J., C. Delbard; H. Chartois; y H. Le Delliou. 1997c. Toxicity of ammonia to turbot juvenile: 1.- effects on survival, growth and food utilization. *Aquat. Living Resour.*, **10**:1-9.
- Porter, C. B., M. D. Krom; y H. Gordin. 1986. The effect of water quality on the growth of *Sparus aurata* in marine fish ponds. *Aquaculture*, **59**:299-315.
- Porter, C. B., M. D. Krom; M. G. Robbins; L. Brickell; y A. Davidson. 1987. Ammonia excretion and total N budget for gilthead seabream (*Sparus aurata*) and its effect on water quality conditions. *Aquaculture*, **66**:287-297.
- Priede, I. G. 1985. Metabolic scope in fishes. En: Fish Energetics: New Perspectives (Editado por Tyler, P. y P. Calow), pp 33-60. Croom Helm, Sidney.

R

- Ramnarine, I. W., J. M. Pirie; D. F. Johnstone; y G. W. Smith.** 1987. The influence of ration size and feeding, frequency on ammonia excretion by juvenile Atlantic cod *Gadus morhua*, L: *Journal of Fish Biology*, **31**:545-560.
- Ramseyer, Laurel J., y Donald L. Garling** 1998. Fish Nutrition and Aquaculture Waste Management. Aquaculture Network Information Center. Consultado el 20/Enero/2002 en: <http://aquanic.org>
- Rand, G. M., y S. R. Petrocelli.** 1985. Fundamentals of Aquatic Toxicology. Hemisphere Publishing Corporation, USA. 666 pp.
- Requena, A., J. Fernández-Borrás; y J. Planas.** 1997. The effect of a temperature rise on oxygen consumption and energy budget in gilthead sea bream. *Aquaculture International*, **5**:415-426.
- Riley, J. P., y R. Chester.** 1971. Introduction to Marine Chemistry. Academic Press, Londres. 465 pp.
- Ringø, E., y R. E. Olsen.** 1994. Lipid nutrition in Arctic charr, *Salvelinus alpinus* (L): a mini review. *Aquaculture and Fisheries Management*, **25**:823-838.
- Rivas, A., J. Cejas; J. Escanéz; y J. E. Villamandos.** 1987. Primera experiencia de reproducción de dorada, *Sparus aurata* (Linnaeus, 1758), en el archipiélago canario. *Cuad. Marisq. Publ. Téc.*, **8**:11-20.
- Robaina, L. M. S. Izquierdo; F. J. Moyano; J. Socorro; J. M. Vergara; D. Montero; y H. Fernández-Palacios.** 1995. Soybean and lupin meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histopathological implications. *Aquaculture*, **130**:219-233.
- Robaina, L. M. G. Corraze; P. Aguirre; D. Blanc; J. P. Melcion; y S. Kaushik.** 1999. Digestibility, postprandial ammonia excretion and selected plasma metabolites in European sea bass (*Dicentrarchus labrax*) fed pelleted or extruded diets with or without wheat gluten. *Aquaculture*, **179**:45-56.
- Russell, N. R., J. D. Fish; y R. J. Wootton.** 1996. Feeding and growth of juvenile sea bass: the effect of ration and temperature rate efficiency. *Journal of Fish biology*, **49**:206-220.
- Rychly, J.** 1980. Nitrogen balance in trout, II. Nitrogen excretion and retention after feeding diets with varying protein and carbohydrate levels. *Aquaculture*, **20**:343-350.

S

- Sabaut, J. J., y P. Luquet. 1973. Nutritional requirements of the gilthead seabream *Chrysophrys aurata*. Quantitative protein requirements. *Marine Biology*, **18**:50-54.
- Santinha, P. J. M., F. Médale; G. Corraze; y E. F. S. Gomes. 1999. Effect of the dietary protein: lipid ratio on growth and nutrient utilization in gilthead seabream (*Sparus aurata*). *Aquac. Nutr.*, **5**(3):147-156.
- Sargent, John; R. J. Henderson; y D. R. Tocher. 1989. The Lipids. En: Fish Nutrition (Editado por Halver, John E.), pp 153-218. Academic Press, Seattle.
- Sayer, M. D. J. 1988. An investigation of the pattern of nitrogen excretion in *Blennius pholis* (L.). *Comp. Biochem. Physiol.*, **89A**(3):359-363.
- Sayer, M. D. J. y J. Davenport. 1987. The relative importance of the gills to ammonia and urea excretion in five seawater and one freshwater teleost species. *J. Fish. Biol.*, **31**:561-570.
- Serra, Esther. 1999. Efecte del Contingut de Carbohidrats en la Dieta Sobre la composició Corporal de Juvenils d'Orada (*Sparus aurata*) (en catalán). Memoria del Master Experimental de Biología. Universidad de Barcelona, Barcelona. 43 pp.
- Shiau, Shi-Yen. 1997. Utilization of carbohydrates in warmwater fish –with particular reference to tilapia, *Oreochromis niloticus* X *O. aureus*. *Aquaculture*, **151**:79-96.
- Shiau, Shi-Yen; y Mei-Jiun Chen. 1993. Carbohydrate utilization by tilapia (*Oreochromis niloticus* X *O. aureus*) as influenced by different chromium sources. *J. of Nutr.*, **123**:1747-1753.
- Shiau, Shi-Yen; y Su-Fun Lin. 1993. Effect of supplemental dietary chromium and vanadium on the utilization of different carbohydrates in tilapia, *Oreochromis niloticus* X *O. aureus*. *Aquaculture*, **110**:321-330.
- Shiau, Shi-Yen; y Hong-Shiang Liang. 1994. Nutrients digestibility and growth of hybrid tilapia *Oreochromis niloticus* X *O. aureus*, as influenced by agar supplementation at two dietary protein levels. *Aquaculture*, **127**:41-48.
- Shiau, Shi-Yen; y Hong-Shiang Liang. 1995. Carbohydrate utilization and digestibility by tilapia *Oreochromis niloticus* X *O. aureus*, are affected by chromic oxide inclusion in the diet^{1,2,3}. *J. of Nutr.*, **125**(4):976-982.
- Shiau, Shi-Yen., y Jei-Chen Chuang. 1995. Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* X *O. aureus*. *Aquaculture*, **133**:249-256.
- Shiau, Shi-Yen; y Shwu.Mei Shy. 1998. Dietary chromic oxide inclusion level required to maximize glucose utilization in hybrid tilapia, *Oreochromis niloticus* X *O. aureus*. *Aquaculture*, **161**:357-364.
- Smith, Linwood S. 1989. Digestive functions in teleost fishes. En: Fish Nutrition. 2ª edición (Editado por Halver, John E.), pp. 331-421. Academic Press, San Diego.
- Solorzano, L. 1969. Determination of ammonia in natural waters by the phenolhypochlorite method. *Limnol. and Oceanogr.*, **24**:799-801.

- Somanath, B., A. Palavesam; S. Lazarus; y M. Ayyappan.** 2000. Influence of nutrient source on specific dynamic actino of pearl spot *Etroplus suratensis* (Bloch). *Naga, The ICLARM Quarterly*, **23(2)**:15-17.
- Soofiani, N. M., y A. D. Hawkins.** 1985. Field studies of energy budgets. En: *Fish Energetics: New Perspectives* (Editado por Tyler, P., y P. Calow), pp 283-307. Croom Helm, Sidney.
- Steffens, Werner.** 1987. *Principios Fundamentales de la Alimentación de los Peces.* Editorial Acribia, Zaragoza. 275 pp.
- Stryer, Lubert.** 1995. *Biochemistry.* 4ª edición. Freeman & Co., Nueva York. 1064 pp.

T

- Tacon, A. G. J., y A. M. P. Rodríguez.** 1984. Comparative of chromic oxide, crude fiber polyethylene and acid-insoluble ash as dietary marker for the estimation of apparent digestibility coefficients in rainbow trout. *Aquaculture*, **43**:391-399.
- Tacon, A. G. J., y C. B. Cowey.** 1985. Protein and aminoacids requeriments. En: *Fish Energetics: New Perspectives* (Editado por Tyler, P. y P. Calow), pp. 155-183. Croom Helm, Sidney.
- Talbot, Clive.** 1985. Laboratory methods in fish feeding and nutritional studies. En: *Fish Energetics: New Perspectives* (Editado por Tyler, P. y P. Calow), pp. 125-155. Croom Helm, Sidney.
- Tandler, A. M., M. Har'el; M. Wilks; A. Levinson; L. Brickell; y S. Christie.** 1989. Effect of environmental temperature on survival, growth an population structure in the mass rearing of the gilthead seabream, *Sparus aurata*. *Aquaculture*, **78**:277-284.
- Tátrai, Istvan.** 1986. Influence of temperature, rate of feeding and body weight on nitrogen metabolism of bream, *Abramis brama* L. *Comp. Biochem. Physiol.*, **83A(3)**:543-547.
- Tátrai, I., y T. Penczak.** 1985. Influence of temperature and rate of feeding on nitrogen metabolism of juvenile bream (*Abramis brama*, L). *Comp. Biochem. Physiol.*, **82A(1)**:125-129.
- Terofal, Fritz.** 1990. *Peces de Mar.* Editorial Blume, Barcelona. 286 pp.
- Tidu, Carlo.** 2001. *Los Cultivos de Dorada y lubina en el Mediterráneo Occidental.* Memoria DEA (Diploma de Estudios Avanzados), Facultad de Biología-Universidad de Barcelona, Barcelona. 87 pp.

U

- United States Environmental Protection Agency (US EPA).** 1999. *Public Health Goal for Chromium in Drink Water.* Office of Environmental Health Hazard Assessment-California EPA, California. 20 pp.

V

- Verbeeten, B. E., C. G. Carter; y J. Purser. 1999. The combined effect of feeding time and ration on growth performance and nitrogen metabolism of greenback flounder. *Journal of Fish Biology*, **55**:1328-1343.
- Vergara, J. M., y K. Jauncey. 1991. Studies on the use of dietary energy by gilthead seabream (*Sparus aurata*, L) juveniles. En: Fish Nutrition in Practice (Editado por Kaushik, S. J. y P. Luquet), pp 453-458. Ediciones INRA, Biarritz.
- Vergara, J. M., H. Fernández-Palacios; L. Robaina; K. Jauncey; M. De la Higuera; y M. Izquierdo. 1996a. The effects of varying dietary protein level on the growth, feed efficiency, protein utilization and body composition of gilthead seabream fry. *Fisheries and Science*, **62(4)**:620-623.
- Vergara, J. M., L. Robaina; M. Izquierdo; y M. De la Higuera. 1996b. Protein sparing effects of lipids in diets for fingerlings of gilthead seabream. *Fisheries Science*, **62(4)**:624-628.
- Verlinden, M. 1982. On the acid decomposition of human blood and plasma for the determination of selenium. *Talanta*, **29**:875-882.
- Vilia, Paulo; y V. M. Canario. 1997. Effect of water temperature on spermatogenesis of gilthead seabream (*Sparus aurata*). En: Abstracts Third International Symposium on Research for Aquaculture. European Society for Comparative Physiology and Biochemistry. Barcelona, España. Agosto 24-27, 1997

W

- Wajsbrodt, N., A. Gasith; M. D. Krom; y D. M. Popper. 1991. Acute toxicity of ammonia to juvenile gilthead seabream *Sparus aurata* under reduced oxygen levels. *Aquaculture*, **92**:277-288.
- Wajsbrodt, N., A. Gasith; A. Diamant; y D. M. Popper. 1993. Chronic toxicity of ammonia to juvenile gilthead seabream *Sparus aurata* and related histopathological effects. *Journal of Fish Biology*, **42**:321-328.
- Walsh, P. J., H. L. Bergman; A. Narahara; C. M. Wood; P. A. Wright; D. J. Randall; J. N. Maina; y P. Laurent. 1993. Short communication: effects of ammonia on survival, swimming and activities of encimes of nitrogen metabolism in the lake Magadi tilapia *Oreochromis alcalicus grahami*. *J. Exp. Biol.*, **180**:323-327.
- Walsh, P. J., B. C. Tucker; y T. E. Hopkins. 1994. Effects of confinement/crowding on ureogenesis in the gulf toadfish *Opsanus beta*. *J. Exp. Biol.*, **191**:195-206.
- Weatherley, A. H. y H. S. Gill. 1987. The Biology of Fish Growth. Academic Press, Londres. 443 pp.
- Wilson, Robert P. 1989. Amino acids and proteins. En: Fish Nutrition (Editado por Halver, John E.), 2ª edición, pp. 112-151. Academic Press, San Diego.
- Wilson, Robert P. 1994. Utilisation of dietary carbohydrate by fish. *Aquaculture*, **124**:67-80.

- Woo, N. Y. S.** 1990. Metabolism and osmorregulatory changes during temperature acclimation in the red seabream *Chrysophrys major*: Implications for its culture in the subtropics. *Aquaculture*, **87**:197-208.
- Woo, N. Y. S. y A. C. Y. Fung.** 1980. Studies on the biology of the red seabream *Chrysophrys major*, I. Temperature tolerance. *Mar. Prog. Ser.*, **(3)**:121-124.
- Woo, Norman Y. S., y S. P. Kelly.** 1995. Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system. *Aquaculture*, **135**:229-238.
- Wood, Chris. M.** 2001. Influence of Feeding, Exercise and Temperature on Nitrogen Metabolism and Excretion. En: Nitrogen Excretion (Editado por Wright, P., y P. Anderson), pp. 201-238. Croom Helm, San Diego, CA (USA).
- Wright, Patricia A.** 1995. Nitrogen excretion: three end products, many physiological roles. *The Journal of Experimental Biology*, **198**:273-281.