

Bibliografía General

- ABDULKARIM, L.A.; RAB, A.; POLYANSKY, E.; RUSZANK, I. (1994). Optimization of process variables for production of dissolving pulps from wheat-straw and hemp. *Tappi Journal*, 77(6): 141-150.
- ABUBAKR, S.M.; HRUTFIORD, B.F.; REICHERT, T.W.; MCKEAN, W.T. (1997). Retention mechanism of metal cations in recycled and never-dried pulps. *Tappi Journal*, 80(2): 143-148.
- ACUÑA, L.; VILLAR, J.C. (1992). Análisis de azúcares elementales en pastas kraft y en pastas con polisulfuros. *Investigación y Técnica del Papel*, XXIX(113): 415-423.
- AHTEE, M.; HATTULA, T.; MANGS, J.; PAAKKARI, T. (1983). An X-ray diffraction method for determination of crystallinity in wood pulp. *Paperi Ja Puu*, 65(8): 475-480.
- AITKEN, Y.; CERANTOLA, G.; SERRE, J. (1990). Microscopie à balayage. *Revue A.T.I.P.*, 44 (8/9): 312-316.
- ALLISON, R.W. (1985). Effects of temperature and chemical pretreatment on pulp bleaching with ozone. *International Pulp Bleaching Conference*, Tech. Sect., CPPA, Montreal. 47-53.
- ALLISON, R.W.; McGROUTHER, K.G.; ELLIS, M.J. (1997). Optimizing the effects of interstage peroxyomonosulphate treatment on two-stage oxygen delignification. *Journal of Pulp and Paper Science*, 23(9): 433-438.
- ALLISON, R.W.; TIMONEN, O.; McGROUTHER, K.; SUCKLING, I. (1999). Hexenuronic acid in kraft pulps from radiata pine. *Appita Journal*, 52 (6): 448-453.
- ANDREOZZI, R.; CAPRIO, V.; NSOLA, A.; MAROTTA, R.; TUFANO, V. (1997). Kinetics of oxalic-acid ozonation promoted by heterogeneous MnO₂ catalysis. *Industrial and Engineering Chemistry Research*, 37(11): 4774-4778.
- ATALLA, R.H.; VANDERHART, D.L. (1984). Native cellulose: a composite of two distinct crystalline forms. *Science*, 223: 283-285.
- ATCHINSON, J.E. (1995). Nonwood fiber could play major role in future U.S. papermaking furnishes. *Pulp & Paper*, 70(7): 125-131.

- AXEGÅRD, P.; MOLDENIUS, S.; OLM, L. (1979). Basic chemical kinetic equations are useful for an understanding of pulping processes. *Svensk Papperstidning*, 5: 131-136.
- AXEGÅRD, P. (1987). Particles difficult to bleach in softwood kraft pulp. *Svensk Papperstidning*, 81 (14): 449.
- BABLON, G.; BELLAMY, W.D.; BOURBIGOT, M.M.; DANIEL, F.B.; DORÉ, M.; ERB, F.; GORDON, G.; LANGLAIS, B.; LAPLANCHE, A.; LEGUBE, B.; MARTIN, G.; MASSCHELEIN, W.; PACEY, G.; RECKHOW, D.A.; VENTRESQUE, C. (1991). Fundamental Aspects. En : LANGLAIS, B.; RECKHOW, D.A.; BRINK, D.R. (ed.). *Ozone in Water Treatment. Application and Engineering*. USA: Awwa Research Foundation and Lewis Publishers, Inc., p. 11-132.
- BACKA, S.; GIERER, J.; REITBERGER, T.; NILSSON, T. (1992). Hydroxyl radical activity in brown-rot fungi studied by a new chemiluminescence method. *Holzforschung*, 46(1): 61-67.
- BACKLUND, B.; PARMING, A.M. (1987). Effects of inhomogeneities in bleaching studied by mathematical simulation. *Nordic Pulp and Paper Research Journal*, 2: 76-82.
- BAILEY, A.V.; HONOLD, E.; SKAU, E.L. (1958). Topochemical mechanisms involved in the preparation and deacetylation of partially acetylated cottons. *Textile Research Journal*, 28 (10): 861-873.
- BAJPAI, P. (1999). Application of enzymes in the pulp and paper industry. *Biotechnology Progress*, 15(2): 147-157.
- BARASCUD, M.C.; JACQUART, J.C.; NIVELON, S.; PICHON, M. (1995). Objectif zero rejet. *Revue A.T.I.P.*, 49 (3): 88-92.
- BARRASA, J.M.; GONZÁLEZ, A.E.; MARTÍNEZ, A.T. (1992). Ultrastructural aspects of fungal delignification of Chilean woods by *Ganoderma australe* and *Phlebia chrysocrea*. *Holzforschung*, 46(1): 1-8.
- BARRASA, J.M.; CAMARERO, S.; MARTÍNEZ, A.T.; RUEL, K. (1995). Ultrastructural aspects of wheat straw degradation by *Phanerochaete chrysosporium* and *Trametes versicolor*. *Appl. Microbiol. Biotechnol.*, 43: 766-770.
- BENNINGTON, C.P.J.; ZHANG, X-Z.; VAN HEININGEN, A.R.P. (1999). Effect of fibre-width distribution on ozone bleaching. *Journal of Pulp and Paper Science*, 25(4): 124-129.
- BERGNOR-GIDNERT, E.; TOMANI, P.E.; DAHLMAN, O. (1998). Influence on pulp quality during the removal of hexenuronic acids. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 185-193.
- BHARDWAJ, N.K.; BAJPAI, P.; BAJPAI, P.K. (1995). Use of enzymes to improve drainability of secondary fibres. *Appita Journal*, 48(5): 378-380.
- BIERMANN, C.J.; KRONIS, J.D. (1997). Bleaching chemistry: oxidation potentials of bleaching agents. *Progress in Paper Recycling*, 6 (3): 65-70.

- BLANCO, A.; VIDAL, T.; COLOM, J.F.; PASTOR, F.I.J. (1995). Purification and properties of xylanase A from alkali-tolerant *Bacillus* sp. Strain BP-23. *Applied and Environmental Microbiology*, 61 (12): 4468-4470.
- BLANCO, A.; DÍAZ, P.; MARTÍNEZ, J.; VIDAL, T.; TORRES, A.L.; PASTOR, F.I.J. (1998). Cloning of a new endoglucanase gene from *Bacillus* sp. BP-23 and characterisation of the enzyme. Performance in paper manufacture from cereal straw. *Appl. Microbiol. Biotechnol.*, 50: 48-54.
- BOKSTRÖM, M.; KONTOLA, P. (1995). Improvement of Pulp Washing by Addition of Carbon Dioxide. *Pulping Conference*, Chicago, TAPPI Proceedings: 669-671.
- BORCHARDT, L.G.; EASTY, D.B. (1982). Improvements in the gas-chromatographic method for carbohydrates as alditol acetates. *Tappi*, 65(4): 127-128.
- BOUCHARD, J.; NUGENT, H.M.; BERRY, R.M. (1995). The role of water and hydrogen ion concentration in ozone bleaching of kraft pulp at medium consistency. *Tappi Journal*, 78 (1): 74-82.
- BOUCHARD, J.; MORELLI, E.; BERRY, R.M. (2000). Gas-phase addition of solvent to ozone bleaching of kraft pulp. *Journal of Pulp and Paper Science*, 26 (1): 30-35.
- BREED, D.; SHACKFORD, L.D.; PEREIRA, E.R.; COLODETTE, J.L. (1995). Cost-Effective Retrofit of Existing Bleach Plants to ECF and TCF Bleached Pulp Production Using a Novel Peroxide Bleaching Process. *Pulping Conference*. Chicago, Book 2, p. 779 - 788.
- BROLIN, A.; GIERER, J.; ZHANG, Y. (1993). On the selectivity of ozone delignification of softwood kraft pulps. *Wood Science and Technology*, 27 (2): 115-129.
- BROWNING, B.L. (1967). Chapter 24: Crystallinity and accessibility. En: WILEY, J. (ed.). *Methods of Wood Chemistry*. U.S.A.: Interscience Publishers, p. 499-518.
- BUCHERT, J.; TELEMAN, A.; HARJUNPÄÄ, V.; TENKANEN, M.; VIIKARI, L.; VUORINEN, T. (1994). Effect of cooking and bleaching on the surface chemistry of conventional pine kraft pulp. *Third European Workshop on Lignocellulosics and Pulp*. Stockholm, Sweden, p. 16-19.
- BUCHERT, J.; BERGNOR, E.; LINDBLAD, G.; VIIKARI, L.; EK, M. (1995). The Role of Xylan and Glucomannan in Yellowing of Kraft Pulps. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. III, p.43-48.
- BUCHERT, J.; TELEMAN, A.; HARJUNPÄÄ, V.; TENKANEN, M.; VIIKARI, L.; VUORINEN, T. (1995). Effect of cooking and bleaching on the structure of xylan in conventional pine kraft pulp. *Tappi Journal*, 78 (11): 125-130.
- BUCHERT, J.; TENKANEN, M.; EK, M.; TELEMAN, A.; VIIKARI, L.; VUORINEN, T. (1996). Effects of pulping and bleaching on pulp carbohydrates and technical properties. *1996 International Pulp Bleaching Conference*. Washington, USA. Proceedings Book 1, p. 39-42.
- BUCHERT, J.; BERGNOR, E.; LINDBLAD, G.; VIIKARI, L.; EK, M. (1997). Significance of xylan and

- glucosmannan in the brightness reversion of kraft pulps. *Tappi Journal*, 80(6): 165-171.
- BUSCHLE-DILLER, G.; ZERONIAN, S.H. (1992). Enhancing the reactivity and strength of cotton fibers. *Journal of Applied Polymer Science*, 45: 967-979.
- BUSCHLE-DILLER, G.; ZERONIAN, S.H. (1993). Photodegradation of oxidized cotton cellulose. *Journal of Applied Polymer Science*, 47: 1319-1328.
- BUSCHLE-DILLER, G.; ZERONIAN, S.H. (1994). Enzymatic and acid hydrolysis of cotton cellulose after slack and tension mercerization. *Textile Chemist and Colorist*, 26 (4): 17-24.
- BUSCHLE-DILLER, G.; ZERONIAN, S.H.; PAN, N.; YOON, M.Y. (1994). Enzymatic hydrolysis of cotton, linen, ramie, and viscose rayon fabrics. *Textile Research Journal*, 64 (5): 270-279.
- BUSTAMANTE, P.; RAMOS, J.; ZÚÑIGA, V.; SABHARWAL, H.S.; YOUNG, R.A. (1999). Biomechanical pulping of bagasse with the white rot fungi *Ceriporiopsis subvermispora* and *Pleurotus ostreatus*. *Tappi Journal*, 82 (6): 123-128.
- BYKOVA, T.; EREMEEVA, T.; KLEVINSKA, V.; TREIMANIS, A. (1998). The effect of kraft delignification of wood on hemicelluloses and lignin DMSO-accessibility. *Holzforschung*, 52 (5): 475-480.
- BYVOET, P.; BALIS, J.U.; SHELLEY, S.A.; MONTGOMERY, M.R.; BARBER, M.J. (1995). Detection of hydroxyl radicals upon interaction of ozone with aqueous-media or extracellular surfactant – The role of trace iron. *Archives of Biochemistry and Biophysics*, 319 (2): 464-469.
- CAMESELLE, C.; NÚÑEZ, M.J.; LEMA, J.M. (1998). Bioblanqueo de caolines con *Aspergillus niger*. *Afinidad*, LV(478): 397-406.
- Canadian Liquid Air Ltd. (1991). *Procedimiento de fabricación de pasta de papel blanqueada que incluye un tratamiento con ayuda de ácido carbónico después del blanqueo*. Inventor: Lachapelle, R. Agente: Elzaburu, F. España, Traducción de patente europea, ES2021857, 1991-11-16.
- CANETTI, M.; COSENTINO, C.; BOCCCHIO, L.; GASTALDI, G.; FOCHER, B. (1996). Characterization of non-wood plant cellulose by X-ray and solid-state ¹³C NMR. *Fourth European Workshop on Lignocellulosics and Pulp*. Stresa, Italy, p. 283-291.
- CAO, B.J.; LEE, Z.Z. (1996). The effects of hydrogen peroxide and anthraquinone on soda ash pulping of wheat-straw. *Holzforschung*, 50(1): 62-68.
- CASANOVAS, C. (1998). Relación entre el potencial Z y la retención durante la fabricación de papel a partir de pasta de paja. *Proyecto Final de Carrera*, ETSEIT-UPC, Terrassa, España.
- CASTILLO, I. (1993). Utilización de ozono para el incremento de las propiedades ópticas y físicas, en fibras recicladas. Proyecto Final de Carrera, Departamento de Ingeniería Textil

- y Papelera, Universidad Politécnica de Cataluña, España.
- CATES, D.H.; EGGERT, C.; YANG, J.L.; ERIKSSON, K-E.L. (1995). Comparison of Effluents from TCF and ECF Bleaching of Kraft Pulps. *Tappi Journal*, 78 (12): 93 – 98.
- CETNAR, B.W.; HEITUR, I.H. (1975). Case histories in solving coating problems with the electron microscope. *Tappi Journal*, 58 (9): 91.
- CHAKAR, F.S.; ALLISON, L.; McDONOUGH, T.J.; RAGAUSKAS, A.J. (2000). Evaluation of hexenuronic acids in U.S. kraft pulps. *Sixth European Workshop on Lignocellulosics and Pulp*. Bordeaux, France, Poster Presentations, p. 253-256.
- CHANDRANUPAP, P.; NGUYEN, K.L. (2000). Effect of pH on kinetics and bleaching efficiency of chlorine dioxide delignification. *Appita Journal*, 53(2): 108-110.
- CHAPMAN, A.A.; NGUYEN, K.L.; COOK, R.A. (1997). Effect of fibre properties on ozone bleaching of oxygen-delignified eucalypt kraft pulps at high consistency. *Appita Journal*, 50(3): 245-247.
- CHAPMAN, A.A.; NGUYEN, K.L.; COOK, R.A. (1998). Instantaneous effectiveness of ozone bleaching at high consistency. *Appita Journal*, 51(1): 57-61.
- CHAPMAN, A.A.; NGUYEN, K.L.; COOK, R.A. (1999). A model for the kinetics of ozone bleaching at high consistency. *Journal of Pulp and Paper Science*, 25 (7): 263-267.
- CHIRAT, C.; LACHENAL, D. (1993). Ozone bleaching is the key to alternative bleaching technology. *International environmental Symposium*, 175-184.
- CHIRAT, C.; VIARDIN, M.T.; LACHENAL, D. (1993). Protection of cellulose during ozone bleaching. *Paperi Ja Puu – Paper and Timber*, 75 (5): 338-342.
- CHIRAT, C. (1994). Effet de l'ozone sur les hydrates de carbone et la lignine des pâtes à papier chimiques. Application au blanchiment. Tesis doctoral, Génie des Procédés de l'Ecole Française de Papeterie et des Industries Graphiques, Institut National Polytechnique de Grenoble, Francia.
- CHIRAT, C.; LACHENAL, D. (1994). Effect of ozone on pulp components application to bleaching of kraft pulps. *Holzforschung*, 48 (Supplement): 133-139.
- CHIRAT, C.; VIARDIN, M.-T.; LACHENAL, D. (1994). Use of a reducing stage to avoid degradation of softwood kraft pulp after ozone bleaching. *Paperi Ja Puu*, 76 (6-7): 417-422.
- CHIRAT, C. ; LACHENAL, D. (1995). Effect of hydroxyl radicals on cellulose and pulp and their occurrence during ozone bleaching. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. I, p. 293-299.
- CHRISTOV, L.P.; PRIOR, B.A. (1996). Reduction of active chlorine charges in bleaching of xylanase-pretreated sulfite pulp. *ACS Symposium Series*, 655: 208-218.

- CLARK, T.A.; STEWARD, D.; BRUCE, M.E.; McDONALD, A.G.; SINGH, A.P.; SENIOR, D.J. (1991). Improvement bleachability of Radiata Pine kraft pulps following treatment with hemicellulolytic enzymes. *Appita Journal*, 44: 389.
- CLAYTON, D.W. (1963). The alkaline degradation of some hardwood 4-O-methyl-D-gluconoxylans. *Svensk Papperstidning*, 28 (4): 115-124.
- COGO, E.; BAIG, S.; BRIOIS, L.; MOLINIER, J.; COSTE, C.; BAILLI, A.; THIEBLIN, E. (1996). Optimisation des conditions d'ozonation de la pâte à papier à haute consistance en présence de tert-butanol. *ATIP*, 50 (06): 219-227.
- COGO, E.; ALBET, J.; MALMARY, G.; COSTE, C.; MOLINER, J. (1999). Effect of reaction medium on ozone mass transfer and applications to pulp bleaching. *Chemical Engineering Journal*, 73 (1): 23-28.
- COLODETTE, J.L.; SINGH, U.P.; GHOSH, A.K.; SINGH, R.P. (1993). Ozone bleaching research focuses on reducing high cost, poor selectivity. *Pulp & Paper*, 67 (6): 139-147.
- COLODETTE, J.L.; SINGH, U.P.; GHOSH, A.K.; SINGH, R.P. (1993). Proper post-treatment ensures ozone bleaching efficiency, selectivity. *Pulp & Paper*, 67(8): 75-88.
- CUROTO, E.; NAZAL, A.; AGUIRRE, C.; CAMPOS, V.; DURAN, N. (1998). Enzymatic pretreatment of kraft pulps from *Pinus Radiata* with Xylanolytic Complex of *Penicillium Canescens* (Cp1) fungi. *Applied Biochemistry and Biotechnology*, 73(1): 29-42.
- DA COSTA, M.M.; CORREIA, F.M.; BISSIATI, J.I.; MOLINAR, P. (2000). Estudos de solubilização química de incrustações no estágio D₂ da seqüência ECF-D₀EoD₁D₂. *O Papel*, 2: 52-59.
- DA SILVA, M.R.; DE BRITO, A.C.H.; COLODETTE, J.L. (1997). A seqüência de blanqueamento ideal para um processo em circuito fechado. *O Papel*, 3: 35-45.
- DAHL, O.; NINIMÄKI, J.; TIRRI, T.; KUOPANPORTTI, H. (1998). Bleaching softwood kraft pulp: role of the transition metals iron, copper and manganese in the D stages. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 2, p. 383-388.
- DAS, D.; BANDYOPADHYAY, D.; BHATTACHARJEE, M.; BANERJEE, R.K. (1997). Hydroxyl radical is the major causative factor in stress-induced gastric-ulceration. *Free Radical Biology and Medicine*, 23 (1): 8-18.
- DAVIDSON, G.F. (1948). The acidic properties of cotton cellulose and derived oxycelluloses. Part II. The absorption of methylene blue. *Journal of Textile Institute*, 39: 65-86.
- DE LA CHAPELLE, V.; CHIRAT, C.; LACHENAL, D. (1998). Heat and Light induced brightness reversion of bleached chemical pulps. Effect of oxidized groups. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 2: p. 587-590.
- DENCE, C.W.; REEVE, D.W. (1996). Pulp Bleaching. Principles and Practice. *TAPPI PRESS*, Atlanta, U.S.A.

- DEVENYNS, J.; CHAUVEHEID, E.; MÄRTENS, H. (1998). Uronic acids and metals control. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 151-157.
- DU MANOIR, J.R.; HAMILTON, J., SENIOR, D.J.; BERNIER, R.L.; GRANT, J.E.; MOSER, L.E.; DUBELSTEN, P. (1991). Biobleaching of kraft pulps with cellulase-free xylanase. *International Pulp Bleaching Conference*, Stockholm, Sweden, Vol.2, p.123-138.
- DUCHESNE, I.; DANIEL, G. (1999). The ultrastructure of wood fiber surfaces as shown by a variety of microscopic methods – a review. *Nordic Pulp and Paper Research Journal*, 14 (2): 129-139.
- DUTTON, M.V.; EVANS, C.S. (1996). Oxalate production by fungi: its role in pathogenicity and ecology in the soil environment. *Can. J. Microbiol.*, 42: 881-895.
- EK, M.; GIERER, J., JANSBO, K. (1989). Study on the selectivity of bleaching with oxygen-containing species. *Holzforschung*, 43 (6): 391-396.
- ELDIN, N.M.S.; FAHMY, A.M. (1994). Effect of accelerated aging on the properties of some writing paper sheets. *Polymer International*, 34 (1): 15-18.
- ELDRED, N.R.; HALLER, M.N. (1977). SEM of coated papers. *Tappi Journal*, 60 (62): 84.
- EL-SAKHAWY, M.; LÖNNBERG, B.; FAHMY, Y.; IBRAHIM, A.A. (1996). Organosolv pulping. 5. Bleachability and paper properties. *Cellulose Chemistry and Technology*, 30(5-6): 483-495.
- ELSANDER, A.; EK, M.; GELLERSTEDT, G. (2000). Oxalic acid formation during ECF and TCF bleaching of kraft pulp. *Tappi Journal*, 83(2): 73-77.
- EMSLEY, A.M.; STEVENS, G.C. (1994). Kinetics and mechanisms of the low-temperature degradation of cellulose. *Cellulose*, 1: 26-56.
- ENCE. (2001). [En línea]. Página web, URL <<http://www.ence.es>>. [Consulta el 3 de abril de 2001].
- ERIKSSON, T.; GERER, J. (1985). Studies on the ozonation of structural elements in residual kraft lignins. *Journal of Wood Chemistry and Technology*, 5(1): 53-84.
- ERIKSSON, T.; REITBERGER, T. (1995). Formation of hydroxyl radicals from direct ozone reactions with pulp constituents. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. II, p. 349-354.
- ERIKSSON, T.; RAGNAR, M.; REITBERGER, T. (1998). Studies on the radical formation in ozone reactions with lignin and carbohydrate model compounds. *International Pulp Bleaching Conference*. Helsinki, Finland: Book 1, p. 119-126.
- EVANS, R.; NEWMAN, R.H.; ROICK, U.C.; SUCKLING, I.D.; WALLIS, A.F.A. (1995). Changes in cellulose crystallinity during kraft pulping. Comparison of infrared, X-ray diffraction and solid state NMR results. *Holzforschung*, 49 (6): 498-504.

- EVTUGUIN, D.V.; DANIEL, A.I.D.; PASCOAL NETO, C. (2000). Combined quantification of hexenuronic acids and residual lignin in pulps by UV-spectroscopy in cadoxen solutions. *Sixth European Workshop on Lignocellulosics and Pulp*. Bordeaux, France, Poster Presentations, p. 299-302.
- FARRELL, R.L.; MIKARI, L.; SENIOR, D. (1996). The technology of chemical pulp bleaching – Enzyme treatments of pulp. En: DENCE, D.W. y REEVE, W. (ed.). *Pulp Bleaching – Principles and Practice*. Atlanta, USA: TAPPI Press, p. 363-377.
- FOCHER, B.; CAPRETTI, G.; MARZETTI, A.; KOTKA, B.V.; HUA, X.; KALIAGUINE, S. (1994). Sulfonated aspen pulps. Effect of vapor-phase cooking temperature on the fiber structure. *Cellulose Chemistry and Technology*, 28 (6): 629-648.
- FORSSKÅHL, I. (1995). Temperature and humidity effects on the light-induced changes in lignocellulosic pulps. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol III, p. 9-14.
- FUHRMANN, A.; MALINEN, R.; RAUTONEN, R.; ÁHUSALO, T.; SÅGFROS, P-E. (1995). Influence of ozonation parameters on delignification and cellulose degradation. *The 8th International Symposium on Wood and Pulping Chemistry*, Helsinki, Finland, Vol I: 337-344.
- FUHRMANN, A.; Li, X.-L.; RAUTONEN, R. (1997). Effects of ECF and TCF bleaching sequences on the properties of softwood kraft pulp. *Journal of Pulp and Paper Science*, 23 (10): J487-J492.
- FUHRMANN, A.; RASIMUS, R.; RAUTONEN, R. (1998). Ozone bleaching-new encouraging perspectives. *Paperi ja puu-Paper and timber*, 80(4): 243-248.
- GACÉN, J.; MAILLO, J. (1987). *Algodón y Celulosa. Estructura y propiedades*. Terrassa (España): Universidad Politécnica de Cataluña.
- GANDEK, T.P. (1998). Rate processes and uniformity in commercial high consistency ozone bleaching. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 127-137.
- GAO, D.Y.; TAWA, R.; MASAKI, H.; OKANO, Y.; SAKURAI, H. (1998). Protective effects of Baicalein against cell-damage by reactive oxygen species. *Chemical and Pharmaceutical Bulletin*, 46 (9): 1383-1387.
- GARCÍA, J.A.; VIDAL, T. (1984). *Blanqueo de pastas en la industria papelera*. COLOM, J.F. Terrassa (España): Escuela Técnica Superior de Ingenieros Industriales de Terrassa, Universidad Politécnica de Cataluña.
- GARCÍA HORTAL, J.A. (1988). *Constituyentes Fibrosos de Pastas y Papeles*. España: Escuela Técnica Superior de Ingenieros Industriales de Terrassa, Universidad Politécnica de Cataluña.
- GARCÍA, J.A.; COLOM, J.F. (1992). *El proceso al sulfato. Volumen I*. 2^a ed. España: Escuela Técnica Superior de Ingenieros Industriales de Terrassa, Universidad Politécnica de

Cataluña.

- GARCÍA HORTAL, J.A. (1994). *Constituyentes Fibrosos de Pastas y Papeles*. España: Escuela Técnica Superior de Ingenieros Industriales de Terrassa, Universidad Politécnica de Cataluña.
- GARCÍA, O. (1998). Influencia de la aplicación de celulasas en la fabricación de papel a partir de fibras de eucalipto. Proyecto Final de Carrera, Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña.
- GARDNER, D.J.; GENCO, J.M.; JÄGEKLS, R.; SIMAR, G.L. (1982). SEM-EDAX technique for measuring lignin distribution in pulp fibers. *Tappi Journal*, 65 (9): 123.
- GARG, A.P.; ROBERTS, J.C.; McCARTHY, A.J. (1998). Bleach boosting effect of cellulase-free xylanase of *Streptomyces Thermophilaceus* and its comparison with 2 commercial enzyme preparations on birch wood kraft pulp. *Enzyme and Microbial Technology*, 22 (7): 594-598.
- GELLERSTEDT, G.; LI, J. (1996). An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps. *Carbohydrate Research*, 294: 41-51.
- GERMGÅRD U, SJÖGREN B. (1985). Ozone prebleaching of a modified-cooked and oxygen-bleached softwood kraft pulp. *Svensk Papperstidning*, 88 (15): R127-R132.
- GIERER, J.; ZHANG, Y. (1993). The role of hydroxyl radicals in ozone bleaching processes. *7th International Symposium on Wood and Pulping Chemistry*. Beijing, China: Vol. 2, p. 951-960.
- GIERER, J. (1995). The chemistry of TCF bleaching. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. I, p. 285-291.
- GIERER, J. (1997). Formation and involvement of superoxide ($O_2^{\bullet-}/HO_2^{\bullet}$) and hydroxyl (OH^{\bullet}) radicals in TCF bleaching processes: a review. *Holzforschung*, 51 (1): 34-46.
- GIERER, J.; JANSBO, K.; YOON, B-H. (1998). On the participation of hydroxyl radicals in oxygen and hydrogen peroxide bleaching processes. Documento proporcionado por el propio autor.
- GIERTZ, H.W.; MCPHERSON, J. (1956). Brightness reversion of bleached pulps. *Svensk Papperstidning*, 59 (3): 93-97.
- GIOVANNOZZI-SERMANNI, G.; CAPPELLETTO, P.L.; D'ANNIBALE, A.; PERANI, C. (1997). Enzymatic pretreatments of nonwoody plants for pulp and paper production. *Tappi Journal*, 80(6): 139-144.
- GODSAY, M.P.; PEARCE, E.M. (1984). Physico-chemical properties of ozone oxidized kraft pulps. *Oxygen Delignification Tappi Symposium*. San Francisco: p. 55-70.
- GOODELL, B.; YAMAMOTO, K.; JELLISON, J.; NAKAMURA, M.; FUJII, T.; TAKABE, K.; HAYASHI, N.

- (1998). Laccase immunolabeling and microanalytical analysis of wood degraded by *Lentinus Edodes*. *Holzforschung*, 52 (4): 345-350.
- GOSWAMI, T.; SAIKIA, C.N.; BARUAH, R.K.; SARMA, C.M. (1996). Characterization of pulp obtained from *Populus Deltoides* plants of different ages using IR, XRD and SEM. *Bioresource Technology*, 57 (2): 209-214.
- GRACE, T.M.; MALCOLM, E.W. (1969). *Pulp and Paper Manufacture. Vol. 5. Alkaline Pulping*. 3^a ed. TAPPI Atlanta, USA; CPPA Montreal, Canada: Joint Textbook Committee of the Paper Industry.
- GRANSTRÖM, A.; RÖÖST, C.; ERIKSSON, T.; LARSSON, P.; GELLERSTEDT, G. (2000). Influence of hexenuronic acid groups on the thermal yellowing of TCF-bleached birch kraft pulps. *Sixth European Workshop on Lignocellulosics and Pulp*. Bordeaux, France, Poster Presentations, p. 343-346.
- GRANT, R. (1992). Enzymes reveal plenty more potential. *Pulp and Paper International*, 34(12): 75-76
- GRÖNROOS, A.J.; RÄTKÄNEN, M.; VUOLLE, M. (1998). Radical formation in peroxide-bleached kraft pulp. *Journal of Pulp and Paper Science*, 24 (9): 286-290.
- GRUBBS, F.E.; BECK, G. (1972). Extension of sample sizes and percentage points for significance tests of outlying observations. *Technometrics*, 4(4): 847-854.
- GUGGENBERGER, G.; CHRISTENSEN, B.T.; ZECH, W. (1994). Land-use effects on the composition of organic matter in particle-size separates of soil: I. Lignin and carbohydrate signature. *European Journal of Soil Science*, 45(4): 449-458.
- GUILLÉN, F.; MUÑOZ, C.; GÓMEZ-TORIBIO, V.; MARTÍNEZ, A.T.; MARTÍNEZ, M.J. (2000). Oxygen activation during oxidation of methoxyhydroquinones by Laccase from *Pleurotus Eryngii*. *Applied and Environmental Microbiology*, 66 (1): 170-175.
- GULLICHSEN, J.; SÖDERHJELM, L. (1984). On the colour reversion of bleached kraft pulp. *Paperi Ja Puu*, 1: 34-37.
- GURNAGUL, N.; HOWARD, R.C.; ZOU, X.; UESAKA, T.; PAGE, D.H. (1993). The mechanical permanence of paper: a literature review. *Journal of Pulp and Paper Science*, 19 (4): 160-166.
- HAKKILA, P. (1998). Structure and properties of wood and woody biomass. En: KELLOMÄKI, S. (ed.). *Papermaking Science and Technology. Book 2. Forest Resources and Sustainable Management*. GULLICHSEN, J. y PAULAPURO, H. Helsinki, Finlandia: Fapet Oy, p. 117-185.
- HAMILTON, F.; LEOPOLD, F. (1969). *Pulp and Paper Manufacture. Vol. 3. Secondary Fibers and Non-Wood Pulping*. 3^a ed. TAPPI Atlanta, USA; CPPA Montreal, Canada: The Joint Textbook Committee of the Paper Industry.
- HARTLER, N.; GRANLUND, V.; SUNDIN, J.; TUBEK-LINDBLOM, A. (1991). Ozone bleaching of

- chemical pulps. *International Pulp Bleaching Conference*. Stockholm, Sweden: Vol. 2, p. 75-91.
- HATTULA, T. (1986). Effect of kraft cooking on the ultrastructure of wood cellulose. *Paperi Ja Puu*, 68: 926-931.
- HAUSALO, T. (1995). Analysis of Wood and Pulp Carbohydrates by Anion Exchange Chromatography with Pulsed Amperometric Detection. *The 8th International Symposium on Wood and Pulping Chemistry*, Helsinki, Finland, Vol. III, p.131-136.
- HAYASHI, N.; ISHIHARA, M.; SHIMIZU, K. (1995). The features in enzymatic hydrolysis residues of highly crystalline native cellulose. *Mokuzai Gakkaishi*, 41 (12): 1132-1138.
- HEIJNESSON, A.; SIMONSON, R.; WESTERMARK, U. (1995). Metal Ion Content of Material Removed from the Surface of Unbleached Kraft Fibres. *Holzforschung*, 49 (1): 75-80.
- HELMY, S.A. (1993). Dissolving pulps from Egyptian wheat-straw by the soda process. *Cellulose Chemistry and Technology*, 27(5): 513-517.
- HESSLER, L.E.; POWER, R.E. (1954). The use of iodine adsorption as a measure of cellulose fiber crystallinity. *Textile Research Journal*, 24 (9): 822-827.
- HEUX, L.; DINAND, E.; VIGNON, M.R. (1999). Structural aspects in ultrathin cellulose microfibrils followed by C-13 CP-MAS NMR. *Carbohydrate Polymers*, 40 (2): 115-124.
- HOIGNÉ, J.; BADER, H. (1983). Rate constants of reactions of ozone with organic and inorganic compounds in water – I. Non-dissociating organic compounds. *Water Res.*, 17: 173-183.
- HOIGNÉ, J.; BADER, H. (1983). Rate constants of reactions of ozone with organic and inorganic compounds in water – II. Dissociating organic compounds. *Water Res.*, 17: 185-194.
- HORVÁTH, M.; BLITZKY, L.; HÜTTNER, J. (1985). *Ozone*. CLARK, R.J.H. (ed.). New York, USA: Elsevier Science Publishers.
- HSU, C.L.; HSIEH, J.S. (1987). Oxygen bleaching kinetics at ultra-low consistency. *Tappi Journal*, 107-111.
- HYDE, S.M.; WOOD, P.M. (1997). A mechanism for production of hydroxyl radicals by the brown-rot fungus *Coniophora puteana*: Fe(III) reduction by cellobiose dehydrogenase and Fe(II) oxidation at a distance from the hyphae. *Microbiology*, 143: 259-266.
- INGLESBY, M.K.; ZERONIAN, S.H. (1996). The accessibility of cellulose as determined by dye adsorption. *Cellulose*, 3: 165-181.
- IRIBARNE, J.; SCHROEDER, L.R. (1997). High-pressure oxygen delignification of kraft pulps. Part I: Kinetics. *Tappi Journal*, 80 (10): 241-250.
- JACOBSON, B.; LINDBLAD, P-O.; NILVEBRANT, N-O. (1991). Lignin Reactions Affect The Attack

- Of Ozone On Carbohydrates. *International Pulp Bleaching Conference*, Stockholm, Sweden, Vol.2, p. 45-58.
- JACOBSON, B.; LINDBLAD, P.-O.; NILVEBRANT, N.-O. (1992). Lignin reactions affect the attack of ozone on carbohydrates. *International Pulp Bleaching Conference*. Stockholm, Sweden: Vol. 2, p. 45-58.
- JEFFRIES, R.; ROBERTS, J.G.; ROBINSON, R.N. (1968). Accessibility and reaction sites in cotton. *Textile Research Journal*, 38 (3): 234-244.
- JIMÉNEZ, L.; LÓPEZ, F. (1993). Characterization of paper sheets from agricultural residues. *Wood Science and Technology*, 27(6): 468-474.
- JIMÉNEZ, L.; DE LA TORRE, M.J.; MAESTRE, F.; FERRER, J.L.; PÉREZ, I. (1997). Organosolv pulping of wheat straw by use of phenol. *Bioresource Technology*, 60: 199-205.
- JIMÉNEZ, L.; MAESTRE, F.; DE LA TORRE, M.J.; PÉREZ, I. (1997). Organosolv pulping of wheat straw by use of metanol-water mixtures. *Tappi Journal*, 80(12): 148-154.
- JIMÉNEZ, L.; MARTÍNEZ, C.; PÉREZ, I.; LÓPEZ, F. (1997). Biobleaching procedures for pulp from agricultural residues using *Phanerochaete chrysosporium* and enzymes. *Process Biochemistry*, 32(4): 297-304.
- JIMÉNEZ, L.; DE LA TORRE, M.J.; MAESTRE, F.; FERRER, J.L.; PÉREZ, I. (1998). Delignification of wheat straw by use of low-molecular-weight organic acids. *Holzforschung*, 52(2): 191-196.
- JIMÉNEZ, L.; NAVARRO, E.; GARCÍA, J.C.; PÉREZ, I. (2000). Bleaching of wheat straw pulp with enzymes in an oxygen-hydrogen peroxide sequence. *Tappi Journal Peer Reviewed Paper*, 83 (11): 1-13.
- JOHANSSON, E.; LJUNGGREN, S. (1994). The kinetics of lignin reactions during oxygen bleaching, Part. 4. The reactivities of different lignin model compounds and the influence of metal ions on the rate of degradation. *J. Wood Chemistry and Technology*, 14 (4): 507-525.
- JOHANSSON, N.G.; CLARK, F.M.; FLETCHER, D.E. (1995). Developing technologies open door to future closure of bleach plant. *Pulp & Paper*, 69 (6): 71-75.
- JOHANSSON, E.E.; LIND, J.; LJUNGGREN, S. (2000). Aspects of the chemistry of cellulose degradation and the effect of ethylene glycol during ozone delignification of kraft pulps. *Journal of Pulp and Paper Science*, 26 (7): 239-244.
- KAMISHIMA, H.; FUJII, T.; AKAMATSU, I.; NAKAYAMA, S. (1982). The effect of organic acids on carbohydrate protection during ozone bleaching of kraft pulp. *Journal Wood Res. Soc.*, 28 (6): 370-375.
- KAMISHIMA, H.; FUJII, T.; AKAMATSU, I. (1984). Mechanism of carbohydrate protection with oxalic acid and methanol during ozone bleaching of unbleached kraft pulp. *Journal Wood*

- Res. Soc., 30 (11): 927-935.
- KANEKO, H.; HOSOYA, S.; NAKANO, J. (1983). Degradation of lignin with ozone: reactivity of lignin model compounds toward ozone. *Journal of Wood Chemical Technology*, 3 (4): 399-411.
- KANG, G.; ZHANG, Y.; NI, Y.; VAN HEININGEN, A.R.P. (1995). Influence of lignins on the degradation of cellulose during ozone treatment. *Journal of Wood Chemistry and Technology*, 15 (4): 413-430.
- KATAOKA, Y.; KONDO, T. (1996). Changing cellulose crystalline structure in forming wood cell walls. *Macromolecules*, 29 (19): 6356-6358.
- KIRK, T.K.; JEFFRIES, T.W. (1996). Roles for microbial enzymes in pulp and paper processing. En: JEFFRIES, T.W. y VIIKARI, L. (ed.). *Enzymes for Pulp and Paper Processing*. Washington, DC, USA: American Chemical Society, ACS Symposium Series 655, p. 2-14.
- KISHIMOTO, T.; NAKATSUBO, F. (1998). Non-Chlorine bleaching of kraft pulp. V. Participation of radical species in ozonation of methyl 4-O-ethyl- β -D-glucopyranoside. *Holzforschung*, 52 (2): 185-190.
- KLUG, E.D. (1971). Some properties of water-soluble hydroxy alkyl celluloses and their derivatives. *Journal Polymer Science*, part C (36): 491-508.
- KOLAR, J.; STRLIC, M.; NOVAK, G.; PIHLAR, B. (1998). Aging and stabilization of alkaline paper. *Journal of Pulp and Paper Science*, 24 (3): 89-94.
- KORDSACHIA, O.; OLTMANN, E.; PATT, R. (1995). Determination of optimum links between the process stages in production of totally chlorine-free bleached Asam pulps. 2. Investigations on the determination of the transition points within the OZ(E)P bleaching sequence. *Papier*, 49 (6): 308-315.
- KUAN, I-C.; TIEN, M. (1993). Stimulation of Mn peroxidase activity: A possible role for oxalate in lignin biodegradation. *Proc. Natl. Acad. Sci. U.S.A.*, 90: 1242-1246.
- KUNDU, S.K.; RAY, P.K.; SEN, S.K.; BHADURI, S.K. (1993). Characterization of grafted jute fiber by optical and scanning electron microscopy. *Journal of Applied Polymer Science*, 49 (1): 25-30.
- LACHENAL, D.; BOKSTRÖM, M. (1986). Improvement of ozone prebleaching of kraft pulps. *Journal of Pulp and Paper Science*, 12 (2): J50-J53.
- LACHENAL, D.; CHIRAT, C. (1999). Evaluation de l'efficacité des réactifs de blanchiment Nouvelle approche. *Revue A.T.I.P.*, 53 (4-5): 125-130.
- LAMBERT, F. (1999). Nouvelles utilisations de l'ozone dans le blanchiment des pâtes à papier chimiques. Tesis doctoral, Institut National Polytechnique de Grenoble, Grenoble, Francia.

- LANGLAIS, B.; RECKHOW, D.A.; BRINK, D.R. (1991). *Ozone in water treatment: Application and engineering*. Chelsea, Michigan, USA: Lewis Publishers.
- LAPIERRE, L.; PALEOLOGOU, M.; BERRY, R.M.; BOUCHARD, J. (1997). The limits of metal removal from kraft pulp by acid treatment. *Journal of Pulp and Paper Science*, 23(11): J539-J542.
- LEITE, M.; EREMEEVA, T.; TREIMANIS, A.; EGLE, V.; BYKOVA, T.; PURINA, L.; VIESTURS, U. (1995). The effects of xylanase type enzymes on the different layers of birch wood organosolv pulp fiber walls. *Acta Biotechnologica*, 15 (2): 199-209.
- LEITNER, N.K.V.; DORE, M. (1997). Mécanisme d'action des radicaux OH⁰ sur les acides glycolique, glyoxylique, acétique et oxalique en solution aqueuse: incidence sur la consommation de peroxyde d'hydrogène dans les systèmes H₂O₂/UV et O₃/H₂O₂. *Water Research*, 31 (6): 1383-1397.
- LELE, I.; FEJES, F.; KOVACS, I.; RUSZNAK, I.; CSISZAR, E. (1998). Straw pulp bleaching with singlet oxygen. *Cellulose Chemistry and Technology*, 32(5-6): 463-474.
- LENNHOLM, H.; IVERSEN, T. (1995). The effects of laboratory beating on cellulose structure. *Nordic Pulp and Paper Research Journal*, 10 (2): 104-109.
- LEWIN, M.; EPSTEIN, J.A. (1962). Functional Groups and Degradation of Cotton Oxidized by Hypochlorite. *Journal of Polymer Science*, 58: 1023-1037.
- LI, J.; GELLERSTEDT, G. (1997). The contribution to kappa number from hexeneuronic acid groups in pulp xylan. *Carbohydrate Research*, 302: 213-218.
- LI, J.; GELLERSTEDT, G. (1998). On the structural significance of the kappa number measurement. *Nordic Pulp and Paper Research Journal*, 13 (2): 153-158.
- LIEBERGOTT, N.; VAN LIEROP, B.; SKOTHOS, A. (1992). A survey of the use of ozone in bleaching pulps, Part 1. *Tappi Journal*, 75 (1): 145-152.
- LIEBERGOTT, N.; VAN LIEROP, B.; SKOTHOS, A. (1992). A survey of the use of ozone in bleaching pulps, Part 2. *Tappi Journal*, 75 (2): 117-124.
- LIND, J.; MERÉNYI, G.; EK, M.; WÄGNER, K. (1994). The chemistry of ozone during pulp bleaching. *Journal Wood Chem. Tech.*, 17 (3): 297-326.
- LINDEBERG, O. (1996). Concurrent Bleaching and Metal Management by Addition of EDTA to Chlorine Dioxide and Ozone Stages. Degradation of EDTA and Formation of Oxalic Acid. *International Pulp Bleaching Conference*. Tappi Proceedings, Book 1, p. 323-330.
- LINDHOLM, C-A. (1989). Effect of pulp consistency and pH in ozone bleaching. V. Various pretreatments and additives in low and high consistency bleaching. *Cellulose Chem. Technol*, 23: 307-319.
- LINDHOLM, C.-A. (1990). Effect of pulp consistency and pH in ozone bleaching. Part 6.

- Strength properties. *Nordic Pulp and Paper Research Journal*, 1: 22-27.
- LINDHOLM, C.-A. (1992). Alkaline extraction of ozone-bleached pulp. Part 1. General aspects and outlines for further research. *Paperi Ja Puu*, 74 (3): 224-231.
- LINDHOLM, C.-A. (1993). Alkaline extraction of ozone-bleached pulps. Part 4: Comparison of E, (EB), (EO), (EP) and (EOP) treatment. *Journal of Pulp and Paper Science*, 19 (3): J108-J113.
- LINDHOLM, C.-A. (1994). Alkaline extraction of ozone-bleached pulp. Part 5. Chlorine dioxide bleaching after various extraction treatments. *Nordic Pulp and Paper Research Journal*, 1: 31-36.
- LJUNGGREN, S.; GUNNARSSON, P-I. (1995). Some kinetic aspects of lignin reactions in chlorine dioxide bleaching. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol II, p. 303-308.
- LINDHOLM, C-A.; HALINEN, E.; HENRICSON, K.; TERVOLA, P. (1996). Closing the wash liquor circulations in TCF bleaching - impact on the ozone stage. *International Pulp Bleaching Conference*. Washington, USA, Vol. 1, p. 331-340.
- LJUNGKVIST, K. (1994). Um projeto moderno do ciclo de recuperação nas fábricas com branqueamento TCF. *O Papel*, 7: 28-29.
- LOMONOSOVA, E.E.; KIRSCH, M.; DEGROOT, H. (1998). Calcium vs. iron-mediated processes in hydrogen-peroxide toxicity to L929 cells – Effects of glucose. *Free Radical Biology and Medicine*, 25 (4-5): 493-503.
- LORÅS, V. (1967). Factors influencing loss in brightness during heating of chemical pulps. *Norsk Skogindustri*, 21 (10): 368-375.
- LOUFTI, H. (1993). Researchers continue development of new bleaching agents for kraft pulp. *Pulp & Paper*, 68(29): 122
- LUETZOW, A.E.; THEANDER, O. (1974). 6-Aldehydocelluloses - Thermal Instability, β -Elimination and Acid Hydrolisis. *Svensk Papperstidning*, 9: 312-318.
- LUHTA, U.; ÅKERHOLM, M. (1998). Formation of oxalic acid in the kraft pulping process of Metsä-Rauma. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 289-294.
- LUNDGREN, K.R.; BERGKVIST, L.; HOGMAN, S.; JOVES, H.; ERIKSSON, G.; BARTFAI, T.; VANDERLAAN J.; ROSENBERG, E.; SHOHAM, Y. (1994). TCF mill trial on softwood pulp with Korsnas thermostable and alkaline stable xylanase T6. *Fems Microbiology Reviews*, 13(2-3): 365-368.
- MADDERN, K.N.; NEILSON, M.J.; JAMIESON, A.G. (1993). The production of eucalypt kraft market pulp without the use of molecular chlorine. *Appita Journal*, 46(6): 419-423.

- MAGARA, K.; IKEDA, T.; TOMIMURA, Y.; HOSOYA, S. (1998). Accelerated degradation of cellulose in the presence of lignin during ozone bleaching. *Journal of Pulp and Paper Science*, 24(8): 264-268.
- MANSFIELD, S.D.; WONG, K.K.Y.; DEJONG, E.; SADDLER, J.N. (1996). Xylanase prebleaching of fractions of Douglas Fir kraft pulp of different fiber length. *Applied Microbiology and Biotechnology*, 46(4): 319-326.
- MANSFIELD, S.D.; DEJONG, E.; STEPHENS, R.S.; SADDLER, J.N. (1997). Physical characterization of enzymatically modified kraft pulp fibers. *Journal of biotechnology*, 57 (1-3): 205-216.
- MARCHESSAULT, R.H.; SETTINERI, W.; WINTER, W. (1967). Crystallization of xylan in the presence of cellulose. *Tappi*, 50 (2): 55-59.
- MARCOCCIA, B.; REEVE, D.W.; GORING, D.A.I. (1993). Photo-enhanced oxygen delignification of softwood kraft pulp. Part II: Reaction kinetics. *Journal of Pulp and Paper Science*, 19 (3): J97-J101.
- MARTÍN, E. (1999). Diseño y mejora del control y calibración de un sistema automatizado de generación de ozono aplicado al blanqueo de pasta de papel. Proyecto Final de Carrera, Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña, España.
- MARTÍNEZ, A.T.; BARRASA, J.M.; ALMENDROS, G.; GONZÁLEZ, A.E. (1990). Fungal transformation of lignocellulosics as revealed by chemical and ultrastructural analyses. En: Coughlam, M.P. y Amaral-Collaço, M.T. (eds). *Advances in Biological Treatment of Lignocellulosic Materials*. London: Elsevier Appl. Sci., p. 129-147.
- MARTÍNEZ, A.T.; CAMARERO, S.; GUILLÉN, F.; GUTIÉRREZ, A.; MUÑOZ, C.; VARELA, E.; MARTÍNEZ, M.J.; BARRASA, J.M.; RUEL, K.; PELAYO, J.M. (1994). Progress in biopulping of non-woody materials: chemical, enzymatic and ultrastructural aspects of wheat straw delignification with ligninolytic fungi from the genus *Pleurotus*. *FEMS Microbiology Reviews*, 13: 265-274.
- MARTÍNEZ, J. (1994). Tratamiento con ozono de una pasta kraft de frondosas predeslignificada con oxígeno. (Automatización y puesta a punto de un sistema compuesto por: un generador de ozono, analizador de O₃ y sistema de adquisición de datos y su tratamiento). Proyecto Final de Carrera, Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña, España.
- MARTÍNEZ, J.A. (1995). Estudio de las variables de la etapa de blanqueo con ozono y su control. Proyecto Final de Carrera, Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña, España.
- MARTÍNEZ, J.A.; VIDAL, T.; COLOM, J.F.; TORRES, A.L. (1997). OZP sequence influence of the ozone bleaching on the hydrogen peroxide stage properties. *Pulping Conference*. San

- Francisco, Vol. 1, p. 273.
- MBACHU, R.A.D.; MANLEY, R.St.J. (1981). The effect of acetic and formic acid pretreatment on pulp bleaching with ozone. *Tappi Journal*, 64 (1): 67-70.
- MCDONALD, K. L.; GARBY, A.C. (1983). Gas Chromatography for Carbohydrates. *Tappi Journal*, 66 (2).
- MCDONOUGH, T.J. (1995). Recent advances in bleached chemical pulp manufacturing technology. Part1: Extended delignification, oxygen delignification, enzyme applications, and ECF and TCF bleaching. *Tappi Journal*, 78 (3): 55-62.
- MCGROUThER, K.G.; PASCO, M.F.; SUCKLING, I.D. (1995). Chromophore changes during chemical pulp bleaching. A study by absorption spectroscopy. *The 8th International Symposium on Wood and Pulping Chemistry*, Helsinki, Finland. Vol. III: 85-90.
- MELO, R.; MARIANI, S.; ARIAS, A. (1997). Estudio cinético de la reacción de la lignina de Klason con ozono. *Investigación y Técnica del Papel*, 134: 791-800.
- MENG, M.X.; HSIEH, J.S. (2000). Improved ozone efficiency at reduced charges – An electrochemical model and new experimental approach. *Tappi Journal Peer Reviewed Paper*, 83 (9): 1-11.
- MITRA, G.B.; MUKHERJEE, P.S. (1980). X-ray diffraction study of fibrous polymers. I. Degree of paracrystallinity – a new parameter for characterizing fibrous polymers. *Polymer*, 21 (12): 1403-1409.
- MONTANE, D.; JOLLEZ, P.; SALVADO, J.; FARRIOL, X.; CHORNET, E. (1996). Rapid soda pulping of wheat-straw by the impregnation rapid-steam-pulping process. *Tappi Journal*, 79(3): 253-260.
- MUGUET, M.; LACHENAL, D. (1995). Le blanchiment: approche économique et technique. *Papier, Carton & Cellulose*: 51-55.
- NAKAMURA, Y.; SAWADA, T.; KOBAYASHI, F.; GODLIVING, M. (1996). Microbial treatment of kraft pulp wastewater pretreated with ozone. *5th IAWQP Symposium on Forest Industry Wastewaters*. Vancouver, Canada, Symposium Preprints, p. 291-296.
- NAVAS, A.; COLOM, J.F. (1980). Teneur en hémicelluloses des pâtes. Influence de l'extraction alcaline. *Revue A.T.I.P.*, 34 (2): 67-80.
- NDRL Radiation Chemistry Data Center. (2001). [En línea]. Página web, URL <<http://allen.rad.nd.edu>>. [Consulta el 27 de marzo de 2001].
- NELSON, M.L.; ROUSSELLE, M.A.; CANGEMI, S.J.; TROUARD, P. (1970). The iodine sorption test. Factors affecting reproducibility and a semimicro adaptation. *Textile Research Journal*, 40 (10): 872-880.
- NELSON, P.J.; CHIN, C.W.J.; GROVER, S.G. (1994). Bleaching of kraft pulps from Australian

- eucalypt woods. *International Pulp Bleaching Conference*, Vancouver, Canada, Vol. Poster, p. 115.
- NELSON, S.L.; WONG, K.K.Y.; SADDLEP, J.N.; BEATSON, R.P. (1995). The use of xylanase for peroxide bleaching of kraft pulps derived from different softwood species. *Pulp & Paper Canada*, 96(7): 42-45.
- NI, Y.; KANG, G.J.; VAN HEININGEN, A.R.P. (1996). Are hydroxyl radicals responsible for degradation of carbohydrates during ozone bleaching of chemical pulp?. *Journal of Pulp and Paper Science*, 22 (2): J53-J57.
- NI, Y.; DIXON, C.; OOI, T. (1997). Kinetics of hydrogen peroxide bleaching of ALCELL® derived pulp. *The Canadian Journal of Chemical Engineering*, 75 (2): 48-52.
- NICKERSON, R.F. (1951). Accessibility of cellulose by formic acid esterification. *Textile Research Journal*, 21 (4): 195-202.
- NILVEBRANT, N-O.; REIMANN, A. (1996). Xylan as a source for oxalic acid during ozone bleaching. *Fourth European Workshop on Lignocellulosics and Pulp*. Stresa, Italy, p. 485-491.
- NIMZ, H. (1974). Beech lignin-Proposal of a constitutional scheme. *Angew. Chem. Int. Ed.*, 13: 313-321.
- NOMPEX, P.; DORE, M. ; DE LAAT, M. ; BAWA, M.; LEGUBE, B. (1991). Ozonisation of selected molecules constituting cellular matter. *Ozone Science Engineering*, 13: 256-286.
- NORSTEDT, I.; SAMUELSON, O. (1966). Determination of Carbonyl Groups in Bleached Wood Pulps. *Svensk Papperstidning*, 13: 441-446.
- ODERMATT, J.; RIPPIN, H.-J.; KORDSACHIA, O.; PATT, R.; WANG, D.K.L. (1998). The application of NaBH₄ to improve the properties of ozonated softwood kraft pulp. *Cellulose Chemistry and Technology*, 32 (3-4): 309-325.
- OLARU, N.; OLARU, L.; STOLERIU, A.; LEANCA, M. (1995). Kinetic study of cellulose carboxymethylation. Effect of cellulose accessibility and solvent system on reaction rate. *8th International Symposium on Wood and Pulp Chemistry*. Helsinki, Finland: Volume III, p. 361-366.
- ORMEROD, D.L.; SIMON, G.C.; GIBBON, D.L. (1988). Paper mill additive and contaminant distribution mapping using SEM-EDAX. *Tappi Journal*, 71 (4): 211.
- OTT, E.; SPURLIN, H.M.; GRAFFLIN, M.W. (ed.). (1963). *Cellulose and Cellulose Derivatives*. Part I. 2^a ed. New York: Interscience Publishers.
- PAICE, MG.; BOURBONNAIS, R.; REID, I.D.; ARCHIBALD, F.S., JURASEK, L. (1995). Oxidative bleaching enzymes: a review. *Journal of Pulp and Paper Science*, 21(8): J280-J284.
- PAN, G.; CHEN, C.L.; CHANG, H.M.; GRATZL, J.S. (1981). Model experiments on the splitting of

- glycosidic bonds by ozone. *International Symposium on Wood and Pulping Chemistry*. Stockholm, vol. II, p. 132-144.
- PANCHAPAKESAN, B.; HICKMAN, E. (1995). Fiberline Advancements Spur Papermaking Process Changes. *Pulp & Paper*: 87-92.
- PANDEY, S.N.; IYENGAR, R.L.N. (1968). Intercrystalline and fine structural properties of chemically modified cottons by infrared spectroscopy. *Textile Research Journal*, 38 (6): 675-677.
- PATT, R.; HAMMANN, M.; KORDSACHIA, O. (1991). The role of ozone in chemical pulp bleaching. *Holzforschung*, 45 (Suppl.): 87-92.
- PEDERSEN, L.S.; NISSEN A.M.; ELM, D.D.; CHOMA, P.P. (1991). Bleach boosting of kraft pulp using alkaline hemicellulases. *International Pulp Bleaching Conference*, Stockholm, Sweden, Vol.2, p.107-121.
- PEKAROVICOVA, A.; JAMEEL, H.; JOICE, T.W. (1994). TCF bleaching of wheat straw organocell pulp. *Cellulose Chemistry and Technology*, 28: 551-561.
- PEKAROVICOVA, A.; VENDITTI, R.A.; CAO, H.; LOU, Y.M.; JEAN, Y.C. (1997). Cellulose free volume characterization using positron annihilation lifetime spectroscopy. *Journal of Pulp and Paper Science*, 23 (3): J101-J107.
- PERE, J.; SIIKA-AHO, M.; BUCHERT, J.; VIIKARI, L. (1995). Effects of purified *Trichoderma reesei* cellulases on the fiber properties of kraft pulp. *Tappi Journal*, 78(6): 71-78.
- PEREIRA, E.R.; COLODETTE, J.L.; DE BRITO, A.C.H. (2000). Fatores que afetam a eficiencia e a selectividade do branqueamento com ozônio. *O Papel*, 2: 37-49.
- PÉREZ, A. (1996). Estudio de la decoloración de efluentes papeleros mediante ozono. Proyecto Final de Carrera, Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña, España.
- PETTERSSON, I.; RIGDAHL, M.; FINEMAN, I.; ENGSTROM, G. (1987). The composition of mineral particles removed during determination of wet surface strength of coated papers. *Nordic Pulp and Paper Research Journal*, 2 (4): 120.
- PHAM, P.L.; ALRIC, I.; DELMAS, M. (1995). Incorporation of xylanase in total chlorine free bleach sequences using ozone and hydrogen peroxide. *Appita Journal*, 48(3): 213-217.
- PHAN, X.Q.; LACHENAL, D.; NEIRINCK, V.; ROBERT, D. (1994). Structure and reactivity of spruce mechanical pulp lignins. 4 C-13-NMR spectral studies of isolated lignins. *Journal of Wood Chemistry and Technology*, 14 (4): 483-506.
- PICCIONE, J. (1994). Environmental pressures affect demand and pricing for bleaching chemicals. *Pulp & Paper Canada*, 95(1): 9.
- POPA, V.I.; SPIRIDON, I. (1996). Influence of the treatment with hemicellulase enzymes on the

- bleaching capacity of different lignocellulose materials. *International Pulp Bleaching Conference*, Atlanta, Vol. 2, p. 579-583.
- POPPUS-LEVLIN, K.; WANG, W.; RANUA, M. (1998). TCF bleaching of laccase/mediator-treated kraft pulps. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 77-85.
- POTRON, G.; DUBOUT, G. (1995). Biocomplexation: Comme abrégé de "bioinhibition par complexation" utilisée au contrôle microbiologique. *Revue A.T.I.P.*, 49(3): 100-103.
- PRESLEY, J.R.; HILL, R.T.; CHAUVEHEID, E.; DEVENYNS, J. (1997). New metals control technique improves bleaching performance. En: PATRICK, K.L. (ed.). *Advances in Bleaching Technology*. San Francisco, California, p. 91-95.
- PURI, S.C.; ANAND, S.M. (1986). Ozonolytic studies of softwood lignin. *Cellulose Chemistry and Technology*, 20: 535-540.
- QUESADA, J.; RUBIO, M.; GÓMEZ, D. (1998). Actuación directa del ozono molecular sobre la lignina y sus compuestos modelo. *Afinidad*, LV (478): 413-421.
- RAGNAR, M. (2000). On the importance of radical formation in ozone bleaching. Tesis doctoral, Kungliga Tekniska Högskolan (KTH), Estocolmo, Suecia.
- RAGNAR, M. (2000). Studies of the bleaching work with special attention paid to the impact on hexeneuronic acid removal. *Sixth European Workshop on Lignocellulosics and Pulp*. Bordeaux, France, Poster Presentations, p. 539-542.
- RAPSON, W. H.; HAKIM, K. A. (1957). Carbonyl Groups In Cellulose And Colour Reversion. *Pulp and Paper Magazine of Canada*, 58 (8): 151-157.
- RAPSON, W.H.; SPINNER, I.H. (1979). Brightness reversion in bleached pulps. En: Singh, R.P. (ed.). *The bleaching of pulp*. Tappi Press, Atlanta, p. 357-391.
- RAPSON, W.H.; ANDERSON, C.B.; MAGUED, A. (1989). Brightness of naturally aged laboratory-bleached pulps. *Tappi Journal*, 11: 1989.
- RÄSÄNEN, E.; VUORINEN, T. (1998). Formation mechanisms of oxalate and chemical-consuming species in TCF bleaching. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 2, p. 539-542.
- REEVE, D.W. (1996). Introduction to the principles and practice of pulp bleaching. En: DENCE, D.W. y REEVE, W. (ed.). *Pulp Bleaching – Principles and Practice*. Atlanta, USA: TAPPI Press, p. 1-24.
- REITBERGER, T.; ERIKSSON, T.; EK, M.; IHREN, G. (1995). On the importance of radical species in TCF-bleaching. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. I, p. 301-307.
- RICHTER, V., ORLANDINI, S., CAOBIANCO, S., SCOGNAMIGLIO, C., LOPOPOLO, S., GROSSI, B.,

- CAPRETTI, G.; FOCHER, B. (1996). Non-wood plant pulps. Morphology and papermaking properties. *Fourth European Workshop on Lignocellulosics and Pulp*. Stresa, Italy, p. 366-373.
- ROBERTS, G.A.F. (1991). Accessibility of cellulose. En: Roberts, J.C. (ed.). *Paper Chemistry*. New York: Blackie & Son Ltd., p. 9-24.
- RODDEN, R. (1995). Pacwest 1995: Reaching for the top at whistler. *Pulp & Paper Canada*, 96(7): 10-13.
- ROY, A.K.; JAIN, A.K.; SEN, S.K. (1994). X-ray diffraction studies of Jute stick treated with some pulping and bleaching agents. *Cellulose Chemistry and Technology*, 28 (2): 121-127.
- RUDIE, A. (2000). Calcium in pulping and bleaching. *Tappi Journal*, 83 (12): 36-37.
- RUIZ, J.; FREER, J.; RODRIGUEZ, J.; BAEZA, J. (1997). Ozone organosolv bleaching of radiata pine kraft pulp. *Wood Science and Technology*, 31(3): 217-223.
- RYDLUND, A.; DAHLMAN, O. (1995). Analysis of Wood-derived Oligosaccharides Using Capillary Electrophoresis. *The 8th International Symposium on Wood and Pulp Chemistry*, Helsinki, Finland, Vol. III, p.159-164.
- SABHARWAL, H.S.; AKHTAR, M.; BLANCHETTE, R.A.; YOUNG, R. (1994). Biomechanical pulping of kenaf. *Tappi Journal*, 77(12): 105-112.
- SABHARWAL, H.S.; YOUNG, R.A. (1996). International agro-fiber research initiative. *Tappi Journal*, 79(12): 66-67.
- SACHS, I.B.; LEATHAM, G.F.; MYERS, G.C.; WEGNER, T.H. (1990). Distinguishing characteristics of biomechanical pulp. *Tappi Journal*, 73 (9): 249-254.
- SACON, V.M.; YANG, J.L. (1993). Branqueamento de celulose de eucalipto com seqüências contendo oxigênio, xilanase, ozônio e peróxido. *O Papel*: 20-24.
- SAIKIA, C.N.; GOSWAMI, T.; ALI, F. (1997). Evaluation of pulp and paper making characteristics of certain fast growing plants. *Wood Science and Technology*, 31(6): 467-475.
- SAKA, S.; THOMAS, R.J.; GRATZL, J.S. (1978). Lignin distribution-determination by SEM-EDAX. *Tappi Journal*, 61 (1): 73.
- SAMUELSON, O.; TÖRNELL, B. (1961). Determination of Carboxyl Groups in Cellulose. *Svensk Papperstidning*, 5: 155-159.
- SAVOIE, M.; TESSIER, P. (1997). A mathematical model for chlorine dioxide delignification. *Tappi Journal*, 80 (6): 145-153.
- SCALLAN, A.M. (1971). A quantitative picture of the fringed micellar model of cellulose. *Textile Research Journal*, 41 (8): 647-653.

- SCHIMLECK, L.R.; WRIGHT, P.J.; MCHELL, H.J.; WALLIS, A.F.A. (1997). Near-infrared spectra and chemical composition of *E. globulus* and *E. nitens* plantation woods. *Appita Journal*, 50(1): 40-46.
- SCHUCHMANN, M.N.; VON SONNTAG, C. (1989). Reactions of ozone with D-glucose in oxygenated aqueous solution-direct action and hydroxyl radical pathway. *JWSRT-Aqua*, 38: 311-317.
- SECRIST, R.B.; SINGH, R.P. (1971). Kraft pulp bleaching. II. Studies on the ozonation of chemical pulps. *Tappi J.*, 54 (4): 581-584.
- SEGAL, L.; CREELY, J.J.; MARTIN, A.E.; CONRAD, C.M. (1959). An empirical method for estimating the degree of crystallinity of native cellulose using the X-ray diffractometer. *Textile Research Journal*, 29: 786-764.
- SEISTO, A.; POPPIUS-LEVLIN, K.; JOUSIMAA, T. (1997). Peroxyformic acid pulping of nonwood plants by the MILOX method. Part 2: Reed pulp for woodfree fine papers. *Tappi Journal*, 80(10): 235-240.
- SEISTO, A.; POPPIUS-LEVLIN, K.; FUHRMANN, A. (1998). Correlations between chemical, fibre and paper properties of TCF and ECF bleached kraft pulps. *International Pulp Bleaching Conference*, Helsinki, Finland, Book 1, p. 175-183.
- SENIOR, D.J.; HAMILTON, J. (1992). Biobleaching with xylanases brings biotechnology to reality. *Pulp & Paper*, 66(9): 111-114.
- SHAH, A.K.; COOPER, D.; ADOLPHSON, R.; ERIKSSON, K.-E.L. (2000). Xylanase treatment of oxygen-bleached hardwood kraft pulp at high temperature and alkaline pH levels gives substantial savings in bleaching chemicals. *Journal of Pulp and Paper Science*, 26(1): 8-11.
- SHIMADA, M.; MA, D.-B.; AKAMATSU, Y.; HATTORI, T. (1994). A proposed role of oxalic acid in wood decay systems of wood-rotting *basidiomycetes*. *FEMS Microbiology Reviews*, 13: 285-296.
- SHIMADA, M.; AKAMATSU, Y.; TOKIMATSU, T.; MI, K.; HATTORI, T. (1997) Possible biochemical roles of oxalic acid as a low molecular weight compound involved in brown-rot and white-rot wood decays. *Journal of Biotechnology*, 53: 103-113.
- SIGOILLOT, J.C.; PETITCONIL, M.; RUEL, K.; MOUKHA, S.; COMTAT, J.; LAUGERO, C.; JOSELEAU, J.P.; DE CHoudens, C.; ASTHER, M. (1997). Enzymatic treatment with manganese peroxidase from *Phanerochaete chrysosporium* for enhancing wheat straw pulp characteristics. *Hozforschung*, 51 (6): 549
- SILES, F.J.; TORRES, A.L.; COLOM, J.F.; VIDAL, T. (1996). Blanqueo biológico de pasta kraft de frondosas. *Afinidad*, LIII(462): 93-102.
- SILTALA, M.; WINBERG, K.; HENRICSON, K.; LÖNNBERG, B. (1998). Mill scale application for

- selective hydrolysis of hexenuronic acid groups in TCF_z bleaching of kraft pulp. *International Pulp Bleaching Conference*. Helsinki, Finland, Book 1, p. 279-287.
- SIMÕES, R. (1997). Branqueamento de pastas kraft com ozono: estudos de transferencia de massa e de cinética química. Tesis Doctoral, Universidade da Beira Interior, Covilha, Portugal.
- SJÖBERG, J.; DAHLMAN, O. (2000). Characterization of carbohydrates on kraft fiber surfaces. *Sixth European Workshop on Lignocellulosics and Pulp*, Bordeaux, France, Poster Presentations, p. 583-586.
- SJÖSTRÖM, E.; ERIKSSON, E. (1968). The influence of carboxyl and carbonyl groups on the brightness stability of bleached pulps. *Tappi Journal*, 51 (1): 16-19.
- SJÖSTROM, E. (1981). *Wood Chemistry. Fundamentals and Applications*. Academic Press, Inc.
- SKERKER, P.S.; FARELL, R.L.; CHANG, H.M. (1991). Chlorine-free bleaching with CartazymeTM HS treatment. *International Pulp Bleaching Conference*, Stockholm, Sweden, Vol. 2, p.93-105.
- SMIT, D. (1993). Brightness reversión. *Paper Southern Africa*, 8: 34-39.
- SOINI, P.; JÄKÄRÄ, J.; KOLJONEN, J.; GULLICHSEN, J. (1998). Ozone and peroxide bleaching of two-stage oxygen-delignified MCC pulps. *Paperi Ja Puu*, 80 (3): 176-181.
- SOLER, J.; GARCÍA HORTAL, J.A.; TORRES, A.L.; VIDAL, T.; COLOM, J.F. (1999). Durabilidad del papel reciclado de impresión y escritura. *Ingeniería Química*, XXXI (356): 205-212.
- SOLER, J.; GARCÍA, J.A.; TORRES, A.L.; VIDAL, T.; COLOM, J.F. (2000). Durability of recycled printing and writing paper. *Progress in Paper Recycling*, 10(1): 20-28.
- SOTELAND, N. (1974). Bleaching of chemical pulps with oxygen and ozone. *Pulp and Paper Magazine of Canada*, 75 (4): 91-96.
- SPIRIDON, I.; POPA, V.I.; TALASMAN, C.; STANCIU, C. (2000). Obtaining of high-yield pulp from wheat straw by non-conventional processes. *Sixth European Workshop on Lignocellulosics and Pulp*. Bordeaux, France. Poster Presentations, p. 607-610.
- SREERAM, C.; SUNDARAM, V.S.M.; JAMEEL, H.; CHANG, H.M. (1994). Laboratory-scale medium-consistency ozone bleaching system. *Tappi Journal*, 77 (10): 161-168.
- STEFFES, F.; GERMARD, U. (1995). ECF, TCF upgrade choices key on world market, environmental forces. *Pulp & Paper*, 69 (6): 83-92.
- STEWART, C.M. (1969). The formation and chemical composition of hardwoods. *Appita*, 22 (4): xxxii-lx.
- STEWART, C.M.; FOSTER, R.C. (1976). X-ray diffraction studies related to forest products research. *Appita Journal*, 29: 440-448.

- SUN, Y-P.; NGUYEN, K.L.; WALLIS, A.F.A. (1995). Totally Chlorine-Free Bleaching of Eucalyptus Kraft Pulp Incorporating a UV-Peroxide Stage. *Appita*, 48(5): 363-366.
- SÜSS, H.U.; NIMMERFROH, N.F.; FILHO, O.M. (1996). TCF bleaching of Eucalyptus kraft pulp: The selection of the right sequence and the best conditions. *International Pulp Bleaching Conference*. Washington, USA: Book 1, p. 253-260.
- TELEMAN, A.; HAUSALO, T.; TENKANEN, M.; VUORINEN, T. (1995). Identification of the acidic degradation products of hexenuronic acid by NMR spectroscopy. *The 8th International Symposium on Wood and Pulping Chemistry*. Helsinki, Finland, Vol. III: 109-114.
- TENKANEN, M.; HAUSALO, T.; SIIKA-AKO, M.; BUCHERT, J.; VIIKARI, L. (1995). "Use of Enzymes in Combination with Anion Exchange Chromatography in the Analysis of Carbohydrate Composition of Kraft Pulps. *The 8th International Symposium on Wood and Pulping Chemistry*, Helsinki, Finland, Vol III, p.189-194.
- TESSIER, P.; SAVOIE, M. (2000). Chlorine dioxide bleaching kinetics of hardwood kraft pulp. *Tappi Journal*, 83 (6) Peer reviewed: 1-13.
- TOLAN, J.S.; FOODY, B.E. (1995). Novel enzyme treatment for dioxin-free bleaching of kraft pulp with high kappa factor and low ClO₂ substitution. *Journal of Pulp and Paper Science*, 21(6): 191-196.
- TOLAN, J.S.; OLSON, D.; DINES, R.E. (1995). Survey of xylanase enzyme usage in bleaching in Canada. *Pulp and Paper Canada*, 96(12): 107-110.
- TOLAN, J.S.; SPENCE, M. (1997). On-line tracer system to improve enzyme performance. *Pulp & Paper Canada*, 98(2): T57-T61.
- TOLVAJ, L.; FAIX, O. (1995). Artificial ageing of wood monitored by DRIFT spectroscopy and CIE L*a*b* color measurements. *Holzforschung*, 49 (5): 397-404.
- TREMBLAY, L.; ARCHIBALD, F. (1993). Production of a cloned xylanase in *Bacillus-Cereus* and its performance in kraft pulp prebleaching. *Canadian Journal of Microbiology*, 39(9): 853-860.
- TURNER, J.C.; SKERKER, P.S.; BURNS, B.J.; HOWARD, J.C.; ALONSO, M.A.; ANDRES, J.L. (1992). Bleaching with enzymes instead of chlorine-mill trials. *Tappi Journal*, 75(12): 83-89.
- UHLIN, K.I.; ATALLA, R.H.; THOMPSON, N.S. (1995). Influence of Hemicelluloses on the Aggregation Patterns of Bacterial Cellulose". *Cellulose*, 2 (2): 129 – 144.
- UQUICHE, E.; ROMO, C. (2000). Estabilizado de carotenoproteínas recuperadas de desechos líquidos de krill antártico (*Euphausia superba*) mediante el uso de antioxidantes. *Afinidad*, LVII (486): 135-138.
- USTA, M.; EROGLU, H.; KARAOGLU, C. (1999). Asam pulping of wheat-straw (Triticum-

- Aestivum L.). *Cellulose Chemistry and Technology*, 33(1-2): 91-102.
- VAN LIEROP, B.; SKOTHOS, A.; LIEBERGOTT, N. (1996). The technology of chemical pulp bleaching: Ozone delignification. En: DENCE, D.W. y REEVE, W. (ed.). *Pulp Bleaching – Principles and Practice*. Atlanta, USA: TAPPI Press, p. 321-345.
- VAN LIEROP, B.; BERRY, R.M.; ROY, B.P. (1997). High-brightness bleaching of softwood kraft pulps with oxygen, ozone and peroxide. *Journal of Pulp and Paper Science*, 23(9): J428-J432.
- VANCHINATHAN, S.; KRISHNAGOPALAN, G.A. (1995). Kraft delignification kinetics based on liquor analysis. *Tappi Journal*, 78(3): 127-132.
- VIDAL, T. (1982). *Influencia del sistema cloro-dióxido de cloro en la primera fase de blanqueo sobre los hidratos de carbono en pastas de Eucalyptus globulus*. Tesis doctoral, Facultad de Química, Universidad de Barcelona.
- VIDAL, T.; COLOM, J.F. (1984). Determination of carbohydrates as alditol acetates by gas chromatography. *Tappi*, 67(9): 132.
- VIDAL, T.; TORRES, A.L.; COLOM, J.F.; SILES, J. (1997). Xylanase bleaching of eucalyptus kraft pulp – and economical ECF process. *Appita*, 50(2): 144-148.
- VIDAL, T.; COLOM, J.F.; RONCERO, M.B. (1997/98). Ozono blanqueo de pastas para papel. *El Papel*, 67: 28-34.
- VIIKARI, L.; RANUA, M.; KANTELINEN, A.; SUNDQUIST, J.; LINKO, M. (1986). Bleaching with enzymes. *3rd International Conference on Biotechnology in the Pulp and Paper Industry*, Stockholm, Sweden, p. 67-69.
- VIIKARI, L.; SUNDQUIST, J.; KETTUNEN, J. (1991). Xylanase enzymes promote pulp bleaching. *Paperi ja Puu*, 73(5): 384.
- VIIKARI, L.; SUURNÄKKI, A.; BUCHERT, J. (1996). Enzyme-aided bleaching of kraft pulps: fundamental mechanisms and practical applications. En: Jeffries, T.W. y Viikari, L. (eds.). *Enzymes for Pulp and Paper Processing*. Washington, DC: ACS Symposium Series 655, p. 15-24.
- VOILLOT, C. (1982). M.E.B. dans le domaine papetier (2ème partie). *ATIP*, 36 (6-7): 297.
- VOILLOT, C. (1983). Application quantitative du M.E.B. Mesure des effects de surface du calandrage. *ATIP*, 37 (10): 605.
- VIORINEN, T.; BUCHERT, J.; TELEMAN, A.; TENKANEN, M.; FAGERSTRÖM, P. (1996). Selective hydrolysis of hexenuronic acid groups and its application in ECF and TCF bleaching of kraft pulps. *International Pulp Bleaching Conference*. Washington, D.C., USA, p. 43-51.
- VIORINEN, T.; FAGERSTRÖM, P.; RÄSÄNEN, E.; VIKKULA, A.; HENRICSON, K.; TELEMAN, A. (1997). Selective hydrolysis of hexenuronic acid groups opens new possibilities for

- development of bleaching processes. *9th International Symposium on Wood and Pulp Chemistry*. Montréal, Québec, Canada, Oral Presentations, p. M4-1 – M4-4.
- VUORINEN, T.; FAGERSTRÖM, P.; BUCHERT, J.; TENKANEN, M.; TELEMAN, A. (1999). Selective hydrolysis of hexenuronic acid groups and its application in ECF and TCF bleaching of kraft pulps. *Journal of Pulp and Paper Science*, 25(5): 155-166.
- WALBAUM, H.H. (1972). Pigment dispersion property evaluation by SEM. *Tappi*, 55 (7): 1108 – 1114.
- WALBAUM, H.H.; ZAK, H. (1976). Internal structure of paper and coatings in SEM cross sections. *Tappi Journal*, 59 (3): 102.
- WATSON, P.A.; BICHO, P.A.; STUMBORG, M.A. (1998). Wheat straw: a viable fibre source for Canada?. *Pulp & Paper Canada*, 99(12): T449-T452.
- WEISE, U. (1998). Hornification-mechanisms and terminology. *Paperi Ja Puu – Paper and Timber*, 80 (2): 110-115.
- WELLS, E.N.; GRIGGS, B.F.; SPENCER, W. (1993). Developing an ozone bleaching process. *Tappi Journal*, 76 (3): 115-123.
- WHITMORE, P.M.; BOGAARD, J. (1994). Determination of the cellulose scission route in the hydrolytic and oxidative degradation of paper. *Restaurator*, 15 (1): 26-45.
- WILLIAMS, G.J.; DRUMMOND, J.G. (2000). Preparation of large sections for the microscopical study of paper structure. *Journal of Pulp and Paper Science*, 26 (5): 188-193.
- WONG, K.K.Y.; JONG, E.D.; SADDLER, J.N.; ALLISON, R.W. (1997). Mechanisms of xylanase aided bleaching of kraft pulp. Part 1: Process parameters. *Appita Journal*, 50 (5): 415-422.
- WONG, K.K.Y.; JONG, E.D.; SADDLER, J.N.; ALLISON, R.W. (1997). Mechanisms of xylanase aided bleaching of kraft pulp. Part 2: Target substrates. *Appita Journal*, 50 (6): 509-518.
- WONG, K.Y.; MANSFIELD, S.D. (1999). Enzymatic processing for pulp and paper manufacture – a review. *Appita Journal*, 52 (6): 409-418.
- WRIGHT, P.J.; GNTING, Y.A.; ABBOT, J. (1992). Kinetic models for peroxide bleaching under alkaline conditions, Part 2. Equilibrium models. *Journal of Wood Chemistry and Technology*, 12 (1): 111-134.
- XU, J.; COGO, E.; BRIOIS, L.; DUPRAT, S.; MOLINIER, J.; COSTE, C.; KALCK, P. (1995). Towards a selective ozone bleaching stage by addition of organic oxygenates. *Pulp and Paper Canada*, 96(9): 49-53.
- YANG, J.L.; LOU, G.; ERIKSSON, K-E.L. (1992). The impact of xylanase on bleaching of kraft pulps. *Tappi Journal*, 75(12): 95-101.
- YANG, J.L.; SACON, V.M.; LAW, S.E.; ERIKSSON, K-E.L. (1993). Bleaching of eucalyptus kraft

- pulp with the EnZone process. *Tappi Journal*, 76(7): 91-96.
- YANG, J.L.; CATES, D.H.; LAW, S.E.; ERIKSSON, K.E.L. (1994). Bleaching of softwood kraft pulps with the Enzone Process. *Tappi Journal*, 77(3): 243-250.
- YEE, E.; TOLAN, J.S. (1997). Three years experience running enzymes continuously to enhance the bleaching at Weyerhaeuser Prince Albert. *Pulp and Paper Canada*, 98(10): 42-49.
- YILMAZ, Y. (1995). Lime soda oxygen (Lso) pulping of wheat-straw. 1. Pulping. *Paperi Ja Puu – Paper and Timber*, 77(4): 206-208.
- ZAPANTA, L.S.; TIEN, M. (1997). The roles of veratryl alcohol and oxalate in fungal lignin degradation. *Journal of Biotechnology*, 53: 93-102.
- ZHAN, H.Y.; CHEN, J.X.; KOKTA, B.V. (1991). Study of mechanism of aspen populus explosion high-yield pulping. *6th International Symposium on Wood and Pulp Chemistry*. Melbourne: Vol. 2, p. 103-107.
- ZHANG, Y.; KANG, G.; NI, Y.; VAN HEININGEN, A.R.P. (1997). Degradation of wood polysaccharide model compounds during ozone treatment. *Journal of Pulp and Paper Science*, 23 (1): J23-J39.
- ZHANG, X.Z.; KANG, G.J.; NI, Y.; VANHEININGEN, A.R.P.; MSLANKAR, A.; DARABIE, A.; REEVE, D. (1998). Initial delignification and cellulose degradation of conventional and ethanol assisted ozonation. *Journal of Wood Chemistry and Technology*, 18 (2): 129-157.
- ZHAN, H.Y.; YUE, B.Z.; Hu, W.J.; HUANG, W.F. (1999). Kraft reed pulp TCF bleaching with enzyme pretreatment. *Cellulose Chemistry and Technology*, 33(1-2): 53-60.
- ZHANG Y, KANG G, N Y, VAN HEININGEN A. (2000). Kinetics of cellulose degradation during ozone bleaching. *Journal of Pulp and Paper Science*, 26(9), 335.
- ZHAO, X.; ÖDERG, L.; RISINGER, G. (1992). Beating of wheat-straw pulp: dissolved carbohydrates and lignins, fiber swelling, and fines generation. *Tappi Journal*, 75(1): 153-161.
- ZOU, H.; LUUKKONEN, A.; COLE, B.; GENCO, J.; MILLER, W. (2000). Influence of kraft pulping on the kinetics of oxygen delignification. *Tappi Journal*, 83(2): 65-71.