

Bibliografia general

- Allison, R.W., Timonen, O., McGrouther, K.G. i Suckling, I.D. (1999) Hexenuronic acid in kraft pulps from radiata pine. *Appita Journal* 52(6):448-453.
- Amann, M. (1997) Lignozym process - coming closer to the mill. 9th International Symposium on Wood and Pulping Chemistry 1:4-1.
- Amin, H.M. (2006) Extended usage of xylanase enzyme to enhance the bleaching of softwood kraft pulp. *Tappi Journal* 5(1):23-26.
- Ander, P. i Messner, K. (1998) Oxidation of 1-hydroxybenzotriazole by laccase and lignin peroxidase. *Biotechnology Techniques* 12(3):191-195.
- Andreu, G. i Vidal, T. (2007) The use of laccase and natural mediators on bleaching of kenaf pulp. 10th International Congress on Biotechnology in the Pulp and Paper Industry: Integrating biology with processes. Abstracts:73.
- Annergren, G.E. (1996) Pulp Bleaching. Principles and Practice. Capítol VII-3: Strength Properties and Characteristics of Bleached Chemical and (Chemi)mechanical Pulps. Ed. Dence i Reeve. TAPPI press:717-748.
- Arora, D.S. i Gill, P.K. (2001) Comparison of two assay procedures for lignin peroxidase. *Enzyme and Microbial Technology* 28(7-8):602-605.
- Aumont, M., Vegega, A., Elm, D.D. i Choma, P.P. (1996) Low kappa factor bleaching of oxygen delignified hardwood kraft pulp - xylanase and peroxide applications. *Pulp & Paper Canada* 97(1):72-76.
- Back, E.L. i Allen, L.H. (2000) Pitch Control, Wood Resin and Deresination. TAPPI Press. Atlanta, USA.
- Bajpai, P., Bhardwaj, N.K., Bajpai, P.K. i Jauhari, M.B. (1994) Impact of xylanases on bleaching of eucalyptus kraft pulp. *Journal of Biotechnology* 38(1):1-6.
- Bajpai, P. (1999) Application of enzymes in the pulp and paper industry. *Biotechnology progress* 15(2):147-157.
- Bajpai, P. (2004) Biological bleaching of chemical pulps. *Critical Reviews in Biotechnology* 24(1):1-58.
- Balakshin, M., Chen, C., Gratzl, J.S., Kirkman, A.G. i Jakob, H. (2001) Biobleaching of pulp with dioxygen in laccase-mediator system—effect of variables on the reaction kinetics. *Journal of Molecular Catalysis B: Enzymatic* 16(3-4):205-215.

- Bastawde, K.B. (1992) Xylan structure, microbial xylanases, and their mode of action. *World Journal of Microbiology and Biotechnology* 8:353-368.
- Beg, Q.K., Bhushan, B., Kapoor, M. i Hoondal, G.S. (2000) Enhanced production of a thermostable xylanase from *Streptomyces* sp. QG-11-3 and its application in biobleaching of eucalyptus kraft pulp. *Enzyme and Microbial Technology* 27(7):459-466.
- Beg, Q.K., Kapoor, M., Mahajan, L. i Hoondal, G.S. (2001) Microbial xylanases and their industrial applications: a review. *Applied Microbiology Biotechnology* 56:326-338.
- Bergnor-Gidnert, E., Tomani, P.E. i Dahlman, O. (1998) Influence on pulp quality of conditions during the removal of hexenuronic acids. *Nordic Pulp & Paper Research Journal* 13(4):310-316.
- Bidlack, J., Malonge, M. i Benson, R. (1992) Molecular structure and component integration of secondary cell walls in plants. *Proceedings of the Oklahoma Academy of Science* 72:51-56.
- Biely, P., Vrsanská, M., Tenkanen, M. i Kluepfel, D. (1997) Endo- β -1,4-xylanase families: differences in catalytic properties. *Journal of Biotechnology* 57(1-3):151-166.
- Bikova, T. i Treimanis, A. (2004) UV-absorbance of oxidized xylan and monocarboxyl cellulose in alkaline solutions. *Carbohydrate Polymers* 55(3):315-322.
- Bjorklund, M., Germgard, U., Jour, P. i Forsstrom, A. (2002) AOX formation in ECF bleaching at different kappa numbers - Influence of oxygen delignification and hexenuronic acid content. *Tappi Journal* 1(9):20-24.
- Bjorklund, M., Germgard, U. i Basta, J. (2004) Formation of AOX and OCI in ECF bleaching of birch pulp. *Tappi Journal* 3(8):7-12.
- Blanco, A., Diaz, P., Martinez, J., Lopez, O., Soler, C. i Pastor, F.I.J. (1996) Cloning of a *Bacillus* sp. BP-23 gene encoding a xylanase with high activity against aryl xylosides. *FEMS Microbiology Letters* 137(2):285-290.
- Blanco, A., Díaz, P., Zueco, J., Parascandola, P. i Pastor, F.I.J. (1999) A multidomain xylanase from a *Bacillus* sp. with a region homologous to thermostabilizing domains of thermophilic enzymes. *Microbiology* 145:2163-2170.
- Bourbonnais, R. i Paice, M.G. (1992) Demethylation and delignification of kraft pulp by *Trametes versicolor* laccase in the presence of 2,2'-azinobis-(3-ethylbenzthiazoline-6- sulphonate). *Applied Microbiology and Biotechnology* 36:823-827.

- Bourbonnais, R. i Paice, M. (1995) Enzymatic delignification of kraft pulp using laccase and a mediator. *Tappi Journal* 79(5):199-204.
- Bourbonnais, R., Paice, M., Reid, I., Lanthier, P. i Yaguchi, M. (1995) Lignin oxidation by laccase isozymes from *Trametes versicolor* and role of the mediator 2,2'-azinobis(3-ethylbenzthiazoline-6-sulfonate) in kraft lignin depolymerization. *Applied and Environmental Microbiology* 61(5):1876-1880.
- Bourbonnais, R., Paice, M.G., Freiermuth, B., Bodie, E. i Borneman, S. (1997) Reactivities of various mediators and laccases with kraft pulp and lignin model compounds. *Applied and Environmental Microbiology* 63(12):4627-4632.
- Bourbonnais, R., Paice, M.G., Leech, D. i Rochefort, D. (1998) Laccase/mediator bleaching of kraft pulps: Identification of mediator active species and their role in oxidation of residual lignin subunits. *Proceedings of the 7th International Conference on Biotechnology in the Pulp and Paper Industry* 1:103-106.
- Buchert, J., Teleman, A., Harjunpaa, V., Tenkanen, M., Viikari, L. i Vuorinen, T. (1995) Effect of Cooking and Bleaching on the Structure of Xylan Conventional Pine Kraft Pulp. *Tappi Journal* 78(11):125-130.
- Buchert, J., Tenkanen, M., Ek, M., Teleman, A., Viikari, L. i Vuorinen, T. (1996) Effects of Pulping and Bleaching on Pulp Carbohydrates and Technical Properties. *International Pulp Bleaching Conference* 1:39-42.
- Buchert, J., Bergnor, E., Lindblad, G., Viikari, L. i Ek, M. (1997) Significance of xylan and glucomannan in the brightness reversion of kraft pulps. *Tappi Journal* 80(6):165-171.
- Call, H.P. i Muecke, I. (1997) History, overview and applications of mediated lignolytic systems, especially laccase-mediator-systems (Lignozym-process). *Journal of Biotechnology* 53(2):163-202.
- Camarero, S., Garcia, O., Vidal, T., Colom, J., del Rio, J.C., Gutierrez, A., Gras, J.M., Monje, R., Martinez, M.J. i Martinez, A.T. (2004) Efficient bleaching of non-wood high-quality paper pulp using laccase-mediator system. *Enzyme and Microbial Technology* 35(2-3):113-120.
- Camarero, S., Ibarra, D., Martínez, M.J. i Martínez, A.T. (2005) Lignin-derived compounds as efficient laccase mediators for decolorization of different types of recalcitrant dyes. *Applied and Environmental Microbiology* 71(4):1775-1784.
- Camarero, S., Ibarra, D., Martinez, A.T., Romero, J., Gutierrez, A. i del Rio, Jose C. (2007) Paper pulp delignification using laccase and natural mediators. *Enzyme and Microbial Technology* 40:1264-1271.

- Chai, X.S., Zhu, J.Y. i Li, J. (2001a) A Simple and Rapid Method to Determine Hexenuronic Acid Groups in Chemical Pulps. *Journal of Pulp and Paper Science* 27(5):165-170.
- Chai, X.S., Luo, Q., Yoon, S.H. i Zhu, J.Y. (2001b) The fate of hexenuronic acid groups during kraft pulping of hardwoods. *Journal of Pulp and Paper Science* 27(12):403-406.
- Chakar, F.S., Ragauskas, A.J. i Nilvebrant, N. (1998) Biobleaching of high lignin content kraft pulps via laccase-mediator systems. *TAPPI Pulping Conference* 1:10.
- Chakar, F.S., Allison, L., McDonough, T.J. i Ragauskas, A.J. (2000a) Evaluation of hexenuronic acids in U.S. kraft pulps. *Sixth European Workshop on Lignocellulosics and Pulp*:253-256.
- Chakar, F.S., Allison, L., Ragauskas, A.J., McDonough, T.J. i Sezgi, U. (2000b) Influence of hexenuronic acids on U.S. bleaching operations. *Tappi Journal* 83(11):62.
- Chakar, F.S. i Ragauskas, A.J. (2000a) Effects of oxidative alkaline extraction stages after laccase_{HBT} and laccase_{NHAA} treatments-an NMR study of residual lignins. *Journal of Wood Chemistry and Technology* 20(2):169-184.
- Chakar, F.S. i Ragauskas, A.J. (2000b) The Kismet of residual lignins during LMS delignification of high-kappa kraft pulps. *Holzforschung* 54(6):647-653.
- Chakar, F.S. i Ragauskas, A.J. (2001) Formation of quinonoid structures in laccase-mediator reactions. *ACS Symposium Series* 785:444-455.
- Chirat, C. i Chapelle, D.L. (1999) Heat- and light-induced brightness reversion of bleached chemical pulps. *Journal of Pulp and Paper Science* 25(6):201-205.
- Christov, L.P., Szakacs, G. i Balakrishnan, H. (1999) Production, partial characterization and use of fungal cellulase-free xylanases in pulp bleaching. *Process Biochemistry* 34(5):511-517.
- Clarke, J.H., Rixon, J.E., Ciruela, A., Gilbert, H.J. i Hazlewood, G.P. (1997) Family-10 and family-11 xylanases differ in their capacity to enhance the bleachability of hardwood and softwood paper pulps. *Applied Microbiology and Biotechnology* 48:177-183.
- Clayton, D.W. (1963) The alkaline degradation of some hardwood 4-O-methyl-D-gluconoxylans. *Svensk Papperstidning* 28(4):115-124.
- Collins, T., Gerday, C. i Feller, G. (2005) Xylanases, xylanase families and extremophilic xylanases. *FEMS Microbiology Reviews* 29(1):3-23.

- Colodette, J.L., Gomide, J.L., Girard, R., Jaaskelainen, A. i Argyropoulos, D.S. (2002) Influence of pulping conditions on eucalyptus kraft pulp yield, quality, and bleachability. *Tappi Journal* 1(3):14-20.
- Colodette, J.L., Eiras, K.M.M., Oliveira, R. i Ventorim, G. (2004) Influence of eucalypt wood supply on pulp brightness stability. *Appita Journal* 57(6):481-487.
- Colom, J.F., García-Hortal, J.A., Torres, A.L. i Vidal, T. (2001) Retos medioambientales de la industria papelera. *Industria Papelera y Medio Ambiente*:215-226.
- Confederation of European Paper Industries (2001) CEPI Annual Statistics 2000. CEPI (www.cepi.org), Brussels.
- Costa, M.M. i Colodette, J.L. (2007) The impact of kappa number composition on eucalyptus kraft pulp bleachability. *Brazilian Journal of Chemical Engineering* 24(1):61-71.
- Daniel, A.I.D., Neto, C.P., Evtuguin, D.V. i Silvestre, A.J.D. (2003) Hexenuronic acid contents of Eucalyptus globulus kraft pulps: Variation with pulping conditions and effect on ECF bleachability. *Tappi Journal* 2(5):3-8.
- Danielsson, S., Kisara, K. i Lindstrom, M.E. (2006) Kinetic study of hexenuronic and methylglucuronic acid reactions in pulp and in dissolved xylan during kraft pulping of hardwood. *Industrial and Engineering Chemistry Research* 45(7):2174-2178.
- Davis, M., Rosin, B., Landucci, L.L. i Jeffries, T.W. (1997) Characterisation of UV absorbing products released from kraft pulps by xylanases. *Biological Sciences Symposium*:435-442.
- de Jong, E., Wong, K.K.Y. i Saddler, J.N. (1997) The mechanism of xylanase prebleaching of kraft pulp: An examination using model pulps prepared by depositing lignin and xylan on cellulose fibers. *Holzforschung* 51(1):19-26.
- de la Rosa, A. (2003) Utilización papelera de fibras no madereras (kenaf y *Miscanthus sinensis*). Estudio de secuencias de blanqueo ECF y TCF. Tesis Doctoral. Departament d'Enginyeria Tèxtil i Paperera. Escola Tècnica superior d'Enginyeria Industrial i Aeronàutica de Terrassa. Universitat Politècnica de Catalunya. Terrassa, Espanya.
- del Río, J.C., Gutiérrez, A., Camarero, S. i Martínez, A.T. (2001a) Lignin and hemicellulose analysis during manufacturing of high-quality flax and kenaf alkaline pulps. *Proceedings of the 11th International Symposium on Wood and Pulping Chemistry*, Nissa, França 3:523-526.
- del Río, J.C., Gutiérrez, A., Romero, J., Martínez, M.J. i Martínez, A.T. (2001b) Identification of residual lignin markers in eucalypt kraft pulps by Py-GC/MS. *Journal of Analytical and Applied Pyrolysis* 58/59:425-433.

- Dence, C.W. (1996a) Section III. The Chemistry of Bleaching and Brightness Reversion. Chapter 3. Chemistry of Chemical Pulp Bleaching. Ed. Dence i Reeve. Tappi Press. Atlanta. USA:125-159.
- Dence, C.W. (1996b) Pulp Bleaching. Principles and Practice. Capítol III-3: Chemistry of Chemical Pulp Bleaching. TAPPI Press:125-159.
- Dence, C.W. i Reeve, D.W. (1996) Pulp Bleaching. Principles and Practice. TAPPI Press. Atlanta, USA.
- Devenyns, J., Chauveheid, E. i Mårtens, H. (1998) Uronic acids and metals control. International Pulp Bleaching Conference 1:151-157.
- Dunlop-Jones, N. i Gronberg, V. (1995) Recent developments in the application of xylanase enzymes in elemental chlorine-free (ECF) and total chlorine-free (TCF) bleaching. Pulp & Paper Canada 96(10):20-24.
- Eggert, C., Temp, U. i Eriksson, K.-L. (1996a) The Ligninolytic System of the White Rot Fungus *Pycnoporus cinnabarinus*: Purification and Characterization of the Laccase. Applied and Environmental Microbiology 62(4):1151-1158.
- Eggert, C., Temp, U., Dean, J.F.D. i Eriksson, K.L. (1996b) A fungal metabolite mediates degradation of non-phenolic lignin structures and synthetic lignin by laccase. FEBS Letters 391(1-2):144-148.
- Eiras, K.M.M. i Colodette, J.L. (2003) Eucalyptus kraft pulp bleaching with chlorine dioxide at high temperature. Journal of Pulp and Paper Science 29(2):64-69.
- Eiras, K.M.M. i Colodette, J.L. (2005) Investigation of eucalyptus kraft pulp brightness stability. Journal of Pulp and Paper Science 31(1):13-18.
- Elegir, G., Sykes, M. i Jeffries, T.W. (1995) Differential and synergistic action of streptomyces endoxylanases in prebleaching of kraft pulps. Enzyme and Microbial Technology 17(10):954-959.
- Elsander, A., Ek, M. i Gellerstedt, G. (2000) Oxalic acid formation during ECF and TCF bleaching of kraft pulp. Tappi Journal 83(2):73-77.
- Espin, J.C. i Wichers, H.J. (2001) Effect of captopril on mushroom tyrosinase activity in vitro. Biochimia et Biophysica Acta 1544:289-300.
- Evtuguin, D.V., Daniel, A.I.D. i Pascoal Neto, C. (2002) Determination of hexenuronic acid and residual lignin in pulps by UV spectroscopy in cadoxen solutions. Journal of Pulp and Paper Science 28(6):189-192.
- Fabbrini, M., Galli, C. i Gentili, P. (2002) Comparing the catalytic efficiency of some mediators of laccase. Journal of Molecular Catalysis - B Enzymatic 16(5):231-240.

- Faix, O., Meier, D. i Fortmann, I. (1990) Thermal degradation products of wood. *Holz Roh-Werkstoff* 48:281-285.
- Fengel, D. i Wegener, G. (1984) *Wood: Chemistry, ultrastructure, reactions*. De Gruyter, Berlin.
- Fernández-Sánchez, C., Tzanov, T., Gübitz, G.M. i Cavaco-Paulo, A. (2002) Voltammetric monitoring of laccase-catalysed mediated reactions. *Bioelectrochemistry* 58:149-156.
- Fillat, U., Vidal, T. i Roncero, M.B. (2007) Application of an experimental design to modeling the laccase mediator stage in bleaching of flax pulp. 10th International Congress on Biotechnology in the Pulp and Paper Industry. Integrating biology with processes. Abstracts: 119.
- Forsstrom, A., Wackerberg, E., Greschik, T., Jour, P. i Holtinger, L. (2007a) Alta estabilidade de alvura em sequencias ECF padrao (High brightness stability in standard ECF sequences). *O Papel* 68(10):101-112.
- Forsstrom, A., Wackerberg, E., Greschik, T., Jour, P. i Holtinger, L. (2007b) Alta estabilidade de alvura em sequencias ECF padrao; High brightness stability in standard ECF sequences. *O Papel* 68(10):101-112.
- Freire, C.S.R., Silvestre, A.J.D. i Neto, P.C. (2003a) Carbohydrate-derived chlorinated compounds in ECF bleaching of hardwood pulps: Formation, degradation, and contribution to AOX in a bleached kraft pulp mill. *Environmental Science and Technology* 37(4):811-814.
- Freire, C.S.R., Silvestre, A.J.D. i Pascoal Neto, C. (2003b) Oxidized derivatives of lipophilic extractives formed during hardwood kraft pulp bleaching. *Holzforschung* 57(5):503-512.
- Freire, C.S.R., Silvestre, A.J.D., Neto, C.P. i Cavaleiro, J.A.S. (2004) Glucuronoxylan-derived chlorinated compounds in filtrates from chlorine dioxide bleaching: A comparative study between eucalypt (*E. globulus*) and birch (*Betula* spp.) kraft pulps. *Appita Journal* 57(1):40-42.
- Freire, C.S.R., Silvestre, A.J.D., Neto, C.P. i Evtuguin, D.V. (2006) Effect of oxygen, ozone and hydrogen peroxide bleaching stages on the contents and composition of extractives of *Eucalyptus globulus* kraft pulps. *Bioresource Technology* 97(3):420-428.
- Freudenreich, J., Amann, M., Fritz-Langhals, E. i Stohrer, J. (1998) Understanding the Lignozym- Process. *International Pulp Bleaching Conference* 1:71-76.

- Gallardo, O., Díaz, P. i Pastor, F.I.J. (2003) Characterization of a *Paenibacillus* cell-associated xylanase with high activity on aryl-xylosides: a new subclass of family 10 xylanases. *Applied Microbiology and Biotechnology* 61:226-233.
- Gallardo, O., Díaz, P. i Pastor, F.I.J. (2004) Cloning and characterisation of xylanase A from the strain *Bacillus* sp. BP-7: comparison with alkaline pI-low molecular weight xylanases of family 11. *Current Microbiology* 48:276-279.
- Gallardo, O. (2007) Caracterización de nuevas xilanasas bacterianas. Ingeniería de enzimas con la xilanasas B de *Paenibacillus barcinonensis*. Tesis Doctoral. Departament de Microbiologia. Facultat de Biologia. Universitat de Barcelona. Barcelona, Espanya.
- Gallardo, O., Díaz, P. i Pastor, F.I.J. (2007) Cloning and production of Xylanase B from *Paenibacillus barcinonensis* in *Bacillus subtilis* hosts. *Biocatalysis and Biotransformation* 25 (2-4):157-162.
- Gamelas, J.A.F., Pontes, A.S.N., Evtuguin, D.V., Xavier, A.M.R.B. i Esculcas, A.P. (2007) New polyoxometalate-laccase integrated system for kraft pulp delignification. *Biochemical Engineering Journal* 33(2):141-147.
- García Hortal, J.A. i Vidal, T. (1984) Blanqueo de Pastas en la Industria Papelera. Escola Tècnica superior d'Enginyeria Industrial i Aeronàutica de Terrassa. Universitat Politècnica de Catalunya. Terrassa, Espanya.
- García Hortal, J.A. i Colom, J.F. (1992) El proceso al sulfato. Vol. I 2ª Edición revisada y ampliada. 1 ed. : Publicaciones de la U.P.C.. 201 p. ISBN: 7653-1990.
- García Hortal, J.A. (2007) Fibras Papeleras. Ed. Barcelona: Edicions UPC. 243 p. ISBN: 978-84-8301-916-0.
- García, O., Camarero, S., Colom, J.F., Martínez, A.T., Martínez, M.J., Monje, R. i Vidal, T. (2003) Optimization of a laccase-mediator stage for TCF bleaching of flax pulp. *Holzforschung* 57(5):513-519.
- García, O. (2003) Utilización de fibras de lino en la fabricación de papel. Nuevas secuencias de blanqueo y aplicación de sistemas enzimáticos. Tesis doctoral. Departament d'Enginyeria Tèxtil i Paperera. Escola Tècnica superior d'Enginyeria Industrial i Aeronàutica de Terrassa. Universitat Politècnica de Catalunya. Terrassa, Espanya.
- Garg, A.P., Roberts, J.C. i McCarthy, A.J. (1998) Bleach Boosting Effect of Cellulase-free Xylanase of *Streptomyces Thermoviolaceus* and its Comparison with Two Commercial Enzyme Preparations on Birchwood Kraft Pulp. *Enzyme and Microbial Technology* 22(7):594-598.

- Gellerstedt, G. i Li, J. (1996) An HPLC method for the quantitative determination of hexeneuronic acid groups in chemical pulps. *Carbohydrate Research* 294:41-45.
- Georis, J., Giannotta, F., De Buyl, E., Granier, B. i Frere, J.M. (2000) Purification and properties of three endo-[beta]-1,4-xylanases produced by *Streptomyces* sp. strain S38 which differ in their ability to enhance the bleaching of kraft pulps. *Enzyme and Microbial Technology* 26(2-4):178-186.
- Gilkes, N.R., Henrissat, B., Kilburn, D.G., Miller, R.C., Jr i Warren, R.A. (1991) Domains in microbial beta-1, 4-glycanases: sequence conservation, function, and enzyme families. *Microbiology and Molecular Biology Reviews* 55(2):303-315.
- Gomes, C.M., Colodette, J.L., Munteer, A.H., Del'antonio, N.R.N. i Silva, C.M. (2007) Characterization and biodegradability of effluents derived from hot acid hydrolysis and hot chlorine dioxide bleaching of eucalyptus pulp. *Appita Journal* 60(1):65-69.
- Granstrom, A., Eriksson, T., Gellerstedt, G., Roost, C. i Larsson, P. (2001) Variables affecting the thermal yellowing of TCF-bleached birch kraft pulps. *Nordic Pulp and Paper Research Journal* 16(1):18-23.
- Granstrom, A., Gellerstedt, G. i Eriksson, T. (2002) On the chemical processes occurring during thermal yellowing of a TCF-bleached birch kraft pulp. *Nordic Pulp and Paper Research Journal* 17(4):427-433.
- Grant, R. (1992) Enzymes reveal plenty more potential. *Pulp and Paper International* 34(12):75-76.
- Grundelius, R. (1993) Oxidation equivalents, OXE - an alternative to active chlorine. *Tappi Journal* 76(1):133-135.
- Gutierrez, A., Caramelo, L., Prieto, A. i Martínez, A.T. (1994) Anisaldehyde Production and Aryl-Alcohol Oxidase and Dehydrogenase Activities in Ligninolytic Fungi of the Genus *Pleurotus*. *Applied and Environmental Microbiology* 60(6):1783-1788.
- Gutierrez, A., del Rio, J.C., González-Vila, F.J. i Martín, F. (1998) Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography. *Journal of Chromatography* 823:449-455.
- Gutierrez, A., Romero, J. i Del Rio, J.C. (2001) Lipophilic extractives from Eucalyptus globulus pulp during kraft cooking followed by TCF and ECF bleaching. *Holzforschung* 55(3):260-264.
- Gutierrez, A., Del Rio, J.C., Rencoret, J., Ibarra, D. i Martinez, A.T. (2006a) Main lipophilic extractives in different paper pulp types can be removed using the laccase-mediator system. *Applied Microbiology and Biotechnology* 72(4):845-851.

- Gutierrez, A., Del Rio, J.C., Ibarra, D., Rencoret, J., Romero, J., Speranza, M., Camarero, S., Martinez, M.J. i Martinez, A.T. (2006b) Enzymatic removal of free and conjugated sterols forming pitch deposits in environmentally sound bleaching of eucalypt paper pulp. *Environmental Science and Technology* 40(10):3416-3422.
- Gutierrez, A., Rencoret, J., Ibarra, D., Molina, S., Camarero, S., Romero, J., Del Rio, J.C. i Martinez, A.T. (2007) Removal of lipophilic extractives from paper pulp by laccase and lignin-derived phenols as natural mediators. *Environmental Science and Technology* 41(11):4124-4129.
- Halaouli, S., Asther, M., Kruus, K., Guo, L., Hamdi, M., Sigoillot, J.C., Asther, M. i Lomascolo, A. (2005) Characterization of a new tyrosinase from *Pycnoporus* species with high potential for food technological applications. *Journal of Applied Microbiology* 98:332-343.
- Halaouli, S., Asther, M., Sigoillot, J.-., Hamdi, M. i Lomascolo, A. (2006a) Fungal tyrosinases: new prospects in molecular characteristics, bioengineering and biotechnological applications. *Journal of Applied Microbiology* 100:219-232.
- Halaouli, S., Record, E., Casalot, L., Hamdi, M., Sigoillot, J., Asther, M. i Lomascolo, A. (2006b) Cloning and characterization of a tyrosinase gene from the white-rot fungus *Pycnoporus sanguineus*, and overproduction of the recombinant protein in *Aspergillus niger*. *Applied Microbiology and Biotechnology* 70:580-589.
- Henricson, K. (1997) AHL stage - improved pulp bleachability by mild acid treatment. *Paperi ja Puu/Paper and Timber* 79(8):546-550.
- Henrissat, B. i Bairoch, A. (1996) Updating the sequence-based classification of glycosyl hydrolases. *Biochemical Journal* 316:695-696.
- Herpoël, I., Moukha, S., Lesage-Meessen, L., Sigoillot, J. i Asther, M. (2000) Selection of *Pycnoporus cinnabarinus* strains for laccase production. *FEMS Microbiology Letters* 183(2):301-306.
- Herpoël, I., Jeller, H., Fang, G., Petit-Conil, M., Bourbonnais, R., Robert, J.L., Asther, M. i Sigoillot, J.C. (2002) Efficient enzymatic delignification of wheat straw pulp by a sequential xylanase-laccase mediator treatment. *Journal of Pulp and Paper Science* 28(3):67-71.
- Higuchi, T. (1985) *Biosynthesis and Biodegradation of Wood Components*. Academic Press, Orlando.
- Ibarra, D. (2006) *Tecnologías limpias para el blanqueo libre de cloro de pastas de papel: Modificación enzimática de la lignina residual*. Tesis Doctoral. Universidad Complutense de Madrid. Facultad de Farmacia. Madrid, Espanya.

- Ibarra, D., Camarero, S., Romero, J., Martinez, M.J. i Martinez, A.T. (2006a) Integrating laccase - Mediator treatment into an industrial-type sequence for totally chlorine-free bleaching of eucalypt kraft pulp. *Journal of Chemical Technology and Biotechnology* 81(7):1159-1165.
- Ibarra, D., Romero, J., Martinez, M.J., Martinez, A.T. i Camarero, S. (2006b) Exploring the enzymatic parameters for optimal delignification of eucalypt pulp by laccase-mediator. *Enzyme and Microbial Technology* 39(6):1319-1327.
- Jean, P., Hamilton, J. i Senior, D.J. (1994) Mill trial experiences with xylanase: AOX and chemical reductions. *Pulp & Paper Canada* 95(12):126-128.
- Jeffries, T.W. (1998) Conserved motifs in Xylanases for pulp bleaching. In: *Technologies for the discovery and "tailoring" of enzymes for commercial applications. IBC's Third Annual Symposium on Commercial Enzymes. Southborough, MA*:1-17.
- Jeffries, T.W., Davis, M., Rosin, B. i Landucci, L.L. (1998) Mechanisms for kappa reduction and color removal by xylanases. *International Conference on Biotechnology in the Pulp and Paper Industry C*:41-43.
- Jiang, Z.H., Van Lierop, B. i Berry, R. (2000) Hexenuronic acid groups in pulping and bleaching chemistry. *Tappi Journal* 83(1):167-175.
- Jiang, Z.H., Audet, A., Sullivan, J., van Lierop, B. i Berry, R. (2001) A new method for quantifying hexenuronic acid groups in chemical pulps. *Journal of Pulp and Paper Science* 27(3):92-97.
- Johannes, C. i Majcherczyk, A. (2000) Natural Mediators in the Oxidation of Polycyclic Aromatic Hydrocarbons by Laccase Mediator Systems. *Applied and Environmental Microbiology* 66(2):524-528.
- Johansson, D. i Germgard, U. (2006) The relationship between xylan and hexenuronic acid in eucalyptus kraft pulping. *O Papel* 67(10):84-91.
- Johansson, M. i Samuelson, O. (1977) Epimerization and degradation of 2-*O*-(4-*O*-methyl- α -glucopyranosyluronic acid)--xylitol in alkaline medium. *Carbohydrate Research* 54(2):295-299.
- Kanda, K., Sato, T., Ishii, S., Enei, H. i Ejiri, S.I. (1996) Purification and properties of tyrosinase isozymes from the gill of *Lentinus edodes* fruiting body. *Bioscience Biotechnology and Biochemistry* 60:1273-1278.
- Kantelinen, A., Hortling, B., Sundquist, J., Linko, M. i Viikari, L. (1993) Proposed mechanism of the enzymatic bleaching of kraft pulp with xylanases. *Holzforschung* 47:318-324.

- Kawae, A. i Uchida, Y. (2005) Heat and moisture-induced yellowing of ECF-light bleached hardwood kraft pulp. *Appita Journal* 58(5):378-381.
- Keen, N.T., Boyd, C. i Henrissat, B. (1996) Cloning and characterization of a xylanase gene from corn strains of *Erwinia chrysanthemi*. *Molecular Plant-Microbe Interactions* 9:651-657.
- Kolenova, K., Vrsanska, M. i Biely, P. (2006) Mode of action of endo- β -1,4-xylanases of families 10 and 11 on acidic xylooligosaccharides. *Journal of Biotechnology* 121(3):338-345.
- Kurahashi, Y. and Pontzen, R. (1998) Carpropamid: a new melanin biosynthesis inhibitor. *Pflanzenschutz-Nachr Bayer* 51:245-256.
- Lachenal, D. i Chirat, C. (1999) Evaluation de l'efficacité des réactifs de blanchiment. Nouvelle approche. *Revue ATIP* 53 (4-5):125-130.
- Laemmli, U.K. (1970) Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. *Nature* 227:680-685.
- Li, J. i Gellerstedt, G. (1997) The contribution to kappa number from hexeneuronic acid groups in pulp xylan. *Carbohydrate Research* 302:213-218.
- Li, J. i Gellerstedt, G. (1998) On the structural significance of the kappa number measurement. *Nordic Pulp & Paper Research Journal* 13:153-158.
- Li, J., Sevastyanova, O. i Gellerstedt, G. (2002a) The relationship between kappa number and oxidizable structures in bleached kraft pulps. *Journal of Pulp and Paper Science* 28:262-266.
- Li, J., Sevastyanova, O. i Gellerstedt, G. (2002b) The distribution of oxidizable structures in ECF-and TCF-bleached kraft pulps. *Nordic Pulp and Paper Research Journal* 17:415-419.
- Li, J. i Gellerstedt, G. (2002) Oxymercuration-demercuration kappa number: An accurate estimation of the lignin content in chemical pulps. *Nordic Pulp and Paper Research Journal* 17:410-414.
- Li, K., Xu, F. i Eriksson, K.E.L. (1999) Comparison of Fungal Laccases and Redox Mediators in Oxidation of a Nonphenolic Lignin Model Compound. *Applied and Environmental Microbiology* 65(6):2654-2660.
- Li, K., Azadi, P., Collins, R., Tolan, J., Kim, J.S. i Eriksson, K.E.L. (2000) Relationships between activities of xylanases and xylan structures. *Enzyme and Microbial Technology* 27(1-2):89-94.

- Li, K., Horanyi, P.S., Collins, R., Phillips, R.S. i Eriksson, K.L. (2001) Investigation of the role of 3-hydroxyanthranilic acid in the degradation of lignin by white-rot fungus *Pycnoporus cinnabarinus*. *Enzyme and Microbial Technology* 28(4-5):301-307.
- Lomascolo, A., Cayol, J.L., Roche, M., Guo, L., Robert, J.L., Record, E., Lesage-Meessen, L., Ollivier, B., Sigoillot, J.C. i Asther, M. (2002) Molecular clustering of *Pycnoporus* strains from various geographic origins and isolation of monokaryotic strains for laccase hyperproduction. *Mycological Research* 106:1193-1203.
- López, C., Blanco, A. i Pastor, F.I.J. (1998) Xylanase production by a new alkali-tolerant isolate of *Bacillus*. *Biotechnology Letters* 20:243-246.
- Loutfi, H. (1993) Researchers continue development of new bleaching agents for kraft pulp. *Pulp & Paper* 68(29):122.
- Maddern, K.N., Neilson, M.J. i Jamieson, A.G. (1993) The production of eucalypt kraft market pulp without the use of molecular chlorine. *Appita Journal* 46(6):419-423.
- Madlala, A.M., Bissoon, S., Singh, S. i Christov, L. (2001) Xylanase-induced reduction of chlorine dioxide consumption during elemental chlorine-free bleaching of different pulp types. *Biotechnology Letters* 23:345-351.
- Malinen, R.O. i Nhan, D.T.T. (2006) Control of hexenuronic acid content in bleached pulp and its effects on optical properties of pulp. 60th Appita Annual Conference and Exhibition. Melbourne, Australia:289-296.
- Mateo, C. (2004) Influence de la structure chimique des pâtes cellulosiques sur leur aptitude au blanchiment. *Revue ATIP* 58(3):29-39.
- Nelson, N. (1944) A photometric adaptation of the somogy method for the determination of glucose. *Journal of Biological Chemistry* 153(2):375-380.
- Nelson, P.J., Chin, C.W.J., Viikari, L. i Tenkanen, M. (1998) Use of a laccase mediator stage in bleaching eucalypt kraft pulps. *Appita Journal* 51(6):451-455.
- Nelson, S.L., Wong, K.K.Y., Saddlep, J.N. i Beatson, R.P. (1995) The use of xylanase for peroxide bleaching of kraft pulps derived from different softwood species. *Pulp & Paper Canada* 96(7):42-45.
- Nimz, H. (1974) Beech lignin-Proposal of a constitutional scheme. *Angewandte Chemie International Edition* 13:313-321.
- Oksanen, T., Amann, M., Candussio, A., Buchert, J. i Viikari, L. (1997) Role of xylanase in laccase-mediator delignification of kraft pulps. 9th International Symposium on Wood and Pulping Chemistry. Montréal, Canada 83:1-4.

- Oudia, A., Meszaros, E., Simoes, R., Queiroz, J. i Jakab, E. (2007) Pyrolysis-GC/MS and TG/MS study of mediated laccase biodelignification of *Eucalyptus globulus* kraft pulp. *Journal of Analytical and Applied Pyrolysis* 78(2):233-242.
- Oxley, P.W., Adger, B.M. i Sasse, M.J. (1989) N-acetyl-N-phenyl-hydroxylamine via catalytic transfer hydrogenation of nitrobenzene using hydrazine and rhodium on carbon. *Organic Syntheses* 67:187-191.
- Paice, M.G., Gurnagul, N., Page, D.H. i Jurasek, L. (1992) Mechanism of hemicellulose-directed prebleaching of kraft pulps. *Enzyme and Microbial Technology* 14(4):272-276.
- Paice, M.G., Bourbonnais, R., Reid, I.D., Archibald, F.S. i Jurasek, L. (1995) Oxidative bleaching enzymes: a review. *Journal of Pulp and Paper Science* 21(8):J280-J284.
- Parham, R.A. (1983) *Pulp and Paper Manufacture. Vol. 1. Properties of Fibrous Raw Materials and their Preparation for Pulping. VI Ultrastructure and Chemistry.* Ed. M.J. Kocurek i C.F.B. Stevens. Joint Textbook Committee of the Paper Industry:35-45.
- Patel, R.N., Grabski, A.C. i Jeffries, T.W. (1993) Chromophore release from kraft pulp by purified *streptomyces roseiscleroticus* xylanases. *Applied Microbiology and Biotechnology* 39:405-412.
- Pedrola, J., Roncero, M.B., Colom, J.F., Vidal, T. i Torres, A.L. (2004) Application of an experimental design to modelling the hydrogen peroxide stage in TCF bleaching of eucalypt pulp. *Appita Journal* 57(2):141-145.
- Pedroso, A.I. i Carvalho, M.G. (2003) Alkaline Pulping of Portuguese *Eucalyptus globulus*: Effect on Hexenuronic Acid Content. *Journal of Pulp and Paper Science* 29(5):150-154.
- Pepió, M. i Polo, C. (2000) Apunts de l'assignatura de tercer cicle: Disseny d'experiments i optimització de processos. Departament d'Estadística i Investigació Operativa, Universitat Politècnica de Catalunya, Espanya.
- Petit-Breuilh, X., Melo, R. i Zaror, C. (2004) Implicações ambientais da remoção de ácido hexenurônico de polpa kraft de *Eucalyptus globulus* mediante uso de ácido peroximonosulfúrico. *O Papel* 65(5):72-76.
- Pham, P.L., Alric, I. i Delmas, M. (1995) Incorporation of xylanase in total chlorine free bleach sequences using ozone and hydrogen peroxide. *Appita Journal* 48(3):231-217.
- Popovici, C., Messier, M., Thibault, L. i Charron, D. (2004) Multiples avantages du xylanase dans une usine nexfor papiers fraser de pâte kraft de feuillus. *Pulp & Paper Canada* 105 (12):278-281.

- Poppius-Levlin, K., Wang, M., Tamminen, T., Hortling, B., Viikari, L. i Niku-Paavola, M.L. (1999) Effects of laccase/HBT treatment on pulp and lignin structures. *Journal of Pulp and Paper Science* 25(3):90-94.
- Poppius-Levlin, K., Tamminen, T., Kalliola, A. i Ohra-Aho, T. (2001) Characterization of residual lignins in pulps delignified by laccase/N-hydroxyacetanilide. *ACS Symposium Series* 785:358-372.
- Ragnar, M. (2001) A novel spectrophotometric tool for bleaching studies and determination of hexenuronic acid removal. *Nordic Pulp and Paper Research Journal* 16(1):68-71.
- Ragnar, M. (2005) Method for regulating the manufacturing of pulp by optically measuring the amount of hexenuronic acid. United States Patent. Patent No.: US 6,946,056 B2.
- Ralph, J. i Hatfield, R.D. (1991) Pyrolysis-GC-MS characterization of forage materials. *Journal of Agricultural and Food Chemistry* 39:1426-1437.
- Record, E., Asther, M., Sigoillot, C. *et al.* (2003) Overproduction of the *Aspergillus niger* feruloyl esterase for pulp bleaching application. *Applied Microbiology and Biotechnology* 62(4):349-355.
- Reeve, D.W. (1996) Pulp Bleaching. Principles and Practice. Capítol I-1. Introduction to the Principles and Practice of Pulp Bleaching. Ed. Dence i Reeve. TAPPI Press. Atlanta. USA:1-24.
- Rocheffort, D., Leech, D. i Bourbonnais, R. (2004) Electron transfer mediator systems for bleaching of paper pulp. *Green Chemistry* 6:14-24.
- Roncero, M.B., Vidal, T., Torres, A.L. i Colom, J.F. (1996) Use of xylanase in the totally chlorine-free bleaching of Eucalyptus kraft pulp. *ACS Symposium Series*:219-227.
- Roncero, M.B., Torres, A.L., Colom, J.F. i Vidal, T. (2000a) Effects of a xylanase treatment on fibre morphology in totally chlorine free bleaching (TCF) of Eucalyptus pulp. *Process Biochemistry* 36:45-50.
- Roncero, M.B., Torres, A.L., Colom, J.F. i Vidal, T. (2000b) Using xylanase before oxygen delignification on TCF bleaching. Influence on fibre surfaces by SEM. *Process Biochemistry* 36:45-50.
- Roncero, M.B. (2001) Obtención de una secuencia "TCF" con la aplicación de ozono y enzimas, para el blanqueo de pastas madereras y de origen agrícola. Optimización de la etapa Z. Análisis de los efectos en la fibra celulósica y sus componentes. Tesis doctoral. Departament d'Enginyeria Tèxtil i Paperera. Escola Tècnica superior d'Enginyeria Industrial i Aeronàutica de Terrassa. Universitat Politècnica de Catalunya. Terrassa, Espanya. <http://www.tdx.cesca.es/TDX-0325103-125233>.

- Roncero, M.B., Colom, J.F. i Vidal, T. (2003a) Influencia de los tratamientos enzimáticos con xilanasas en la composición de hidratos de carbono de pastas para papel. *Afinidad* 60(503):8-15.
- Roncero, M.B., Colom, J.F. i Vidal, T. (2003b) Cellulose protection during ozone treatments of oxygen delignified Eucalyptus kraft pulp. *Carbohydrate Polymers* 51(3):243-254.
- Roncero, M.B., Colom, J.F. i Vidal, T. (2003c) Why oxalic acid protects cellulose during ozone treatments? *Carbohydrate Polymers* 52(4):411-422.
- Roncero, M.B., Torres, A.L., Colom, J.F. i Vidal, T. (2003d) TCF bleaching of wheat straw pulp using ozone and xylanase. Part A: paper quality assessment. *Bioresource technology* 87:305-314.
- Roncero, M.B., Torres, A.L., Colom, J.F. i Vidal, T. (2003e) Effect of xylanase on ozone bleaching kinetics and properties of Eucalyptus kraft pulp. *Journal of Chemical Technology and Biotechnology* 78(1):1023-1031.
- Roncero, M.B., Torres, A.L., Colom, J.F. i Vidal, T. (2005) The effect of xylanase on lignocellulosic components during the bleaching of wood pulps. *Bioresource Technology* 96(1):21-30.
- Rydholm, S.A. (1967) *Pulping Processes*. Parte 1. Wood. Fiber Morphology. Ed. S.A. Rydholm. Interscience Publishers, John Wiley and Sons:69-89.
- Sanchez, M.M., Fritze, D., Blanco, A., Sproer, C., Tindall, B.J., Schumann, P., Kroppenstedt, R.M., Diaz, P. i Pastor, F.I.J. (2005) *Paenibacillus barcinonensis* sp. nov., a xylanase-producing bacterium isolated from a rice field in the Ebro River delta. *International Journal of Systematic and Evolutionary Microbiology* 55(2):935-939.
- Sanchez-Ferrer, A., Rodriguez-Lopez, J.N., Garcia-Canovas, F. i Garcia-Carmona, F. (1995) Tyrosinase: a comprehensive review of its mechanism. *Biochimica et Biophysica Acta* 1247:1-11.
- Santos, A., Rodriguez, F., Gilarranz, M., Moreno, D. i Garcia-Ochoa, F. (1997) Kinetic modeling of kraft delignification of Eucalyptus globulus. *Industrial & Engineering Chemistry Research* 36(10):4114-4125.
- Sealey, J. i Ragauskas, A.J. (1998) Investigation of laccase/N-hydroxybenzotriazole delignification of kraft pulp. *Journal of Wood Chemistry and Technology* 18(4):403-416.
- Sealey, J. i Ragauskas, A. (1997) Fundamental investigations into the chemical mechanisms involved in laccase mediator biobleaching. *Proceedings of the 9th International Symposium on Wood and Pulping Chemistry (ISWPC)* 1:1.

- Sealey, J.E., Runge, T.M. i Ragauskas, A.J. (2000) Laccase N-hydroxybenzotriazole full-sequence bleaching with hydrogen peroxide and chlorine dioxide. *Tappi Journal* 83:1.
- Sêco, I.M.C.L., Neto, C.P. i Silvestre, A.J.D. (2008) Strategies to reduce the brightness reversion of industrial ECF bleached *Eucalyptus globulus* kraft pulp. *Journal of Chemical Technology and Biotechnology* 83(3):218-226.
- Senior, D.J. i Hamilton, J. (1992a) Biobleaching with xylanases brings biotechnology to reality. *Pulp & Paper* 66(9):111-114.
- Senior, D.J. i Hamilton, J. (1992b) Use of xylanases to decrease the formation of AOX in kraft pulp bleaching. *Journal of Pulp and Paper Science* 18(5):165-168.
- Sevastyanova, O., Li, J. i Gellerstedt, G. (2006) Influence of various oxidizable structures on the brightness stability of fully bleached chemical pulps. *Nordic Pulp and Paper Research Journal* 21:49-53.
- Shah, A.K., Cooper, D., Adolphson, R. i Eriksson, K.E.L. (2000) Xylanase treatment of oxygen-bleached hardwood kraft pulp at high temperature and alkaline pH levels gives substantial savings in bleaching chemicals. *Journal of Pulp and Paper Science* 26(1):8-11.
- Shatalov, A.A. i Pereira, H. (2004) Uronic (hexenuronic) acid profile of ethanol-alkali delignification of giant reed *Arundo donax* L. *Cellulose* 11(1):109-117.
- Shatalov, A.A. i Pereira, H. (2007) Xylanase pre-treatment of giant reed organosolv pulps: Direct bleaching effect and bleach boosting. *Industrial Crops and Products* 25(3):248-256.
- Sigoillot, C., Record, E., Belle, V., Robert, J.L., Levasseur, A., Punt, P.J., Van den Hondel, C.A.M.J.J., Fournel, A., Sigoillot, J.C. i Asther, M. (2004) Natural and recombinant fungal laccases for paper pulp bleaching. *Applied Microbiology and Biotechnology* 64:346-352.
- Sigoillot, C., Camarero, S., Vidal, T., Record, E., Asther, M., Perez-Boada, M., Martinez, M.J., Sigoillot, J.C., Asther, M., Colom, J.F. i Martinez, A.T. (2005) Comparison of different fungal enzymes for bleaching high-quality paper pulps. *Journal of Biotechnology* 115(4):333-343.
- Siles, F.J., Torres, A.L., Colom, J.F. i Vidal, T. (1996) Blanqueo biológico de pasta kraft de frondosas. *Afinidad*, 53(462):93-102.
- Siltala, M., Winberg, K., Henricson, K. i Lönnberg, B. (1998) Mill scale application for selective hydrolysis of hexenuronic acid groups in TCF bleaching of kraft pulp. *International Pulp Bleaching Conference* 1:279-287.

- Simao, J.P.F., Egas, A.P.V., Baptista, C.M.S.G., Carvalho, M.G. i Castro, J.A.A.M. (2005) Evolution of methylglucuronic and hexenuronic acid contents of eucalyptus globulus pulp during kraft delignification. *Industrial and Engineering Chemistry Research* 44:2990-2996.
- Sixta, H., Schuster, J., Mayrhofer, C., Krotscheck, A.W. i Rückl, W. (1994) Towards effluent-free TCF-Bleaching of Eucalyptus prehydrolysis kraft pulp. *Das papier* 8:526-537.
- Sjöström, E. (1993) *Wood chemistry. Fundamentals and Applications*. Second edition, Academic Press Inc., San Diego.
- Sjöström, E. (2006) Do Hexenuronic Acid groups Represent the Majority of the Carboxyl Groups in Kraft Pulps? *Journal of Wood Chemistry and Technology* 26(3):283-288.
- Solomon, E.I., Sundaram, U.M. i Machonkin, T.E. (1996) Multicopper oxidases and oxygenases. *Chemical Reviews* 96:2563-2605.
- Somogyi, M. (1945) Determination of blood sugar. *Journal of Biological Chemistry* 160(1):69-73.
- Surma-Slusarska, B. i Leks-Stepien, J. (2001) TCF bleaching of kraft pulps with laccase and xylanase. *Journal of Wood Chemistry and Technology* 21(4):361-370.
- Suurnäkki, A., Kantelinen, A., Buchert, J. i Viikari, L. (1994) Enzyme-aided bleaching of industrial softwood kraft pulps. *Tappi Journal* 77(11):111-116.
- Suurnäkki, A., Tenkanen, M., Buchert, J. i Viikari, L. (1997) Hemicellulases in the bleaching of chemical pulps. *Advances in Biochemical Engineering/Biotechnology* 57:261-287.
- Teleman, A., Harjunpaa, V., Tenkanen, M., Buchert, J., Hausalo, T., Drakenberg, T. i Vuorinen, T. (1995) Characterization of 4-Deoxy-Beta-L-Threo-Hex-4-Enopyranosyluronic Acid Attached to Xylan in Pine Kraft Pulp and Pulping Liquor by H-1 and C-13 NMR-Spectroscopy. *Carbohydrate Research* 272(1):55-71.
- Teleman, A., Hausalo, T., Tenkanen, M. i Vuorinen, T. (1996) Identification of the acidic degradation products of hexenuronic acid and characterisation of hexenuronic acid-substituted xylooligosaccharides by NMR spectroscopy. *Carbohydrate Research* 280(2):197-208.
- Tolan, J.S., Olson, D. i Dines, R.E. (1996) Survey of mill usage of xylanase. *Proceedings of the 211th National Meeting of the American Chemical Society*. New Orleans, LA, USA.:25-35.
- Tolan, J.S. i Spence, M. (1997) On-line tracer system to improve enzyme performance. *Pulp & Paper Canada* 98(2):57-61.

- Tolan, J.S. i Thibault, L. (1997) Decreasing ECF bleaching costs with enzymes in a mill with oxygen delignification. *Pulp & Paper Canada* 98(12):147-150.
- Torngren, A. i Gellerstedt, G. (1997) Nature of organic bound chlorine from ECF-bleaching found in kraft pulp. *Proceedings of the 9th International Symposium on Wood and Pulping Chemistry (Montreal, Canada)* 1:2.
- Torngren, A. (2002) Hexenuronic acid reactions in chlorine dioxide bleaching - Aspects on in situ formation of molecular chlorine. *Nordic Pulp and Paper Research Journal* 17(2):179-182.
- Torres, A.L., Roncero, M.B., Colom, J.F., Pastor, F.I.J., Blanco, A. i Vidal, T. (2000) Effect of a novel enzyme on fibre morphology during ECF bleaching of oxygen delignified Eucalyptus kraft pulps. *Bioresource Technology* 74:135-140.
- Torres, A.L., Roncero, M.B., Colom, J.F., Martínez, J.A. i Vidal, T. (2004) Application of an experimental design to modeling of ozone bleaching stage in TCF processes. *Ozone: Science and Engineering* 26(5):443-451.
- Turner, J.C., Skerker, P.S., Burns, B.J., Howard, J.C., Alonso, M.A. i Andres, J.L. (1992) Bleaching with enzymes instead of chlorine-mill trials. *Tappi Journal* 75(12):83-89.
- van Lierop, B., Skothos, A. i Liebergott, N. *Pulp Bleaching. Principles and Practice. Capítol IV-5: Ozone delignification.* Ed. Dence i Reeve. TAPPI press:321-345.
- Ventorim, G., Colodette, J.L. i Eiras, K.M.M. (2005) The fate of chlorine species during high temperature chlorine dioxide bleaching. *Nordic Pulp and Paper Research Journal* 20(1):7-11.
- Vicuña, R., Escobar, F., Osses, M. i Jara, A. (1997) Bleaching of eucalyptus Kraft pulp with commercial xylanases. *Biotechnology Letters* 19(6):575-578.
- Vidal, T., Torres, A.L., Colom, J.F. i Siles, J. (1997) Xylanase bleaching of eucalyptus kraft pulp - an economical ECF process. *Appita Journal* 50(2):144-148.
- Vidal, T., Munoz, M. i Colom, J.F. (1998) Xylanase bleaching of Eucalyptus kraft pulp - an economical TCF process. *Proceedings of the 7th International Conference on Biotechnology in the Pulp and Paper Industry* 3:11-14.
- Viikari, L., Ranua, M., Kantelinen, A., Sundquist, J. i Linko, M. (1986) Bleaching with enzymes. *International Conference on Biotechnology in the Pulp and Paper Industry*:67-69.
- Viikari, L., Kantelinen, A., Sundquist, J. i Linko, M. (1994) Xylanases in bleaching: From an idea to the industry. *FEMS Microbiology Reviews* 13(2):335-350.

- Viikari, L., Suurnäkki, A. i Buchert, J. (1996) Enzyme-aided bleaching of kraft pulps: fundamental mechanisms and practical applications. *Enzymes for Pulp and Paper Processing* 655:15-24.
- Vuorinen, T., Teleman, A., Fagerström, P., Buchert, J. i Tenkanen, M. (1996) Selective hydrolysis of hexenuronic acid groups and its application in ECF and TCF bleaching of kraft pulps. *International Pulp Bleaching Conference*:43-51.
- Vuorinen, T., Fagerström, P., Räsänen, E., Vikkula, A., Henricson, K. i Teleman, A. (1997) Selective hydrolysis of hexenuronic acid groups opens new possibilities for development of bleaching processes. *9th International Symposium on Wood and Pulping Chemistry*:M4.
- Vuorinen, T., Fagerström, P., Buchert, J., Tenkanen, M. i Teleman, A. (1999) Selective hydrolysis of hexenuronic acid groups and its application in ECF and TCF bleaching of kraft pulps. *Journal of Pulp and Paper Science* 25(5):155-162.
- Wong, K.K.Y., Jong, E.D., Saddler, J.N. i Allison, R.W. (1997a) Mechanisms of xylanase aided bleaching of kraft pulp. Part 1: Process parameters. *Appita Journal* 50(5):415-422.
- Wong, K.K.Y., Jong, E.D., Saddler, J.N. i Allison, R.W. (1997b) Mechanisms of xylanase aided bleaching of kraft pulp. Part 2: Target substrates. *Appita Journal* 50(6):509-518.
- Wong, K.K.Y., Martin, L.A., Gama, F.M., Saddler, J.N. i de Jong, E. (1997c) Bleach boosting and direct brightening by multiple xylanase treatments during peroxide bleaching of kraft pulps. *Biotechnology and Bioengineering* 54(4):312-318.
- Wong, K.K.Y., Allison, R.W. i Spehr, S. (2001) Effects of alkali and oxygen extractions of kraft pulp on xylanase-aided bleaching. *Journal of Pulp and Paper Science* 27(7):229-234.
- Xu, F., Kulys, J.J., Duke, K., Li, K., Krikstopaitis, K., Deussen, H.J.W., Abbate, E., Galinyte, V. i Schneider, P. (2000) Redox chemistry in laccase-catalysed oxidation of N-hydroxy compounds. *Applied and Environmental Microbiology* 66(5):2052-2056.
- Xu, F., Deussen, H.J.W., Lopez, B., Lam, L. i Li, K. (2001) Enzymatic and electrochemical oxidation of N-hydroxy compounds. *European Journal of Biochemistry* 268:4169-4176.
- Yee, E. i Tolan, J.S. (1997) Three years experience running enzymes continuously to enhance the bleaching at Weyerhaeuser Prince Albert. *Pulp & Paper Canada* 98(10):42-49.