

- A.O.A.C. (1980) Official Methods of Analysis, 13th ed. Association of Official Analytical Chemists. Washington D.C. 376-384.
- Abdula, M. (1993) Calculation of water sorption isotherms for multicomponent mixtures of protein-containing products. PhD. Thesis. Technical University of Lodz. Lodz. Poland.
- Andújar, G.; Tarrazo, J. (1981) The rate of penetration of salt into meat. *Fleischwirtschaft*. 61(9):1366-1367.
- Anonymous (1996) Catalogo calidad de la canal. Confederación Española de Empresas Exportadoras de Carnes. Infanta Mercedes, 13.4º. 28020 Madrid. Spain.
- Anonymous (1998) Anuario cárnico. Produccion. *Carnica 2000*. 45.
- Arnau, J.; Guerrero, L.; Casademont, G.; Gou, P. (1995) Physical and chemical changes in different zones of normal and PSE dry cured ham during processing. *Food Chemistry*. 52: 63-69.
- Arnau, J.; Guerrero, L.; Gou, P. (1997) Effects of temperature during the last month of ageing and of salting time on dry-cured ham aged for six months. *Journal of Science and Food Agriculture*. 74:193:198.
- Arnau, J.; Guerrero, C.; Sárraga, C. (1998) The effect of green ham pH and NaCl concentration on cathepsin activities and the sensory characteristics of dry-cured hams. *Journal of Science and Food Agriculture*. 77:387-392.
- Bassal, A.; Vasseur, J. (1992) Measurement of water activity at high temperature. In: *Proceedings International Drying Symposium*. A.S. Mujumdar (ed.). Elsevier Science Publishers B.V. 313-321.
- Ben Mabrouk, S.; Belghith, A. (1995) Numerical simulation of the drying of a deformable material: evaluation of the diffusion coefficient. *Drying Technology* 13(8-9). 1789-1805.
- Bone, D.P. (1969) *Food Product Development*. 3:81 (Quoted by Motarjemi, 1988).

- Bone, D.P. (1987) Practical applications of water activity and moisture relations in foods. In: *Water Activity: Theory and Applications to Food*. Louis B. Rockland and Larry R. Beuchat (ed.). Marcel Dekker, Inc. New York. 369-395.
- Boquet, T.; Chirife, J.; Iglesias, H. (1978) Equations for fitting water sorption isotherms of foods. 2. Evaluation of various two-parameter models. *Journal of Food Technology*. 13: 319. (Quoted by Lang and Steinberg, 1981)
- Briggs, D.R. (1932) Water relationships in colloids. 2. "Bound" water in colloids. *Journal of Phys. Chem.* 36: 367 (Quoted by Lang and Steinberg, 1980)
- Bussiere, C.; Serpelloni, M. (1985) Confectionery and water activity. Determination of  $a_w$  by calculation. In: *Properties of Water in Foods*. D. Simatos and J.L. Multon (ed.). ISBN 90-247-3153-4. 627-645.
- Chen C.S. (1989) Water activity-concentration models for solutions of sugars, salts and acids. *Journal of Food Science*. 54(5):1318-1321
- Chinachoti, P. (1990) Isotherm equations for starch, sucrose and salt for calculation of high system water activities. *Journal of Food Science*. 55: 265-266.
- Chirife, J.; Iglesias, H.A. (1978) Equations for fitting water sorption isotherms of foods: Part 1. A review. *Journal of Food Technnology*. 13: 159-174.
- Chirife, J.; Resnik, S.L. (1984) Unsaturated solutions of sodium chloride as reference sources of water activity at various temperatures. *Journal of Food Science*. 49: 1486-1488.
- Chou, D.H.; Morr, Ch. V. (1979) Protein-water interactions and functional properties. *Journal of American Oil Chemistry Society*. 56:53A.
- Chuang, L.; Toledo, R.T. (1976) Predicting the water activity of multicomponent systems from water sorption isotherms of individual components. *Journal of Food Science*. 41: 922-927.
- Crank, J. (1975) The mathematics of diffusion. Oxford Univrsity Press, Ely House. London.
- Crapiste G.H.; Rotstein E. (1982) Prediction of sorptional equilibrium data for starch-containing foodstuffs. *Journal of Food Science*. 47:1501-1507
- Curme, A.G.; Schmidt, S.J.; Steinberg, M.P. (1990) Mobility and activity of water in casein model systems as determined by  $^2\text{H}$  NMR and sorption isotherms. *Journal of Food Science*. 55(2): 430-433

- Daudin, J.D.; kondjoyan, A.; Sirami, J. (1992) Water and salt transfers analysis in drying of sausages. In: *Proceedings of 38<sup>th</sup> International Congress of Meat Science and Technology*. Clermond-Ferrand, France. 6:1199-1202.
- Demeyer, D. (1979) Comparison between calculated and measured values of water activity in dry sausage. *Fleischwirtschaft*. 59: 973-974
- Devine, C.E. (1992) Meat science. In: *Encyclopedia of Food Science and Technology*. Y. H. Huy (ed.). John Willey and Sons, Inc. New-York. 1708-1723.
- Diaferia, C.; Busolli, C.; Zanardi, S.; Palmia, F. (1998) Sorption isotherms and diffusion coefficient of water in salami. In: *Proceedings of 44<sup>th</sup>. International Congress of Meat Science and Technology* . Barcelona, Spain. II:878-879.
- Djelveh, G.; Gros, J.B. (1988) Measurement of effective diffusivities of ionic and non-ionic solutes through beef and pork muscles using a diffusion cell. *Meat Science*. 23:11-20.
- Ehlermann, D.A.E. (1990) Food irradiation. In: *Engineering and Food*. Vol. 2. Physical properties and process control. Spiess and schubert (ed.). Elsevier Applied Science. 760-773.
- Fennema, O.R. (1993) Química de los alimentos. 2<sup>nd</sup> ed. Acribia, S.A. Zaragoza. Spain.
- Fett, H.M. (1973) Water activity determination in foods in the range 0.8 to 0.99. *Journal of Food Science*. 38: 1697-1698.
- Fish, B.P. (1958) Diffusion and thermodynamics of water in potato starch gel. In: *Fundamental Aspects of the Dehydration of Foodstuffs*. Society of Chemical Industry. London. 143-57. (Quoted by Sjöholm and Gekas, 1995)
- Floros, J.D. (1992) Mass transfer and diffusion in foods. In: *Encyclopedia of Food Science and Technology*. Y.H. Huy (ed.). John Willey and Sons, Inc. New-York. 1708-1723.
- Fox, Jr.Jb. (1980) Diffusion of chloride, nitrite, and nitrate in beef and pork. *Journal of Food Science*. 45: 1740-1744.
- Froystein, T.; Sorheim, O; Berg, S.A.; Dalen, K. (1989) Salt distribution in cured hams, studied by computer X-ray tomography. *Fleischwirtschaft*. 69(2): 220-222.
- Gauthier, M.; Bolnot, F.; Rozier, J.; Carlier, V. (1986) Activité de l'eau et conservation des denrées alimentaires. *RTVA*. Septembre:16-20.
- Gekas, V. (1992) Characterization and properties of foods and other biological materials. In: *Transport Phenomena of Foods and Biological Materials*. C.R.C. 63-110.

- Gekas, V.; Motarjemi, Y.; Lamberg, I. (1987) Thijssen memorial symposium. Eindhoven. Netherlands. (Quoted by Motarjemi, 1988).
- Godsalve, E.W.; Davis, E.A.; Gordon, J. (1977) Effect of oven conditions and sample treatment on water loss of dry cooked bovine muscle. *Journal of Food Science* 42: 1325-1330.
- Gonzalez-Mendez, N.F.; Gros, J.B.; Poma, J.P. (1983) Mesure et modélisation des phénomènes de diffusion lors du salage de la viande. *Viandes et Produits Carnés*. 4(1): 35-41.
- Gou, P. (1998) Dinámica del jamón curado. El jamón curado: Tecnología y análisis de consumo. In: *Simposio especial - 44<sup>th</sup> International Congress of Meat Science and Technology*. Eurocarne. 90-106.
- Greenspan, L. (1977) Humidity fixed points of binary saturated aqueous solutions. *Journal of Research of the National Bureau of Standards Physics and Chemistry*. 81A(1): 89-96.
- Gros J.B.; Dussap, C.G.; Gonzalez-Mendez, N.F. (1984) Solute diffusivities in meat. A review. In: *Engineering and Food*. (1) Engineering sciences in the food industry. Brian M. McKenna (ed.). Elsevier Applied Sciences Publishers. New York.
- Hamm, R. (1975) In: *Meat*. D.J.A. Cole and R.A. Lawrie (eds.). Butterworths. London. 322 (Quoted by Motarjemi, 1988).
- Hamm, R. (1986) Functional properties of the myofibrillar system and their measurements. In: *Muscle as Food*. Bechtel, P.J. (ed.). Academic Press. Orlando. USA.
- Iglesias, H.A.; Chirife, J.A. (1976) Model for describing the water sorption behavior of foods. *Journal of Food Science*. 41(5): 984-992.
- Iglesias, H.A.; Chirife, J. (1977) *Lebensmittel Wissenschaft und Technologie*. 10:151 (Quoted by Motarjemi, 1988).
- Iglesias, H.A.; Chirife, J. (1982) Handbook of Food Isotherms. Academic Press. New York.
- Iglesias, H.A.; Chirife, J. (1984) *Journal of Food Technology*. 19:503 (Quoted by Motarjemi, 1988).
- Incze, K.; Farkas, J.; Zukál, E. (1973) Preservation of canned vienna sausage by combination of heat and radiation. *Acta Alimentaria*. 2(2):173-179.
- Johnston, K.A.; Duckworth, R.B. (1985) The influence of soluble components on water sorption hysteresis. In: *Properties of water in foods*. D.Simatos and J.L.Multon (ed.). Martinus Nijhoff Publishers. Dordrecht. Netherlands. 65-81.

- Karathanos, V.T.; Villalobos, G.; Saravacos, G.D. (1990) Comparison of two methods of estimation of the effective moisture diffusivity from drying data. *Journal of Food Science*. 55(1):218-223.
- Konstance, R.P.; Craig, J.C.; Panzer, C.C. (1983) Moisture sorption isotherms for bacon slices. *Journal of Food Science*. 48:127-130.
- Labuza T.P. (1968) Sorption Phenomena. *Food Technology*. 22:263-272.
- Lang, K.W.; Steinberg, M.P. (1980) Calculation of moisture content of a formulated food system to any given water activity. *Journal of Food Science*. 45:1228-1230.
- Lang, K.W.; Steinberg, M.P. (1981) Linearization of the water sorption isotherm for homogeneous ingredients over  $a_w$  0.30-0.90. *Journal of Food Science*. 46: 1450-1452.
- Leistner, L. (1985) Allgemeines über Rohwurst und Rohschinken. In: *Mikrobiologie und Qualität Von Rohwurst und Rohschinken*. Institut für Mikrobiologie, Toxikologie und Histologie der Bundesanstalt für Fleischforschung. Kurmbach. Germany. 1-29.
- Leistner, L.; Rödel, W.Y.; Krispien, K. (1981) Microbiology of meat products in high and intermediate moisture ranges. In: *Water Activity: Influences on Food Quality*. L.B. Rockland and G.F. Stewart (eds.). Academic Press. New York. 855-916.
- Lin, K.W.; Keeton, J.T.; Craig, T.M.; Gates, C.E.; Gamble, H.R.; Custer, C.S.; Cross, H.R. (1990) Physicochemical composition of dry cured ham processed under minimal aging time/temperature conditions. *Journal of Food Science*. 55(2): 285-288.
- Lioutas, T.S.; Bechtel, P.J.; Steinberg, M.P. (1984) Desorption and adsorption isotherms of meat-salt mixtures. *Journal of Agriculture and Food Chemistry*. 32: 1382-1385.
- Lomauro, C.J.; Bakshi, A.S.; Labuza, T.P.; (1985) Moisture transfer properties of dry and semimoist foods. *Journal of Food Science*. 50:397-400.
- Luyben, K.Ch.A.M.; Olieman, J.J.; Bruin, S. (1980) Concentration dependent diffusion coefficients derived from experimental drying curves. In: *Proceedings of International Drying Symposium*. Arun S. Mujumdar (ed.). Hemisphere Publishing Corporation. Washington. 233.
- Mannheim, C.H.; Liu, J.X.; Gilbert, S.G. (1994) Control of water in foods during storage. *Journal of Food Engineering*. 22: 509-532.
- Marinos-Kouris, D.; Maroulis, Z.B. (1995) Transport properties in the drying of solids. In: *Handbook of industrial drying*. Arun S. Mujumdar (ed.). Marcel Dekker, Inc. New-York. 113-160.

- Microsoft Corporation (1992) Spreadsheet User's manual, EXCEL 5.0, Redmon, W.A.
- Mittal, B.S.; Usborne, W.R. (1985) Moisture isotherms for uncooked meat emulsions of different composition. *Journal of Food Science*. 50:1576.
- Mittal, G.S.; Blaisdell, J.L.; Herum, F.L. (1982) Diffusion dynamics of sodium and chloride ions: 1. During cooking of meat emulsion slab. *Lebensmittel-Wissenschaft und Technologie*. 15: 275-280.
- Motarjemi, Y (1988) A study of some physical properties of water in foodstuffs. Water activity, water binding and water diffusivity in minced meat products. PhD. Thesis. Lund University. Lund. Sweden.
- Mujica, F.; Martinez, E.; Bonino, N.; Bercovich, F.; Alzamora, S.M. (1987) Water sorption isotherms for argentinean dry sausages. *Anales de la Asociación Química de Argentina*. 75(2): 211-217.
- Mujica, F.J.; Martinez, E.J.; Bercovich, F.C.; Bonino, N.B.; Alzamora, S.M. (1989) Sorption properties of dry cured ham. *Lebensmittel-Wissenschaft und Technologie*. 22: 89-92.
- Malet. I. (1999) Difusivitat efectiva de l'aigua en els músculs *Semimenbranosus* i *Biceps femoris* en pernil curat al final del procés d'assecat. Diploma works. Thecnical and Superior School of Agriculture Engineering. Lleida University. Lleida. Spain.
- Mulet, A.; Berna, A.; Rossello, C.; Lopez, N. (1992) Influence of fat content on the drying of meat products. In: *Proceedings of the International Drying symposium*. Montreal. Canada. B:844-853.
- Mulet, A.; Berna, A.; Rossello, C.; Piñaga, F. (1989) Drying of carrots. II. Evaluation of drying models. *Drying Technology*. 7(4):641-661.
- Mulet, A.; Bon, J. (1993) Transmision de calor por conducción. Food Technology department. Politechnical University of Valencia. Servicio de publicaciones. Valencia. Spain.
- Nacenta, J.M.; Cánovas, C. (1998) Energy saving in meat products drying. In: *Proceedings of 44<sup>th</sup> International Congress of Meat Science and Technology*. Barcelona. I:472-473.
- Nemitz, G. (1963) *Zeitschrift Lebensmittel Untersuchung. und Forschung*. 123:1 (Quoted by Motarjemi, 1988).
- Ngoddy, P.O.; Bakker-Arkema, F.W. (1970) A generalized theory of sorption phenomena in biographical materials. I. The isotherm equation. *Transactions of ASAE*. 13(5):612-617 (Quoted by Okos *et al.*, 1992).

- Norrish R.S., 1966, An Equation for the Activity Coefficients and Equilibrium Relative Humidities of Water in Confectionery Syrups. *Journal of Food Technology*. 1: 25
- Offer, G.; Knight, P. (1988) The structural basis of water-holding in meat. Part 1: General principles and water uptake in meat processing. In: *Developments in Meat Science - 4*. Ralston Lawrie (ed.). Elsevier science publishers LTD. London and New York.
- Okos, M.R.; Narsimhan, G.; Singh, R.K.; Weitnauer, A.C. (1992) Food dehydration. *Handbook of food engineering*. D. R.Heldman and D. B. Lund. (eds.) Marcel Dekker. New York. 440.
- Paeaekkoenen, K.; Plit, L. (1991) Equilibrium moisture content and state of water in chitin. *Lebensmittel Wissenschaft und Technologie*. 24(3): 259-262.
- Pakowski, Z. (1998) DryPak manual. Omnikon Ltd. Lodz. Poland.
- Pakowski, Z. (1999) Computer aided process design. Lecture notes. Lodz Technical University. Poland.
- Palmia, F. (1982) Determinazione dell'attività dell'acqua ( $a_w$ ) di prosciutti crudi stagionati in funzione del contenuto di acqua e sale. *Industria Conserve*. 57: 69-72.
- Palmia, F.; Bolla, E. (1991) Salt diffusion in dry-cured ham. In: *Proceedings of International Congress of Meat Science and Technology*. Kulmbach. 2:918-921.
- Palmia, F.; Pecoraro, M.; Ferri, S.; (1993) Essiccazione di prodotti carnei: calcolo del coefficiente di diffusione effettivo ( $D_e$ ) dell'acqua in fette di lombo suino. *Industria Conserve*. 68:238-242.
- Palnitkar, M.P.; Heldman, D.R. (1971) *Journal of Food Science*. 36:1015. (Quoted by Motarjemi, 1988).
- Palumbo, S.A.; Komanowsky, M.; Metzger, V.; Smith, J. L. (1977). Kinetics of pepperoni drying. *Journal of Food Science*. 42:1029.
- Pearson, A.M.; Young, R.B. (1989) Muscle and meat biochemistry. Food science and technology: a series of monographs. Academic Press, Inc. London.
- Perera, C. O.; Rahman, M. S. (1997) Heat pump dehumidifier drying of food. *Trends in Food Science and Technology*. 8:75-79.
- Poma, J.P. (1987) Prevention du poissage des jambons secs en cours de fabrication. *Viande et Produits Carnés*. 8(3):109.
- Radford, R.D. (1976) Water transport in meat. *Bulletin de l'Institute Internationale du Froid*. Annexe 1. 315-321.

- Raghavan, G.S.V.; Tulasidas, T.N.; Sablani, S.S.; Ramaswamy, H.S. (1995) A method of determination of concentration dependent effective moisture diffusivity. *Drying Technology*. 13(5-7): 1477-1488.
- Roos, H. Y.; (1992) Phase transitions and transformations in food systems. *Handbook of food engineering*. D. R.Heldman and D. B. Lund. (eds.) Marcel Dekker. New York. 145.
- Rödel (1989) Water activity and its measurement in food. In: *Instrumentation and sensors for the food industry*. Erika Kress-Rogers (ed.). B. E. Noltingk (series ed.). Butterworth Heinemann. 387.
- Rödel, W.; Krispien, K. ; Leistner, L. (1980) Die Wasseraktivität von fetten tierischer Herkunft. *Fleischwirtschaft*. 60: 642-650.
- Ross, K.D. (1975) Estimation of water activity in intermediate moisture foods. *Food Technology*. March: 27-34.
- Rovedo, C.O.; Suarez, C.; Viollaz, R. (1998) Analysis of moisture profiles, mass biot number and driving forces during drying of potato slabs. *Journal of Food Engineering*. 36:211-231.
- Ruiz-Cabrera, M.A.; Gou, P.; Comaposada, J.; Daudin, J.D.; Foucat, L.; Renou, J.P.; (1998) Determination of the water diffusivity coefficient in pork meat. In: *Proceedings of the 44th International Congress of Meat Science and Technology*. Barcelona. Spain. II:982-983.
- Ruiz-Cabrera, M.A. (1999) Détermination de la relation entre la diffusivité de l'eau et la teneur en eau dans les matériaux déformables à partir d'images RMN-Elaboration de la méthode avec des gels de gélatine et transposition à la viande. PhD. Thesis. Blaise Pascal University - Auvergne University - Institute National de la Recherche Agronomique. France.
- Saint-Exupéry, A. de (1943) The little prince. Enrique Sainz Editores, S.A. Mexico. I.S.B.N.: 84-599-1201-9.
- Salwin, H.; Slawson, V. (1959) Moisture transfer in combinations of dehydrated foods. *Food Technology*. 13(12): 715-717.
- Saravacos, G.D.; Stinchfield, R.M. (1965) Effect of temperature and pressure on the sorption of water vapor by freeze-dried food materials. *Journal of Food Science*. 30: 779-786.
- SAS (1987) SAS/STAT Guide for personal computers (version 6 edition). SAS, Cari, NC, USA.

- Sayas-Barberá, M.E.; Pérez-Alvarez, J.A.; Fernández-López, J.; Aranda-Catalá, V. (1998) Traditional and fast salting effect on physicochemical and ultrastructural properties of spanish dry-cured ham. In: *Proceedings of the 44th International Congress of Meat Science and Technology*. Barcelona. Spain. II:972-973.
- Shay, B. J. (1992) Meat starter cultures and the manufacture of meat products. In: *Encyclopedia of Food Science and Technology*. Y.H. Hui (ed.). John Wiley and Sons, Inc. New-York. 1772-1774.
- Shoemaker, W.J.A.H. (1976) Regular regimes in sorption processes. Ph.D. Thesis. Eindhoven. Netherlands (Quoted by Luyben *et al.*, 1980).
- Sisson, S.; Grossman, J.D. (1982) Anatomía de los animales domésticos. Robert Getty (ed.). 5<sup>th</sup> ed. Salvat Editores, S.A. Barcelona.
- Sjöholm, I.; Gekas, V. (1995) Apple shrinkage upon drying. *Journal of Food Engineering*. 25:123-130.
- Skjöldebrand, Ch. (1979) Ph.D. Thesis. University of Lund. Lund. Sweden. (Quoted by Motarjemi, 1988).
- Sloan E.; Labuza T.P. (1976) Prediction of water activity lowering ability of food humectants at high  $a_w$ . *Journal of Food Science*. 41:532-535
- Smith, S.E. (1947) The sorption of water vapor by high polymers. *Journal of American Chemical Society*. 69-646.
- Stiebing, A.; Rödel, W. (1990) Influence of pH on the drying pattern in dry sausages. *Fleischwirtschaft*. 70(9):1039-1043.
- Swatland, H.J. (1994) Structure and development of meat animals and poultry. Technomic Publishing Company, Inc. Switzerland.
- Thorvaldsson, K.; Skjöldebrand, C. (1996). Water transport in meat during reheating. *Journal of Food Engineering*. 29:13-21.
- Tong, C.H.; Lund, D.B. (1990) Effective moisture diffusivity in porous materials as a function of temperature and moisture content. In: *Engineering and Food. (1) Physical Properties and Process Control*. Spiess and Schubert (ed.). Elsevier applied science. 482-492.
- Tsami, E.; Marinou-Kouris, D.; Maroulis, Z.B. (1990) Water sorption isotherms of raisins, currants, figs, prunes and apricots. *Journal of Food Science*. 55(6):1594-1597.

- Van den Berg, C. (1986) Water activity. In: *Concentration and Drying of Foods*. D. MacCarthy (ed.). Elsevier Applied Science. New York. 11-36.
- Vega-Mercado, H.; Barbosa-Canovas, G.V. (1994) Prediction of water activity in food systems. A review on theoretical models. *Revista Española de Ciencia y Tecnología Alimentaria*. 34(4): 368-388.
- Villota, R.; Hawkes, J.G. (1992) Reaction kinetics in food systems. In: *Handbook of Food Engineering*. Dennis R. Heldman and Daryl B. Lund (eds.). Marcel Dekker, Inc. New York. 39-144.
- Weisser, H. (1985) Influence of temperature on sorption equilibria. In: *Properties of Water in Foods*. D. Simatos and J.L. Multon (eds.). Martinus Nijhoff Publishers, Dordrecht. The Netherlands. 95-117.
- Welty, J.R. (1994) Transferencia de calor aplicada a la ingeniería. Limusa. México.
- Westrin, B. A. (1991) Diffusion Measurement in Gels. A Methodological study. PhD. Thesis. Lund University. Lund. Sweden.
- Wolf, M.; Walker, J.E.; Kapsalis, G. (1972) Water vapor sorption hysteresis in dehydrated food. *Journal of Agriculture and Food Chemistry*. 20(5):1073-107.
- Wolf, W.; Spiess, W.E.L.; Jung, G. (1985) Standardization of isotherm measurement (COST-project 90 and 90 bis). In: *Properties of water in foods*. D. Simatos and J. L. Multon (eds.). Martinus Nijhoff Publishers. Dordrecht. The Netherlands. 661-679.
- Wood, F.W. (1966) The diffusion of salt in pork muscle and fat tissue. *Journal Science of Food and Agricultural*. 17: 138-140.
- Zozgas, N.P.; Maroulis, Z.B.; Marinos-Kouris, D. (1994) Moisture diffusivity methods of experimental determination. A review. *Drying Technology*. 12(3):483-515.