

# ***BIBLIOGRAFÍA***

1. Adams ME. Viscosupplementation: a treatment for osteoarthritis. *J Rheumatol* 1993;20:2.
2. Ahn TK, Kitaoka HB, Luo ZP, An KN. Kinematics and contact characteristics of the first metatarsophalangeal joint. *Foot Ankle Int* 1997;18(3):170-4.
3. Allen DM, Nunley JA. Measurement of the first/second intermetatarsal angle following proximal oblique metatarsal osteotomy. *Foot Ankle Int* 2002;23(1):64-7.
4. Allen MK, Cuddeford TJ, Glasoe WM, DeKam LM, Lee PJ, Wagner KJ, Yack HJ. Relationship between static mobility of the first ray and first ray, midfoot, and hindfoot during gait. *Foot Ankle Int* 2004; 25(6):391-6.
5. Alvarez R, Haddad RJ, Gould N, Trevino S. The simple bunion: anatomy at the metatarsophalangeal joint of the great toe. *Foot Ankle* 1984;4(5):229-240.
6. Amarnek D, Mollica A, Jacobs A, Oloff L. A statistical analysis on the reability of the proximal articular set angle. *J Foot Surg* 1986;25:39-42.
7. Anderson RB. Turf toe injury of the hallux metatarsophalangeal joint. *Techniques in Foot and Ankle Surg* 2002;1(2):102-111.

8. Anderson RJ. Hallux rigidus and atrophy of calf muscles. *N Engl J Med* 1999;340(14):1123.
9. Anderson W. Contractions of the fingers and toes; their varieties, pathology, and treatment. *Lancet* 1891;2:279-280.
10. Aronson J, Nunley J, Frankovitch K. Lateral talocalcaneal angle in assessment of subtalar valgus: follow-up of seventy Grice-Green arthrodeses. *Foot Ankle* 1983;4(2):56-63.
11. Bailey AJ, Mansell JP. Do subcondral bone changes exacerbate or precede articular cartilage destruction in osteoarthrities of the elderly? *Gerontology* 1997;43:296-304.
12. Barca F. Tendon arthroplasty of the first metatarsophalangeal joint and hallux rigidus: preliminary communication. *Foot Ankle Int* 1997; 18:222-8.
13. Bartlett DH. Arthroscopic management of osteochondritis dissecans of the first metatarsal head. *Arthroscopy* 1988;4:51-4.
14. Besse JL, Maestro M, Berthonnaud E, Langlois F, Meloni A, Bouharoua M, Dimmet J, Lerat JL, Moyen B. Radiologic features of the forefoot: "normal" versus hallux rigidus versus hallux valgus. *J Bone Joint Surg (B)* 2004;86 (Supp 1):34.
15. Bingold AD, Collins DH. Hallux rigidus. *J Bone Joint Surg (B)* 1950; 32:214.

16. Blair MP, Brown LA. Hallux limitus/rigidus deformity: a new great toe implant. *J Foot Ankle Surg* 1993;32:257.
17. Blanco-García JF, Fernández López JC, Galdo Fernández F. Artrosis. Revisiónes clínico terapéuticas. *Medicine*. 2004;3:1-12.
18. Bojsen-Moller F, Lamoreaux L. Significance of free dorsiflexion of the toes in walking. *Acta Orthop Scand* 1979;50:471-9.
19. Bonney G, McNab I. Hallux valgus and hallux rigidus. A critical survey of operative results. *J Bone Joint Surg (B)* 1952;34:366-385.
20. Brage ME, Ball ST. Surgical options for salvage of end-stage hallux rigidus. *Foot Ankle Clin* 2002;7(1):49-73.
21. Brahm S. Shape of the first metatarsal head in hallux rigidus and hallux valgus. *J Am Podiatr Assoc* 1988;78:300-4.
22. Brodsky JW, Ptaszek J, Morris SG. Salvage first MTP utilizing ICBG: clinical evaluation and outcome. *Foot Ankle Int* 2000; 21(4):290-6.
23. Bryant A, Tinley P, Singer K. A comparison of radiographic measurements in normal, hallux valgus, and hallux limitus feet. *J Foot Ankle Surg* 2000;39(1):39-43.
24. Bryant A, Mahoney B, Tinley P. Lateral intermetatarsal angle: A useful measurement of metatarsus primus elevatus?. *J Am Podiatr Med Assoc* 2001;91(5):251-4.

25. Bryant JA. A comparison of radiographic foot measurements taken in two different positions. *J Am Podiatr Med Assoc* 2001;91(5):234-9.
26. Buell T, Green D, Risser J. Measurement of the first metatarsophalangeal joint range of motion. *J Am Podiatr Med Assoc* 1988;78:439-448.
27. Calderón F. Frecuencia de las alteraciones estáticas y dinámicas de los pies de 1000 asegurados de ambos sexos. *An Ortop Traum* 1974;(10):203.
28. Camasta CA, Pontius J, Boyd RB. Quantifying magnification in pedal radiographs. *J Am Podiatr Med Assoc* 1991;81:545-553.
29. Camasta CA, Pitts TE, Corey SV. Bilateral osteochondritis dissecans of the first metatarsophalangeal joint. *J Am Podiatr Med Assoc* 1994;84:297-310.
30. Camasta CA. Hallux limitus and hallux rigidus. Clinical examination, radiographic findings, and natural history. *Clin Podiatr Med Surg* 1996;13(3):423-448.
31. Caminear DS. Role of the metatarsus primus elevatus in the pathogenesis of hallux rigidus. *Foot Ankle Int* 2000;21(11):967.

32. Canovas F, Poirée G, Bonnel F, Vergnes N, Nicolau F El Hammami R. Analyse radiographique de l'orientation de la surface articulaire distale du premier métatarsien (AADM) dans le plan horizontal. *Rev Chir Orthop* 1998;84:546-9.
33. Carlson RE, Fleming LL y Hutton WC. The biomechanical relationship between the tendoachiles, plantar fascia and metatarsophalangeal joint dorsiflexion angle. *Foot Ankle* 2000;21:18-25.
34. Cavanagh PR, Morag E, Boulton M, Young MJ, Deffner T, Pammert SE. The relationship of static foot structure to dynamic foot function. *J Biomech* 1997;30(3):243-250.
35. Cavolo D.J, Cavallaro DC, Arrington LE. The Waterman osteotomy for hallux limitus. *J Am Podiatry Assoc* 1979;69:52-57.
36. Chana GS, Andrew TA, Cotterill CP. A simple method of arthrodesis of first metatarsophalangeal joint. *J Bone Joint Surg (B)* 1984; 66:703-5.
37. Chang TJ. Stepwise approach to hallux limitus: a surgical perspective. *Clin Podiatr Med Surg* 1996;13(3):449-459.
38. Chi TD, Davitt J, Younger A, Holt S, Sangeorzan BJ. Intra- and inter-observer reliability of the distal metatarsal articular angle in adult hallux valgus. *Foot Ankle Int* 2002;22(8):722-6.

39. Christman RA, Flanigan KP, Sorrento DL, Stanich CC. Radiographic analysis of metatarsus primus elevatus. *J Am Podiatr Med Assoc* 2001;91(6):294-9.
40. Citron N, Neil M. Dorsal wedge osteotomy of the proximal phalanx for hallux rigidus. Long-term results. *J Bone Joint Surg (B)* 1987; 69:835-7.
41. Clanton TO, Ford JJ. Turf toe injury. *Clin Sports Med* 1994;13:731-741.
42. Clayton ML, Ries MD. Functional hallux rigidus in the rheumatoid foot. *Clin Orthop* 1991;271:233-8.
43. Cochrane WA. An operation for hallux rigidus. *Br Med J* 1927; 1:1905.
44. Cohen MM. The oblique proximal phalangeal osteotomy in the correction of hallux valgus. *J Foot Ankle Surg* 2003;42(5):282-9.
45. Cohn I, Kanat IO. Functional limitation of motion of the first metatarsophalangeal joint. *J Foot Surg* 1984; 23(6):477-484.
46. Collier M. Some cases of hallux rigidus; their symptoms, pathology and treatment. *Lancet* 1894;1:1613.

47. Condon F, Kaliszer M, Conhyea D, O' Donnell T, Shaju A, Masterson E. The first intermetatarsal angle in hallux valgus: an analysis of measurement reliability and the error involved. *Foot Ankle Int* 2002; 22(8):717-721.
48. Cornwall MW, McPoil TG. Motion of the calcaneus, navicular, and first metatarsal during the stance phase of walking. *J Am Podiatr Med Assoc* 2002;92(2):67-76.
49. Cosentino GL. The Cosentino modification for tendon interpositional arthroplasty. *J Foot Ankle Surg* 1995;34:501-8.
50. Cotterill JM. Stiffness in the great toe in adolescents. *Br Med J* 1887; 1:1158.
51. Coughlin MJ. Crossover second toe deformity. *Foot Ankle*. 1987; 8:29-39.
52. Coughlin MJ. Second metatarsophalangeal joint instability in the athlete. *Foot Ankle* 1993;14:309-319.
53. Coughlin MJ, Freund E, Mann RA. The reliability of angular measurements in hallux valgus deformities. *Foot Ankle Int* 2001; 22:369-379.



54. Coughlin MJ, Saltzman CL, Nunley JA. 2nd. Angular measurements in the evaluation of hallux valgus deformities: a report of the ad hoc Committee of the American Orthopaedic Foot and Ankle Society on Angular measurements. *Foot and Ankle Int* 2002;23:68-74.
55. Coughlin MJ, Shurnas PS. Hallux rigidus. Grading and long-term results of operative treatment. *J Bone Joint Surg (A)* 2003; 85(11):2072-2088.
56. Coughlin MJ, Shurnas PS. Hallux rigidus: demographics, etiology and radiographic assessment. *Foot and Ankle Int* 2003;24:731-743.
57. Coughlin MJ, Shurnas PS. Soft-tissue arthroplasty for hallux rigidus. *Foot and Ankle Int* 2003;24:661-672.
58. Coughlin MJ, Shurnas PS. Hallux rigidus. Surgical techniques (Cheilectomy and arthrodesis) *J Bone Joint Surg (A)* 2004;86(Suppl 1):119-130.
59. Coughlin MJ, Jones CP, Viladot R, Golanó P, Grebing BR, Kennedy MJ, Shurnas PS, Alvarez F. Hallux valgus and first ray mobility: a cadaveric study. *Foot and Ankle Int* 2004; 25(8): 537-544.
60. Creamer P, Hochberg MC. Osteoarthritis. *Lancet* 1997. 350:503-9.

61. Cwikla PS, Hetherington VJ, Petek JM. Morphological considerations of the first metatarsophalangeal joint. *J Foot Surg* 1992;31(1):3-9.
62. Dananberg HJ. Functional hallux limitus and its relationship to gait efficiency. *J Am Podiatr Med Assoc* 1986;76:648-652.
63. Davies TC, Kiefer G, Zernicke RF. Ankle and first metatarsophalangeal joint dorsiflexion in children with clubfoot. *J Pediatr Orthop* 2001; 21(6):727-730.
64. Davies-Colley MR. Contraction of the metatarsophalangeal joint of the great toe. *Br Med J* 1887;1:728.
65. De Donker E, Kowalsky C. Le pied normal et pathologique. *Acta Med Bel* 1970;36:4.
66. DeFrino PF, Brodsky JW, Pollo FE, Crenshaw SJ, Beischer AD. First metatarsophalangeal arthrodesis: a clinical, pedobarographic and gait analysis study. *Foot Ankle Int* 2002;23:496-502.
67. De los Mozos Bozalongo R. Evolución de las medidas antropométricas del pie infantil en el Hospital Universitario de Alava (tesis doctoral), Vitoria-Gasteiz, Universidad del País Vasco, 2000.
68. DiGiovanni J, Smith SD. Normal biomechanics of the adult rearfoot: a radiographic analysis. *J Am Podiatr Med Assoc* 1976;66:812-4.

69. DiSilvestro MD, Petrella RJ. Intraarticular hyaluronic acid for golfer's toe. Free communication. *Med Sci Sports Exerc* 2003; 35(5):358.
70. Drago JJ, Oloff L, Jacobs AM. A comprehensive review of hallux limitus. *J Foot Surg* 1984;23(3):213-220.
71. Durrant MN, Siepert KK. Role of soft tissue structures as an etiology of hallux limitus. *J Am Podiatr Med Assoc* 1993;83:173-180.
72. DuVries, H.L. *Surgery of the foot*. St Louis: Mosby-Year Book Inc, 1978.
73. Easley ME, Davis WH, Anderson RB. Intermediate to long-term follow-up of medial-approach dorsal cheilectomy for hallux rigidus. *Foot Ankle Int* 1999;20(3):147-152.
74. Ebisui JM. The first ray axis and the first metatarsal joint: an anatomical and pathomechanical study. *J Am Podiatr Med Assoc* 1968;58:160-8.
75. Eustace S, O'Byrne J, Stack J, Stephens MM. Radiographic features that enable assessment of first metatarsal rotation: the role of pronation in hallux valgus. *Skeletal Radiol* 1993;22:153-6.
76. Evans RD, Averett R, Sanders S. The association of hallux limitus with the accessory navicular. *J Am Podiatr Med Assoc* 2002; 92(6):359-365.

77. Farber DC, Deorio JK y Steel MW. Goniometric versus computerized angle measurement in assessing hallux valgus. *Foot Ankle Int* 2005;26:234-8.
78. Favreau JC, Labelle P. Hallux valgus and hallux rigidus. *J Bone Joint Surg* 1957; 39 (B):792.
79. Feldman KA. The Green-Watermann procedure: geometric analysis and preoperative radiographic template technique. *J Foot Surg* 1992; 31(2):182-5.
80. Felson DT, Naimark A, Anderson J, Kazis L, Castelli W, Meenan RF. The prevalence of knee osteoarthritis in the elderly: the Framingham osteoarthritis study. *Arthritis Rheum* 1987;30(8):914-8.
81. Fox H, Fishein D. Variation in practitioner-measured x-ray angles in hallux abducto valgus evaluation. *J Foot Surg* 1989;28:33-7.
82. Fritz GR, Prieskorn D. First metatarsocuneiform motion: a radiographic and statistical analysis. *Foot Ankle* 1995; 16:117-123.
83. Fuhrmann RA, Layher F, Wetzel WD. Radiographic changes in forefoot geometry with weightbearing. *Foot Ankle Int* 2003; 24(4):326-331.
84. Fuller EA. The windlass mechanism of the foot: a mechanical model to explain pathology. *J Am Podiatr Assoc* 2000;90(1):35-46.

85. Gabet FN, Wallerich PJ, Huttin P, Bonner J, Mainard D, Delagoutte JP. The treatment of hallux rigidus by shortening phalangeal osteotomy. *J Bone Joint Surg* 1997; 79(B):55.
86. Gamble FO, Yale I. *Clinical foot roentgenology*. Krieger Publishing. New York. 1975;171- 187.
87. Gazdag A, Cracchiolo A. Surgical treatment of patients with painful instability of the second metatarsophalangeal joint. *Foot Ankle Int* 1998;19:137-143.
88. Geldwert JJ, Rock GD, McGrath MP et al. Cheilectomy: still a useful technique for grade I and grade II hallux limitus/rigidus. *J Foot Surg* 1992;31:154-159.
89. Gentili A, Mashih S, Yao S, Seeger L. Pictorial review: foot axes and angles. *B J Radiol* 1996;69:968-974.
90. Gerbert J, Moadab A, Rupley K. Youngswick-Austin procedure: the effect of plantar arm orientation on metatarsal head. *J Foot Surg* 2001;40:8-14.
91. Giannestras NJ. *Foot Disorders: Medical and Surgical management*. 2ª Ed. Philadelphia: 1973.
92. Giannini S, Ceccarelli F, Faldini C, Bevoni R, Grandi G, Vannini F. What's new in surgical options for hallux rigidus? *J Bone Joint Surg* 2004;86:72-83.

93. Glasoe WM, Yack HJ, Saltzman CL. The reability and validity of a first ray measurement device. *Foot Ankle Int* 2000;21:240-6.
94. Glasoe WM, Allen MK, Saltzman CL. First ray dorsal mobility in relation to hallux valgus deformity and first intermetatarsal angle. *Foot Ankle Int* 2001;22:98-101.
95. Goodfellow J. Aetiology of hallux rigidus. *Proc Royal Soc Med* 1966; 59:821-4.
96. Gould N, Schneider W, Ashikaga T. Epidemiological survey of foot problems in the continental United States. 1978-1979. *Foot Ankle* 1980;1:1-16.
97. Gould N. Hallux rigidus: cheilectomy or implant? *Foot Ankle* 1981; 1:315-320.
98. Gould N. Graphing the adult foot and ankle. *Foot Ankle* 1982;2:213.
99. Grady JF, Axe TM, Zager EJ, Sheldon LA. A retrospective analysis of 772 patients with hallux rigidus. *J Am Podiatr Med Assoc* 2002; 92(2):102-8.
100. Grebing B, Coughlin MJ. Evaluation of Morton's theory of second metatarsal hypertrophy. *J Bone Joint Surg (A)* 2004;86:1375-1386.

101. Grebing B, Coughlin MJ. The effect of ankle position on the exam for first ray mobility. *Foot Ankle Int* 2004;25:467-475.
102. Green DR. Radiology and biomechanical foot types. Capítulo 48. *Reconstructive Surgery of the Foot and Leg*. Ed. por Miller SJ, Mahan KT, Yu GU, Camasta A. 1998;292-315.
103. Gregory JL, Childers R, Higgins KR, Krych SM, Harkless LB. Arthrodesis of the first metatarsophalangeal joint: a review of the literature and long-term retrospective analysis. *J Foot Surg* 1990; 29:369-374.
104. Haddad SL. The use of osteotomies in the treatment of hallux limitus and hallux rigidus. *Foot Ankle Clin* 2000;5:629-661.
105. Hamada N, Ikuta Y, Ikeda A. Arteries to the great and second toes based on three-dimensional analysis of 100 cadaveric feet. *Surg Radiol Anat* 1993;15:187-192.
106. Hamilton WG, O' Malley MJ, Thompson FM, Kovatis PE. Capsular interposition arthroplasty for severe hallux rigidus. *Foot Ankle Int* 1997;18:68-70.
107. Hanft JR, Mason ET, Landsman AS, Kashuk KB. A new radiographic classification for hallux limitus. *J Foot Ankle Surg* 1993;32:397-404.

108. Hardy R, Clapham JC. Observations on hallux valgus. *J Bone Joint Surg (B)* 1951;33:376.
109. Hardy R, Clapham JC. Hallux Valgus predisposing anatomical causes. *Lancet* 1952;1:1180.
110. Harris RI, Beath T. The short first metatarsal: its incidence and clinical significance. *J Bone Joint Surg (A)* 1949;31:553-565.
111. Hatstrup SJ, Johnson KA. Subjective results of hallux rigidus following treatment with cheilectomy. *Clin Orthop* 1988;226:182-191.
112. Hawkins BJ, Haddad RJ Jr. Hallux rigidus. *Clin Sports Med* 1988;7(1):37-49.
113. Heller WA, Brage ME. The effects of cheilectomy on dorsiflexion of the first metatarsophalangeal joint. *Foot Ankle Int* 1997;18:803-8.
114. Hetherington VJ, Carnett J, Patterson BA. Motion of the first metatarsophalangeal joint. *J Foot Surg* 1989;28:13-9.
115. Hetherington VJ, Johnson RE, Albritton JS. Necessary dorsiflexion of the first metatarsophalangeal joint during gait. *J Foot Surg* 1990;29:218-222.
116. Hicks JH. The mechanics of the foot: part I. The joints. *J Anat* 1953; 87:345.



117. Hiss JM. Functional Foot Disorders. Los Angeles Press Co. Los Angeles; 1937.
118. Hochberg MC, Lawrence RC, Everett DF, Corroni-Huntely. J Epidemiologic associations of pain in osteoarthritis of the knee. Data nutritional examination. I Epidemiologic Follow-up Survey. Semin Arthritis Rheum 1989;18(4)(Suppl. 2):4-9.
119. Hopson MM, McPoil TG, Cornwall MW. Motion of the first metatarsophalangeal joint. Reliability and validity of four measurement techniques. J Am Podiatr Med Assoc 1995;85:198-204.
120. Horton GA, Park YW, Myerson MS. Role of metatarsus primus elevatus in the pathogenesis of hallux rigidus. Foot Ankle Int 1999; 20:777-780.
121. Huber JF. The arterial network supplying the dorsum of the foot. Anat Rec 1941 ; 80:373.
122. Hutton WC, Dhanendran M. The mechanics of normal and hallux valgus feet. A quantitative study. Clin Orthop 1981;157:7-13.
123. Ito H, Shimizu A, Miyamoto T, Katsura Y, Tanaka K. Clinical significance of increased mobility in the sagittal plane in patients with hallux valgus. Foot Ankle Int 1999; 20:29-32.
124. Jack EA. The etiology of hallux rigidus. Br J Surg 1940; 27:492-7.

125. Jahss MH. The sesamoids of the hallux. *Clin Orthop* 1981; 157:88-97.
126. Jahss MH, Troy A, Kummer F. Roentgenographic and mathematical analysis of first metatarsal osteotomies for metatarsus primus varus: a comparative study. *Foot Ankle* 1985; 5:280-320.
127. Jansen M. Hallux valgus, rigidus and malleus. *J Orthop Surg* 1921;3:87.
128. Jardé O, Trinquier Lautard JL. Hallux rigidus. *Encycl Mèd Chir* (Elsevier, Paris-France), Appareil locomoteur, 14-128-A-10, 1996, 4.
129. Jensen NC, Soballe K, Christiansen SE. Correction of hallux valgus and metatarsus primus varus using the Cedell technique. *Orthopaedics*. 1989;12:421-4.
130. Johnson CH, Christensen JC. Biomechanics of the first ray. Part-I. The effects of peroneus longus function: a three dimensional kinematic study on a cadaver model. *J Foot Ankle Surg* 1999;38:313-321.
131. Johnson KA. Total joint arthroplasty. *Mayo Clin Proc* 1979; 54:576-8.
132. Jordan HH, Brodsky AE. Keller operation for hallux valgus and hallux rigidus. An end result study. *Arch Surg* 1951;62:586-596.

133. Joseph J. Range of movement of the great toe in men. *J Bone Joint Surg (B)* 1954;36:450-7.
134. Kamanli A, Sahin S, Ozgocmen S, Kavuncu V, Ardicoglu O. Relationship between foot angles and hipermovility scores and assessment of foot types in hipermobile individuals. *Foot and Ankle Int* 2004;25(2):101-106.
135. Kapandji IA. Cuadernos de fisiología articular. Esquemas comentados de mecánica articular. Barcelona: Masson, 1993.
136. Kaplan EB. The tibialis posterior muscle un relation to hallux valgus. *Bull Hosp Joint Dis* 1955; 16:88.
137. Kappel-Bargas A, Woolf RD, Cornwall MW, McPoil TG. The windlass mechanish during normal walking and passive first metatarsalphalangeal joint extension. *Clin Biomech* 1998;13(3): 190-194.
138. Karasick D, Wapner KL. Hallux rigidus deformity: radiologic assessment. *Am J Roentgenol* 1991;157:1029-1033.
139. Kaschak TJ, Lane W. Surgical radiology. *Clin Podiatr Med Surg* 1988; 5:797.
140. Kelikian H. Structural alteration. In hallux Valgus, Allied deformities of the forefoot, and metatarsalgia. Philadelphia. W.B. Saunders, 1965.

141. Keller WL. The surgical treatment of bunions and hallux valgus. *NY Med J* 1904;80:741-2.
142. Kennedy MP, Coughlin MJ. Peg-in-socket arthrodesis of the first metatarsophalangeal joint. *Foot Ankle Int* 2004;23:352-4.
143. Kessel L, Bonney G. Hallux rigidus in the adolescent. *J Bone Joint Surg (B)* 1958;40:668-673.
144. Kilmartin TE, Flintham C. Hallux valgus surgery: a simple method for evaluating the first-second intermetatarsal angle in the presence of metatarsus adductus. *J Foot Ankle Surg* 2003;42:165-6.
145. Kilmartin TE. Phalangeal osteotomy versus first metatarsal decompression osteotomy for the surgical treatment of hallux rigidus: a prospective study of age-matched and condition-matched patients. *J Foot Ankle Surg* 2005;44:2-12.
146. King DM, Toolan BC. Associated deformities and hypermobility in hallux valgus: an investigation with weightbearing radiographs. *Foot Ankle Int* 2004;25:251-5.
147. Kissel CG, Mistretta RP, Unroe BJ. Cheilectomy, chondroplasty, and sagittal "Z" osteotomy: a preliminary report on an alternative joint preservation approach to hallux limitus. *J Foot Ankle Surg* 1995; 34:312-8.

148. Kitaoka HB, Alexander IJ, Adelaar RS, Nunley JA, Myerson MS, Sanders M. Clinical rating systems for ankle-hindfoot, midfoot, hallux and lesser toes. *Foot Ankle Int* 1994; 15:349-353.
149. Klaue K, Hansen S, Masquelet A. Clinical quantitative assessment of first tarsometatarsal mobility in the sagittal plane and its relation to hallux valgus deformity. *Foot Ankle Int* 1994;15:9-13.
150. Kravitz SR, LaPorta GA, Lawton JH. KLL progressive staging classification of hallux limitus and hallux rigidus. *Lower extremity* 1994;1(1):55-66.
151. Kurtz DH, Harrill JC, Kaczander BI, Solomon MG. The Valenti procedure for hallux limitus: a long-term follow-up and analysis. *J Foot Ankle Surg* 1999;38(2):123-130.
152. Lambrinudi C. Metatarsus primus elevatus. *Proc R Soc Med* 1938;31:1273-5.
153. Lapidus PW. Dorsal bunion: its mechanics and operative correction. *J Bone Joint Surg* 1940;22:627-637.
154. LaPorta G, Melillo T, Olinsky D. X-ray evaluation of hallux abducto valgus deformity. *J Am Podiatry Assoc* 1974;64:544-566.
155. Lau JT, Daniels TR. Outcomes following cheilectomy and interpositional arthroplasty in hallux rigidus. *Foot Ankle Int* 2001; 22:462-470.

156. Lee KT, Young K. Measurement of first-ray mobility in normal vs. Hallux valgus patients. *Foot Ankle Int* 2001;22:960-4.
157. Lelièvre J. *Patología del pie*. Barcelona: Masson, 1970.
158. Li PL, Dowell JK. Steroid-induced avascular necrosis of the first metatarsal head mimicking hallux rigidus. *The Foot* 1995;5:71-2.
159. Limbird TJ, DaSilva RM, Green NE. Osteotomy of the first metatarsal base for metatarsus primus varus. *Foot Ankle* 1989; 9:158-162.
160. Llanos Alcázar LF, Acebes Cachafeiro JC. *El pie*. Barcelona: Masson SA, 1997.
161. Lockhart R, Hamilton GF, Fyfe FW. *Anatomía humana*. Interamericana. México, 1965.
162. Lombardi CM, Silhanek AD, Conolly FG, Dennis LN, Kesionsky AJ. First metatarsophalangeal joint arthrodesis for treatment of hallux rigidus: a retrospective study. *J Foot Ankle Surg* 2001; 40:137-143.
163. Lombardi CM, Silhanek AD, Conolly FG, Dennis LN. The effect of first metatarsophalangeal joint arthrodesis on the first ray and the medial longitudinal arch: a radiographic study. *J Foot Ankle Surg* 2002;41:96-103.

164. Lombardi CM, Silhanek AD, Conolly FG, Suh D, Violand M. First metatarsocuneiform arthrodesis and Reverdin-Laird osteotomy for treatment of hallux valgus: an intermediate-term retrospective outcomes study. *J Foot Ankle Surg* 2003;42:77-85.
165. Lundeen RO, Rose JM. Sliding oblique osteotomy for the treatment of hallux abducto valgus associated with functional hallux limitus. *J Foot Ankle Surg* 2000;39:161-7.
166. Lynn MD. Hallux rigidus: demographics, etiology, and radiographic assessment. Coughlin MJ, Shurnas PS. *Foot Ankle Int* 2003;24:731-4. *Foot Ankle Int* 2004;25:605.
167. MacConail MA. Some anatomical factors affecting the stabilisation function of muscles. *Ir J Med Sci* 1946;6:160-4.
168. Mackay DC, Blyth M, Rymaszewski LA. The role of cheilectomy in the treatment of hallux rigidus. *J Foot Ankle Surg* 1997; 36:337-340.
169. Mann RA, Coughlin MJ, DuVries HL. Hallux rigidus: A review of the literature and a method of treatment. *Clin Orthop* 1979; 142:57-63.
170. Mann RA, Clanton T. Hallux rigidus: treatment by cheilectomy. *J Bone Joint Surg (A)* 1988;70:400-6.
171. Mann RA. Hallux rigidus. *Instr Course Lect* 1990;39: 15-21.

172. Mann RA, Rudicel S, Graves SC. Repair of hallux valgus with a distal soft tissue procedure and proximal metatarsal osteotomy. *J Bone Joint Surg (A)* 1992;74:124-9.
173. Mann RA. Disorders of the first metatarsophalangeal joint. *J Am Acad Orthop Surg* 1995;3:34-43.
174. Mann RA. Capsular interposition arthroplasty for severe hallux rigidus. *Foot Ankle Int* 1997;18:68-70.
175. Mann RA. Intermediate to long term follow-up of medial approach dorsal cheilectomy for hallux rigidus. *Foot Ankle Int* 2000; 21:156.
176. Markbreiter LA, Thompson FM. Proximal metatarsal osteotomy in hallux valgus correction: a comparison of crescentic and chevron procedures. *Foot Ankle* 1997;18:71-6.
177. McMaster MJ. The pathogenesis of hallux rigidus. *J Bone Joint Surg (B)* 1978;60:82-7.
178. McMurray TP. Treatment of hallux valgus and rigidus. *Br Med J* 1936; 2:218-221.
179. Meary R, Ficat C. L'arthrose de la première métatarso-phalangienne. Traitement chirurgical. Étude de 92 cas. *Rev Chir Orthop Reparatrice Appar Mot* 1975;61:507-515.



180. Meyer JO, Nishon LR, Weiss L, Docks G. Metatarsus primus elevatus and the etiology of hallux rigidus. *J Foot Surg* 1987; 26:237-241.
181. Miller LF, Arendt J. Deformity of first metatarsal head due to faulty foot mechanics. *J Bone Joint Surg* 1940;22:349-353.
182. Miller LF, Arenson D, Weil LS. Incongruity of the first metatarsophalangeal joint. The effect on cartilage contact surface area. *J Am Podiatry Assoc* 1977;67:328-333.
183. Miller SD. Interposition resection arthroplasty for hallux rigidus. *Foot Ankle Surg* 2004;3:158-164.
184. Moberg E. A simple operation for hallux rigidus. *Clin Orthop* 1979;142:55-56.
185. Monberg A. On the treatment of hallux rigidus. *Acta Orthop Scand* 1934;6:239-247.
186. Moore KL. Anatomía con orientación clínica. Madrid: Panamericana, 1985.
187. Morton DJ. Hipermobility of the first metatarsal bone: the interlinking factor between metatarsalgia and longitudinal arch strains. *J Bone Joint Surg* 1928;10:187-196.

188. Morton DJ. The human foot; its evolution, physiology and functional disorders. New York: Columbia University Press, 1935.
189. Mroczek KJ, Miller SD. The modified oblique Keller procedure: a technique for dorsal approach interposition arthroplasty sparing the flexor tendons. *Foot Ankle Int* 2003;24:521-2.
190. Muehleman C, Chubinskaya S, Cole AA, Noskina Y, Arsenis C, Kuettner KE. Morphological and biochemical properties of metatarsophalangeal joint cartilage. *J Am Podiatr Assoc* 1987;87:447-459.
191. Muehleman C, Arsenis CH. Articular cartilage, part 2. The osteoarthritic joint. *J Am Podiatr Assoc* 1995;85:277-281.
192. Muehleman C, Bareither D, Huch K, Cole AA, Kuettner KE. Prevalence of degenerative morphological changes in the joints of the lower extremity. *Osteoarthritis cartilage* 1997;5:23-37.
193. Nawoczinski DA, Baumhauer JF, Umberger. Relationship between clinical measurements and motion of the first metatarsophalangeal joint during gait. *J Bone Surg (Am)* 1999;81:370-6.
194. Nawoczinski DA. Nonoperative and operative intervention for hallux rigidus. *J Orthop Sports Phys Ther* 1999;29:727-735.

195. Neufeld SK, Parks BG, Naseef GS, Melamed EA, Schon LC. Arthrodesis of the first metatarsophalangeal joint: a biomechanical study comparing memory compression staples, cannulated screws, and dorsal plate. *Foot Ankle Int* 2002;23:97-101.
196. Nevin C. Kinematics of the first metatarsophalangeal joint in intact and surgically altered cadavers. *Foot Ankle Int* 1997;18:132-7.
197. Nilsson H. Hallux rigidus and its treatment. *Acta Orthop Scand* 1930;1:295-303.
198. Núñez-Samper Pizarroso M, Llanos Alcazar LF. *Biomecánica, Medicina y cirugía del pie*. Barcelona: Masson SA, 1997.
199. Núñez-Samper Pizarroso M, Llanos Alcazar LF, Viladot Pericé R. *Técnicas quirúrgicas en cirugía del pie*. Barcelona: Masson SA, 2003.
200. O' Doherty DP, Lowrie IG, Magnussen PA, Gregg PJ. The management of the painful first metatarsophalangeal joint in the older patient. Arthrodesis or Keller's arthroplasty? *J Bone Surg (B)* 1990;72:839-842.
201. Osher L. Review of adult foot radiology. En: Hetherington J, Churchill L, editor. *Hallux Valgus and Forefoot Surgery*. New York. 1994;p. 67-99.

202. Palladino SJ, Towfigh A. Intra-evaluator variability in the measurement of proximal articular set angle. *J Foot Surg* 1992; 31:120-3.
203. Panchbhavi VK, Trevino S. Comparison between manual and computer-assisted measurements of hallux valgus parameters. *Foot Ankle Int* 2004;25):708-711.
204. Pelletier JP, Martel-Pelletier J. The pathophysiology of osteoarthritis and the implication of the use of hyaluron and hylan as therapeutic agents in viscosupplementation. *J Rheumatol* 1993; 20:19-24.
205. Perez Carro L, Busta Vallina B. Arthroscopic-assisted first metatarsal joint arthrodesis. *Arthroscopy* 1999;15:215-7.
206. Perlman PH, Dubois P, Siskind V. Validating the process of taking lateral foot x-rays. *J Am Podiatr Assoc* 1996;86:317.
207. Perry MD, Mont MA, Einhorn TA, Waller JD. The validity of measurements made on standard foot orthoroentgenograms. *Foot Ankle* 1992;13:502-7.
208. Polity J, Hayes J, Njus G, Bennett GL, Kay DB. First metatarsal-phalangeal joint arthrodesis: a biomechanical assessment of stability. *Foot Ankle Int* 2003;24:332-7.

209. Ponseti IV, El-Khoury GY, Ippolito E, Weinstein SL. A radiographic study of skeletal deformities in treated clubfeet. *Clin Orthop* 1981;160:30-42.
210. Pontell D, Gudas CJ. Retrospective analysis of surgical treatment of hallux rigidus/limitus: clinical and radiographic follow-up of hinged, silastic implant arthroplasty and cheilectomy. *J Foot Surg* 1988;27:503-510.
211. Powell MP, Post WR, Keener J, Wearden S. Effective treatment of chronic plantar fasciitis with dorsiflexion night splints: a crossover prospective randomized outcome study. *Foot Ankle Int* 1998;19:10-8.
212. Prieskorn D, Graves SC, Smith RA. Morphometric analysis of the plantar plate apparatus of the first metatarsophalangeal joint. *Foot Ankle* 1993;14:204-7.
213. Prieskorn D, Mann RA, Fritz G. Radiographic assessment of the second metatarsal: measure of the first ray hypermobility. *Foot Ankle Int* 1996;17:331-3.
214. Rees RJ, Hartley RH, Henry A. Extension osteotomy for hallux rigidus. *J Bone Joint Surg (B)* 2000; 82(Suppl 1):79.
215. Reeser LA, Susman RL, Stern JT. Electromyographic studies of the human foot: experimental approaches to hominid evolution. *Foot Ankle* 1983;3:391-407.

216. Regnauld B, Leroux MJ. L' hallux rigidus. *Podologie* 1965;4:45.
217. Regnauld B. *The foot : pathology, etiology, semiology, clinical investigation and therapy*. Berlín: Springer Verlag, 1986.
218. Resch S, Ryd L, Stenstrom A, Johnson K, Reynisson K. Measuring hallux valgus: a comparison of conventional radiography and clinical parameters with regard to measurement accuracy. *Foot Ankle* 1989; 16:267-270.
219. Richardson EG, Graves SC, McClure JT, Boone RT. First metatarsal head-shaft angle: a method of determination. *Foot Ankle* 1993;14:181-5.
220. Robin R, Henry A, Hartley RJ. Extension osteotomy: a good operation for hallux rigidus with dorsal impingement pain. *J Bone Joint Surg (B)* 2000; 82(Suppl 3):203.
221. Rochera R, Albros S. Ethiopathogenic considerations about the overload syndrome of the first radius. *Chir Piede* 1984;8:197.
222. Rochera Vilaseca R, Rabat Ribes R. The growth of the first metatarsal bone. *Foot Ankle* 1980;1:117-122.
223. Ronconi P, Monachino P, Baleanu PM, Favilli G. Distal oblique osteotomy of the first metatarsal for the correction of hallux limitus and rigidus deformity. *J Foot Ankle Surg* 2000;39:154-160.

224. Root M, Orien W, Weed J. Normal and Abnormal Function of the Foot. Los Angeles: Clinical Biomechanics Corp, 1977.
225. Ross PM, Lyne ED. The Grice procedure. Clin Orthop 1980; 153:194-200.
226. Roukis TS, Hurless JS, Page JC. Torsion of the tendon of tibialis posterior. J Am Podiatr Assoc 1995;85:464-9.
227. Roukis TS, Scherer PR, Anderson CF. Position of the first ray and motion of the first metatarsophalangeal joint. J Am Podiatr Assoc 1996;86:538-546.
228. Roukis TS, Jacobs PM, Dawson DM, Erdmann BB, Ringstrom JB. A prospective comparison of clinical, radiographic, and intraoperative features of hallux rigidus. J Foot Ankle Surg 2002;41:76-95.
229. Roukis TS, Jacobs PM, Dawson DM, Erdmann BB, Ringstrom JB. A prospective comparison of clinical, radiographic, and intraoperative features of hallux rigidus: short-term follow-up and analysis. J Foot Ankle Surg 2002;41:158-165.
230. Rush S, Christensen J, Johnson C. Biomechanics of the first ray. Part II: metatarsus primus varus as a cause of hypermobility: a three-dimensional kinematic analysis in the cadaver model. J Foot Ankle 2000;39:68-77.

231. Rzonca E, Levitz S, Lue B. Hallux equinus. The stages of hallux limitus and hallux rigidus. *J Am Podiatr Assoc* 1984;74:390-3.
232. Saggini R, Colotto S, Innocenti M. Presenza di nucleo di ossificazione distale del I metatarso e sua correlazione con la patogenesi dell' alluce rigido giovanile. *Arch Putti Chir Organi Mov* 1984;34:59-69.
233. Saltzman CL, Brandser EA, Berbaum KS, DeGnore L, Holmes JR, Katcherian DA, Teasdall RD, Alexander IJ. Reliability of standard foot radiographic measurements. *Foot Ankle Int* 1994; 15:661-5.
234. Sammarco JG. Biomechanics of the foot. En: Frankel VH, Nordin M, Febinger L, editor. *Basic Biomechanics of the Skeletal System*. Philadelphia, 1980.
235. Sarrafian SK. *Anatomy of the foot and ankle*. JB Lippincott, Filadelfia, 1983.
236. Sarrafian SK. Functional characteristics of the foot and plantar aponeurosis under tibiotalar loading. *Foot Ankle* 1987;8:4-18.
237. Saxena A. The Valenti procedure for hallux limitus/rigidus. *J. Foot Ankle Surg* 1995;34:485-8.



238. Schneider MD, Csepan R, Knahr K. Reproducibility of the radiographic metatarsophalangeal angle in hallux surgery. *J Bone Joint Surg (A)* 2003;85:494-9.
239. Schweitzer ME, Maheshwari S, Shabshin N. Hallux valgus and hallux rigidus: MRI findings. *Clin Imaging* 1999;23:397-402.
240. Scranton PE, Rutkowski R. Anatomic variations in the first ray: Part I. Anatomic aspects related to bunion surgery. *Clin Orthop* 1980;151:244-255.
241. Severin E. Removal of the base of the proximal phalanx for hallux rigidus. *Acta Orthop Scand* 1977;18:77.
242. Sharkey N, Ferris L, Donahue S. Biomechanical consequences of plantar fascial release or rupture during gait: Part I- Disruptions in longitudinal arch conformation. *Foot Ankle Int* 1998;19:812-820.
243. Shea KG, Stevens PM, Nelson M. A comparison of manual versus computer-assisted radiographic measurement: intraobserver measurement variability for Cobb angles. *Spine* 1998;23:551-5.
244. Shereff MJ, Jahs MH. Complications of silastic implant arthroplasty in the hallux. *Foot Ankle* 1980;1:95-101.
245. Shereff MJ, Bejjani FJ, Kummer, F. Kinematics of the first metatarsophalangeal joint. *J Bone Joint Surg (A)* 1986;68:392-8.

246. Shereff MJ, Yang QM, Kummer FJ. Extraosseus and intraosseus arterial supply to the first metatarsal and metatarsophalangeal joint. *Foot Ankle* 1987;8:81-93.
247. Shereff MJ. Pathology, anatomy, and biomechanics of hallux valgus. *Orthopaedics* 1990;13:939-945.
248. Shereff MJ, DiGiovanni L, Bejjani FJ, Kummer F, Comparison of non weightbearing and weightbearing radiographs of the foot. *J Foot Ankle Int* 1990; 10:306-311.
249. Shereff MJ, Baumhauer JF. Hallux rigidus and osteoarthritis of the first metatarsophalangeal joint. *J Bone Joint Surg (A)* 1998; 80:898-908.
250. Sizensky JA. Forefoot and midfoot arthritis: what's new in surgical management. *Curr Opin Orthop* 2004;15:55-61.
251. Smith RW, Reynolds JC; Stewart MJ. Hallux valgus assesment: report of the research committee of American Orthopaedic Foot and Ankle Society. *Foot Ankle* 1984;5:92-103.
252. Smith RW, Katchis SD, Ayson LC. Outcomes in hallux rigidus patients treated nonoperatively: a long-term follow-up study. *Foot Ankle Int* 2000;21:906-913.

253. Solan MC, Calder JD, Bendall SP. Manipulation and injection for hallux rigidus. Is it worthwhile? *J Bone Joint Surg (B)* 2001;83:706-8.
254. Spalteholz W. Atlas de anatomía humana. Labor, Barcelona, 1967.
255. Statistical Package Social Sciences (SPSS®) 6.1. Base system user's guide. SPSS Inc. Chicago. 1994.
256. Steel MW, Johnson KA, DeWitz MA, Ilstrup DM. Radiographic measurements of the normal adult foot. *Foot Ankle* 1980;1:151-8.
257. Stroud CC. Arthroscopic arthrodesis of the ankle, subtalar, and first metatarsophalangeal joint. *Foot Ankle Clin* 2002;7:135-146.
258. Sullivan B, Robison J, Palladino S. Interevaluator variability in the measurement of proximal articular set angle. *J Foot Surg* 1988; 27:466-8.
259. Sussman RE, D'Amico JC. The influence of the height of the heel on the first metatarsophalangeal joint. *J Am Podiatry Assoc* 1984;74:504-8.
260. Sussman RE, Piccora R. The metatarsal sesamoid articulation and the first metatarsophalangeal joint function. *J Am Podiatry Assoc* 1985;75:327-330.

261. Tanaka Y, Takakura Y, Takaoka T, Akiyama K, Fujii T, Tamai S. Radiographic analysis of hallux valgus in women on weightbearing and non weightbearing. *Clin Orthop* 1997;336:186-194.
262. Tanaka Y, Takakura Y, Sugimoto K, Kumai T, Sakamoto T, Kadono K. Precise anatomic configuration changes in the first ray of the hallux valgus foot. *Foot Ankle Int* 2000;21:651-6.
263. Testut L, Latarjet A. *Tratado de anatomía humana, vol 2.* Barcelona: Salvat Editores, 1973.
264. Thermann H, Hufner T, Schaft HE, Held C, Tscherne H. Subtalar fusion after conservative or surgical treatment of calcaneus fracture. A comparison of long-term results. *Unfallchirurg* 1999;102:13-22.
265. Thomas AP, Dwyer NS. Osteochondral defects of the first metatarsal head Foot Ankle in adolescence: a stage in the development of hallux rigidus. *J Pediatr Orthop* 1989;9:236-9.
266. Thomas M, Steenwerckx A, Thienpont E, Sioen W, Hoore K, Peeraer L, Dereymaeker G. Results after cheilectomy in athletes with hallux rigidus. *Foot Ankle Int* 1999;20:232-7.
267. Thomas PJ, Smith RW. Proximal phalanx osteotomy for the surgical treatment of hallux rigidus. *Foot Ankle Int* 1999;20:3-12.

268. Thomson FM, Deland JT. Problems of the second metatarsophalangeal joint. *Orthopedics* 1987; 10:83-89.
269. Thordarson DB, Schmotzer H, Chon J, Peters J. Dynamic support of the human longitudinal arch. *Clin Orthop* 1995;316:165-172.
270. Unger K, Rahimi F, Bareither D, Muehleman C. The relationship between articular cartilage degeneration and bone changes of the first metatarsophalangeal joint. *Foot Ankle Surg* 2000;39:24-33.
271. Valenti V. L' artrectomia « a cerniera » di Valenti nel trattamento chirurgico dell' alluce rigido. *Chirurgia del Piede* 1985; 9:261-6.
272. Van Dijk CN, Veenstra KM, Nuesch BC. Arthroscopic surgery of the metatarsophalangeal first joint. *Arthroscopy* 1998;14:851-5.
273. Vancil D, Mozena J. Osteochondritis dissecans and the first metatarsophalangeal joint. *J Am Podiatry Assoc* 1986;76:645-7.
274. Venning P, Hardy RH. Sources of error in the production and measurement of standard radiographs of the foot. *Br J Radiol* 1951; 24:18-26.
275. Viegas GV. Reconstuction of hallux limitus deformity using a first metatarsal sagittal-Z osteotomy. *J Foot Ankle Surg* 1998;37:204-211.

276. Viladot A. Metatarsalgia due to biomechanical alteration of the forefoot. *Orthop Clin North Am* 1973;4:165-178.
277. Viladot A. *Patología del antepie*. Barcelona: Toray, 1984.
278. Viladot A, y cols. *Quince lecciones sobre patologia del pie*. Barcelona: Toray, 1989.
279. Viladot R. Tractament de l' hal·lux rigidus. *Rev Cir Ortop i Traum* 2005;2:59-64.
280. Vittetoe D, Saltzman , Krieg J, Brown M. Validity and reliability of the first distal metatarsal articular angle. *Foot Ankle Int* 1994;15:541-7.
281. Walsham AJ, Hughes WK. *The deformities of the human foot..* Balliere Tindall & Cox. London, 1895.
282. Watson-Jones R. Treatment of hallux rigidus. *Br Med J* 1927; 1:1165-6.
283. Webb BS, Amiot R, Wilson S, Nute M. Hallux rigidus. Grading and long-term results of operative treatment. Coughlin MJ, Shurnas PS. Hallux rigidus. Grading and long-term results of operative treatment. *J Bone Joint Surg (A)* 2003;85(11):2072-2088. *J Bone Joint Surg (A)* 2005;87:462-3.

284. Weinfeld SB, Schon LC. Hallux metatarsophalangeal arthritis. *Clin Orthop* 1998;349:9-19.
285. Wright DG, Desai SM, Henderson WH. Action of the subtalar and ankle joint complex during the stance phase of walking. *J Bone Joint Surg (A)* 1964;46:361-382.
286. Youngswick FD. Modifications of the Austin bunionectomy for treatment of metatarsus primus elevatus associated with hallux limitus. *J Foot Surg* 1982;21:114-6.
287. Zlotoff HJ, Christensen JC, Mendicino RW, Schuberth JM, Schwartz NH, Thomas JL, Weil LS Sr. ACFAS Universal Foot and Ankle Scoring System: First Metatarsophalangeal Joint and First Ray. (Module 1) *J Foot Ankle Surg* 2002;41:2-5.