



CERKL, generació d'un model knockout de retinosi pigmentària i estudis funcionals

Alejandro Garanto Iglesias

ADVERTIMENT. La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX (www.tdx.cat) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

ADVERTENCIA. La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR (www.tdx.cat) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

WARNING. On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX (www.tdx.cat) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.

CERKL, generació d'un model *knockout* de retinosi pigmentària i estudis funcionals

Memòria presentada per
Alejandro Garanto Iglesias

Per optar al grau de
Doctor

Tesi realitzada sota la direcció
de la Dra. Roser Gonzàlez Duarte i de la Dra. Gemma Marfany Nadal
al Departament de Genètica de la Facultat de Biologia
Universitat de Barcelona
Programa de Genètica (Bienni 2006-2008)

Roser Gonzàlez

Gemma Marfany

Alejandro Garanto

Barcelona, Juny de 2011

Bibliografia

1. Cepko, C., *Neuroscience. Seeing the light of day*. Science, 2010. **329**(5990): p. 403-4.
2. Welsch, U., *Histología*. 2^a Edición ed. 2009, Madrid: Panamericana.
3. Ross, M.H., G.I. Kaye, and W. Pawlina, *Histología*. 4^a Edición ed. 2005, Madrid.
4. Sung, C.H. and J.Z. Chuang, *The cell biology of vision*. J Cell Biol, 2010. **190**(6): p. 953-63.
5. Kolb, H., *How the retina works*. American Scientist, 2003. **91**(1): p. 28-35.
6. Kandel, E.R., J.H. Schwartz, and T.M. Jessel, *Principles of Neural Science*. 4th Edition ed. 2000, New York: McGraw-Hill.
7. Gouras, P., *Progress in human visual evoked responses*. J Clin Neurophysiol, 1984. **1**(1): p. 77-82.
8. Mariani, A.P., *Amacrine cells of the rhesus monkey retina*. J Comp Neurol, 1990. **301**(3): p. 382-400.
9. Kolb, H., K.A. Linberg, and S.K. Fisher, *Neurons of the human retina: a Golgi study*. J Comp Neurol, 1992. **318**(2): p. 147-87.
10. Kolb, H. and R.W. West, *Synaptic connections of the interplexiform cell in the retina of the cat*. J Neurocytol, 1977. **6**(2): p. 155-70.
11. Bernardos, R.L., et al., *Late-stage neuronal progenitors in the retina are radial Muller glia that function as retinal stem cells*. J Neurosci, 2007. **27**(26): p. 7028-40.
12. Fausett, B.V. and D. Goldman, *A role for alpha1 tubulin-expressing Muller glia in regeneration of the injured zebrafish retina*. J Neurosci, 2006. **26**(23): p. 6303-13.
13. Fischer, A.J. and T.A. Reh, *Muller glia are a potential source of neural regeneration in the postnatal chicken retina*. Nat Neurosci, 2001. **4**(3): p. 247-52.
14. Rodieck, R.W., *The First Steps in Seeing*. 1998: Sinauer Associates, Inc.
15. Purves, D., et al., *Neuroscience*. 2001: Sinauer Associates, Inc.
16. Foster, R.G., et al., *Circadian photoreception in the retinally degenerate mouse (rd/rd)*. J Comp Physiol A, 1991. **169**(1): p. 39-50.
17. Lucas, R.J. and R.G. Foster, *Neither functional rod photoreceptors nor rod or cone outer segments are required for the photic inhibition of pineal melatonin*. Endocrinology, 1999. **140**(4): p. 1520-4.
18. Provencio, I., et al., *A novel human opsin in the inner retina*. J Neurosci, 2000. **20**(2): p. 600-5.
19. Zaidi, F.H., et al., *Short-wavelength light sensitivity of circadian, pupillary, and visual awareness in humans lacking an outer retina*. Curr Biol, 2007. **17**(24): p. 2122-8.
20. Fletcher, E.L., *Mechanisms of photoreceptor death during retinal degeneration*. Optom Vis Sci, 2010. **87**(4): p. 269-75.
21. Wright, A.F., et al., *Photoreceptor degeneration: genetic and mechanistic dissection of a complex trait*. Nat Rev Genet, 2010. **11**(4): p. 273-284.
22. Hartong, D.T., E.L. Berson, and T.P. Dryja, *Retinitis pigmentosa*. Lancet, 2006. **368**(9549): p. 1795-809.
23. Hamel, C., *Retinitis pigmentosa*. Orphanet J Rare Dis, 2006. **1**: p. 40.
24. Koenekoop, R.K., et al., *Genetic testing for retinal dystrophies and dysfunctions: benefits, dilemmas and solutions*. Clin Experiment Ophthalmol, 2007. **35**(5): p. 473-85.
25. Kajiwara, K., E.L. Berson, and T.P. Dryja, *Digenic retinitis pigmentosa due to mutations at the unlinked peripherin/RDS and ROM1 loci*. Science, 1994. **264**(5165): p. 1604-8.
26. Lestienne, P. and G. Ponsot, *Kearns-Sayre syndrome with muscle mitochondrial DNA deletion*. Lancet, 1988. **1**(8590): p. 885.
27. Yan, D. and X.Z. Liu, *Genetics and pathological mechanisms of Usher syndrome*. J Hum Genet, 2010. **55**(6): p. 327-35.
28. Sheffield, V.C., *The blind leading the obese: the molecular pathophysiology of a human obesity syndrome*. Trans Am Clin Climatol Assoc, 2010. **121**: p. 172-81; discussion 181-2.
29. Daiger, S.P., S.J. Bowne, and L.S. Sullivan, *Perspective on genes and mutations causing retinitis pigmentosa*. Arch Ophthalmol, 2007. **125**(2): p. 151-8.
30. Zernant, J., et al., *Genotyping microarray (disease chip) for Leber congenital amaurosis: detection of modifier alleles*. Invest Ophthalmol Vis Sci, 2005. **46**(9): p. 3052-9.
31. Klevering, B.J., et al., *Microarray-based mutation analysis of the ABCA4 (ABCR) gene in autosomal recessive cone-rod dystrophy and retinitis pigmentosa*. Eur J Hum Genet, 2004. **12**(12): p. 1024-32.
32. Mandal, M.N., et al., *Sequencing arrays for screening multiple genes associated with early-onset human retinal degenerations on a high-throughput platform*. Invest Ophthalmol Vis Sci, 2005. **46**(9): p. 3355-62.
33. Pomares, E., et al., *Novel high-throughput SNP genotyping cosegregation analysis for genetic diagnosis of autosomal recessive retinitis pigmentosa and Leber congenital amaurosis*. Hum Mutat, 2007. **28**(5): p. 511-6.

BIBLIOGRAFIA

34. Pomares, E., et al., *Comprehensive SNP-chip for retinitis pigmentosa-Leber congenital amaurosis diagnosis: new mutations and detection of mutational founder effects*. Eur J Hum Genet, 2010. **18**(1): p. 118-24.
35. Bayes, M., et al., *A new autosomal recessive retinitis pigmentosa locus maps on chromosome 2q31-q33*. J Med Genet, 1998. **35**(2): p. 141-5.
36. Tuson, M., G. Marfany, and R. Gonzalez-Duarte, *Mutation of CERKL, a novel human ceramide kinase gene, causes autosomal recessive retinitis pigmentosa (RP26)*. Am J Hum Genet, 2004. **74**(1): p. 128-38.
37. Sugiura, M., et al., *Ceramide kinase, a novel lipid kinase*. Molecular cloning and functional characterization. J Biol Chem, 2002. **277**(26): p. 23294-300.
38. Tuson, M., *Cerca i identificació del gen de retinitis pigmentària del locus RP26*, in *Genetica*. 2004, Universitat de Barcelona: Barcelona.
39. Bornancin, F., et al., *Characterization of a ceramide kinase-like protein*. Biochim Biophys Acta, 2005. **1687**(1-3): p. 31-43.
40. Auslender, N., et al., *A common founder mutation of CERKL underlies autosomal recessive retinal degeneration with early macular involvement among Yemenite Jews*. Invest Ophthalmol Vis Sci, 2007. **48**(12): p. 5431-8.
41. Inagaki, Y., S. Mitsutake, and Y. Igarashi, *Identification of a nuclear localization signal in the retinitis pigmentosa-mutated RP26 protein, ceramide kinase-like protein*. Biochem Biophys Res Commun, 2006. **343**(3): p. 982-7.
42. Rovina, P., et al., *Subcellular localization of ceramide kinase and ceramide kinase-like protein requires interplay of their Pleckstrin Homology domain-containing N-terminal regions together with C-terminal domains*. Biochim Biophys Acta, 2009. **1791**(10): p. 1023-30.
43. Avila-Fernandez, A., et al., *CERKL mutations and associated phenotypes in seven Spanish families with autosomal recessive retinitis pigmentosa*. Invest Ophthalmol Vis Sci, 2008. **49**(6): p. 2709-13.
44. Aleman, T.S., et al., *CERKL mutations cause an autosomal recessive cone-rod dystrophy with inner retinopathy*. Invest Ophthalmol Vis Sci, 2009. **50**(12): p. 5944-54.
45. Littink, K.W., et al., *Homozygosity mapping in patients with cone-rod dystrophy: novel mutations and clinical characterizations*. Invest Ophthalmol Vis Sci, 2010. **51**(11): p. 5943-51.
46. Ali, M., et al., *A missense mutation in the nuclear localization signal sequence of CERKL (p.R106S) causes autosomal recessive retinal degeneration*. Mol Vis, 2008. **14**: p. 1960-4.
47. Tang, Z., et al., *Novel compound heterozygous mutations in CERKL cause autosomal recessive retinitis pigmentosa in a nonconsanguineous Chinese family*. Arch Ophthalmol, 2009. **127**(8): p. 1077-8.
48. Downes, S.M., et al., *Autosomal dominant cone-rod dystrophy with mutations in the guanylate cyclase 2D gene encoding retinal guanylate cyclase-1*. Arch Ophthalmol, 2001. **119**(11): p. 1667-73.
49. Hamel, C.P., *Cone rod dystrophies*. Orphanet J Rare Dis, 2007. **2**: p. 7.
50. Carre, A., et al., *Ceramide kinase targeting and activity determined by its N-terminal pleckstrin homology domain*. Biochem Biophys Res Commun, 2004. **324**(4): p. 1215-9.
51. Bornancin, F., *Ceramide kinase: The first decade*. Cell Signal, 2010.
52. Kim, T.J., S. Mitsutake, and Y. Igarashi, *The interaction between the pleckstrin homology domain of ceramide kinase and phosphatidylinositol 4,5-bisphosphate regulates the plasma membrane targeting and ceramide 1-phosphate levels*. Biochem Biophys Res Commun, 2006. **342**(2): p. 611-7.
53. Lidome, E., et al., *A conserved cysteine motif essential for ceramide kinase function*. Biochimie, 2008. **90**(10): p. 1560-5.
54. Chen, W.Q., et al., *Ceramide kinase profiling by mass spectrometry reveals a conserved phosphorylation pattern downstream of the catalytic site*. J Proteome Res, 2010. **9**(1): p. 420-9.
55. Hinkovska-Galcheva, V., et al., *Ceramide 1-phosphate, a mediator of phagocytosis*. J Biol Chem, 2005. **280**(28): p. 26612-21.
56. Lamour, N.F., et al., *Ceramide kinase uses ceramide provided by ceramide transport protein: localization to organelles of eicosanoid synthesis*. J Lipid Res, 2007. **48**(6): p. 1293-304.
57. Gault, C.R., L.M. Obeid, and Y.A. Hannun, *An overview of sphingolipid metabolism: from synthesis to breakdown*. Adv Exp Med Biol, 2010. **688**: p. 1-23.
58. Bajjalieh, S.M., T.F. Martin, and E. Floor, *Synaptic vesicle ceramide kinase. A calcium-stimulated lipid kinase that co-purifies with brain synaptic vesicles*. J Biol Chem, 1989. **264**(24): p. 14354-60.
59. Mitsutake, S. and Y. Igarashi, *Calmodulin is involved in the Ca²⁺-dependent activation of ceramide kinase as a calcium sensor*. J Biol Chem, 2005. **280**(49): p. 40436-41.
60. Wijesinghe, D.S., et al., *Substrate specificity of human ceramide kinase*. J Lipid Res, 2005. **46**(12): p. 2706-16.

61. Graf, C., et al., *Neutropenia with impaired immune response to Streptococcus pneumoniae in ceramide kinase-deficient mice*. J Immunol, 2008. **180**(5): p. 3457-66.
62. Riboni, L., P. Giussani, and P. Viani, *Sphingolipid transport*. Adv Exp Med Biol, 2010. **688**: p. 24-45.
63. Rotstein, N.P., et al., *Regulating survival and development in the retina: key roles for simple sphingolipids*. J Lipid Res, 2010. **51**(6): p. 1247-62.
64. Hannun, Y.A. and L.M. Obeid, *Principles of bioactive lipid signalling: lessons from sphingolipids*. Nat Rev Mol Cell Biol, 2008. **9**(2): p. 139-50.
65. Hannun, Y.A. and C. Luberto, *Ceramide in the eukaryotic stress response*. Trends Cell Biol, 2000. **10**(2): p. 73-80.
66. Futerman, A.H. and Y.A. Hannun, *The complex life of simple sphingolipids*. EMBO Rep, 2004. **5**(8): p. 777-82.
67. Breslow, D.K. and J.S. Weissman, *Membranes in balance: mechanisms of sphingolipid homeostasis*. Mol Cell, 2010. **40**(2): p. 267-79.
68. Kitatani, K., J. Idkowiak-Baldys, and Y.A. Hannun, *The sphingolipid salvage pathway in ceramide metabolism and signaling*. Cell Signal, 2008. **20**(6): p. 1010-8.
69. Lahiri, S. and A.H. Futerman, *The metabolism and function of sphingolipids and glycosphingolipids*. Cell Mol Life Sci, 2007. **64**(17): p. 2270-84.
70. Kolesnick, R.N. and M.R. Hemer, *Physiologic 1,2-diacylglycerol levels induce protein kinase C-independent translocation of a regulatory enzyme*. J Biol Chem, 1990. **265**(19): p. 10900-4.
71. Nakamura, H., et al., *Ceramide-1-phosphate activates cytosolic phospholipase A2alpha directly and by PKC pathway*. Biochem Pharmacol, 2006. **71**(6): p. 850-7.
72. Fyrst, H. and J.D. Saba, *An update on sphingosine-1-phosphate and other sphingolipid mediators*. Nat Chem Biol, 2010. **6**(7): p. 489-97.
73. Gomez-Munoz, A., et al., *Ceramide-1-phosphate blocks apoptosis through inhibition of acid sphingomyelinase in macrophages*. J Lipid Res, 2004. **45**(1): p. 99-105.
74. Pattingre, S., et al., *Ceramide-induced autophagy: to junk or to protect cells?* Autophagy, 2009. **5**(4): p. 558-60.
75. Kolesnick, R.N. and M. Kronke, *Regulation of ceramide production and apoptosis*. Annu Rev Physiol, 1998. **60**: p. 643-65.
76. Zeidan, Y.H. and Y.A. Hannun, *Activation of acid sphingomyelinase by protein kinase Cdelta-mediated phosphorylation*. J Biol Chem, 2007. **282**(15): p. 11549-61.
77. Ariga, T., W.D. Jarvis, and R.K. Yu, *Role of sphingolipid-mediated cell death in neurodegenerative diseases*. J Lipid Res, 1998. **39**(1): p. 1-16.
78. Barak, A., L.S. Morse, and T. Goldkorn, *Ceramide: a potential mediator of apoptosis in human retinal pigment epithelial cells*. Invest Ophthalmol Vis Sci, 2001. **42**(1): p. 247-54.
79. German, O.L., et al., *Ceramide is a mediator of apoptosis in retina photoreceptors*. Invest Ophthalmol Vis Sci, 2006. **47**(4): p. 1658-68.
80. Sanvicens, N. and T.G. Cotter, *Ceramide is the key mediator of oxidative stress-induced apoptosis in retinal photoreceptor cells*. J Neurochem, 2006. **98**(5): p. 1432-44.
81. Chalfant, C.E. and S. Spiegel, *Sphingosine 1-phosphate and ceramide 1-phosphate: expanding roles in cell signaling*. J Cell Sci, 2005. **118**(Pt 20): p. 4605-12.
82. Ohta, H., et al., *A possible role of sphingosine in induction of apoptosis by tumor necrosis factor-alpha in human neutrophils*. FEBS Lett, 1994. **355**(3): p. 267-70.
83. Cuvillier, O., et al., *Sphingosine generation, cytochrome c release, and activation of caspase-7 in doxorubicin-induced apoptosis of MCF7 breast adenocarcinoma cells*. Cell Death Differ, 2001. **8**(2): p. 162-71.
84. Spiegel, S. and S. Milstien, *Sphingosine 1-phosphate, a key cell signaling molecule*. J Biol Chem, 2002. **277**(29): p. 25851-4.
85. Alvarez, S.E., S. Milstien, and S. Spiegel, *Autocrine and paracrine roles of sphingosine-1-phosphate*. Trends Endocrinol Metab, 2007. **18**(8): p. 300-7.
86. Takabe, K., et al., *"Inside-out" signaling of sphingosine-1-phosphate: therapeutic targets*. Pharmacol Rev, 2008. **60**(2): p. 181-95.
87. Wattenberg, B.W., S.M. Pitson, and D.M. Raben, *The sphingosine and diacylglycerol kinase superfamily of signaling kinases: localization as a key to signaling function*. J Lipid Res, 2006. **47**(6): p. 1128-39.
88. Liu, H., et al., *Sphingosine kinase type 2 is a putative BH3-only protein that induces apoptosis*. J Biol Chem, 2003. **278**(41): p. 40330-6.

BIBLIOGRAFIA

89. Igarashi, N., et al., Sphingosine kinase 2 is a nuclear protein and inhibits DNA synthesis. *J Biol Chem*, 2003. **278**(47): p. 46832-9.
90. Maceyka, M., et al., SphK1 and SphK2, sphingosine kinase isoenzymes with opposing functions in sphingolipid metabolism. *J Biol Chem*, 2005. **280**(44): p. 37118-29.
91. Mizugishi, K., et al., Essential role for sphingosine kinases in neural and vascular development. *Mol Cell Biol*, 2005. **25**(24): p. 11113-21.
92. Clarke, C.J., J.M. Guthrie, and Y.A. Hannun, Regulation of neutral sphingomyelinase-2 (nSMase2) by tumor necrosis factor-alpha involves protein kinase C-delta in lung epithelial cells. *Mol Pharmacol*, 2008. **74**(4): p. 1022-32.
93. Brush, R.S., et al., Retinal sphingolipids and their very-long-chain fatty acid-containing species. *Invest Ophthalmol Vis Sci*, 2010. **51**(9): p. 4422-31.
94. Mazzei, J.C., et al., Suppression of intestinal inflammation and inflammation-driven colon cancer in mice by dietary sphingomyelin: importance of peroxisome proliferator-activated receptor gamma expression. *J Nutr Biochem*, 2011.
95. D'Angelo, G., et al., Glycosphingolipid synthesis requires FAPP2 transfer of glucosylceramide. *Nature*, 2007. **449**(7158): p. 62-7.
96. Messner, M.C. and M.C. Cabot, Glucosylceramide in humans. *Adv Exp Med Biol*, 2010. **688**: p. 156-64.
97. Yamashita, T., et al., A vital role for glycosphingolipid synthesis during development and differentiation. *Proc Natl Acad Sci U S A*, 1999. **96**(16): p. 9142-7.
98. Beier, U.H. and T. Gorogh, Implications of galactocerebrosidase and galactosylcerebroside metabolism in cancer cells. *Int J Cancer*, 2005. **115**(1): p. 6-10.
99. Fujimoto, H., et al., Requirement of seminolipid in spermatogenesis revealed by UDP-galactose: Ceramide galactosyltransferase-deficient mice. *J Biol Chem*, 2000. **275**(30): p. 22623-6.
100. Hakomori, S., Functional role of glycosphingolipids in tumor progression. *Tohoku J Exp Med*, 1992. **168**(2): p. 211-22.
101. Feizi, T., Demonstration by monoclonal antibodies that carbohydrate structures of glycoproteins and glycolipids are onco-developmental antigens. *Nature*, 1985. **314**(6006): p. 53-7.
102. Lloyd, K.O. and K. Furukawa, Biosynthesis and functions of gangliosides: recent advances. *Glycoconj J*, 1998. **15**(7): p. 627-36.
103. Sonnino, S. and A. Prinetti, Gangliosides as regulators of cell membrane organization and functions. *Adv Exp Med Biol*, 2010. **688**: p. 165-84.
104. Kabayama, K., et al., TNFalpha-induced insulin resistance in adipocytes as a membrane microdomain disorder: involvement of ganglioside GM3. *Glycobiology*, 2005. **15**(1): p. 21-9.
105. Dreyfus, H., et al., Gangliosides and neurotrophic growth factors in the retina. Molecular interactions and applications as neuroprotective agents. *Ann N Y Acad Sci*, 1998. **845**: p. 240-52.
106. Mohand-Said, S., et al., Gangliosides. A potential therapeutic approach in retinal ischemia. *Ann N Y Acad Sci*, 1998. **845**: p. 421-2.
107. Hicks, D., et al., Growth factors and gangliosides as neuroprotective agents in excitotoxicity and ischemia. *Gen Pharmacol*, 1998. **30**(3): p. 265-73.
108. Kanan, Y., et al., Light induces programmed cell death by activating multiple independent proteases in a cone photoreceptor cell line. *Invest Ophthalmol Vis Sci*, 2007. **48**(1): p. 40-51.
109. Strettoi, E., et al., Inhibition of ceramide biosynthesis preserves photoreceptor structure and function in a mouse model of retinitis pigmentosa. *Proc Natl Acad Sci U S A*, 2010. **107**(43): p. 18706-11.
110. Abrahan, C.E., et al., Synthesis of sphingosine is essential for oxidative stress-induced apoptosis of photoreceptors. *Invest Ophthalmol Vis Sci*, 2010. **51**(2): p. 1171-80.
111. Swaney, J.S., et al., Sphingosine-1-phosphate (S1P) is a novel fibrotic mediator in the eye. *Exp Eye Res*, 2008. **87**(4): p. 367-75.
112. Zhu, D., et al., Expression and regulation of enzymes in the ceramide metabolic pathway in human retinal pigment epithelial cells and their relevance to retinal degeneration. *Vision Res*, 2010. **50**(7): p. 643-51.
113. Miranda, G.E., et al., Sphingosine-1-phosphate is a key regulator of proliferation and differentiation in retina photoreceptors. *Invest Ophthalmol Vis Sci*, 2009. **50**(9): p. 4416-28.
114. Ding, X.Q., et al., Functional activity of photoreceptor cyclic nucleotide-gated channels is dependent on the integrity of cholesterol- and sphingolipid-enriched membrane domains. *Biochemistry*, 2008. **47**(12): p. 3677-87.
115. Stone, J., et al., Mechanisms of photoreceptor death and survival in mammalian retina. *Prog Retin Eye Res*, 1999. **18**(6): p. 689-735.

116. Kunchithapautham, K. and B. Rohrer, *Apoptosis and autophagy in photoreceptors exposed to oxidative stress*. Autophagy, 2007. **3**(5): p. 433-41.
117. Wood, J.P., et al., *The influence of visible light exposure on cultured RGC-5 cells*. Mol Vis, 2008. **14**: p. 334-44.
118. Lascaratos, G., et al., *Visible light affects mitochondrial function and induces neuronal death in retinal cell cultures*. Vision Res, 2007. **47**(9): p. 1191-201.
119. Lohr, H.R., et al., *Multiple, parallel cellular suicide mechanisms participate in photoreceptor cell death*. Exp Eye Res, 2006. **83**(2): p. 380-9.
120. Proskuryakov, S.Y., A.G. Konoplyannikov, and V.L. Gabai, *Necrosis: a specific form of programmed cell death?* Exp Cell Res, 2003. **283**(1): p. 1-16.
121. Patschan, S., et al., *Lipid mediators of autophagy in stress-induced premature senescence of endothelial cells*. Am J Physiol Heart Circ Physiol, 2008. **294**(3): p. H1119-29.
122. Reme, C.E., et al., *Photoreceptor autophagy: effects of light history on number and opsin content of degradative vacuoles*. Invest Ophthalmol Vis Sci, 1999. **40**(10): p. 2398-404.
123. Zhang, K., et al., *A 5-bp deletion in ELOVL4 is associated with two related forms of autosomal dominant macular dystrophy*. Nat Genet, 2001. **27**(1): p. 89-93.
124. Agbaga, M.P., et al., *Role of Stargardt-3 macular dystrophy protein (ELOVL4) in the biosynthesis of very long chain fatty acids*. Proc Natl Acad Sci U S A, 2008. **105**(35): p. 12843-8.
125. Tsybovsky, Y., R.S. Molday, and K. Palczewski, *The ATP-binding cassette transporter ABCA4: structural and functional properties and role in retinal disease*. Adv Exp Med Biol, 2010. **703**: p. 105-25.
126. Perrault, I., et al., *Retinal dehydrogenase 12 (RDH12) mutations in leber congenital amaurosis*. Am J Hum Genet, 2004. **75**(4): p. 639-46.
127. Marchette, L.D., et al., *Retinol dehydrogenase 12 detoxifies 4-hydroxynonenal in photoreceptor cells*. Free Radic Biol Med, 2009. **48**(1): p. 16-25.
128. Ruiz, A., et al., *Molecular and biochemical characterization of lecithin retinol acyltransferase*. J Biol Chem, 1999. **274**(6): p. 3834-41.
129. Rivas, M.A. and E. Vecino, *Animal models and different therapies for treatment of retinitis pigmentosa*. Histol Histopathol, 2009. **24**(10): p. 1295-322.
130. Song, B.J., S.H. Tsang, and C.-S. Lin, *Genetic models of retinal degeneration and targets for gene therapy*. Gene Therapy and Molecular Biology, 2007. **11**: p. 229-262.
131. Russell, W.M.S. and R.L. Burch, *The Principles of Humane Experimental Technique*. 1959, London: Methuen &Co Ltd;
132. Kiernan, J.A., *Histological and Histochemical Methods: Theory and Practice*. 4th ed. 2008: Cold Spring Harbor Laboratory Press.
133. Ramos-Vara, J.A., *Technical aspects of immunohistochemistry*. Vet Pathol, 2005. **42**(4): p. 405-26.
134. Heckenlively, J.R., et al., *Principles And Practice of Clinical Electrophysiology of Vision* 2nd ed. 2006: MIT Press.
135. Won, J., et al., *Mouse model resources for vision research*. J Ophthalmol, 2011. **2011**: p. 391384.
136. Baehr, W. and J.M. Frederick, *Naturally occurring animal models with outer retina phenotypes*. Vision Res, 2009. **49**(22): p. 2636-52.
137. Chang, B., et al., *Retinal degeneration mutants in the mouse*. Vision Res, 2002. **42**(4): p. 517-25.
138. Dalke, C. and J. Graw, *Mouse mutants as models for congenital retinal disorders*. Exp Eye Res, 2005. **81**(5): p. 503-12.
139. Pittler, S.J. and W. Baehr, *Identification of a nonsense mutation in the rod photoreceptor cGMP phosphodiesterase beta-subunit gene of the rd mouse*. Proc Natl Acad Sci U S A, 1991. **88**(19): p. 8322-6.
140. Travis, G.H., et al., *Identification of a photoreceptor-specific mRNA encoded by the gene responsible for retinal degeneration slow (rds)*. Nature, 1989. **338**(6210): p. 70-3.
141. Friedman, J.S., et al., *Premature truncation of a novel protein, RD3, exhibiting subnuclear localization is associated with retinal degeneration*. Am J Hum Genet, 2006. **79**(6): p. 1059-70.
142. Kitamura, E., et al., *Disruption of the gene encoding the beta1-subunit of transducin in the Rd4/+ mouse*. Invest Ophthalmol Vis Sci, 2006. **47**(4): p. 1293-301.
143. Kameya, S., et al., *Mfrp, a gene encoding a frizzled related protein, is mutated in the mouse retinal degeneration 6*. Hum Mol Genet, 2002. **11**(16): p. 1879-86.
144. Akhmedov, N.B., et al., *A deletion in a photoreceptor-specific nuclear receptor mRNA causes retinal degeneration in the rd7 mouse*. Proc Natl Acad Sci U S A, 2000. **97**(10): p. 5551-6.

BIBLIOGRAFIA

145. Mehalow, A.K., et al., CRB1 is essential for external limiting membrane integrity and photoreceptor morphogenesis in the mammalian retina. *Hum Mol Genet*, 2003. **12**(17): p. 2179-89.
146. Friedman, J.S., et al., Loss of lysophosphatidylcholine acyltransferase 1 leads to photoreceptor degeneration in rd11 mice. *Proc Natl Acad Sci U S A*, 2010. **107**(35): p. 15523-8.
147. Pang, J.J., et al., Retinal degeneration 12 (rd12): a new, spontaneously arising mouse model for human Leber congenital amaurosis (LCA). *Mol Vis*, 2005. **11**: p. 152-62.
148. Chang, B., et al., In-frame deletion in a novel centrosomal/ciliary protein CEP290/NPHP6 perturbs its interaction with RPGR and results in early-onset retinal degeneration in the rd16 mouse. *Hum Mol Genet*, 2006. **15**(11): p. 1847-57.
149. Martinez, S.E., J.A. Beavo, and W.G. Hol, GAF domains: two-billion-year-old molecular switches that bind cyclic nucleotides. *Mol Interv*, 2002. **2**(5): p. 317-23.
150. Keeler, C.E., The Inheritance of a Retinal Abnormality in White Mice. *Proc Natl Acad Sci U S A*, 1924. **10**(7): p. 329-33.
151. Brueckner, R., Spaltlampenmikroskopie und Ophthalmoskopie am Auge von Ratte und Maus. *Documenta Ophthalmologica*, 1951. **5-6**: p. 452-554.
152. Pittler, S.J., et al., PCR analysis of DNA from 70-year-old sections of rodless retina demonstrates identity with the mouse rd defect. *Proc Natl Acad Sci U S A*, 1993. **90**(20): p. 9616-9.
153. Carter-Dawson, L.D., M.M. LaVail, and R.L. Sidman, Differential effect of the rd mutation on rods and cones in the mouse retina. *Invest Ophthalmol Vis Sci*, 1978. **17**(6): p. 489-98.
154. Chang, B., et al., Two mouse retinal degenerations caused by missense mutations in the beta-subunit of rod cGMP phosphodiesterase gene. *Vision Res*, 2007. **47**(5): p. 624-33.
155. Gargini, C., et al., Retinal organization in the retinal degeneration 10 (rd10) mutant mouse: a morphological and ERG study. *J Comp Neurol*, 2007. **500**(2): p. 222-38.
156. Jones, B.W., et al., Retinal remodeling triggered by photoreceptor degenerations. *J Comp Neurol*, 2003. **464**(1): p. 1-16.
157. Chang, B., et al., Mouse models of ocular diseases. *Vis Neurosci*, 2005. **22**(5): p. 587-93.
158. Tsubura, A., et al., Animal models for retinitis pigmentosa induced by MNU; disease progression, mechanisms and therapeutic trials. *Histol Histopathol*, 2010. **25**(7): p. 933-44.
159. Weng, J., et al., Insights into the function of Rim protein in photoreceptors and etiology of Stargardt's disease from the phenotype in abcr knockout mice. *Cell*, 1999. **98**(1): p. 13-23.
160. Iacovelli, J., et al., Generation of cre transgenic mice with postnatal RPE-specific ocular expression. *Invest Ophthalmol Vis Sci*, 2011.
161. Shah, G.N., et al., Carbonic anhydrase IV and XIV knockout mice: roles of the respective carbonic anhydrases in buffering the extracellular space in brain. *Proc Natl Acad Sci U S A*, 2005. **102**(46): p. 16771-6.
162. Graf, C., et al., Wild-type levels of ceramide and ceramide-1-phosphate in the retina of ceramide kinase-like-deficient mice. *Biochem Biophys Res Commun*, 2008. **373**(1): p. 159-63.
163. Hutt, S., et al., Impaired channel targeting and retinal degeneration in mice lacking the cyclic nucleotide-gated channel subunit CNGB1. *J Neurosci*, 2005. **25**(1): p. 130-8.
164. Furukawa, T., et al., Retinopathy and attenuated circadian entrainment in Crx-deficient mice. *Nat Genet*, 1999. **23**(4): p. 466-70.
165. Yokokura, S., et al., Targeted disruption of FSCN2 gene induces retinopathy in mice. *Invest Ophthalmol Vis Sci*, 2005. **46**(8): p. 2905-15.
166. Makino, C.L., et al., A role for GCAP2 in regulating the photoresponse. Guanylyl cyclase activation and rod electrophysiology in GUCA1B knock-out mice. *J Biol Chem*, 2008. **283**(43): p. 29135-43.
167. Aherne, A., et al., On the molecular pathology of neurodegeneration in IMPDH1-based retinitis pigmentosa. *Hum Mol Genet*, 2004. **13**(6): p. 641-50.
168. Maeda, T., et al., Loss of cone photoreceptors caused by chromophore depletion is partially prevented by the artificial chromophore pro-drug, 9-cis-retinyl acetate. *Hum Mol Genet*, 2009. **18**(12): p. 2277-87.
169. Camenisch, T.D., et al., A novel receptor tyrosine kinase, Mer, inhibits TNF-alpha production and lipopolysaccharide-induced endotoxic shock. *J Immunol*, 1999. **162**(6): p. 3498-503.
170. Mears, A.J., et al., Nrl is required for rod photoreceptor development. *Nat Genet*, 2001. **29**(4): p. 447-52.
171. Sakamoto, K., et al., New mouse models for recessive retinitis pigmentosa caused by mutations in the Pde6a gene. *Hum Mol Genet*, 2009. **18**(1): p. 178-92.
172. Tsang, S.H., et al., Retinal degeneration in mice lacking the gamma subunit of the rod cGMP phosphodiesterase. *Science*, 1996. **272**(5264): p. 1026-9.

173. Salchow, D.J., et al., A point mutation (W70A) in the rod PDE-gamma gene desensitizing and delaying murine rod photoreceptors. *Invest Ophthalmol Vis Sci*, 1999. **40**(13): p. 3262-7.
174. Graziotto, J.J., et al., Three gene-targeted mouse models of RNA splicing factor RP show late-onset RPE and retinal degeneration. *Invest Ophthalmol Vis Sci*, 2011. **52**(1): p. 190-8.
175. Graziotto, J.J., et al., Decreased levels of the RNA splicing factor Prpf3 in mice and zebrafish do not cause photoreceptor degeneration. *Invest Ophthalmol Vis Sci*, 2008. **49**(9): p. 3830-8.
176. Bujakowska, K., et al., Study of gene-targeted mouse models of splicing factor gene Prpf31 implicated in human autosomal dominant retinitis pigmentosa (RP). *Invest Ophthalmol Vis Sci*, 2009. **50**(12): p. 5927-33.
177. McNally, N., et al., Murine model of autosomal dominant retinitis pigmentosa generated by targeted deletion at codon 307 of the rds-peripherin gene. *Hum Mol Genet*, 2002. **11**(9): p. 1005-16.
178. Ding, X.Q., et al., The R172W mutation in peripherin/rds causes a cone-rod dystrophy in transgenic mice. *Hum Mol Genet*, 2004. **13**(18): p. 2075-87.
179. Kurth, I., et al., Targeted disruption of the murine retinal dehydrogenase gene Rdh12 does not limit visual cycle function. *Mol Cell Biol*, 2007. **27**(4): p. 1370-9.
180. Humphries, M.M., et al., Retinopathy induced in mice by targeted disruption of the rhodopsin gene. *Nat Genet*, 1997. **15**(2): p. 216-9.
181. Naash, M.I., et al., Simulation of human autosomal dominant retinitis pigmentosa in transgenic mice expressing a mutated murine opsin gene. *Proc Natl Acad Sci U S A*, 1993. **90**(12): p. 5499-503.
182. Li, T., et al., Transgenic mice carrying the dominant rhodopsin mutation P347S: evidence for defective vectorial transport of rhodopsin to the outer segments. *Proc Natl Acad Sci U S A*, 1996. **93**(24): p. 14176-81.
183. Sung, C.H., et al., A rhodopsin gene mutation responsible for autosomal dominant retinitis pigmentosa results in a protein that is defective in localization to the photoreceptor outer segment. *J Neurosci*, 1994. **14**(10): p. 5818-33.
184. Saari, J.C., et al., Visual cycle impairment in cellular retinaldehyde binding protein (CRALBP) knockout mice results in delayed dark adaptation. *Neuron*, 2001. **29**(3): p. 739-48.
185. Clarke, G., et al., Rom-1 is required for rod photoreceptor viability and the regulation of disk morphogenesis. *Nat Genet*, 2000. **25**(1): p. 67-73.
186. Liu, J., et al., Distinct gene expression profiles and reduced JNK signaling in retinitis pigmentosa caused by RP1 mutations. *Hum Mol Genet*, 2005. **14**(19): p. 2945-58.
187. Rohrer, B., et al., Correlation of regenerable opsin with rod ERG signal in Rpe65-/- mice during development and aging. *Invest Ophthalmol Vis Sci*, 2003. **44**(1): p. 310-5.
188. Hong, D.H., et al., A retinitis pigmentosa GTPase regulator (RPGR)-deficient mouse model for X-linked retinitis pigmentosa (RP3). *Proc Natl Acad Sci U S A*, 2000. **97**(7): p. 3649-54.
189. Xu, J., et al., Prolonged photoresponses in transgenic mouse rods lacking arrestin. *Nature*, 1997. **389**(6650): p. 505-9.
190. Kumanogoh, A., et al., Nonredundant roles of Sema4A in the immune system: defective T cell priming and Th1/Th2 regulation in Sema4A-deficient mice. *Immunity*, 2005. **22**(3): p. 305-16.
191. Marshall, H., et al., Deficiency of the dual ubiquitin/SUMO ligase Topors results in genetic instability and an increased rate of malignancy in mice. *BMC Mol Biol*, 2010. **11**: p. 31.
192. Ikeda, S., et al., Retinal degeneration but not obesity is observed in null mutants of the tubby-like protein 1 gene. *Hum Mol Genet*, 2000. **9**(2): p. 155-63.
193. Liu, X., et al., Usherin is required for maintenance of retinal photoreceptors and normal development of cochlear hair cells. *Proc Natl Acad Sci U S A*, 2007. **104**(11): p. 4413-8.
194. Swaroop, A., et al., A conserved retina-specific gene encodes a basic motif/leucine zipper domain. *Proc Natl Acad Sci U S A*, 1992. **89**(1): p. 266-70.
195. Swain, P.K., et al., Multiple phosphorylated isoforms of NRL are expressed in rod photoreceptors. *J Biol Chem*, 2001. **276**(39): p. 36824-30.
196. Chen, S., et al., Crx, a novel Otx-like paired-homeodomain protein, binds to and transactivates photoreceptor cell-specific genes. *Neuron*, 1997. **19**(5): p. 1017-30.
197. Rehemtulla, A., et al., Ultraviolet radiation-induced apoptosis is mediated by activation of CD-95 (Fas/APO-1). *J Biol Chem*, 1997. **272**(41): p. 25783-6.
198. Bessant, D.A., et al., A mutation in NRL is associated with autosomal dominant retinitis pigmentosa. *Nat Genet*, 1999. **21**(4): p. 355-6.
199. Lamour, N.F. and C.E. Chalfant, Ceramide-1-phosphate: the "missing" link in eicosanoid biosynthesis and inflammation. *Mol Interv*, 2005. **5**(6): p. 358-67.

BIBLIOGRAFIA

200. Folch, J., M. Lees, and G.H. Sloane Stanley, *A simple method for the isolation and purification of total lipides from animal tissues.* J Biol Chem, 1957. **226**(1): p. 497-509.
201. Dowler, S., G. Kular, and D.R. Alessi, *Protein lipid overlay assay.* Sci STKE, 2002. **2002**(129): p. pl6.
202. Hanada, K., *Intracellular trafficking of ceramide by ceramide transfer protein.* Proc Jpn Acad Ser B Phys Biol Sci, 2010. **86**(4): p. 426-37.
203. Charruyer, A., et al., *Decreased ceramide transport protein (CERT) function alters sphingomyelin production following UVB irradiation.* J Biol Chem, 2008. **283**(24): p. 16682-92.
204. Han, G., et al., *Identification of small subunits of mammalian serine palmitoyltransferase that confer distinct acyl-CoA substrate specificities.* Proc Natl Acad Sci U S A, 2009. **106**(20): p. 8186-91.
205. Hornemann, T., et al., *The SPTLC3 subunit of serine palmitoyltransferase generates short chain sphingoid bases.* J Biol Chem, 2009. **284**(39): p. 26322-30.
206. Van Meer, G., *What sugar next? Dimerization of sphingolipid glycosyltransferases* PNAS, 2001. **98**(4): p. 1321-1323.
207. Wennekes, T., et al., *Glycosphingolipids--nature, function, and pharmacological modulation.* Angew Chem Int Ed Engl, 2009. **48**(47): p. 8848-69.
208. Bourquin, F., et al., *Structure and function of sphingosine-1-phosphate lyase, a key enzyme of sphingolipid metabolism.* Structure, 2010. **18**(8): p. 1054-65.
209. Bosch-Comas, A., et al., *The ubiquitin-specific protease USP25 interacts with three sarcomeric proteins.* Cell Mol Life Sci, 2006. **63**(6): p. 723-34.
210. Merrill, A.H., Jr., et al., *Sphingolipidomics: high-throughput, structure-specific, and quantitative analysis of sphingolipids by liquid chromatography tandem mass spectrometry.* Methods, 2005. **36**(2): p. 207-24.
211. Yokoyama, M., et al., *Molecular cloning of a human neuroD from a neuroblastoma cell line specifically expressed in the fetal brain and adult cerebellum.* Brain Res Mol Brain Res, 1996. **42**(1): p. 135-9.
212. Tanackovic, G., et al., *PRPF mutations are associated with generalized defects in spliceosome formation and pre-mRNA splicing in patients with retinitis pigmentosa.* Hum Mol Genet, 2011.
213. Lu, X. and P.A. Ferreira, *Identification of novel murine- and human-specific RPGRIP1 splice variants with distinct expression profiles and subcellular localization.* Invest Ophthalmol Vis Sci, 2005. **46**(6): p. 1882-90.
214. Tanackovic, G. and C. Rivolta, *PRPF31 alternative splicing and expression in human retina.* Ophthalmic Genet, 2009. **30**(2): p. 76-83.
215. Kirschner, R., et al., *RPGR transcription studies in mouse and human tissues reveal a retina-specific isoform that is disrupted in a patient with X-linked retinitis pigmentosa.* Hum Mol Genet, 1999. **8**(8): p. 1571-8.
216. Clark, F. and T.A. Thanaraj, *Categorization and characterization of transcript-confirmed constitutively and alternatively spliced introns and exons from human.* Hum Mol Genet, 2002. **11**(4): p. 451-64.
217. Thanaraj, T.A. and F. Clark, *Human GC-AG alternative intron isoforms with weak donor sites show enhanced consensus at acceptor exon positions.* Nucleic Acids Res, 2001. **29**(12): p. 2581-93.
218. Krawczak, M., J. Reiss, and D.N. Cooper, *The mutational spectrum of single base-pair substitutions in mRNA splice junctions of human genes: causes and consequences.* Hum Genet, 1992. **90**(1-2): p. 41-54.
219. Patwardhan, G.A. and Y.Y. Liu, *Sphingolipids and expression regulation of genes in cancer.* Prog Lipid Res, 2011. **50**(1): p. 104-14.
220. Boath, A., et al., *Regulation and traffic of ceramide 1-phosphate produced by ceramide kinase: comparative analysis to glucosylceramide and sphingomyelin.* J Biol Chem, 2008. **283**(13): p. 8517-26.
221. Touhara, K., et al., *Binding of G protein beta gamma-subunits to pleckstrin homology domains.* J Biol Chem, 1994. **269**(14): p. 10217-20.
222. Yamaji, T., et al., *Two sphingolipid transfer proteins, CERT and FAPP2: their roles in sphingolipid metabolism.* IUBMB Life, 2008. **60**(8): p. 511-8.
223. Maccario, H., et al., *Ubiquitination of PTEN (phosphatase and tensin homolog) inhibits phosphatase activity and is enhanced by membrane targeting and hyperosmotic stress.* J Biol Chem, 2010. **285**(17): p. 12620-8.
224. Shen, J., et al., *Oxidative damage is a potential cause of cone cell death in retinitis pigmentosa.* J Cell Physiol, 2005. **203**(3): p. 457-64.

225. Collum, R.G., et al., A novel POU homeodomain gene specifically expressed in cells of the developing mammalian nervous system. *Nucleic Acids Res*, 1992. **20**(18): p. 4919-25.
226. Xiang, M., et al., The Brn-3 family of POU-domain factors: primary structure, binding specificity, and expression in subsets of retinal ganglion cells and somatosensory neurons. *J Neurosci*, 1995. **15**(7 Pt 1): p. 4762-85.
227. Chakraborty, D., et al., Differences in RDS trafficking, assembly and function in cones versus rods: insights from studies of C150S-RDS. *Hum Mol Genet*, 2010. **19**(24): p. 4799-812.
228. Lewis, G.P. and S.K. Fisher, Up-regulation of glial fibrillary acidic protein in response to retinal injury: its potential role in glial remodeling and a comparison to vimentin expression. *Int Rev Cytol*, 2003. **230**: p. 263-90.
229. Li, Y., et al., Expression of the hydrogen peroxide-generating enzyme fatty acyl CoA oxidase activates NF- κ B. *DNA Cell Biol*, 2000. **19**(2): p. 113-20.
230. Numazawa, S., et al., Regulation of the susceptibility to oxidative stress by cysteine availability in pancreatic beta cells. *Am J Physiol Cell Physiol*, 2008.
231. Sanvicencs, N., et al., Oxidative stress-induced apoptosis in retinal photoreceptor cells is mediated by calpains and caspases and blocked by the oxygen radical scavenger CR-6. *J Biol Chem*, 2004. **279**(38): p. 39268-78.
232. Kim, S.H., et al., Activation of autophagy in retinal ganglion cells. *J Neurosci Res*, 2008.
233. Banfalvi, G., Cell cycle synchronization of animal cells and nuclei by centrifugal elutriation. *Nat Protoc*, 2008. **3**(4): p. 663-73.
234. Cingolani, C., et al., Retinal degeneration from oxidative damage. *Free Radic Biol Med*, 2006. **40**(4): p. 660-9.
235. Fain, G.L., Why photoreceptors die (and why they don't). *Bioessays*, 2006. **28**(4): p. 344-54.
236. Mendez, A. and J. Chen, Mouse models to study GCAP functions in intact photoreceptors. *Adv Exp Med Biol*, 2002. **514**: p. 361-88.
237. Dizhoor, A.M., E.V. Olshevskaya, and I.V. Peshenko, Mg²⁺/Ca²⁺ cation binding cycle of guanylyl cyclase activating proteins (GCAPs): role in regulation of photoreceptor guanylyl cyclase. *Mol Cell Biochem*, 2010. **334**(1-2): p. 117-24.
238. Palczewski, K., I. Sokal, and W. Baehr, Guanylate cyclase-activating proteins: structure, function, and diversity. *Biochem Biophys Res Commun*, 2004. **322**(4): p. 1123-30.
239. Schroder, T., H. Lilie, and C. Lange, The myristoylation of guanylate cyclase-activating protein-2 causes an increase in thermodynamic stability in the presence but not in the absence of Ca(2+). *Protein Sci*, 2011.
240. Gomez-Munoz, A., et al., Ceramide-1-phosphate promotes cell survival through activation of the phosphatidylinositol 3-kinase/protein kinase B pathway. *FEBS Lett*, 2005. **579**(17): p. 3744-50.
241. Bartke, N. and Y.A. Hannun, Bioactive sphingolipids: metabolism and function. *J Lipid Res*, 2009. **50** Suppl: p. S91-6.